

### COMPANY SURGEONS

Dr. Abbott Skinner, Chf. Med. Officer ..... St. Paul, Minn.  
\*Dr. Charles T. Eginton, Asst. Chf. Surg. .... St. Paul, Minn.  
\*Dr. P. E. Kane ..... Butte, Montana  
Dr. Robert H. Leeds ..... Chinook, Montana  
\*Dr. R. K. West ..... Cut Bank, Montana  
Dr. James R. Markette ..... Cut Bank, Montana  
\*Dr. R. W. Cummings ..... Shelby, Montana  
\*Dr. R. J. Stanchfield ..... Shelby, Montana  
Dr. Richard S. Baker ..... Chester, Montana  
Dr. Porter S. Cannon ..... Conrad, Montana  
Dr. R. W. Jensen ..... Culbertson, Montana  
Dr. K. Hamilton ..... Dodson, Montana  
Dr. Evon L. Anderson ..... Fort Benton, Montana  
\*Dr. R. B. Richardson, Gt. Falls Clinic... Great Falls, Montana  
Dr. J. C. Wolgamot ..... Great Falls, Montana  
Dr. L. C. Howard ..... Great Falls, Montana  
Dr. David Gregory ..... Glasgow, Montana  
\*Dr. Philip A. Smith ..... Glasgow, Montana  
\*Dr. D. S. MacKensie, Jr., Havre Clinic... Havre, Montana  
Dr. D. J. Almas ..... Havre, Montana  
Dr. C. W. Lawson ..... Havre, Montana  
\*Dr. N. A. Franken ..... Havre, Montana  
Dr. R. Wynne Morris ..... Helena, Montana  
\*Dr. Thos. L. Hawkins ..... Helena, Montana  
\*Dr. Phillip E. Griffin ..... Billings, Montana  
Dr. E. C. Hall ..... Laurel, Montana  
\*Dr. Paul Gans ..... Lewistown, Montana  
Dr. O. A. Swenson ..... Fairview, Montana  
\*Dr. J. P. Craven ..... Williston, North Dakota  
Dr. Edward J. Hagan ..... Williston, North Dakota  
Dr. R. D. Knapp ..... Wolf Point, Montana

\*Designates also Examining Surgeon.

### OPHTHALMIC SURGEONS

(Eye Doctors)

Dr. W. L. Forster ..... Havre, Montana  
Dr. Cecil M. Hall ..... Great Falls, Montana

J. R. McLELLAN, Chief Dispatcher.  
C. E. EUDY, Chief Dispatcher.  
M. J. SOMMERS, Asst. Supt.  
W. H. LITTLE, Trainmaster.  
V. W. BICE, Trainmaster.  
D. S. NELSON, Trainmaster.  
D. D. DAHL, Asst. Trainmaster.

# GREAT NORTHERN RAILWAY COMPANY

## BUTTE DIVISION

# TIME TABLE 95

EFFECTIVE 12:01 A. M.

MOUNTAIN TIME

---

---

Sunday, Sept. 24, 1961

---

---

H. H. HOLMQUIST, Superintendent.

C. M. RASMUSSEN, General Manager.

A. W. CAMPBELL, General Superintendent Transportation.



**WESTWARD**

**SECOND SUBDIVISION**

**EASTWARD 3**

Station Numbers	Car Capacity		SECOND CLASS		FIRST CLASS			Distance from Havre	Time Table No. 95 Effective Sept. 24, 1961 <b>STATIONS</b>	Telegraph Calls	Distance from Cut Bank	SIGNS	FIRST CLASS			SECOND CLASS	
	Sidings	Other Tracts	461	473	31	3	27						32	4	28	462	494
			Daily	Daily	Daily	Daily	Daily						Daily	Daily	Daily	Daily	Daily
956		2808	L 4.00Pm	L 6.00Am	L 1.10Pm	L 3.30Am	L 3.15Am		<b>HAVRE</b> .....★	HV	128.91	BPRKD NWOXZ	A 11.50Am	A 8.10Pm	A 8.30Pm	A 2.30Pm	A 9.50Pm
961		29	4.10	6.10	1.15	A 3.35Am	3.20	4.03	P. C. F. JCT.....		124.88	JPY	11.44	L 8.02Pm	8.25	2.20	9.40
967	165	7	4.20	6.20	1.21		3.26	9.92	BURNHAM		118.99	P	11.37		8.18	2.10	9.31
976	165	44	4.40	6.40	1.31		3.36	19.35	KREMLIN.....★	KN	109.56	DNP	11.27		8.08	1.56	9.19
986	165	33	5.00	7.00	<sup>462</sup> 1.41		3.47	29.47	10.12 GILDFORD.....	GR	99.44	DP	11.16		7.58	<sup>31</sup> 1.41	9.03
992	58	30	5.10	7.10				35.37	HINGHAM.....	HG	93.54	DP				1.30	8.53
998	165	36	5.20	7.20	1.53		3.59	41.34	RUDYARD.....★	RU	87.57	DP	11.04		7.48	1.23	8.43
1004	125	45	5.30	7.30				47.58	INVERNESS.....	RN	81.33	DP				1.05	8.32
1008		52	5.35	7.35				51.42	JOPLIN.....	JO	77.49	DP				12.56	8.26
1013	144		5.40	7.40	2.06		4.13	54.39	<sup>2.97</sup> BUELOW.....		74.52	P	10.50		7.35	12.51	8.21
1018	165	156	5.50	7.50	2.13		4.20	61.49	<sup>7.10</sup> CHESTER.....★	CH	67.42	DNPW	10.41		7.28	12.33	8.03
1024	135	32	5.58	7.58	2.19		4.25	67.03	<sup>5.54</sup> TIBER.....		61.88	P	10.35		7.22	12.24	7.54
1031	115	26	6.08	8.08	2.27		4.32	74.56	<sup>7.53</sup> LOTHAIR.....	AR	54.35	DP	10.27		7.15	12.12	7.42
1037	57	42	6.16	8.16	2.33		4.38	80.54	<sup>5.98</sup> GALATA.....	GA	48.37	DP	10.21		7.09	12.02Pm	7.32
1043	137	29	6.24	8.25	2.39		4.44	86.56	<sup>6.02</sup> DEVON.....★	CD	42.35	DNP	10.15		7.03	11.52	7.22
1052	134	73	6.35	8.37	2.48		4.52	95.16	<sup>8.60</sup> DUNKIRK.....		33.75	P	10.06		<sup>481-494</sup> 6.55	11.40	7.10
1061		1332	<sup>494-28</sup> 6.45	8.50	s 3.00		A 5.01 L 5.11	104.64	<sup>9.48</sup> SHELBY.....★	SJ	24.27	BRKDNP WOIYXJ	s 9.55		L <sup>481-494</sup> 6.45 A 6.37	11.25	<sup>461</sup> 6.45
1063			6.54	8.54	3.03		5.13	106.13	<sup>1.49</sup> S. G. JCT.....		22.78	PXJ	9.49		6.35	11.20	6.40
1074		31	7.10	9.10	3.18		5.25	117.67	<sup>11.54</sup> ETHRIDGE.....	DG	11.24	DP	9.37		6.23	11.05	6.25
1087		467	A 7.30Pm	A 9.30Am	A 3.33Pm		A 5.45Am	128.91	<sup>11.24</sup> CUT BANK.....★	CT		BDNIK PRWX	L 9.25Am		L 6.10Pm	L 10.40Am	L 6.15Pm
			3.30 36.83	3.30 36.83	2.23 54.08	.5 48.36	2.30 51.56		Time Over Subdivision Average Speed Per Hour				2.25 53.34	.8 30.23	2.20 55.24	3.50 33.63	3.35 35.15

Westward trains are superior to eastward trains of the same class.

**CONDITIONAL STOPS**

Trains 31 and 32 will stop at Chester and Cut Bank to receive or discharge revenue passengers from or to points Williston and East or Spokane and West where these trains are scheduled to stop.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 10.

4 WESTWARD

THIRD SUBDIVISION

EASTWARD

Station Number	Car Capacity		FIRST CLASS		Distance from Pacific Jct.	Time Table No. 95 Effective Sept. 24, 1961	STATIONS	Telegraph Calls	Distance from Sweet Grass	SIGNS	FIRST CLASS	
	Siding	Other Tracts	235	3							4	236
			Daily Ex. Sun.	Daily							Daily	Daily Ex. Sun.
961						P. C. F. JCT.		256.75	JPY	A	8.02Pm	
Z 11	48	10		L 3.35Am	10.88	10.88 LAREDO		245.87	P		7.49	
Z 20	91	38		3.47	20.70	9.82 BOX ELDER	BX	236.05	DP		7.39	
Z 31	90	114		3.59	31.52	10.82 BIG SANDY	BS	225.23	DNP	s	7.28	
Z 45	87	24		4.20	45.41	13.89 VIRGELLE		211.34	P		7.09	
Z 62	86	20		4.35	62.21	14.80 CHAPPELL	CQ	194.54	DP		6.47	
Z 75	90	69		4.55	74.71	12.50 FORT BENTON	BN	182.04	DNP	s	6.28	
Z 91	75	44		5.20	90.40	15.69 CARTER	CA	166.35	DP		6.07	
Z 96	29	20		5.40	95.40	5.00 FLOWEREE		161.35	P		6.01	
Z103	86	27		5.47	102.98	7.58 PORTAGE	RE	153.77	DP		5.52	
Z108	100	18		5.56	108.57	5.59 SHEFFELS		148.18	P		5.45	
Z119				6.03	119.22	10.65 GREAT FALLS	PD	137.53	BDNJK PRXW	L	5.30	
Z119				L 7.00Am						A	4.50Pm	
Z119				A 7.03Am	6.43	.63 W. S. JCT.	GS	136.90	BDNJK OPRW XYZ		12.42	
ZB12	153	19		6.48	119.85	3.10 EMERSON JCT.		133.80	JP		L 4.46Pm	
ZB19	48	6		7.01	122.95	8.37 VAUGHN	BY	125.43	DPJR		12.37	
ZB27	123	25		7.09	131.32	6.68 GORDON		118.75	P		12.23	
ZB37	121	58		7.18	138.00	7.33 POWER	PO	111.42	DPJYR		12.03Pm	
ZB40	58	13		7.36	145.33	10.56 DUTTON	DU	100.86	DNP	s	11.50	
ZB45	58	29		7.41	155.89	3.04 ACME		97.82	P		11.45	
ZB55	96	42		7.47	158.93	4.36 COLLINS	ON	93.46	DP		11.39	
ZB69	173	284		8.01	163.29	9.96 BRADY	BA	83.50	DP		11.28	
ZB79	131	19		8.20	173.25	13.40 CONRAD	RD	70.10	DNPWXY	s	11.10	
ZB84	47	13		8.25	186.65	3.22 M. W. JCT.		66.88	PJ		10.56	
ZB91	121	6		8.37	189.87	7.64 LEDGER	FA	59.24	DP		10.46	
1061				8.44	197.51	4.64 FOWLER		54.60	P		10.40	
				8.54	202.15	6.53 NAISMITH		48.07	P		10.30	
				A 9.15Am	217.90	9.32 SHELBY	SJ	38.85	DNPBJY KORWX	L	10.15Am	

TRAINS BETWEEN SHELBY AND S. G. JCT. WILL BE GOVERNED BY SECOND SUBDIVISION SCHEDULES

ZB120	47	111			219.39	1.49 S. G. JCT.		37.36	XJP		
ZB130	22	63			237.97	18.58 KEVIN	K	18.78	XDP		
ZB139	18	115			248.39	10.42 SUNBURST	SU	8.36	XDP		
					256.75	8.36 SWEET GRASS	G		BDKPKYR		
				.03	5.40					9.47	.04
				12.6	38.45					22.35	8.21

Time Over Subdivision  
Average Speed Per Hour

Westward trains are superior to eastward trains of the same class.  
SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 10.

**FOURTH SUBDIVISION**  
**WESTWARD** **EASTWARD**

Station Numbers	Car Capacity		SECOND CLASS <b>239</b> Daily Ex. Sun.	Time Table No. 95 Effective Sept. 24, 1961 STATIONS	Telegraph Calls	Distance from Great Falls	SIGNS	SECOND CLASS <b>240</b> Daily Ex. Sun.
	Sidings	Other Tracks						
ZD 237				BILLINGS	BG		BCDNKO RWXY	

**TRAINS BETWEEN MOSSMAIN AND BILLINGS AND LAUREL BE GOVERNED BY NORTHERN PACIFIC RY. TIME TABLE & RULES.**

ZD 222	60			12.08 MOSSMAIN		222.72	J	JPXY	
				3.94 N. P. RY. JCT.		218.78	J	JX	
ZD 218	47	25		.09 HESPER	HS	218.69		DPX	
ZD 213	121	23		5.27 RIMROCK		213.42		P	
ZD 186	122	55		27.06 BROADVIEW	BW	186.36		DNP	
ZD 174	47	18		12.05 BELMONT		174.31		P	
ZD 166	122	24		7.56 CUSHMAN		166.75			
ZD 153	46	14		13.08 FRANKLIN		153.67		P	
ZD 141	121	28		12.61 HEDGESVILLE		141.06		P	
ZD 127	46			13.46 OXFORD		127.60		P	
ZD 120	127	61		6.85 JUDITH GAP	JU	120.75		DKP WYN	
ZD 108	47	33		12.32 BUFFALO		108.43		P	
ZD 92	58	73		15.37 HOBSON	HO	93.06		DP	
ZD 87	117	61	L 10.50Am	5.31 MOCCASIN	MC	87.75		DJPYR	A 3.23Am
ZD 82	122	48	s 11.00	5.45 BENCHLAND	BD	82.30		DP	f 3.13
ZD 76	65	44	s 11.10	6.11 WINDHAM	WD	76.19		DP	f 3.03
ZD 68	57	145	s 11.23	7.16 STANFORD	SD	69.03		DNPW	s 2.50
ZD 58	49		s 11.41	10.67 MERINO		58.36		P	f 2.31
ZD 52	47	34	s 11.53	6.21 GEYSER	GY	52.15		DP	s 2.20
ZD 39	47	21	s 12.15Pm	12.39 RAYNESFORD	RF	39.76		DP	f 1.58
ZD 34	23		f 12.25	5.30 BLYTHE		34.46		P	f 1.48
ZA 28	129	41	f 12.35	5.95 ARMINGTON		28.51		P	f 1.38
ZA 26	65		s 12.39	1.98 BELT	B	26.53		DP	s 1.33
ZA 22	123	13	f 12.48	4.93 WAYNE		21.60		P	f 1.24
ZA 19	19		f 12.54	3.13 FIFE		18.47			f 1.18
ZA 10	46	60	f 1.09	8.39 GERBER		10.08		P	f 1.03
Z 119	2539	A	1.30Pm	10.08 GREAT FALLS. ★	PD			BDNJKP RXW	L 12.45Am
			2.40 32.9	Time Over Subdivision Average Speed Per Hour					2.38 33.3

**FIFTH SUBDIVISION** **5**  
**WESTWARD** **EASTWARD**

Station Numbers	Car Capacity		FIRST CLASS <b>235</b> Daily Ex. Sun.	Distance from Great Falls	Time Table No. 95 Effective Sept. 24, 1961 STATIONS	Telegraph Calls	SIGNS	FIRST CLASS <b>236</b> Daily Ex. Sun.
	Sidings	Other Tracks						
Z 119	2539	L	7.00Am		GREAT FALLS. ★	PD	BDNJKP RXW	A 4.50Pm

**TRAINS BETWEEN W. S. JCT. AND GREAT FALLS BE GOVERNED BY THIRD SUBDIVISION SCHEDULES.**

Z 130	39	37	L 7.03Am	0.63	0.63 W. S. JCT. ★	GS	BDNJK OPRW XYZ DP	A 4.46Pm
			7.23	14.08	13.45 ULM	M		4.26
Z 145	40	98	s 7.40	28.58	14.50 CASCADE	Q	DP	s 4.09
Z 153	32		7.50	36.79	8.21 HARDY		P	3.58
Z 160	39		8.03	44.39	7.60 MID CANON		P	3.48
Z 167	40	37	f 8.13	51.51	7.12 CRAIG		P	f 3.38
Z 175	44	9	s 8.25	59.39	7.88 WOLF CREEK	WC	DP	s 3.28
Z 184	40	9	8.40	68.59	9.20 SIEBEN		P	3.12
Z 197	97	15	s 8.58	81.12	12.53 SILVER CITY		P	s 2.57
Z 214		268	s 9.23	97.79	16.67 HELENA	HN	BDNJKP WXY	s 2.32
Z 229		27	f 9.45	112.37	14.58 CLANCY		P	f 2.00
Z 236	57	11	9.59	119.50	7.13 CORBIN		P	1.49
Z 244	47	7	10.14	125.91	6.41 AMAZON		P	1.37
Z 250	47	33	s 10.25	132.22	6.31 BOULDER	RO	DP	s 1.26
Z 257	40	14	s 10.40	139.92	7.70 BASIN		P	s 1.10
Z 269	39		11.00	151.94	12.02 ELK PARK		P	12.52
Z 279	42	15	11.10	160.38	8.44 WOODVILLE		P	12.42
Z 288		546	A 11.40Am	170.90	10.52 BUTTE	DX	BDNJKO PRWXYZ	L 12.20Pm
			4.37 36.88		Time Over Subdivision Average Speed Per Hour			4.06 38.54

**SIXTH SUBDIVISION**  
**WESTWARD** **EASTWARD**

Station Numbers	Car Capacity		SECOND CLASS <b>333</b> Mon, Wed. and Fri.	Distance from Saco	Time Table No. 95 Effective Sept. 24, 1961 STATIONS	Telegraph Calls	SIGNS	SECOND CLASS <b>334</b> Mon, Wed. and Fri.
	Sidings	Other Tracks						
842	287	L	7.30Am		SACO. ★	SF	DNJKPY	A 5.40Pm
SH 9	40	72	s 8.00	8.73	8.73 COLE		P	s 5.10
SH15	24	f	8.30	15.31	6.58 TATTNALL		P	f 4.45
SH26	34	s	9.15	25.87	10.56 WHITEWATER	W	DP	s 4.00
SH39	34	s	10.00	38.82	12.95 LORING	N	DP	s 3.15
SH54	27	f	10.50	54.12	15.30 CHAPMAN		P	f 2.25
SH67	44	s	11.30	67.14	13.02 TURNER	R	DP	s 1.45
SH79	44	A	12.15Pm	78.72	11.58 HOGELAND	X	DPY	L 1.00Pm
			4.45 16.57		Time Over Subdivision Average Speed Per Hour			4.40 16.86

Westward trains are superior to eastward trains of the same class on the Fourth, Fifth and Sixth Subdivisions.  
 SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 10.

WESTWARD

EASTWARD

Station Numbers	Capacity of Tracks	SECOND CLASS		Time Table No. 95		Telegraph Calls	Distance from Moccasin	SIGNS	SECOND CLASS	
		239		Effective Sept. 24, 1961					240	
		Daily Ex. Sunday		STATIONS					Daily Ex. Sunday	
ZF30	246	L	7.10Am	.....	LEWISTOWN	WN	30.73	DJKP XYR	A	5.25Am
<b>TRAINS BETWEEN LEWISTOWN AND SPRING CREEK JUNCTION BE GOVERNED BY C. M. ST. P. &amp; P. R. R. TIME TABLE AND RULES.</b>										
.....	.....	L	7.35Am	.....	SPRING CREEK JCT.	.....	21.51	JPR	A	4.57Am
ZF20	24	t	7.39	.....	KINGSTON	.....	20.32	.....	t	4.45
ZF14	34	s	7.58	.....	ROSSFORK	.....	14.23	.....	s	4.34
ZF 8	34	s	8.19	.....	KOLIN	.....	7.52	DP	s	4.13
ZD87	61	A	8.42Am	.....	MOCCASIN	MC	.....	DJPRY	L	3.50Am
			1.07 19.3		Time Over Subdivision Average Speed Per Hour					1.07 19.3

Eastward trains are superior to westward trains of the same class.

WESTWARD EIGHTH SUBDIVISION EASTWARD

Station Numbers	Capacity of Tracks	Distance from Vaughn	Time Table No. 95		Telegraph Calls	SIGNS
			Effective Sept. 24, 1961			
STATIONS						
ZB12	19	.....	.....	.....	VAUGHN	BY DJPRN
.....	.....	5.64	.....	.....	DRACUT JCT.	JPR
ZE 9	21	8.83	.....	.....	SUN RIVER	.....
ZE14	26	13.34	.....	.....	FORT SHAW	P
ZE19	26	18.97	.....	.....	SIMMS	SM DP
ZE25	26	22.90	.....	.....	LOWRY	.....
ZE30	13	29.41	.....	.....	RIEBELING	.....
ZE42	34	41.70	.....	.....	AUGUSTA	GN DPY
					Time Over Subdivision Average Speed Per Hour	

WESTWARD NINTH SUBDIVISION EASTWARD

Station Numbers	Capacity of Tracks	Distance from Power	Time Table No. 95		Telegraph Calls	SIGNS
			Effective Sept. 24, 1961			
STATIONS						
ZB27	25	.....	.....	.....	POWER	PO DJPRY
ZG 6	9	5.72	.....	.....	CORDOVA	.....
ZG12	23	11.60	.....	.....	CLEIV	.....
ZG22	.....	21.22	.....	.....	EASTHAM JCT.	JPR
<b>TRAINS BETWEEN EASTHAM JCT. AND CHOTEAU JCT. BE GOVERNED BY C. M. ST. P. &amp; P. R. R. TIME TABLE AND RULES.</b>						
.....	.....	28.05	.....	.....	CHOTEAU JCT.	JPR
ZG29	55	28.70	.....	.....	CHOTEAU	CO DP
.....	.....	29.55	.....	.....	C.M.St.P.&P.R.R. Cros'g.	U
ZG42	33	42.53	.....	.....	BYNUM	P
ZG51	60	51.11	.....	.....	PENDROY	RY DPY
					Time Over Subdivision Average Speed Per Hour	

Westward trains are superior to eastward trains of the same class on the Eighth and Ninth Subdivisions.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 10.

## WATCH INSPECTORS

Butte ..... S & S Jewelers.  
 Conrad ..... Harold Pyle.  
 Great Falls ..... Sutherland Jewelry.  
 Havre ..... Blacks' Jewelry.  
 Helena ..... S. & M Jewelers.  
 Laurel ..... Dudis Jewelry.  
 Lewistown ..... Scheidt Jewelers.  
 Shelby ..... Stulls Jewelry.

## SPEED TABLE

Time Min.	Per Mile Sec.	Miles Per Hour	Time Min.	Per Mile Sec.	Miles Per Hour
	46	78.3	1	18	46.2
	47	76.6	1	20	45.0
	48	75.0	1	22	43.9
	49	73.5	1	24	42.9
	50	72.0	1	26	41.9
	51	70.6	1	28	40.9
	52	69.2	1	30	40.0
	53	67.9	1	33	38.7
	54	66.7	1	36	37.5
	55	65.5	1	39	36.4
	56	64.3	1	42	35.3
	57	63.2	1	45	34.3
	58	62.1	1	50	32.7
	59	61.0	1	55	31.3
1	0	60.0	2	0	30.0
1	1	59.0	2	10	27.7
1	2	58.1	2	20	25.7
1	3	57.1	2	30	24.0
1	4	56.3	2	40	22.5
1	5	55.4	3	0	20.0
1	6	54.5	3	30	17.1
1	7	53.7	4	0	15.0
1	8	52.9	5	0	12.0
1	9	52.2	6	0	10.0
1	10	51.4	7	0	8.8
1	12	50.0	8	0	7.5
1	14	48.6	9	0	6.7
1	16	47.4	10	0	6.0

## ALL SUBDIVISIONS

## 1. SPEED RESTRICTIONS GENERAL.

The following speed limits apply to trains and engines operating under the conditions outlined, unless rules or conditions require a further reduction.

50 MPH—Diesel engines light or with caboose only.

35 MPH—Trains or engines on main routes, actuating the point of spring switches; also trains or engines thru No. 20 turnouts at following locations:

Pacific Jct.

West end Havre yard, Lead Switch to North Main Track.

East Havre, 3 miles East of Pass. Station.

End of Double Track Cut Bank.

East and West Siding Switches at;

Bainville	Nashua	Buelow
Brockton	Hinsdale	Chester
Poplar	Saco	Tiber
Macon	Bowdoin	Lothair
Wolf Point	Malta	Devon
Oswego	Dodson	Dunkirk
Frazer	Lohman	
Kintyre	Gildford	

West siding switch at Blair

East siding switch at Savoy and Harlem

East switch North No. 1 track Glasgow

30 MPH—On Main lines, when handling following equipment in trains, not in actual service but on own wheels, derricks, cranes, pile drivers, Jordan spreaders, shovels, wedge plows, scale test car, also ore cars series 80000 thru 94250 and air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.

25 MPH—Trains handling logs; trains or engines moving in facing point direction at spring switches without facing point lock; trains or engines thru No. 15 turnouts at following locations;

Culbertson, east siding switch.

Shelby, spring switch east end Shelby yard.

20 MPH—Trains handling the following equipment on Branch lines or on 6 degree or sharper curves of Main lines, scale test car, ore cars series 80000 thru 94250, air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.

15 MPH—Trains handling the following equipment on Branch lines or on 6 degree or sharper curves of Main lines, derricks, cranes, pile drivers, Jordan spreaders, shovels and wedge plows.

15 MPH—Trains or engines moving thru interlockings against the current of traffic on double track; trains or engines thru all other turnouts, except equilateral turnouts, and those shown previously in this item.

1(a). Rule 240 W of the Consolidated Code of Operating Rules is modified to permit handling Great Northern Cars 60276 through 60279, 61500 through 61524 and 61000 through 61009 in passenger trains at passenger train speeds.

## 2. MOVEMENT OF ENGINES DEAD IN TRAINS.

Engine 2350 must be handled on rear of freight and mixed trains. Diesel engines 1 thru 196 or any road switcher unit not equipped with alignment control couplers must be towed as single units. On engines 550 thru 599, coupler alignment control lock blocks must be "DOWN" when coupled in multiple unit operation.

Following road switchers are equipped with alignment control couplers: 200 through 218; 220 through 230; 550 through 599 (lock blocks); 600 through 699; 700 through 734; 900 through 915; 2000 through 2035.

Single unit diesel engines, or multiple unit groups (When such groups consist of road freight, road passenger, or engines with alignment control couplers), when towed dead in freight trains, are to be handled not less than five (5) cars nor more than fifteen (15) cars behind the road engine. There should not be more than (5) units in a group. Additional such units or groups of units must be separated by not less than (5) cars.

When towing diesel engines dead in trains the following speeds must not be exceeded:

MAXIMUM SPEED	ENGINE NUMBER
50 MPH .....	1 thru 10, 14 thru 16, 24 thru 28, 75 thru 162, 165 thru 170.
79 MPH .....	350 thru 375, 500 thru 512, 679, 680, 2350.
65 MPH .....	All other diesel engine units.

3. Except at points where it is necessary to classify trains, open cars loaded with poles, piling, lumber, timber, pipe or other lading which might shift, should be placed as close as possible to the head end of train, but not next to engine, caboose, occupied outfit car or passenger car. Loaded trailer-on-flat cars are not included in this category. In double track territory, trains handling such cars must use extreme care to avoid slack running in or out when passing or being passed by other trains. In single track territory, trains handling such cars must be at stop when on siding or other track to meet or be passed by other trains, except when have more cars than siding will hold, it is permissible for such trains to pull by each other at restricted speed.

Loaded dump cars should not be handled on double track after dark, but if necessary to do so, close watch must be maintained by members of the crew, and if a car dumps its load, train must be stopped at once and protection provided as prescribed by the rules.

4. Brakemen with less than one year of experience should not be used as flagman except in emergency, and then Superintendent will be notified by wire.

5. When operating snow machines in non-block signal territory, no train should be permitted to follow closer than a station apart; when that cannot be done, they will be blocked not less than thirty minutes apart.

After severe blizzard or dirt storm, employes on first train over road must exercise care to avoid accident caused by striking drift without first having drifts faced with hand shovels, cutting in far enough to get beyond the hard snow and giving a perpendicular wall to strike against instead of slope or wedgelike shape. When operating snow dozer, conductor in charge will ride in the dozer. On snow and dirt dozers every precaution must be taken to see that cage, flangers and wings clear all obstacles when in service and are properly secured when in through trains, and dozers properly turned. Hand screws must be tightened to raise flanger on dozers as high as possible before making a backup movement, and must not be released until the dozing work is actually to start. Hand screws holding the cage on dozers must be tightened or chains otherwise fastened except when dozer has air in cylinders and is attended by an employe.

6. Due to limited overhead clearance at tunnels and structures, employes are warned to keep off top of cars of extreme height and width when handled in trains and yards except in emergency. In absence of previous advice on such cars, wire proper officer for instructions.

7. Placarded loaded tank cars handled in through freight or mixed trains shall not be nearer than 6th car from engine, occupied caboose or passenger car.

Cars placarded "Explosives", "Flammable", "Corrosive Liquids", or "Poison Gas" handled in through freight trains, local and mixed trains, shall not be nearer than 16th car from engine, occupied caboose or passenger car.

When length of train will not permit handling of cars as prescribed above—ANY PLACARDED CAR, loaded with above commodities—shall be placed near middle of train, but not nearer than 2nd car from engine, occupied caboose or passenger car.

When switching such cars in terminal yards they must be separated from engine by at least one non-placarded car.

When placarded cars described above are handled in freight trains made up in "blocks" or classifications, placarded car or cars shall be placed near middle of the "block" or classification, but not nearer than 6th car from engines, occupied caboose or passenger car.

When such placarded cars are placed in trains they must not be placed next to each other, next to refrigerators equipped with gas-burning heaters, stoves or lanterns, or next to loaded flat cars, or gondola cars containing lading higher than ends of car that is liable to shift.

Carload express shipments of explosives, sealed and placarded, may be handled on passenger trains; LCL shipments may be made in so-called peddler car with messenger in charge when such car is assigned to the handling of express and baggage exclusively.

Terminal or pick-up points enroute must furnish conductor and engineer Form 250 showing consecutively location in train of all cars placarded "Explosives". At points other than terminals where crews change, notice will be transferred from crew to crew.

Employes will be guided by further instructions governing handling of loaded tank cars, Explosives, Flammables, Corrosive Liquids, and Poison Gas found in I.C.C. Regulations and Consolidated Code Rules 727 and 811.

8. Trains departing from stations, either from siding or main track in trailing point movement actuating points of spring switches, a member of crew must observe indication of governing signal in opposite direction after rear end of train has passed through switch to ascertain if switch points return to normal position. If this signal indicates stop and no immediate train movement or other cause is evidence report the fact to Superintendent from first available point of communication.

During and immediately following snow storms or violent wind storms, spring switches must be operated by hand and relined to normal position before heading out through switch in trailing point movement, actuating switch points, to insure switch is in proper operating condition.

9. Facing point locks on hand operated switches are indicated by a six inch yellow stripe painted on target staff. Be positive locking device is restored to normal position after using. A running switch must not be made through this type switch.
10. Rule 3 (C) of the Consolidated Code of Operating Rules is amended as follows:  
Employes governed by time service rules must not wear wrist watches while on duty unless such watches are of an approved type.

Approved type wrist watches are:

Elgin, B. W. Raymond model, 13/0 size, 23 jewels.

11. Regarding Consolidated Code Rule 103. In addition to complying with the provisions of this rule, members of a crew will be governed by the following: When an engine, with or without cars, is about to move over a public crossing not protected by a watchman, by gates or by crossing signals in operation, a member of the crew must be on the ground at the crossing to provide protection.

## FIRST SUBDIVISION

(Main Line)

- MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**  
Between Passenger Freight  
Bainville and Havre ..... 79 MPH 60 MPH
- SPEED RESTRICTIONS.**  
Culbertson, No. 32 to permit proper discharge of mail....60 MPH
- TRAIN REGISTER EXCEPTIONS.**  
Glasgow, First Class Trains need not register.

- CLEARANCE PROVISIONS AND EXCEPTIONS, RULE 83(B).**  
Bainville, Rule 83(B) does not apply. Minot division Clearance Form A received at Havre will clear the train at Bainville. Williston, Butte division trains must obtain their Butte division clearance at Williston which will clear the train at Bainville.

- The following signals are located adjacent to the left of the track which they govern.

### HAVRE STOCK YARD.

Westward governing home signal for Main track.

Eastward governing home signal for yard track.

## SECOND SUBDIVISION

(Main Line)

- MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**  
Between Passenger Freight  
Havre and Cut Bank ..... 79 MPH 60 MPH
- SPEED RESTRICTIONS.**  
Between home signals of interlocking, Shelby ..... 20 MPH  
Between Depot and MP 1089.8, 1000 feet east of depot at Cut Bank, through crossover ..... 30 MPH
- TRAIN REGISTER EXCEPTIONS.**  
Shelby, all trains, except trains originating or terminating at Shelby, register by ticket.  
Register of regular trains at Havre will cover their arrival at Pacific Jct.  
Cut Bank, first class trains and passenger extras register by ticket.
- CLEARANCE PROVISIONS & EXCEPTIONS, RULE 83(B).**  
Pacific Jct., Rule 83(B) does not apply.
- RESTRICTED CLEARANCES.**  
Shelby, turnouts are located so close together at end of double track and crossover east thereof, also turnout at east end South 3 track and west end industry track that engines cannot safely operate on both turnouts at same time and movements of this kind are prohibited.
- Shelby, Nos. 3 and 4 must proceed at restricted speed between end of Third Subdivision and passenger station and will use first track south of main track.
- MANUAL INTERLOCKINGS WITH DUAL CONTROL SWITCHES.**  
Shelby .....End of double track  
Cut Bank .....Crossover, 1000 feet east of Depot  
End of double track east and west end Bridge 1090.8.  
Switches are controlled by operator at depot.
- Two main tracks known as NORTH MAIN and SOUTH MAIN extend between Pacific Jct. and crossovers at west end of Havre yard.  
The following signals are located adjacent to the left of the track which they govern:

### EASTWARD ON NORTH MAIN TRACK.

Signal 433.2

Eastward governing home signal end of two main tracks Havre.

### WESTWARD ON SOUTH MAIN TRACK.

Signal 433.3

Westward governing home signal end of two main tracks Havre.



### THIRD SUBDIVISION

(Pacific Jct., Great Falls-Sweet Grass)

- 1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**  

Between	Passenger	Freight
Pacific Jct. and Sweet Grass .....	59 MPH	49 MPH
- 2. TRAIN REGISTER EXCEPTIONS.**  
 Great Falls, register only for first class trains and passenger extras.  
 First class trains register by ticket at W. S. Junction except Nos. 235 and 236.  
 Vaughn, Power, Conrad register only for trains originating and terminating.
- 3. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**  
 Pacific Jct. Rule 83(B) does not apply.  
 Nos. 3 and 4 require clearance at Great Falls.  
 Great Falls, westward CMStP&P RR. trains departing from Milwaukee passenger station must obtain clearance from G.N. dispatcher.
- 4. Great Falls, normal position of Third and Fourth Subdivision Jct. Switch is lined for the Fourth Subdivision.**
- 5. Shelby, Nos. 3 and 4 must proceed at restricted speed between end of Third Subdivision and passenger station and will use first track south of main track.**

### FOURTH SUBDIVISION

(Billings Line)

- 1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**  

Between	Passenger	Freight
Great Falls and Mossmain .....	59 MPH	49 MPH
- 2. TRAIN REGISTER EXCEPTIONS.**  
 Great Falls register only for first class trains and passenger extras.  
 Moccasin, register only for trains originating and terminating.
- 3. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**  
 Great Northern clearance received at Billings and Laurel will clear trains at Mossmain.  
 Moccasin, Rule 83(B) does not apply providing train order signal indicates proceed.  
 Eastward GN trains entering CMStP&P tracks at Spring Creek Jct. must obtain CMStP&P clearance before arriving at Spring Creek Jct. No. 240 will obtain such clearance at Great Falls.
- 4. Great Falls, normal position of Third and Fourth Subdivision Jct. Switch is lined for the Fourth Subdivision.**

### FIFTH SUBDIVISION

(Butte Line)

- 1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**  

Between	Passenger	Freight
Great Falls and Butte .....	59 MPH	40 MPH
- 2. SPEED RESTRICTIONS.**  
 Helena ..... 15 MPH
- 3. TRAIN REGISTER EXCEPTIONS.**  
 W. S. Junction register for freight trains only.
- 4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**  
 W. S. Jct. Rule 83(B) does not apply to first class trains and passenger extras.
- 5. Butte, train and engine movements over crossings must be protected by a crew member on the ground at the crossing except during assigned hours of watchmen.**
- 6. AUTOMATIC INTERLOCKINGS.**  
 Helena, 2.59 miles east of..... N. P. Ry. Crossing  
 Butte, 1.50 miles east of..... N. P. Ry. Crossing
- 7. RAILROAD CROSSINGS PROTECTED BY GATES.**  
 Helena, 1.87 miles east of..... N. P. Ry. Industry track  
 Normal position is clear for Great Northern.

### SIXTH, SEVENTH, EIGHTH AND NINTH SUBDIVISIONS

- 1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**  

Between	
Saco and Hogeland .....	35 MPH
Lewistown and Moccasin .....	35 MPH
Vaughn and Augusta .....	20 MPH
Power and Pendroy .....	20 MPH
- 2. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).**  
 Moccasin, Vaughn, Power and Saco, Rule 83(B) does not apply providing train order signal indicates proceed.  
 Eastham Jct., and Choteau Jct., Rule 83(B) does not apply.  
 Lewistown, westward G.N. trains departing from G.N. passenger station must obtain clearance from G.N. and CMStP&P dispatchers.  
 Eastward GN trains entering CMStP&P tracks at Spring Creek Jct. must obtain CMStP&P clearance before arriving at Spring Creek Jct. No. 240 will obtain such clearance at Great Falls.

## Business Tracks not Shown as Stations on Time Table.

NAME	LOCATION	Capacity Cars	SWITCH OPENS
<b>First Subdivision</b>			
Sprole .....	6.52 miles east of Poplar.....	43	West end
Chelsea .....	6.80 miles west of Poplar .....	19	West end
Glasgow Air Base .....	20.19 miles north of Glasgow	Yard	East end
Whately .....	6.73 miles east of Glasgow.....	146	Both ends
Wiota .....	5.65 miles west of Kintyre .....	55	West end
Vandalia (2 Tracks).....	8.78 miles east of Hinsdale .....	100	Both ends
Saco Stock Yards .....	1.70 miles west of Saco .....	27	Both ends
Malta Stock Yards .....	2.07 miles east of Malta.....	46	Both ends
Coburg .....	5.21 miles east of Savoy .....	165	Both ends
Harlem Stock Yards .....	1.29 miles east of Harlem .....	38	Both ends
Harlem Beet Track .....	0.76 miles west of Harlem.....	43	Both ends
Fort Belknap .....	6.33 miles west of Harlem.....	54	East end
North Fork Track .....	3.66 miles west of Zurich .....	22	East end
<b>Second Subdivision</b>			
Fresno .....	4.70 miles west of Burnham .....	15	West end
Union Oil Spur (8 Tracks) .....	4.66 miles east of Cut Bank .....	8-11-17	East end
<b>Third Subdivision</b>			
Verona .....	5.29 miles west of Big Sandy .....	5	East end
Lippard .....	5.95 miles east of Chappell .....	20	West end
Kershaw .....	5.03 miles west of Fort Benton .....	38	Both ends
Tunis .....	5.91 miles east of Carter .....	8	West end
Rainbow .....	4.89 miles west of Sheffels.....	50	West end
Manchester .....	7.83 miles west of Grt. Falls..	30	East end
The Texas Co. ....	0.63 miles east of Sunburst....	120	Both ends
<b>Fourth Subdivision</b>			
Baseline Spur .....	1.90 miles east of Rimrock .....	26	West end
Action .....	12.18 miles west of Rimrock..	18	Both ends
Comanche .....	8.55 miles east of Broadview..	30	Both ends
Barrows Spur .....	5.60 miles east of Buffalo .....	9	West end
Dover .....	5.31 miles east of Merino .....	18	Both ends
Bovey's Elevator Spur.....	5.15 miles west of Fife .....	15	East end
Lavin Spur .....	At Gerber .....	Yard	West end
Fields .....	6.50 miles east of Great Falls	30	Both ends
<b>Fifth Subdivision</b>			
Mortenson's Spur .....	1.2 miles east of Hardy.....	129	West end
Gilmore Pit .....	At Hardy .....	105	West end
Associated Petroleum Products Spur .....	1.72 miles west of Helena .....	19	East end
Car-Con Spur .....	1.84 miles west of Helena.....	31	East end
Lahey .....	0.74 miles west of Corbin .....	8	Both ends
Wickes .....	3.77 miles west of Corbin .....	13	West end
<b>Eighth Subdivision</b>			
Beet Track .....	0.53 miles west of Vaughn .....	44	Both ends
<b>Ninth Subdivision</b>			
Bole .....	5.48 miles west of Cleiv.....	15	West end
Flume Spur .....	9.34 miles west of Cleiv.....	13	East end
Hobson Elevator Spur.....	3.75 miles east of Choteau .....	15	West end
Koyle Spur .....	7.87 miles west of Choteau....	7	East end

Pages 11 and 12 are blank.