

COMPANY SURGEONS

*Dr. Abbott Skinner, Chief Medical Officer.....	St. Paul, Minn.
*Dr. Hugo F. Schroeckenstein, Asst. to Chf. Med. Officer	St. Paul, Minn.
Dr. Theodore Loken	Ada, Minn.
Dr. G. W. Clifford	Alexandria, Minn.
Dr. Leroy J. Larson	Bagley, Minn.
*Dr. Einar W. Johnson	Bemidji, Minn.
*Dr. T. P. Groschupf	Bemidji, Minn.
*Dr. Carl Simison	Barnesville, Minn.
*Dr. C. H. Coombs	Cass Lake, Minn.
*Dr. D. E. Stewart	Crookston, Minn.
*Dr. Owen W. Holm	Crookston, Minn.
Dr. C. G. Uhley	Crookston, Minn.
Dr. John C. Fawcett	Devils Lake, N. D.
*Dr. Glenn W. Toomey	Devils Lake, N. D.
Dr. R. Donald McBane	Devils Lake, N. D.
Dr. A. N. Flaten	Edinburg, N. D.
*Dr. V. G. Borland	Fargo, N. D.
Dr. G. Howard Hall	Fargo, N. D.
*Dr. Norman H. Baker	Fergus Falls, Minn.
Dr. George A. Sather	Fosston, Minn.
Dr. C. J. Glaspel	Grafton, N. D.
*Dr. Walter C. Dailey	Grand Forks, N. D.
*Dr. William T. Powers	Grand Forks, N. D.
*Dr. Harold Tarpley	Grand Forks, N. D.
*Dr. R. K. Helm	Grand Forks, N. D.
Dr. Peter Foderick	Hallock, Minn.
Dr. Robert W. McLean	Hillsboro, N. D.
Dr. N. J. Kaluzniak	Langdon, N. D.
Dr. C. O. Haugen	Larimore, N. D.
Dr. J. M. Muus	McVile, N. D.
Dr. R. C. Little	Mayville, N. D.
*Dr. L. H. Kermott	Minot, N. D.
Dr. John F. Zachman	Melrose, Minn.
Dr. Robert H. Delano	Northwood, N. D.
Dr. Henry A. Korda	Pelican Rapids, Minn.
Dr. J. L. Delmore, Jr.	Roseau, Minn.
*Dr. V. E. Neils	St. Cloud, Minn.
*Dr. G. H. Goehrs	St. Cloud, Minn.
*Dr. John C. Grant	Sauk Centre, Minn.
*Dr. Julian F. DuBois, Jr.	Sauk Centre, Minn.
Dr. C. H. Holmstrom	Warren, Minn.
Dr. Charles M. Burns	Winnipeg, Man.

*Designates also Examining Surgeon.

OPHTHALMOLOGISTS (Eye Doctors)

Dr. Malcolm A. McCannel	Minneapolis, Minn.
Dr. Richard C. Horn	Minneapolis, Minn.
Dr. L. J. Prochaska	Grand Forks, N. D.
Dr. W. T. Wenner	St. Cloud, Minn.
Dr. O. L. Oppegaard	Crookston, Minn.

W. R. Richter, Asst. Superintendent.
M. G. Larson, Chief Dispatcher.
M. J. Costello, Master Mechanic.
T. G. Hooker, Trainmaster.
T. C. Whitaere, Trainmaster.
F. E. Plante, Trainmaster.
B. M. Kunsman, Traveling Engineer.
J. D. Crowley, Traveling Engineer.

GREAT NORTHERN RAILWAY COMPANY

DAKOTA DIVISION

TIME TABLE 140

EFFECTIVE 12:01 A. M.

CENTRAL STANDARD TIME

Sunday, October 30, 1966

P. B. RASMUSSEN, Superintendent.
R. N. WHITMAN, General Manager.
H. J. SURLS,
General Superintendent Transportation.

Printed in U.S.A.

2 WESTWARD

FIRST SUBDIVISION

EASTWARD

Station Numbers	Car Capacity		FIRST CLASS					Distance from Rice Jct.	Time Table No. 140 Effective October 30, 1966		Telegraph Calls	Distance from PA Tower	SIGNS	FIRST CLASS				
	Sidings	Other Tracks	7	11	27	3	31		8	32				28	4	14		
			Daily	Daily	Daily	Daily	Daily										Daily	Daily

TRAINS BETWEEN RICE JCT. AND ST. CLOUD ARE GOVERNED BY WILLMAR DIVISION TIME TABLE.

07388		L	10.32Pm	L	7.27Pm	L	9.10Am			RICE JCT.	241.98	IJPX	A	4.53Am	A	1.07Pm	A	5.54Pm
09070	56		10.39		7.37		9.16	6.18		ST. JOSEPH	235.80	DP		4.41		12.57		5.47
09078	134	24	10.46		7.45		9.23	14.35		AVON	227.63	DP		4.31		12.49		5.39
09084	68		10.51		7.50		9.28	20.39		ALBANY	221.59	DP		4.24		12.44		5.33
09090	124	45	10.56		7.55		9.33	26.67		FREESPORT	215.31	DP		4.17		12.39		5.27
09096	77	80	11.01		8.01		9.38	32.62		MELROSE	209.36	DP		4.10		12.34		5.21
09104	43	123	s 11.21	s	8.19	s	9.49	40.93		SAUK CENTRE ★	201.05	JDNXP	s	3.50	s	12.26	s	5.13
09112	126	26	11.30		8.29		9.57	48.71		WEST UNION	193.27	DP		3.35		12.15		5.01
09118	73		11.35		8.35		10.02	54.50		OSAKIS	187.48	DP		3.29		12.08		4.55
09124	125	31	11.40		8.41		10.07	60.18		NELSON	181.80	P		3.23		12.02Pm		4.49
09128	80	148	s 11.46	s	8.48	s	10.12	65.77		ALEXANDRIA ★	176.21	DNP	s	3.17	s	11.54	s	4.40
09136	125	23	12.01Am		9.06		10.23	72.33		GARFIELD	169.65	DP		3.01		11.44		4.29
09141	67	42	12.06		9.12		10.28	78.08		BRANDON	163.90	DP		2.55		11.38		4.23
09147	112	42	12.11		9.18		10.33	83.21		EVANSVILLE	158.77	DP		2.49		11.32		4.18
09155	108	29	12.20		9.27		10.41	92.12		ASHBY	149.86	DP		2.39		11.22		4.10
09163	66	32	12.28		9.35		10.48	99.88		DALTON	142.15	DP		2.30		11.13		4.02
09175	61	252	s 12.40	s	9.47	s	10.59 ²⁸	110.93		FERGUS FALLS ★	131.05	JPDNXXI	s	2.15	s	10.59 ³	s	3.49
09183	125	26	1.01		10.07		11.09	119.22		CARLISLE	122.76	DP		1.58		10.40		3.37
09191	125	31	1.08		10.16		11.19	127.82		ROTHSAY	114.16	DP		1.48		10.32		3.29
09198	25		s 1.15	s	10.23		11.26	134.60		LAWDALE	107.38	DP		1.40		10.25		3.22
09205	129	423	s 1.30	s	10.37	s	11.36	141.79		BARNESVILLE ★	100.19	BDNI JRXYP	s	1.30	s	10.16	s	3.13
53707	39		1.39	f	10.47		11.46	149.81		BAKER	92.17	DP		1.12		10.04		3.02
53714	125	33	1.48	f	10.57		11.54	156.37		SABIN	85.61	DP		1.04		9.55		2.54
10041			2.00		11.07	L	12.05Pm	164.35		MOORHEAD JCT. ★	77.63	DNIJRXYP	A	1.31Am	A	9.45	A	5.05Pm
10044	51	251	s 2.02	s	11.10	s	12.06	165.21		MOORHEAD	76.77	DNPXR	s	1.23	s	9.43	s	5.03
10047	Yard	1866	A 2.05	A	11.15Pm	A	12.10	166.26		FARGO ★	75.72	XBDN IKR	L	12.48	1.20	9.40		
10049			2.15	A	11.25	L	12.19	167.28		FARGO JCT. ★	74.70	BJKOR XYZVP	A	12.38	1.05	9.30		
10053	125	40	2.18		11.28Pm		12.21	174.74		HARWOOD	67.24	DP		12.35	L	1.02Am	L	9.27Am
10059	48	34	2.25				12.29	180.33		ARGUSVILLE	61.65	DP		12.28				2.18
10066	107	50	2.31				12.34	187.17		GARDNER	54.81	DP		12.23				2.13
10072	125	78	2.37				12.40	193.46		GRANDIN	48.52	DP		12.18				2.07
10084	212	163	f 2.52			s	12.57	205.28		HILLSBORO ★	36.70	DP	f	12.01Am			s	1.51
10092	76	36	2.59				1.06	213.13		CUMMINGS	28.85	DP		11.51				1.42
10098	125	49	3.04				1.11	219.18		BUXTON	22.80	DP		11.46				1.37
10103	75	63	3.08				1.15	224.08		REYNOLDS	17.90	DP		11.42				1.32
10110	108	79	3.14				1.22	231.25		THOMPSON	10.73	DP		11.36				1.22
05299			A 3.24Am			A	1.32Pm	241.98		PA TOWER ★		RDNIJ XYP	L	11.25Pm			L	1.12Pm
			4.52		3.48		.23	4.22						5.28		.29	3.40	4.42
			49.7		43.8		7.6	55.4		Time Over Subdivision Average Speed Per Hour				44.3		6.1	45.6	51.5
							.23	7.6										.05
																		22.9

CONDITIONAL STOPS

No. 8 stops at any station between Fargo and Grand Forks to pick up revenue passengers for points west of Minot where No. 27 is scheduled to stop.

Westward trains are superior to eastward trains of the same class except No. 32 and No. 28 are superior to No. 31 and No. 27 from Fargo Jct. to home signal limits of interlocking just west of 8th St. crossover Fargo.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 11.

WESTWARD

SECOND SUBDIVISION

EASTWARD 3

Station Numbers	Car Capacity		FIRST CLASS			Distance from Cass Lake	Time Table No. 140			Telegraph Calls	Distance from Devils Lake	SIGNS	FIRST CLASS		
	Sidings	Other Tracks	(8)	(4)	3		Effective October 30, 1966	STATIONS	(7)				4	(3)	
			157	147	3				158				4	142	
			Daily	Daily	Daily				Daily	Daily	Daily				
05163	Yard	551					CASS LAKE.....★	CS	220.77	BJRDN KWXPYO					
05172	67	11				9.65	ROSBY		211.12	P					
05178	68	192				15.27	BEMIDJI	BM	205.30	JBDP WXVI					
05184	157	11				21.42	WILTON	N	199.35	DP					
05190		25				27.55	SOLWAY	SO	193.22	DP					
05196	67	27				33.75	SHEVLIN	VN	187.02	DP					
05203	74	82				40.45	BAGLEY	BY	180.32	DP					
05211	159	28				47.77	EBRO		173.00	P					
05224	68	120				60.81	FOSTON.....★	FO	159.96	DP					
05231	175	35				68.40	McINTOSH	MO	152.37	DP					
05237	71	37				74.45	ERSKINE	RS	146.32	DPI					
05244	68	34				81.10	MENTOR		139.67	P					
05251						87.99	TILDEN JCT.		132.78	PJVR					
05255	175	29				92.49	BENOIT		128.28	P					
05270	Yard					106.91	CROOKSTON YARD		115.89	IJPXRB JBDNK					
05272						108.55	CROOKSTON FREIGHT.★	C	113.86	OPRXZ					
05288		62	L 10.24Pm				NOYES JCT.		112.63	JXYP	A 4.30Am				
05272			s 10.29			108.55	CROOKSTON PSGR.		112.22	PR	s 4.29				
05280	150	50	10.40			117.70	FISHER	FH	103.07	DP	4.14				
05294	Yard		10.55			131.27	EAST GRAND FORKS...★	EA	89.50	DPX	4.00				
05296	Yard		A 10.59	L 12.57Pm	L 1.50Pm	132.06	GRAND FORKS...★	GF	88.71	BDNKVP ORXZ	L 3.54 A 3.30	A 12.47Pm	A 1.37Pm		
05299			A 11.25Pm	A 1.12Pm	2.04	134.64	PA TOWER...★	PA	86.13	PRDNIJXY	L 3.24Am	12.42	L 1.32Pm		
05310	151	40			2.18	147.70	EMERADO	DO	73.07	DP		12.28			
05316		37			2.24	153.79	ARVILLA	RF	66.98	DP		12.21			
05323	168	190			s 2.34	159.82	LARIMORE...★	KI	60.95	BDNJKPYR		s 12.14Pm			
05336	174	36			2.48	173.72	NIAGARA	NA	47.05	DP		11.59			
05343	68	27			2.53	180.02	PETERSBURG	BE	40.75	DP		11.53			
05348	174	29			f 3.00	185.77	MICHIGAN	HI	35.00	DP		f 11.48			
05359	174	207			s 3.12	196.18	LAKOTA...★	B	24.59	JDNXPY		s 11.37			
05368		27			3.21	205.15	DOYON	DY	15.62	DP		11.26			
05373	192	34			3.26	209.95	CRARY	CY	10.82	DP		11.22			
05384	Yard				A 3.37Pm	220.77	DEVILS LAKE...★	WS		BDNJKO VPRXYZ		L 11.12Am			
			1.01	.15	1.47	Time Over Subdivision						1.06	1.35	.05	
			25.6	10.3	49.7	Average Speed Per Hour						24.1	56.0	31.0	

Westward trains are superior to eastward trains of the same class except No. 142 is superior to No. 3 and No. 4 is superior to No. 147.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 11.

4 WESTWARD THIRD SUBDIVISION EASTWARD

Station Numbers	Capacity of Tracks	Distance from Fergus Falls	Time Table No. 140 Effective October 30, 1966		SIGNS
			STATIONS		
09175 FERGUS FALLS..... ★		JPDNXI
53601	0.73 WEST N. P. RY. JCT.....		IJ
TRAINS BETWEEN EAST N. P. RY. JCT. AND WEST N. P. RY. JCT. ARE GOVERNED BY NORTHERN PACIFIC TIME TABLE.					
53602	0.94 EAST N. P. RY. JCT.....		J
53622	67	22.35 PELICAN RAPIDS.....		D

WESTWARD FIFTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		Distance from P.A. Tower	Time Table No. 140 Effective October 30, 1966		Telegraph Calls	SIGNS
	Sidings	Other Tracks		STATIONS			
05299 PA TOWER ★	PA	RDNJ XYP
.....	1.49 N. P. Ry. Crossing.....	PU
55512	82	12.01 MANVEL.....	MV	DP
55524	120	43	24.07 ARDOCH.....	HN	DPVU
55530	144	30.21 MINTO.....	MT	DP BDPU
55539	87	353	39.09 GRAFTON ★	FN	JRXVY
55546	36	45.58 AUBURN.....	AU	DP
55553	192	53.22 ST. THOMAS.....	MS	DP
55559	36	59.28 GLASSTON.....	NA	DP
55566	36	66.23 HAMILTON.....	H	DP
55571	50	71.36 BATHGATE.....	VD	DP BDP
55579	Yard	125	79.18 NECHE.....	CH	RWX
55581	80.96 GREтна.....	N	DJP RYV

WESTWARD FOURTH SUBDIVISION EASTWARD

Station Numbers	Capacity of Tracks	Distance from Moorhead	Time Table No. 140 Effective October 30, 1966		Telegraph Calls	SIGNS
			STATIONS			
10044	109 MOORHEAD.....		MH	DNJPK
56008	31	8.56 KRAGNES.....		GS	D
56015	30	15.39 GEORGETOWN.....		WN	D
56022	29	22.03 PERLEY.....		PY	D
56028	52	28.02 HENDRUM.....		RH	D
56034	127	34.14 HALSTAD.....		SD	D
56041	44	41.68 SHELLY.....		S	D
56046	104	46.45 NIELSVILLE.....		NS	D
56052	46	52.00 CLIMAX.....		CX	D
56057	53	57.90 ELDRED.....		RD	D
09285	66.49 M. N. JCT.....		JXP

WESTWARD SIXTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		Distance from Grafton	Time Table No. 140 Effective October 30, 1966		Telegraph Calls	SIGNS
	Sidings	Other Tracks		STATIONS			
55539	87	353 GRAFTON ★	FN	BDPU JRXVY
55606	197	6.47 NASH.....	NA	D
55613	65	154	13.66 HOOPLE.....	HO	D
55618	187	18.20 CRYSTAL.....	CT	D
55624	53	24.59 HENSEL.....	CA	D
55631	181	32.21 CAVALIER.....	CV	D BDO
55648	Yard	203	48.33 WALHALLA.....	WA	RXY

Westward trains are superior to eastward trains of the same class on the Third, Fourth, Fifth and Sixth Subdivisions.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 11.

WESTWARD SEVENTH SUBDIVISION EASTWARD

Station Numbers	Car Capacity		FIRST CLASS 7 Daily	Distance from Barnesville.	Time Table No. 140 Effective October 30, 1966		Telegraph Calls	SIGNS	FIRST CLASS 8 Daily
	Sidings	Other Tracks			STATIONS				
09205					BARNESVILLE ★	D	BDNRY IJPX		
09213		92		7.83	DOWNER	DO	DP		
09223	56	16		17.50	GLYNDON	ND	DNIPVX		
09229		37		24.18	AVERILL	A	DP		
09237		37		32.02	FELTON	FN	DP		
09244		42		39.12	BORUP	BO	DP		
09252	47	165		47.35	ADA ★	J	DP		
09270		47		64.37	BELTRAMI	DA	DP		
09285				79.00	M. N. JCT.		JX		
				80.15	CROOKSTON YARD		BIJPKR		

TRAINS BETWEEN CROOKSTON YARD AND NOYES JCT. ARE GOVERNED BY SECOND SUBDIVISION.

09288		62	L 4.30Am	83.76	NOYES JCT.		JPXY	A 10.24Pm
09301		84	f 4.45	96.01	EUCLID	CD	DP	f 10.10
09309		49	f 4.54	104.15	ANGUS	GU	DP	f 10.01
09317	48	121	s 5.10	112.63	WARREN ★	W	DNIP	s 9.51
09327		105	s 5.24	122.44	ARGYLE	AG	DP	s 9.39
09335		203	s 5.38	130.89	STEPHEN	NE	DNP	s 9.29
09344		47	f 5.51	139.42	DONALDSON	AN	DP	f 9.16
09349		91	s 6.00	144.23	KENNEDY	KY	DP	s 9.10
09358	54	55	s 6.15	153.50	HALLOCK ★	KA	DP	s 8.59
09363		41	6.25	159.05	NORTCOTE	NC	DP	8.49
09370		43	f 6.34	165.71	HUMBOLDT	HU	DP	f 8.41
09378	Yard	87	A 6.50Am	173.76	NOYES	NY	BDNJK OPRXV	L 8.30Pm
			2.20 38.6		Time Over Subdivision Average Speed Per Hour			1.54 47.5

**Westward trains are superior to eastward trains of the same class on the Seventh and Eighth Subdivisions.
SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 11.**

EIGHTH SUBDIVISION 5
WESTWARD EASTWARD

Station Numbers	Capacity of Tracks	Time Table No. 140 Effective October 30, 1966		Telegraph Calls	Distance from Tilden Jct.	SIGNS
		STATIONS				
55315	182	WARROAD	WD	115.34	BDRI XYV	
55294	85	ROSEAU	RU	93.95	D	
55281	50	BADGER	BA	80.95	D	
55271	66	GREENBUSH	GB	71.47	D	
55253	46	MIDDLE RIVER	MD	52.80	D	
	8	500 LINE CROSSING		33.60	UX	
55230	130	THIEF RIVER FALLS	VR	30.49	DXYV	
55223	20	ST. HILAIRE	JO	23.29	D	
55213	45	RED LAKE FALLS	FA	13.04	D	
55211		RED LAKE FALLS JCT.		10.94	JR	

TRAINS BETWEEN TILDEN JCT. AND RED LAKE FALLS JCT. ARE GOVERNED BY NORTHERN PACIFIC TIME TABLE.

05251		TILDEN JCT.		JPRV
-------	--	--------------------	--	------

6

NINTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Car Capacity		Distance from Vance	Time Table No. 140 Effective October 30, 1966 STATIONS	Telegraph Calls	SIGNS
	Sidings	Other Tracks				
00707				VANCE 4.95		JPYRX
56305	46		4.95	ARTHUR 6.01	AU	DP
56311	34		10.96	HUNTER 10.70	UN	DP
56322	42		21.66	BLANCHARD 11.92	CD	DP
56333	184		33.58	MAYVILLE 4.94	MV	DP
56338	19		38.52	PORTLAND JCT. 4.54		JPY
56428	67		43.06	PORTLAND 4.54	RA	DP
56338	19			PORTLAND JCT. 6.50		JPY
56345	193		45.02	HATTON 8.49	HT	DP
56353	163		53.51	NORTHWOOD 6.27	ND	DP
56360	44		59.78	KEMPTON 6.31	MT	DP BDNJK PRXY
05323	168	190	66.09	LARIMORE ★	KI	

TRAINS AT LARIMORE ARE GOVERNED BY
SECOND SUBDIVISION SCHEDULES.

55706	37		74.29	8.20 McCANNA	MC	D
55717	44		85.09	10.80 INKSTER	NS	D
55728	44		96.62	11.53 PISEK	P	D
55734	50	190	102.78	6.16 PARK RIVER	K	DY
55744	91		112.08	9.30 EDINBURG	BU	D
55756	41		124.65	12.57 MILTON	MN	D
55762	52		130.43	5.78 OSNABROCK	NB	D
55774	37	89	142.14	11.71 LANGDON	DN	D
55781	34		149.17	7.03 DRESDEN		D
55788	42		156.51	7.34 WALES		D
55795	34		163.23	6.72 HANNAH		DY

TWELFTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Capacity of Tracks	Distance from Lakota	Time Table No. 140 Effective October 30, 1966 STATIONS	SIGNS
		8.61	SOO LINE CROSSING 3.79	U
55812	35	12.40	BROCKET 6.26	D
55818	35	18.66	LAWTON 8.53	D
55827	59	27.19	EDMORE 12.86	D
55840	44	40.05	HAMPDEN 8.48	D
		48.53	SOO LINE CROSSING 8.91	U
55852	44	52.44	MUNICH 7.44	D
55860	34	59.88	CLYDE 5.95	D
55866	36	65.83	CALVIN 6.86	D
55872	45	72.69	SARLES	DY

TENTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Capacity of Tracks	Distance from Erie Jct.	Time Table No. 140 Effective October 30, 1966 STATIONS	SIGNS
56402	27	1.63	ERIE 10.74	D
56412	35	12.37	GALESBURG 5.42	D
56418	29	17.79	CLIFFORD	D

ELEVENTH SUBDIVISION

WESTWARD

EASTWARD

Station Numbers	Car Capacity		Distance from Nolan	Time Table No. 140 Effective October 30, 1966 STATIONS	Telegraph Calls	SIGNS
	Sidings	Other Tracks				
00724				NOLAN 1.57		JP
57002	103		1.57	PAGE 7.12	GE	DPX
57009	33		8.69	COLGATE 6.27	CG	DP
57015	58		14.96	HOPE 6.34	HO	DP
57021	37		21.30	BLABON	BN	DP
57029	54		29.29	7.99 FINLEY	FN	DP
57036	36		35.79	6.50 SHARON	QN	DP
57043	70	52	42.85	7.06 ANETA	NE	DP
57048	30		47.83	4.98 KLOTEN	KN	DP
57054	48		53.76	5.93 McVILLE	VI	DP
57061	38		61.09	7.33 PEKIN	K	DP
57067	39		66.85	5.76 TOLNA	N	DP
57073	31		73.20	6.35 HAMAR	HM	DP
57080	37		79.60	6.40 WARWICK	WA	DP
57087	43		86.88	7.28 TOKIO	KY	DP
57096	34		96.12	9.24 FORT TOTEN	NR	DP BDNJK OPRVX YZU
05384	681		101.42	5.30 DEVILS LAKE ★	WS	
55912	36		113.52	12.10 WEBSTER	RS	D
55924	80		125.43	11.91 STARKWEATHER	KT	D
55939	32		141.06	15.63 OLMSTEAD	OM	DU
55953	39		154.59	13.53 ROCK LAKE	RA	D
55966	48		167.36	12.77 HANSBORO	HN	DY

Westward trains are superior to eastward trains of the same class on
the Ninth, Tenth, Eleventh and Twelfth Subdivisions.

SEE ADDITIONAL SPECIAL INSTRUCTIONS PAGES 7 THROUGH 11.

ALL SUBDIVISIONS

1. SPEED RESTRICTIONS GENERAL.

The following speed limits apply to trains and engines operating under the conditions outlined, unless rules or conditions require a further reduction.

50 MPH—Diesel engines light or with caboose only.

35 MPH—Trains or engines on main routes, actuating the points of spring switches; trains or engines thru No. 20 turnouts at following locations.
 Barnesville Jct. —Jct. switch.
 Moorhead Jct. —Jct. switch.
 Hillsboro —Both siding switches.
 Gardner —Both siding switches.

30 MPH—On Main lines, when handling following equipment in trains not in actual service but on own wheels, derricks, cranes, pile drivers, Jordan spreaders, shovels, wedge plows, scale test car, also ore cars series 80000 thru 95039 and air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.

25 MPH—Trains handling logs; trains or engines moving in facing point direction at spring switches without facing point lock; trains or engines thru No. 15 turnouts at following locations.
 PA Tower —Jct. switches, First Sub-Division.
 Both switches of crossover west of Interlocking station.
 Moorhead Jct. —West switch of siding.

20 MPH—Trains handling the following equipment on Branch Lines or on 6 degree or sharper curves of Main Lines, scale test car, ore cars series 80000 thru 95039, air dump cars X-2000 thru X-2096, X-7000 thru X-7049 when such cars are loaded with ore or gravel.

15 MPH—Trains handling the following equipment on Branch Lines or on 6 degree or sharper curves of Main Lines, derricks, cranes, pile drivers, Jordan spreaders, shovels and wedge plows.
 Trains or engines moving thru interlockings against the current of traffic on double track; trains or engines thru all other turnouts, except equilateral turnouts, and those shown previously in this item.

1(a). Rule 240 W of the Consolidated Code of Operating Rules is modified to permit handling Great Northern Cars 60276 through 60279, 61500 through 61524 and 61000 through 61009 and 65731 and 65734 in passenger trains at passenger train speeds. When flat cars in series 61000-61009 are handled on the rear of passenger trains, just one marker light will be displayed. Rule 19 is modified accordingly.

2. MOVEMENT OF ENGINES DEAD IN TRAINS.

Engine 2350 must be handled on rear of freight or mixed trains. Diesel engines #1 through #195 are not equipped with alignment control couplers, and when in tow in freight or mixed trains, must be handled singly, not in groups, and not less than five cars or more than 15 cars from the road engine. Other Diesel units when in tow dead in trains should not be in groups of more than five units. Such units may be handled next to road engine. Engines #550 through #599 must have coupler alignment control lock blocks in "Down" position when such units are used in multiple operation.

When towing Diesel engines dead in trains, the following speeds must not be exceeded.

MAXIMUM SPEED	ENGINE NUMBER
50 M.P.H.	1 through 195.
79 M.P.H.	320 through 325; 350 through 375; 400 through 407; 500 through 512; 679, 680, 2350, 2500 through 2529; and 3026 through 3040.
65 M.P.H.	All other diesel engine units.

3. Except at points where it is necessary to classify trains, open cars loaded with poles, piling, lumber, timber, pipe, or other lading which might shift, should be placed as close as possible to the head end of train, but not next to engine, caboose, occupied outfit car, passenger car or another unprotected car containing commodities which might be subject to damage. Loaded trailer-on-flat cars are not included in this category. In double track territory, trains handling such cars must use extreme care to avoid slack running in or out when passing or being passed by other trains. In single track territory, trains handling such cars must be at stop when on siding or other track to meet or be passed by other trains, except when have more cars than siding will hold, it is permissible for such trains to pull by each other at restricted speed. Loaded dump cars should not be handled on double track after dark, but if necessary to do so, close watch must be maintained by members of the crew, and if a car dumps its load, train must be stopped at once and protection provided as prescribed by the rules.

Great Northern tie flats in series X-4800 to X-4975 and X-4410, whether loaded or empty must be handled on rear of trains.

4. Brakeman with less than one year of experience should not be used as flagman except in emergency, and then Superintendent will be notified by wire.

5. Due to limited overhead clearance at tunnels and structures, employees are warned to keep off top of cars of extreme height and width when handled in trains and yards, except in emergency. In absence of previous advice on such cars, wire proper officer for instructions.

6. Trains departing from stations, either from siding or main track in trailing point movement actuating points of spring switches, a member of crew must observe indication of governing signal in opposite direction after rear end of train has passed through switch to ascertain if switch points return to normal position. If this signal indicates Stop and no immediate train movement or other cause is evident, report the fact to Superintendent from first available point of communication.

During and immediately following snow storms or violent wind storms, spring switches must be operated by hand and relined in normal position before heading out through switch in trailing point movement, actuating switch points, to insure switch is in proper operating condition.

7. Facing point locks on hand operated switches are indicated by a six-inch yellow stripe painted on target staff. Be positive locking device is restored to normal position after using. A running switch must not be made through this type switch.

8. Rule 2 of the Consolidated Code of Operating Rules is modified for Great Northern Railway Company employees to the extent that a watch certificate form is no longer required. Watches of employees will be inspected by Division Officers, Rules Examiners and other designated officers.

Rule 3 (C) of the Consolidated Code of Operating Rules is amended as follows: Employees governed by time service rules must not wear wrist watches while on duty unless such watches are of an approved type. Approved type wrist watches are: Elgin, B. W. Raymond Model, 13/0 size, 23 jewels, Ball Official Standard wrist watch, 1604B, stainless steel, 13/0 Ligne, 21 jewels, Bulova Accutron Railroad Approved Model and Hamilton 505 RR Electric Special, also Bulova 23-J.

9. REGARDING CONSOLIDATED CODE RULE 103.

In addition to complying with the provisions of this rule, members of a crew will be governed by the following: When an engine, with or without cars, is about to move over a public crossing not protected by a watchman, by gates or by crossing signals in operation, a member of the crew must be on the ground at the crossing to provide protection. Exception—In the movement of a through yard transfer or of a light engine being handled only by hostlers, it is not necessary for a member of the crew to be on the ground at the crossing.

10. Employees are prohibited from riding or walking on the roof of any moving car, except when absolutely necessary in the passing of signals, and then only when they place themselves near the middle of the car.

11. Supplementing Rule 7(A) and 12 of the Consolidated Code of Operating Rules.

When movement being made is controlled by hand, flag or

lantern signals, the employees involved will give or relay such signals directly to the engineer.

Effective immediately the last paragraph of Rule 7(A) of the Consolidated Code of Operating Rules is revised as follows:

"When backing or pushing a train, engine or cars in response to hand or light signals from a trainman, the disappearance from view of the trainman giving such signals or of his light by which such signals are given, must be regarded as a stop signal, except when movement is under control of a trainman on the leading car that is equipped with back-up air brake hose or pipe."

FIRST SUBDIVISION

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Rice Jct. and P.A. Tower	79 MPH	60 MPH

2. SPEED RESTRICTIONS.

Osakis, No. 7, out St. Paul Sunday night, passing depot 30 MPH

3. TRAIN REGISTER EXCEPTIONS.

Moorhead Jct., all trains register by ticket.

Barnesville, register is for trains originating or terminating.

Fargo—Register is for First and Second class trains, mixed trains and passenger extras.

Fargo Jct.—Register is only for freight trains.

PA Tower, register only for extra trains which will register by ticket.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

(a) Dakota Division clearance received at St. Cloud will clear westward trains at Rice Jct.

(b) Engineers on incoming First Class Trains and Psgr. Extra's at Barnesville must deliver their train orders and clearances that are still in effect to the engineer that relieves them.

(c) Fargo—All trains must obtain Clearance Form A and train orders at passenger station. Trains destined westward on Minot Division must obtain their Minot Division Clearance Form A at passenger station. Fargo Jct.—Eastward trains from Minot Division may proceed on authority of Clearance Form A under which such train arrives.

(d) P.A. Tower—Trains for which this is the initial station may proceed on the authority of clearance they arrive with.

5. SPEED TEST BOARDS.

Engineers shall test speed of their train passing the following points as compared with speed table:

Westward trains, between MP 83 and MP 84 between St. Joseph and Collegeville.

Eastward trains, between MP 12 and MP 11 between Baker and Sabin, and between MP 214 and MP 213 between Lawndale and Barnesville.

Westward trains, between MP 33 and MP 34 between Harwood and Argusville.

Eastward trains, between MP 90 and MP 89 between Merrifield and Thompson.

6. SPRING SWITCHES WITH FACING POINT LOCK.

Fargo Jct., west yard switch.

Gardner, east and west siding switch.

Hillsboro, east and west siding switch.

Normal position is for main track.

7. MANUAL INTERLOCKING WITH DUAL CONTROL SWITCHES.

Rice Jct.

Barnesville

P. A. Tower

Fargo

Moorhead Jct.

The home signal limits of Fargo interlocking extend from the westward home signal at the junction of Surrey and Dakota main tracks east of depot, to the eastward home signal just west

of 8th St. crossovers. The hand-throw electric locked switches in this area are under control of the Fargo operator.

8. MANUAL INTERLOCKINGS.

N. P. Ry. crossing Moorhead Jct.

Whistle signal for routes:

Moorhead Jct., First Subdivision 1 long.
Siding 3 long, 1 short.

9. AUTOMATIC INTERLOCKINGS.

N. P. Ry. crossing 0.8 miles west of Sauk Centre

N. P. Ry. crossing 0.6 miles east of Fergus Falls
Fergus Falls, when home signal displays Stop-indication, a member of the crew must first operate push button at the home signal. If this operation does not cause signal to indicate proceed, release must then be operated in accordance with instructions posted in box at the crossing. These instructions cover operation of electric switch locks on east siding switch and industry track switch.

10. Freight trains using the siding at Carlisle, Minnesota, must stop to clear the Township Road Crossing located approximately ¼ mile West of the Carlisle depot. It will be permissible, if necessary, to block the road crossing immediately West of the depot, but in no case will both road crossings be blocked.

Do not want any crossings blocked at Fergus Falls.

11. Diesel radiator and boiler water stations.

Sauk Centre

Barnesville

Fargo

12. All concerned should be alert to see loads of pulpwood are watched carefully to be sure there is no disarrangement of the load.

13. Fargo—Between 8th St. crossovers and Fargo Jct., unless otherwise instructed, Dakota division trains will use Dakota main track, Minot division trains will use Surrey main track.

Fargo, Trains and locomotives using middle track at Fargo Yard will not exceed a speed of 15 MPH from a point 300 feet on either side, and across Seventh Avenue Crossing, located one half mile east of Fargo Yard Office.

14. Grandin, when switching at Gunkelman Seed Warehouse, engine may not go beyond west end of platform on track serving platform account not sufficient clearance.

15. At Hillsboro—movements on industry and house tracks over Fifth Street crossing will be protected by train crews.

16. Hillsboro, crossover switch on siding must be left lined for siding.

SECOND SUBDIVISION

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Cass Lake and Grand Forks.....		49 MPH
Noyes Jct. and Grand Forks.....	59 MPH	49 MPH
Grand Forks and PA Tower	50 MPH	
PA Tower and Devils Lake.....	79 MPH	60 MPH

2. SPEED RESTRICTIONS.

Between Home Signals of Interlockings at: 20 MPH

Crookston Freight—N.P. Ry. Crossing.

Bemidji.

Erakine.

P.A. Tower.

Crookston—All trains over all Street crossings 15 MPH.

Cass Lake, on all tracks over footwalk crossing located just west of mainline switch to roundhouse 8 MPH

Whistle signal must be sounded as prescribed by rule. Crossing must be cut immediately. When this crossing is blocked by coupling up train, trainmen must remain at the crossing to prevent pedestrians from crawling through the cars.

Emerado Air Base spur—When switching, do not exceed 10 MPH from bridge, just east of State Highway No. 2, to end of base. Run carefully on all tracks.

Larimore, Crossing signal circuits over Tower Avenue crossing (Highway #18) have now been extended 500 feet each way from the crossing on the siding. Signals will operate automatically for a through movement over the crossing but will clear after one minute if cars are left on either side of the crossing.

If time has run out and signals are clear, movements over the crossing must be made only under flag protection.

3. TRAIN REGISTER EXCEPTIONS.

Crookston Psgr., register is only for trains 157 and 158.
Crookston Frt., freight trains register by ticket.

Crookston Yard, trains originating and terminating at Crookston will register at Crookston Yard.

Grand Forks, eastward freight trains register by ticket at passenger station.

PA Tower, register only for westward extra trains which will register by ticket.

Larimore—Register is only for No. 3 and No. 4 and they will register by ticket.

Tilden Jct. is register station only for trains directed by train order to register there.

4. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

At Noyes Jct., the clearance under which No. 8 arrives will clear No. 157. The clearance under which No. 158 arrives will clear No. 7. Nos. 157 and 158 must obtain Clearance Form A at Grand Forks.

At PA Tower, clearance under which Nos. 3, 7, 147, and 157 arrive will clear Nos. 142, 158, 4, and 8 respectively at that point.

5. PA Tower—Crossover Switch for trains from First to Second Subdivision, and connecting switches First and Second Subdivisions are located as follows:

G.F. Switch0.26 miles West of PA Tower
D.L. Switch1.26 miles West of PA Tower
F.O. Switch1.20 miles East of PA Tower

6. SPRING SWITCHES WITHOUT FACING POINT LOCK.

Grand Forks, east switch of freight lead (just west of Fifth St.).

Normal position is for main track.

Grand Forks, East switch at west crossover and west switch at east crossover between depot lead and main track at Passenger Station are lined so that normal position of these switches is lined for movement from depot lead to the main track through the east crossover. "Consolidated Code rules 104 and 104(A) will govern use of these switches."

7. At Grand Forks, North Dakota, between westward signal 107.9, about 1100 feet east of Washington Street Underpass, and eastward signal 108.4, about 1400 feet west of Washington Street underpass, there is no superiority of trains. That portion of Consolidated Code Rule 93 reading, "Within Yard limits the main track may be used, clearing first class trains when due to leave the last station where time is shown" does not apply between these signal locations, and all train and engine movements must be made at restricted speed. To avoid delays to first class trains, yard engines must call the dispatchers' office by radio before entering the main track between signal 107.9 and 108.4 to find out information relative to the first class trains. Rule 513 must be complied with.

8. Grand Forks, the tracks in front of and numbering from passenger station are known as depot tracks, 1, 2, 3 and 4; the 5th track is known as the freight lead.

Depot Lead at west crossover just west of coach yard must be kept clear for meeting and passing of trains.

The normal position of the switch at west end of crossover just west of Signal 107.8 about 1500 feet west of Grand Forks Passenger Depot will be lined for No. 1 track at Grand Forks passenger station. Eastward First Class Trains will use No. 1 track at Grand Forks Passenger Depot.

No. 3 and No. 147 will make back up movement from Grand Forks passenger station through the interlocking plant PA Tower.

Back up air brake hose equipped with whistle and valve will be applied at Grand Forks passenger station and crews of these trains will see that careful movement is made while backing up. Speed must be restricted to 15 MPH.

9. University, automatic block signal 109.2 governing Eastward train and engine movements is located on left hand side of main track about 54 feet east of University spur switch.

10. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing the following points as compared with speed table:

Eastward, between MP 86 and MP 87 approximately 2 miles east of Wilton.

Westward, between MP 87 and MP 86 approximately 3 miles west of Bemidji.

Westward trains, between MP 5 and MP 6 between Powell and Emerado.

Eastward trains, between MP 79 and MP 78 between Keith and Crary.

11. MANUAL INTERLOCKING WITH DUAL CONTROL SWITCHES.

PA Tower, and Crookston Yard.

Switches electrically controlled by operator at PA Tower, and Crookston Frt.

Whistle signals for routes, PA Tower:

First Subdivision2 long, 1 short.

Second Subdivision1 long, 1 short.

Fifth Subdivision1 long.

Tower Track3 long, 1 short.

Grand Forks Yard2 short, 1 long.

12. MANUAL INTERLOCKINGS.

ErskineMStP&SSM. RR. crossing

13. AUTOMATIC INTERLOCKINGS.

BemidjiN. P. Ry. crossing

Crookston Freight—N. P. Ry. Crossing, 2.37 miles east.

14. Diesel radiator and boiler water stations.

Grand ForksDevils Lake.

15. Normal position of west switch on west leg of wye, Noyes Jct., on the Seventh Subdivision, is lined for Second Subdivision.

16. Lengby, Till Avenue Crossing, just west of depot and at McIntosh, Cleveland Avenue Crossing, 200 ft. east of depot:

Industry tracks do not include automatic road crossing protection and all train and engine movements over these crossings on industry tracks must be flagged by trainman on the ground.

At Cass Lake, when switching movements are made over Highway 371 crossing just west of depot, engine or cars must not occupy crossing until gates are at stop for highway traffic.

17. To eliminate complaints regarding blocking of street crossings at Bemidji, in excess of the allowable ten (10) minutes, following instructions will govern:

When Train #413 has less than 95 cars, head end will stop to clear first crossing east of Mississippi River Bridge before setting out or picking up. When train consist is greater than 95 cars, head end will stop to clear Highway No. 71 crossing before making set out or pick up.

Other trains will arrange this work so that street crossings will not be blocked beyond the maximum ten (10) minute period.

THIRD, FOURTH, FIFTH, SIXTH, SEVENTH AND EIGHTH SUBDIVISIONS

1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.

Between	Passenger	Freight
Fergus Falls and Pelican Rapids		20 MPH
Moorhead and M.N. Jct.		35 MPH
P.A. Tower and Neche		40 MPH
Grafton and Walhalla		35 MPH
Barnesville and M. N. Jct.	59 MPH	49 MPH
M. N. Jct. and Noyes Jct.	55 MPH	40 MPH
Noyes Jct. and MP 64 three miles west of Kennedy		
MP 64 three miles west of Kennedy and Noyes	59 MPH	50 MPH
Red Lake Falls Jct. and Warroad	50 MPH	40 MPH
		30 MPH

2. SPEED RESTRICTIONS.

SD-7 engines between Grafton and Walhalla	25 MPH
Between Home Signals of Interlocking at:	20 MPH
Glyndon, Warroad, P.A. Tower	
Stephen, all trains over street crossings	15 MPH
Wye tracks at Warroad and Thief River Falls	5 MPH

8. ENGINE RESTRICTIONS.

Fifth and Sixth Subdivisions, engines in the series 550 thru 599 must not go in on Koehmstedt Spur Minto, M.R.T.J. Potato Spur Grafton, Mill Spur Cavalier, Mill Spur or Rutherford Spur Walhalla.

4. TRAIN REGISTER EXCEPTIONS.

Crookston Yard, trains originating and terminating at Crookston will register at Crookston Yard.

Tilden Jct. trains will register only when directed by train order to do so.

5. CLEARANCE PROVISIONS AND EXCEPTIONS RULE 83(B).

At Noyes Jct., the clearance under which No. 8 arrives will clear No. 157. The clearance under which No. 158 arrives will clear No. 7.

Rule 83(B) does not apply at Tilden Jct.

6. Unless otherwise instructed, protection against following trains, as required by Consolidated Code Rule 99 is not necessary on Third Subdivision between East Northern Pacific Railway Jct. and Pelican Rapids also on Eighth Subdivision between Thief River Falls and Warroad. If it becomes necessary to operate a following train when there is still a train on these subdivisions, the train ahead must be notified to protect against the following train. If this is not practical, the following train must be notified to protect against the train ahead.**7. Noyes, before going to Canadian Pacific yard, call up C. P. office and obtain clearance to enter their yard. When necessary to go to the west end of C. P. yard, stop at C. P. office and get switch key which must be turned in immediately upon return from that part of the yard.**

Noyes, crews going from G. N. Yard to C. P. Yard may enter C. P. Yards when proper indication is displayed by the interlocking signals.

8. SPEED TEST BOARDS.

Engineers shall test speed of their trains passing the following points as compared with speed table:

Westward trains, between MP 13 and MP 14 between Downer and Glyndon.

Eastward trains, between MP 81 and MP 80 between Humboldt and Northcote.

9. MANUAL INTERLOCKINGS WITH DUAL CONTROL SWITCHES.

Barnesville.

10. MANUAL INTERLOCKINGS.

N. P. Ry. crossingGlyndon

11. AUTOMATIC INTERLOCKINGS.

N. P. Ry. crossing1.43 miles west of Noyes Jct.

N. P. Ry. crossing4.51 miles west of Shirley

MSTP&SSM. RR. crossingWarren

12. SEMI-AUTOMATIC INTERLOCKING.

C. N. Ry. crossing0.6 miles west of Warroad

Great Northern Train or engine movements over the crossing will be governed by manually operated gates together with interlocking dwarf signal indications. Routes over the crossing will be set manually after obtaining release of electric lock holding gates in STOP position. See instructions posted in box locked with switch lock.

13. Diesel radiator and boiler water stations.

Crookston Frt.

Hallock

14. Normal position of west switch on west leg of wye, Noyes Jct., on the Seventh Subdivision, is lined for Second Subdivision.**15. Gretna, within yard limits the main track may be used keeping clear of Canadian Pacific first and second class trains and sections thereof, proceeding at restricted speed, and when going to the wye to turn will head in at first switch south of the station unless you have information on the arrival of superior trains.****16. Nash—Cars left on team track should have at least one car length's clearance on Walsh County road No. 7, just east of No. 27 spot. Clearance should be checked from north side of track.****NINTH, TENTH, ELEVENTH AND TWELFTH SUBDIVISIONS****1. MAXIMUM PERMISSIBLE SPEED FOR TRAINS.**

Between	Freight
Vance and Larimore	25 MPH
Hannah Jct. and Hannah	30 MPH
Erie Jct. and Clifford	20 MPH
Nolan and Devils Lake	35 MPH
Devils Lake and Hansboro	30 MPH
Sarles Jct. and Sarles	35 MPH

2. SPEED RESTRICTIONS.

Park River—Do not exceed 10 MPH over crossings.

Aneta—Do not exceed 20 MPH over Main Street crossing.

3. ENGINE RESTRICTIONS.

Eleventh Subdivision—Engines series 550 to 599 restricted to 20 MPH. Ninth Subdivision—Engines series 550 to 599 restricted to 25 MPH

4. Unless otherwise instructed, protection against following trains, as required by Consolidated Code Rule 99 is not necessary on Ninth Subdivision between Vance and Larimore, Tenth Subdivision between Erie Jct. and Clifford, Eleventh Subdivision between Nolan and Hansboro, Twelfth Subdivision between Sarles Jct. and Sarles. If it becomes necessary to operate a following train when there is still a train on these Subdivisions, the train ahead must be notified to protect against the following train. If this is not practical, the following train must be notified to protect against the train ahead.**5. AUTOMATIC INTERLOCKING.**

Conway6.55 miles west of Inkster.

SPEED TABLE

Time Per Mile		Miles	Time Per Mile		Miles
Min.	Sec.	Per Hour	Min.	Sec.	Per Hour
		46	1	18	46.2
		47	1	20	45.0
		48	1	22	43.9
		49	1	24	42.9
		50	1	26	41.9
		51	1	28	40.9
		52	1	30	40.0
		53	1	33	38.7
		54	1	36	37.5
		55	1	39	36.4
		56	1	42	35.3
		57	1	45	34.3
		58	1	50	32.7
		59	1	55	31.3
1	0	60.0	2	—	30.0
1	1	59.0	2	10	27.7
1	2	58.1	2	20	25.7
1	3	57.1	2	30	24.0
1	4	56.3	2	40	22.5
1	5	55.4	3	—	20.0
1	6	54.5	3	30	17.1
1	7	53.7	4	—	15.0
1	8	52.9	5	—	12.0
1	9	52.2	6	—	10.0
1	10	51.4	7	—	8.6
1	12	50.0	8	—	7.5
1	14	48.6	9	—	6.7
1	16	47.4	10	—	6.0

NAME	LOCATION	Capacity Cars	SWITCH OPENS	NAME	LOCATION	Capacity Cars	SWITCH OPENS
First Subdivision				Sixth Subdivision			
Waldorf Paper Co. Spur	0.93 mile west of Rice Jct.	16	West End	Backoo	4.97 miles west of Cavalier	34	Both Ends
Collegeville	2.77 miles west of St. Joseph	6	West End	Leyden	10.41 miles west of Cavalier	34	Both Ends
Melby	4.73 miles west of Evansville	11	East End	Seventh Subdivision			
Occidental Agricultural Chem. Corp'n. Falls	1.39 miles east of Fergus Falls	6	West End	Hadler	5.02 miles west of Ada	31	Both Ends
Pyrofax Spur	1.88 miles east of Fergus Falls	9	East End	Lockhart	9.85 miles west of Ada	12	East End
Chester Possehl Potato Whse. Spur	0.40 miles east of Depot Baker	8	East End	Greenview	5.97 miles west of Beltrami	23	Both Ends
Fargo-Moorhead Asphalt Co.	0.78 mile east of Moorhead Jct.	7	West End	Shirley	4.99 miles west of Noyes Jct.	12	East End
Kelso	6.10 miles west of Grandin	32	Both Ends	Agricultural Exp. Spur	0.28 mile west of Noyes Jct.	33	East End
Alton	2.33 miles west of Kelso	25	Both Ends	Roan	5.03 miles west of Angus	12	East End
Taft	3.72 miles west of Hillsboro	26	East End	Beet track	1.07 miles west of Warren	87	Both Ends
Merrifield	4.92 miles west of Thompson	39	Both Ends	Luna	4.11 miles west of Warren	10	East End
Flaat	2.96 miles west of Merrifield	13	Both Ends	American Sugar Beet Track	1.96 miles east of Argyle	53	Both Ends
Prairie Sub Station	1 mile west of Flaata	10	East End	Hill Siding	0.58 miles west of Northcote	16	Both Ends
Second Subdivision				St. Vincent	1.87 miles east of Noyes	75	East End
Farris	4.37 miles west of Cass Lake	15	Both Ends	Eighth Subdivision			
Airport Spur	2.54 miles west of Bemidji	18	West End	Holt	9.98 mi. west of Middle River	34	Both Ends
Solar Gas	0.94 miles east of Mentor	66	Both Ends	Strathcona	10.28 miles west of Greenbush	23	Both Ends
Dugdale	1.05 miles east of Tilden Jct.	12	West End	Fox	6.17 miles west of Roseau	16	Both Ends
Lengby	7.02 miles east of Fosston	31	Both Ends	Salol	12.29 miles west of Warroad	14	Both Ends
Benoit Pit	3.60 miles west of Benoit	157	West End	Lyell Spur	3.61 miles west of Warroad	12	West End
Burwell	7.05 miles west of Benoit	17	West End	Ninth Subdivision			
Mallory	6.38 miles east of East Grand Forks	18	East End	Greenfield	5.79 miles west of Hunter	30	Both Ends
Powell	4.13 miles west of PA Tower	17	Both Ends	Preston	8.53 miles west of Hunter	23	Both Ends
Emerado Air Base Spur	0.54 mile west of Emerado Depot	125	East End	Murray	6.35 miles west of Blanchard	23	West End
Mapes	4.70 miles west of Michigan	43	Both Ends	Edison	2.99 miles west of Hannah Jct.	9	East End
Bartlett	4.07 miles west of Lakota	37	Both Ends	Orr	6.57 miles west of McCanna	28	Both Ends
Keith	5.61 miles west of Crary	21	Both Ends	Conway	6.55 miles west of Inkster	26	Both Ends
Third Subdivision				Kerry	5.44 miles west of Park River	23	East End
Erhard	5.99 mi. east of Pelican Rapids	24	Both Ends	Union	6.28 miles west of Edinburg	34	Both Ends
Elizabeth	8.04 miles west of east N. P. Ry. Jct.	2	West End	Easby	5.55 miles west of Osnabrock	30	Both Ends
Fourth Subdivision				Eleventh Subdivision			
Bingham	2.80 miles west of Moorhead	626	Both Ends	Pickert	2.96 miles west of Blabon	23	Both Ends
Beet track	1.56 miles east of Hendrum	54	Both Ends	Sweetwater	7.52 miles west of Devils Lake	24	Both Ends
Girard	5.91 miles west of Eldred	15	Both Ends	Garske	5.29 miles west of Webster	21	Both Ends
Wilds	2.26 miles west of Girard	730	East End	St. Joe	4.88 miles west of Starkweather	14	Both Ends
Fifth Subdivision				Crocus	6.65 miles west of Olmstead	27	Both Ends
Herriott	4.58 miles west of Minto	39	Both Ends	Twelfth Subdivision			
Tobiason Gillis- hammer	1.16 miles west of St. Thomas	10	East End	Derrick	6.70 miles west of Edmore	27	Both Ends
American Crystal Sugar	1.70 miles east of Neche	53	Both Ends	Weaver	4.80 miles west of Hampden	17	Both Ends

