MEDICAL AND SURGICAL DEPARTMENTS LOCATION OF COMPANY MEDICAL EXAMINERS, SURGEONS AND OCULISTS

Savanna, IIIDr. J. B. SCHREITERLocal Surgeon.
Galena, III
Dubuque, Iowa Dr. R. R. HARRISLocal Surgeon.
East Dubuque, III Dr. U. S. LEWISLocal Surgeon.
Prairie du Chien, WisDr. O. E. SATTERLocal Surgeon.
La Crosse, WisDr. R. H. GRAYMedical Examiner.
La Crosse, WisDr. GUNNAR GUNDERSENLocal Surgeon.
La Crosse, WisDr. SIGURD B. GUNDERSENLocal Surgeon.
La Crosse, WisDr. JAMES E. McLOONELocal Surgeon.
La Crosse, WisDr. L. W. EIDAMOculist.
Trempealeau, Wis Dr. LESTER C. WESTLocal Surgeon.
Winona, MinnDr. JOHN D. KEYESLocal Surgeon.
Redwing, MinnDr. ARNOLD E. JOHNSON Local Surgeon.
Alma, Wis
Prescott, WisDr. GEO. M. DILLLocal Surgeon.
St. Paul, MinnDr. ARTHUR W. IDEMedical Examiner.
St. Paul, Minn Dr. J. W. JESIONLocal Surgeon.
St. Paul, Minn Dr. L. A. NELSONOculist.
Minneapolis, Minn Dr. R. C. WEBBSurgeon.
Minneapolis, MinnDr. IVAR SIVERTSENLocal Surgeon.
Minneapolis, MinnDr. R. I. RIZERConsultant.
Minneapolis, MinnDr. F. J. PRATT, JROculist.
response to the Commence of th

Whenever any person other than a tresspasser sustains injuries on Company property, requiring immediate medical attention, the nearest Company surgeon should be summoned by the officer or employee of highest rank present.

In cases of emergency when the attendance of the Company surgeon cannot be had at once, the most available surgical aid should be called to serve until the Company Surgeon arrives, who, upon arrival, should at once take charge of the case and relieve tha called surgeon from further care or attendance, as far as the Company is concerned.

In case of injury to tresspassers, a physician—the Company Surgeon when available—should be summoned only in case the injury renders the patient incapable of seeking medical attention himself. An injured tresspasser should not, except in an emergency, be removed from the county in which the injury occurs, but arrangements should be made to turn the patient over to the county authorities in case he cannot provide for his own care after emergency service had been rendered.

The acceptance of the aid of a surgeon called by the Company is entirely optional with injured parties. In case they desire, they can select, at their own expense, other surgical attendance.

This Company will not recognize bills of surgeons othet than those on its regular staff, except for temporary service rendered prior to the arrival of the Company Surgeon, and then only for such attendance as it appears it clearly and immediately demanded. No important surgical operation should be made previous to the arrival of the Company Surgeon, except such as may be required for the immediate safety of the patient.

- R. B. KEPNER, M. D. Medical Director Relief Department, Chicago.
- O. H. HORRALL, M. D. Chief Surgeon, Chicago.
- J. H. AYDELOTT, General Manager, Chicago.
- G. L. GRIGGS, General Superintendent, Galesburg, III.
- W. E. HAIST, Superintendent, Aurora, III.
- J. E. CARROLL,
 Assistant Superintendent, Dayton's Bluff, Minn.
- P. F. THOMAS, Assistant Superintendent, North La Crosse.
- F. E. SPERRY,
 General Superintendent Transportation, Chicago.
- L. C. TWYMAN,
 Assistant Superintendent Transportation, Chicago.

Chicago, Burlington & Quincy Railroad Company

LINES EAST OF THE MISSOURI RIVER

TABLE OF THE LA CROSSE DIVISION OF THE EASTERN DISTRICT NO. 43

EFFECTIVE AT 12:01 A.M. CENTRAL STANDARD TIME

SUNDAY, SEPTEMBER 24, 1939

DESTROY ALL TIME TABLES OF PREVIOUS DATE

This Time Table is for the exclusive use and guidance of the employes concerned, who must carry in addition thereto the book of rules of the operating department.

Savanna Tower to North La Crosse—Sub-division—Westward

LA CROSSE DIVISION.

TIME TABLE No. 43.

EFFECTIVE SEPTEMBER 24, 1939.

			FIRST	CLASS					/	3				FREIGHT	TRAINS
Daily Passenger	11	Post	STATIONS	Capacity of Sidings	Other Tracks	Office Open Week Days	Daily Freight	Daily Freight							
147	23	45	21	151	49	51	47	Signs	Mile Post Location		Capac	Other		81	97
P.M. L11.30	P.M. 6.04	P.M. L 1.33	A.M. L10.47	L10.07	A.M. 2.11	L 1.56	L12.17	B.C.K.O.R. T.W.Yd.	143.68	SAVANNA TOWER	Yard	Yard	Continuous.	L 6.00	P.M. 4.30
									144.64	. R. R. Crossing (Interlocked) . 0.21					
						· ·			144.85	. R. R. Crossing (Interlocked) .			J'		
A11.40 P.M.	6.08	1:38	10.51	A10.15 A.M.	2.16 2.21	2:01 2:06	12:22	B.K.R.W. Yd.	145.64	SAVANNA		34	Continuous.		
										MARCUS		15	No Office.		
		s 1.55							153.65	PROVING GROUND			No Office.		
		2.01			2.36	2.21	12.50		158.16		E125	31	No Office.		
						/	/		163.51			28	No Office.		
	6.30	2.16	11.13	4	2.50	2.35	1.03	K.W.Yd.	171.60	GALENA JCT	115	70	Continuous.		
		2.18	/		2.52	2.37	1.05		172.36				Continuous.		
	s 6.46	s 2.41	s11.29	,	s 3.08	2.53	s 1.28	W.Yd.	185.06		140	56	Continuous.		
									185.27						
	6.59	s 3.00	11.41		3.25	3.10	f 1.47		199.28		125	75	8:30 a.m. to 5:30 p.m.		
		f 3.09			3.31	3.16	1.53	4	205.47			13	No Office.		
	7.09	s 3.20	11.50	,	3.39	3.24	s 2.04		213.01		125	70	8:30 a.m. to 5:30 p.m.		
		s 3.33	734		3.49	3.34	2.13		222.80	GLEN HAVEN		21	8:30 a.m. to 5:30 p.m.		
	7.21	s 3.41	12.01		3.55	3.40	2.18	C.W.Yd.	228.36	5.56 BAGLEY	125	15	8:30 a.m. to 5:30 p.m.		
		f 3.46	,						231.99			7	No Office.		
						4			235.56				No Office.		
	7.27	3.52	12.07		4.04	3.49	2.28		236.97	. R. R. (Crossing Interlocked) .		14	Continuous.		
	s 7.30	s 4.02	s12.11		s 4.17	s 4.02	s 2.42	B.W.Y. Yd.		PRAIRIE DU CHIEN	W125 E90	130	8:30 p.m. to 5:30 a.m.		
									247.35	CHARME		5	No Office.		
		s 4.22	4	V	4.34	4.19	2.58	,	254.42	LYNXVILLE		15	8:00 a.m. to 5:00 p.m.	1	
	7.51	s 4.33	12.31		4.42	4.27	3.06	W.	262.16	FERRYVILLE	125	15	8:30 a.m. to 5:30 p.m.	1	
		s 4.44	E	2	4.50	4.35	3.14	4	270.09	DE SOTO		15	8:30 a.m. to 5:30 p.m.		
		1 4.50	/		4.54	4.39	3.18	4	274.09			15	No Office.		
	7	s 4.59	/	VII.	5.00	4.45	3.25		280.75	GENOA		8	8:15 a.m. to 5:15 p.m.		
		f 5.07			5.06	4.51	3.31		286.82	STODDARD	E86	20	8:30 a.m. to 5:30 p.m.		
									293.37	CALVERT		7	No Office.		
	8.15	5.17	12.54	£	5.14	4.59	3.43	,	294.88	HERRINGTON JCT			No Office.		
									299.88	Freight Track					
	s 8.23	s 5.32	s 1.02	3			s 3.55		A-VEG STO	Passenger Track LA CROSSE			No Office.		
	A 8.30 P.M.	A 5.42 P.M.	A 1.07 P.M.		A 5.36	A 5.21 A.M.	A 4.05 A.M.	B.C.K.O.R. T.W.Y.Yd.	301.27	NORTH LA CROSSE	Yard	Yard	Continuous.	A11.59 A.M.	A10.30 P.M.
Daily							Daily	Daily							
:10 11.7	2:21 66.1	3:57 39.3	2:15 69.0	:08	3:15 47.8	3:15 47.8	3:28 44.8		1	SCHEDULE TIME AVERAGE SPEED AN HOUR				5:59 26.3	6:00 26.3

Double track between Savanna Tower and Ports and between Crawford and Herrington Jct.

Automatic block system and Rules D-251, D-252 and D-254 in effect between Savanna Tower and Herrington Jct.

No train order signal at Galena Jct. governing trains operating on Galena Branch. Conductors and Enginemen must have Clearance Form A.

No. 47 will stop at De Soto to discharge revenue passengers from Chicago.

No. 47 will stop at Proving Ground to discharge passengers from Chicago or east and Rock Island or south.

No. 51 will stop at East Dubuque to receive passengers for west of Minneapolis.

No. 49 must not exceed 35 miles an hour when dispatching mail at Cassville, Glen Haven and Bagley.

No. 49 must not exceed 15 miles an hour Sunday only when dispatching mail at Potosi.

Local extra leaves Savanna 6:00 A. M. daily except Sunday for Galena; carries passengers.

Local extra leaves East Dubuque 8:00 A. M. Tuesday, Thursday and Saturday for North La Crosse; carries passengers.

North La Crosse to Savanna Tower—Sub-division—Eastward

LA CROSSE DIVISION.

TIME TABLE No. 43.

EFFECTIVE SEPTEMBER 24, 1939.

=====			FIRST	CLASS				11	1 5	1	1	Ī	1	EDEIGH	TRAINS
Daily Passenger	Daily Passenger	Daily Passenger	Daily	Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger		Distance from Savanna Tower	STATIONS	ty of	Tracks	Office Open Sundays	Daily Freight	Daily Freight
24	152	52	22	148	48	50	44	Signs	Distant		Capacity of Sidings	Other Tracks		82	80
P.M. A 8.48	P.M. A 4.29	P.M. A 4.23	P.M. A12.48	A.M. A 5.50	A.M. A 5.49	A.M. A 5.35	A 5.17	B.C.K.O.R T.W.Yd.		SAVANNA TOWER	Yard	Yard	Continuous	A.M. A 6.30	P.M. A 5.15
									.96	. R. R. Crossing (Interlocked)					
									1.17	. R. R. Crossing (Interlocked) .					
8.44 8.43	L 4.24 P.M.	4.18 4.08	12:44 12:43	L 5.45 A.M.	5.44 5.34	5.30 5.20	5.12 5.02	B.K.R.W. Yd.	1.96			34	Continuous		
									7.00			15	No Office		
	_	s 3.54							9.97	PROVING GROUND			No Office		
		3.47			5.15	5.02	4.44		14.48	whitton	E125	31	No Office.		
		f 3.40							19.83	BLANDING		28	No Office.		
8.23		3.31	12.23		5.00	4.45	4.28	K.W.Yd.	27.92	GALENA JCT	115	70	Continuous.		
		3.29			4.58	4.43	4.26		28.68				Continuous.		
s 8.09		s 3.11	s12.09		s 4.43	4.25	4.08	W.Yd.	41.38		140	56	Continuous.		
									41.59						
7.55		s 2.51	11.55		4.25	4.05	3.48		55.60	POTOSI	125	75	2:00 p.m. to 4:00 p.m.		
		2.43			4.19	3.58	3.41		61.79			13	No Office.		
7.45		s 2.34	11.45		4.12	3.50	3.33		69.33	CASSVILLE	125	70	2:00 p.m. to 4:00 p.m.		
		s 2.21			4.03	3.39	3.22		79.12			21	2:00 p.m. to 4:00 p.m.		
7.31		s 2.13	11.31		3.58	3.31	3.14	C.W.Yd.	84.68	BAGLEY	125	15	2:00 p.m. to 4:00 p.m.		
		f 2.07							88.31			7	No Office.		
									91.88	PORTS			No Office.		
7.24		2.00	11.24		3.49	3.15	2.58		93.29	R. R. Crossing (Interlocked)		14	Continuous.		
s 7.20		s 1.56	s11.20		s 3.45	3.10	2.53	B.W.Y. Yd.	95.99	PRAIRIE DU CHIEN	W125 E90	130	8:30 p.m. to 5:30 a.m.		
		f 1.44							103.67	CHARME		5	No Office.		
		s 1.34			3.27	2.51	2.35		110.74	LYNXVILLE		15	Closed.		
7.02		s 1.24	11.02		3.20	2.43	2.28	w.	118.48	FERRYVILLE	125	15	1:10 p.m. to 4:40 p.m.		
		s 1.14			3.13	2.35	2.21		126.19	DE SOTO		15	Closed.		
		f 1.08			3.09	2.31	2.17		130.19	VICTORY		15	No Office.		
		s12.59			3.03	2.23	2.10		136.85	GENOA		8	Closed.		
		f12.51			2.57	2.16	2.03		142.92	STODDARD	E86	20	Closed.		
									149.47	CALVERT		7	No Office.		
6.38		12.43	10.38		2.49	2.07	1.54		150.98	HERRINGTON JCT			No Office.		
						Via Freight	Via Freight		155.98	R. R. Crossings (Interlocked)					
s 6.28			s10.28		s 2.41	Track	Track		154.61	Passenger Track LA CROSSE			No Office.		
L 6.22 P. M.		L12.22 P.M.	L10.22 A.M.		L 2.30 A.M.	L 1.57	L 1.44 A.M.	B.C.K.O.R. T.W.Y.Yd.	157.37	NORTH LA CROSSE	Yard	Yard	Continuous.	L12.35 A.M.	L12.15 P.M.
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily							Daily	Daily
2:21 66.1	:05 23.5	3:46 41.2	2:21 66.1	:05 23.5	3:04 50.6	3:23 45.9	3:18 47.0			SCHEDULE TIME AVERAGE SPEED AN HOUR				5:55 26.5	5:00 31.4

Double track between Herrington Jct. and Crawford and between Ports and Savanna Tower.

Automatic block system and Rules D-251, D-252 and D-254 in effect between Herrington Jct. and Savanna Tower.

No train order signal at North La Crosse; no eastward train order signal at Savanna. Conductors and enginemen must have Clearance Form A.

No. 44 will stop at Cassville, No. 50 at Glen Haven and No. 48 at Bagley; to discharge revenue passengers from La Crosse or beyond and receive passengers for Savanna or beyond.

No. 44 and No. 50 will stop at Prairie du Chien and East Dubuque to let off passengers from West of Minneapolis.

Local extra leaves North La Crosse 6:00 A. M. Monday, Wednesday and Friday for East Dubuque; carries passengers.

Local extra leaves Galena 12:01 P. M. daily except Sunday for Savanna; carries passengers.

North La Crosse to Minneapolis—Sub-division—Westward.

LA CROSSE DIVISION.

TIME TABLE No. 43.

EFFECTIVE SEPTEMBER 24, 1939.

Daily Daily Daily Daily Daily Daily Daily Daily Daily												FREIGHT	TRAINS
Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger		Mile Post Location	STATIONS	Capacity of Sidings	Other Tracks	Office Open Week Days	Daily Freight	Daily Freight
23	45	21	49	51	47	Signs	Mile		Capac	Other		81	97
P.M.	P.M.	P.M.	A.M.	A.M.	A.M.	B.R.K.						P.M.	P.M.
L 8.30	L 5.47	L 1.07	L 5.43	L 5.28	L 4.12	O.C.T. W.Y.Yd.	301.27	NORTH LA CROSSE	Yard	Yard	Continuous.	L12.15	L11.00
	5.51		5.47	5.32	4.16		302.57	SULLIVAN JCT			No Office.		
	s 5.52						303.72	ONALASKA			No Office.		
	6.00		5.56	5.41	4.24		310.85	LYTLE			No Office.		
	s 6.09		6.04	5.49	4.30		317.49	TREMPEALEAU		9	No Office.		
	6.22		6.13	5.58	4.37	W. K. Yd.	325.73	R. R. Crossing (Interlocked)	W125 E125	60	Continuous.		
s 8.53	6.25	s 1.28	6.16	6.01	s 4.44		327.92	R. R. Crossing (Auto. Interl.)			No Office.		
	s 6.34		6.23	6.08	4.51		333.82	FOUNTAIN CITY		20	7:30 a.m. to 4:30 p.m.		
9.06	s 6.46	1.41	6.33	6.18	5.00		343.08	COCHRANE	W125 E90	30	7:30 a.m. to 4:30 p.m.		
	s 6.59		6.42	6.27	s 5.12	w.	351.33	8.25- ALMA		28	8:00 a.m. to 5:00 p.m.		
	s 7.10		6.49	6.34	5.21		358.62	NELSON	E35	32	8:00 a.m. to 5:00 p.m.		
9.21	7.15	1.56	6.54	6.39	5.26		362.07	R. R. Crossing (Interlocked)		15	Continuous.		
							362.93	MEARS			No Office.		
	s 7.23		6.59	6.44	5.31		366.16		W23	25	8:00 a.m. to 5:00 p.m.		
9.31	s 7.32	2.05	7.05	6.50	5 38	C.W.Yd.	372.54	STOCKHOLM	125	27	8:30 a.m. to 5:30 p.m.		
	s 7.41		7.11	6.56	5.45		378.73		E33	24	7:00 a.m. to 4:00 p.m.		
	s 7.52		7.19	7.04	5.55		386.32		W25	22	7:00 a.m. to 4:00 p.m.		
9.45	f 8.00	2.18	7.24	7.09	6.00		390.96	HAGER	125	18	No Office.		
	f 8.07		7.29	7.14	6.07		396.34	DIAMOND BLUFF	W35	29	No Office.		
	s 8.24		7.41	7.26	s 6.23	W.Yd.		PRESCOTT	E27	45	7:00 a.m. to 4:00 p.m.		
								BURNS			No Office.		
	f 8.30						410.25	HASTINGS	125	5	No Office.		
							410.28	0.22					
10.03	8.32	2.35	7.48	7.33	6.29	R.	410.50	18.06			Continuous.		- A.M
						B.C.K.O. T.W.Yd.	428.56	DAYTON'S BLUFF	Yard	Yard	No Office.	A 6.00 P.M.	A 4.00 A.M.
10.29 10.34	9.10 9.25	s 3.00	A 8.30 A.M.	A 8.15 A.M.	7:10 7:23	B.R.	430.40	ST. PAUL			5:30 a.m. to 2:30 p.m 4:00 p.m. to 11:59 p.m		
A10.59 P.M.	A 9.55 P.M.	A 3.30 P.M.			A 7.53	B.R.	440.93	MINNEAPOLIS			Continuous.		
Daily	Daily	Daily	Daily	Daily	Daily							Daily	Daily
2:29 56.1	4:08 33.7	2:23 58.5	2:47 46.3	2:47 46.3	3:41 37.9			SCHEDULE TIMEAVERAGE SPEED AN HOUR				5:45 22.1	5:00 25.4

Double track between Sullivan Jct. and Trevino, between Mears and Prescott and between Burns and St. Croix Tower.

Automatic block system and Rules D-251, D-252 and D-254 in effect between Sullivan Jct. and St. Croix Tower.

No train order signal at North La Crosse. Conductors and enginemen must have Clearance Form A.

Spring switch located No. 1 track at East end of Battle Creek Yard at Dayton's Bluff.

No. 47 must not exceed 30 miles an hour when dispatching mail at Bay City.

No. 47 will stop on flag at Pepin and Maiden Rock for revenue passengers.

No. 51 will stop at Miner to discharge revenue passengers from Chicago.

No. 45 will stop at East Winona for passengers daily except Sunday and will stop at Miner for passengers Sunday only.

No. 45 will stop at Hager for passengers and mail daily except Sunday, and on Sunday will stop on flag.

No. 45 will stop at St. Paul Park daily except Sunday to dispatch Mail and Express.

Local extra leaves North La Crosse 6:00 A. M. Tuesday, Thursday and Saturday for Dayton's Bluff; carries passengers Onalaska to Newport.

Minneapolis to North La Crosse—Sub-division—Eastward.

LA CROSSE DIVISION.

TIME TABLE No. 43.

EFFECTIVE SEPTEMBER 24, 1939.

	FIRST	CLASS					886					FREIGHT TRAINS	
Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger	Daily Passenger		Distance from North La Crosse	STATIONS	ity of ing	Other Tracks	Office Open Sundays	Daily Freight	Daily Freight
48	50	44	24	52	22	Signs	Dista		Capacity of Siding	Other		80	82
A.M.	A.M.	A.M.	P.M.	P.M.	A.M.	aw om v						A.M.	P.M.
A 2.20	A 1.50	A 1.37	A 6.22	A12.15	A10.22	C.W.O.T.Y B.K.R. Yd	.0	NORTH LA CROSSE	Yard	Yard	Continuous.	A11.30	A11.20
2.16	1.46	1.33		12.11			1.30	SULLIVAN JCT			No Office.		
				s12.09 -P.M			2.45	ONALASKA			No Office.		
2.05	1.36	1.23		11.59			9.58	LYTLE			No Office.		
1.59	1.26	1.14		s11.51			16.22	TREMPEALEAU		9	No Office.		
s 1.49	1.15	1.05		11.39		K.W.Yd.	24.46	EAST WINONA	W125 E125	60	Continuous.		
1.40	1.12	1.02	s 5.58	s11.37	s 9.58		26.65	2.19 MINER			No Office.		
1.35	1.04	12.54		s11.26			32.55	FOUNTAIN CITY		20	10:00 a.m. to 11:59 a.m		
1.26	12.54	12.44	5.46	s11.12	9.46		41.81	COCHRANE	W125 E90	32	10:00 a.m. to 11:59 a.m		
f 1.18	12.44	12.35		s10.59		w.	50.06	ALMA		28	9:30 a.m. to 11:30 a.m		
1.11	12.35	12.27		s10.47			57.35	7.29 NELSON	E35	32	Closed.		
1.08	12.31	12.23	5.32	10.40	9.32		60.80			15	Continuous.		
							61.66	MEARS			No Office.		
1.04	12.26	12.18		s10.33			64.89	3.23 PEPIN	W23	25	Closed.		
12.58	12.19	12.10	5.23	s10.23	9.23	C.W.Yd.	71.27	STOCKHOLM	125	27	Closed.		
12.52	12.12	12.03 -A.M		s10.13			77.46	MAIDEN ROCK	E33	24	Closed.		
12.45	12.03	11.53		s10.02			85.05		W25	22	Closed.		
12.41	11.58	11.48	5.09	s 9.54	9.09		89.69	HAGER	125	18	No Office.		
12.36	11.51	11.41		1 9.46			95.07	DIAMOND BLUFF	W35	29	No Office.		
12.25	f11.37	11.28		s 9.31		W. Yd.	106.29	PRESCOTT	E27	45	Closed.		
							106.58	BURNS			No Office.		
				f 9.22			108.98				No Office.		
							109.01	. R. R. Crossings (Interlocked) .	125	5			
12.19	11.28	11.21	4.52	9.20	8.52	R.	109.23	St. Croix Tower			Continuous.		
22,02,						B.C.K.O. T.W.Yd.	127.29	DAYTON'S BLUFF	Yard	Yard	No Office.	L 7.00 A.M.	7.30 P.M.
11:59 11:45	L11.00 P.M.	L10.55 P.M.	4.30 4.25	8.55 8.40	8.30 8.25	B.R.	129.13	1.81———————————————————————————————————			6:00 a.m. to 11:00 a.m 12:01 p.m. to 6:00 p.m 7:00 p.m. to 11:59 p.m		
L11.20 P.M.			L 4.00 P.M.	L 8.15 A.M.	L 8.00	B.R.	139.66	MINNEAPOLIS			Continuous.		
Daily	Daily	Daily	Daily	Daily	Daily			4				Daily	Daily
2:50 49.2	2:50 45.5	2:42 47.8	2:22 58.9	4:00 34.9	2:22 58.9			SCHEDULE TIMEAVERAGE SPEED AN HOUR				4:30 28.2	3:50 33.3

Double track between St. Croix Tower and Burns, between Prescott and Mears and between Trevino and Sullivan Jct.

Automatic block system and Rules D-251, D-252 and D-254 in effect between St. Croix Tower and Sullivan Jct.

Spring switch located No. 1 track at East end of Battle Creek yard at Dayton's Bluff.

No. 52 will stop on flag at Newport for passengers and parcel post mail.

No. 48 due to leave Minneapolis Sundays will stop at Miner instead of East Winona for passengers.

No. 44 and No. 50 will stop at Miner to let off passengers from West of Minneapolis.

Local extra leaves Dayton's Bluff 6:00 A. M. Monday, Wednesday and Friday for North La Crosse; carries passengers Newport to Onalaska.

SPECIAL INSTRUCTIONS

Trainmaster	. C. L. Gray, Aurora.
Master Mechanic	. H. C. Gugler, Chicago
Asst. Master Mechanic	. M. J. Brown, Chicago
Road Foreman	. C. R. Graf, North La Crosse.
Chief Dispatcher	. C. W. Olson, North La Crosse.
Night Chief Dispatcher	. D. Rupp, North La Crosse.

DISPATCHERS

W. H. Muldowney. R. P. Paul. E. A. Stouvenal. R. H. Mourning. A. Wetterlin.

 Where manual or controlled manual block system rules are in effect, light engines, mail and express trains will be handled the same as passenger trains.

Freight trains carrying passengers or caretakers will be handled the same as passenger trains, except in automatic signal territory, or where otherwise stated in footnotes, or on sub-divisions where Rule 907 is in effect. Conductors will advise dispatcher when no passengers or caretakers on their train.

Under Rule 93, trains handling occupied company service cars, or carrying caretakers, must be protected as prescribed by Rule 99.

Where Rules D-251, D-252 and D-254 are in effect, freight trains stopped by train order signal at stations where sidings are located on or near schedule of first class trains will clear the main track at once unless otherwise advised by signalman. Conductors must advise promptly when clear of main track and receive permission from signalman before he can again return to main track. Unless otherwise advised by dispatcher, where there is no signalman on duty, second class and extra trains must clear first class trains as per Rule 86, except, must clear the time of trains Nos. 21, 22, 23 and 24 not less than 10 minutes.

Rule 374 in Book of Rules of Operating Department is modified to read as follows: "When a train is passed by a passenger train at a non-communicating station, except in automatic block signal territory, the train passed must wait ten minutes and then proceed at restricted speed to the next available point of communication."

- Train order signal must indicate "stop" in both directions at end of reverse movement, and Clearance Form A with copy of train order will be delivered to the train completing reverse movement unless movement is controlled by signal indication and except on joint track between St. Croix Tower and St. Paul.
- 3. USE OF TRACK. Between St. Paul and Minneapolis, trains using tracks of Great Northern and Northern Pacific will be governed by their rules. Rule 908 in effect on Burlington Cut-off track between St. Anthony on Great Northern and Union on Northern Pacific.

Train movements over joint C. B. & Q.-N. P. tracks between Third Street and Division Street, St. Paul, will be made at restricted speed and are governed by yard rules. Eastward movements will be made on proceed signal from switch tenders. Westward movements on proceed interlocking signal from Division Street. Movements over Third Street Crossing, N. P., will be governed by hand signals from switch tenders.

Between St. Paul and St. Croix Tower trains will be governed by the rules of the joint time table of the C. B. & Q. and the C. M. St. P. & P. Railroad.

Between Dubuque and East Cabin and between East Cabin and Portage, trains will be governed by the rules of the Illinois Central Railroad.

Single track between Burns and Prescott, Mears and Trevino, Crawford and Ports and over Galena River Bridge at Galena Jct. The movement of trains in either direction will be governed by signal indication, regardless of superiority.

Between St. Croix Tower and Burns the current of traffic is left handed. The movement of trains on both tracks in either direction will be governed by signal indication, regardless of superiority.

Between Trevino and cross-over located 100 feet east of Bridge 360.74, the movement of trains on both tracks in either direction will be governed by signal indication, regardless of superiority.

Between Herrington Jct. and Sullivan Jct., via La Crosse, there is a single track known as the Passenger Track.

Between Herrington Jct. and C. M. St. P. & P. Crossing North La Crosse, there is a single track known as the Freight Track.

The movement of trains on both tracks in either direction will be governed by signal indication regardless of superiority. Automatic block system rules in effect.

The west leg of wye between C. M. St. P. & P. crossing and North La Crosse depot will be operated as main track; all trains will move at restricted speed.

- 4. No cars or engines must be allowed to block any street in La Crosse longer than five minutes. The whistle should not be sounded except to prevent accident, cylinder cocks should be closed and bell rung when engines are in motion in the city. Trains will not stop between the south side of Pearl and the north side of Vine Streets.
- 5. Freight trains have no class or time table authority and will not display classification signals between Savanna and Dayton's Bluff.
- 6. When under Rule 951 operators are instructed to handle switches for a train, they must be available immediately to do so. They will maintain a position where they may be seen by the conductor and will advise him of their intention to handle switches for his train. After so advising the conductor, the operator will be responsible for the return of switches to normal position after train has passed.
- 7. When a train is to be advanced as prescribed by Rule 925, the engineman will, in acknowledgment of the signal, sound two long blasts of the whistle, as provided in Rule 14(b).
- 8. Train orders addressed to motor trains handling trailer, and two car branch line steam passenger trains handling blind end baggage cars must be delivered by Operator to Baggageman in addition to Conductor and Engineer.
- 9. When occupied outfit cars are set out of a train at a station, or on a track between stations, or when moved from one track to another at a station, the conductor must notify the Chief Dispatcher, from the first available point of communication, giving information as to the track on which the occupied outfit cars were left.
- Conductors must report by wire storms or conditions that may render track unsafe and will tie up their trains when in their judgment it is unsafe to proceed.
- 11. Derricks, steam shovels, ditchers, draglines, rail loaders, and other similar equipment loaded on flat or other open-top cars with booms connected and handled in freight or mixed trains must have booms trailing and securely fastened. Cars loaded with such equipment, when picked up at intermediate stations or junctions and not properly turned, must be turned at first point where facilities are available to effect trailing position of booms.

When this equipment is moving in freight or mixed trains upon its own wheels the boom must be disconnected and loaded so as to be entirely free of swinging features. Steam wrecking derricks and bridge derricks, having specially designed idler cars, are excepted from requirements of this rule.

- 12. Under Rule 103, when cars are pushed by an engine over public crossings at grade, not protected by a watchman or gates, a member of the crew must protect crossing, unless the move is made under Rule 1012.
- Rule 914 in Book of Rules of Operating Department is modified to read
 4,000 feet instead of 3,000 feet.
- 14. Grade signals changed from the aspects and instructions shown on pages 88 and 89 of Rules of the Operating Department by replacing the yellow roundels in semaphores with red roundels, the blades red and white instead of yellow and black, and in color light signals one yellow roundel changed to red. Trains may pass grade signal displaying restrictive indication at ten miles an hour instead of five and be governed by Rule 509-A or 509-B.
- 15. Where movement of trains in either direction is governed by signal indication, regardless of superiority, a train stopped by a stop signal must stay until authorized to proceed. Or, in case of failure of means of communication, it may proceed when preceded by a flagman to the next point of communication or signal displaying a proceed indication.

When the signal does not clear and it is possible to communicate with the signalman, and the dispatcher is advised by the signalman that there is no opposing train in the block, instructions will be issued Proceed complying with Rule 509-A.

16. Where signals protecting switches operated by remote control are in stop position, train or engine men will promptly communicate with operator, and when so instructed may proceed by stop signal, first examining switches and deralls in route designated, assuring themselves that they are in proper position.

SPECIAL INSTRUCTIONS—Continued

17. SPRING SWITCHES are designated by a round target bearing the letter "S." Facing point movements over spring switches are protected by automatic home block signal. When signal indicates "Stop," trains may proceed on hand signal after switch has been examined and points found to fit properly. Trains trailing through switch may do so without opening or closing it. When sand or snow is blowing the switch points must be cleared before trailing move is made through switch. When trailing through switch and train is stopped before movement is complete, backward movement must not be made until switch is set and secured in proper position. When switch is opened by hand it must be closed by hand. Sand must not be used over spring switches, Drop switch will not be made over sprins gwitches unless specifically authorized.

18. C. & N. W. crossing at Miner is protected with automatic interlocking signals.

Normal indication of home signal is stop. Distant signal indicates restricted speed. When a train is stopped by home signal and no conflicting train movement is evident a trainman shall proceed to the crossing and operate release marked C. B. & Q. located at crossing.

After time interval has elapsed, signal will clear automatically. In case the operation of the release does not clear the signal, train may proceed over crossing under protection.

19. At Dubuque between the hours of 4:00 P.M. and 8:00 A.M. some member of the crew with the necessary flagging equipment will flag each train movement over East Fourth St. (City Ordinance.)

20. RULES GOVERNING USE OF ILLINOIS CENTRAL JOINT TRACKS BETWEEN EAST CABIN AND PORTAGE.

Two Tracks: Between East Cabin and Portage.

Main tracks designated as follows:

No.	Location.	Use.
1	North	Westward trains
2	South.	Eastward trains.

Between East Cabin and Portage, trains may display signals as provided by train orders of their respective roads.

Between East Cabin and Portage trains may run without train orders.

Train Registers: East Cabin and Portage.

Trains may register at East Cabin and Portage by register ticket.

Second class, third class and extra trains except work extras receiving clear train order signal at East Cabin and clear home signal at Portage may run ahead of overdue first class trains between these stations.

Yards: East Cabin.

First Class trains must move within yard limits at East Cabin prepared to stop, unless the main track is seen or known to be clear.

Trains must stop at stop boards located 300 feet from junction switches at East Cabin and not proceed until signaled by switch tender.

On two or more tracks, trains may pass "Stop and Proceed" signals without stopping, proceeding at a speed not to exceed 15 miles an hour.

Speed Restrictions: Between Portage and East Cabin	Per Hour
Passenger trains with passenger engines, passenger engines running	
light or with caboose	70
Passenger trains with freight engines	40
Dispatch and local freight trains	45
Freight engines running light or with caboose	40
All other trains including work	40
All trains through turn outs Portage	25
Engines not equipped with trucks, eight-wheel locomotive cranes, or	
trains handling them	15
Engines backing up light or with cars	15
All trains moving over cross-over, junctions and siding switches	
unless board-at-switch authorizes greater speed	10
Derricks	25
Between East Cabin and Dubuque Jct	10

SPECIAL INSTRUCTIONS—Concluded

Between Dubuque Jct. and East Cabin, controlled manual block signals govern the use of the blocks, and unless otherwise provided, their indications supersede time table superiority and take the place of train orders; they do not dispense with the use or observance of other signals whenever and wherever they may be required.

SPEED RESTRICTIONS

SPEED OF TRAINS:

Miles per	Time p	er Mile	Miles per	Time per Mile			
Hour	Minutes	Seconds	Hour	Minutes	Seconds		
5	12	0	55	1	5		
10	6	0	60	1	0		
15	4	0	65	0	55		
20	3	0	70	0	51		
25	2	24	75	0	48		
30	2	0	80	0	45		
35	1	43	85	0	51 48 45 42		
40	1	30	90	0	40		
45	1	20	95	0	40 38 36		
50	1	12	100	0	36		

 When a distant signal is displaying a restricting indication, trains must reduce speed at once and move at "restricted speed" until the indication of the next governing signal can be determined.

Enginemen handling light engines must approach all hazardous road crossing where view is obscured prepared to stop.

Light engines may operate at maximum speed authorized for freight trains, except must not exceed 35 miles an hour.

Passenger trains handled by single-engine-truck freight engines must not exceed maximum speed authorized for freight trains unless otherwise provided in sub-division speed restrictions or by train order.

Gas-electric motor cars may operate on the various sub-divisions at maximum speed authorized for passenger trains, but must not exceed 50 miles an

Diesel-electric power units running light must not exceed 60 miles an hour.

3. (a) Nos. 21, 22, 23, and 24 between Savanna and Minneapolis when handled by any one of the steam locomotives listed in note below will observe speeds for Diesel-operated Zephyr trains as authorized on Page 8 and indicated by wayside zone and curve posts, except that through turnouts or crossovers or over track or bridges covered by slow order the speed limits prescribed for other than Zephyr trains will apply unless modified by train order.

NOTE: Engines 3000, 3007, 3010, 3012, 4000, 4001, 4002, 4003, 4004.

(b) Between Savanna and Minneapolis steam locomotives listed in note below handling standard passenger train equipment on Nos. 21, 22, 23, and 24, or steam sections of trains operating with standard equipment on Zephyr schedules will not exceed 80 miles an hour nor use less than 45 second to the mile, and on curves that carry speed restrictions for Diesel-operated Zephyr trains will reduce speed 10 miles an hour below the numeral restriction shown on wayside curve posts. Such trains must observe speed restrictions for other than Diesel-operated Zephyr trains when passing through turnouts or crossovers, or over track or bridges covered by slow order, unless modified by train order.

NOTE: Engines 3000, 3007, 3010, 3012, 4000, 4001, 4002, 4003, 4004, 5600, 5602, 5603, 5607, 5621, 5622, 5623, 5624, 5625.

(c) When any train covered by Paragraphs (a) and (b) is handled by other Class S4 or O-5 engine than those listed, maximum speed will not exceed 75 miles an hour, with all other restrictions applying for curves, turnouts, etc., as listed in Paragraph (b) unless modified by train order.

(d) When Zephyr train equipment is handled over a sub-division not equipped with wayside zone and curve posts, and for which no special speeds have been authorized for such equipment, train will operate on speed restrictions applying to other passenger trains unless modified by train order.

SPEED RESTRICTIONS

LOCATION	Passenger, Mail and Express Trains M. P. H.	Freight Trains M. P. H.
Maximum speed	65	50
With O-5 engine		55
Savanna Tower through crossover	25	25
Savanna, C. M. St. P. & P. crossings	20	20
Galena Jct. to Galena	15	15
Galena Jct., turnout	25	25
East Dubuque, I. C. crossing	40 25	40 25
Desta and of double trook through turnout	35	35
Ports, end of double track, through turnout	40	40
Crawford, end of double track, through turnout	25	25
Prairie du Chien, Webster St. to Hayden St	15	15
Herrington Jct., crossover and Passenger track turnout	25	25
Herrington Jct., Freight track turnout	35	35
Herrington Jct. to 12th St. La Crosse, Passenger track. La Crosse, 12th St. to La Cross River Bridge, Passenger	35	35
track La Crosse River Bridge to North La Crosse depot, Pas-	15	15
senger track	35	35
La Crosse, Causeway Crossing	10	10
La Crosse, Bridge 300.40, Passenger track	25	25
track	55	45
Wye switch, Freight track North La Crosse depot to first automatic signal west First automatic signal west North La Crosse depot to	10 15	15
Sullivan Jct., Passenger track	35	35
Sullivan Jct., through cross-overs	25	25
Sullivan Jct., over switches in eastward track	35	35
East Winona to Winona	15	15
Miner, C. & N. W. crossing	40	40 40
Trevino, end of double track, through turnout	40 60	40
Moore and of double track through turnout	40	40
Mears, end of double track, through turnout. Trains using center siding Hager over grade crossing County Trunk Highway "E" M. P. 391.10	40	40
County Trunk Highway "E" M. P. 391.10	10	10
Prescott, end of double track, through turnout	25	25
Prescott, drawbridge	15	15
Prescott, drawbridge Burns, end of double track, through turnout	25	25
Hastings, C. M. St. P. & P. crossing	25	25
St. Croix Tower, railroad crossing	25	25
St. Croix Tower, turnout and curve, eastward	15	15
All cross-overs and turnouts not otherwise specified	10	10
Handling motor cars dead in train	65	
Handling pile drivers, steam shovels and clam shells		25
Handling steam derricks See special instructions 11		30
Handling scale test cars (must be handled next to way		
car with air coupled)		25
(must be handled in rear of trains whenever possible)		25
B, S4, M or O5 engines with drivers blocked up	30	30
Spring switch No. 1 track East end Battle Creek yard,	-	-
SUTTING SWITCH ING. I Track Last end Dattle Greek Vard.		

SPECIAL INSTRUCTIONS GOVERNING THE MAXIMUM SPEEDS OF ZEPHYR TYPE MOTOR TRAINS.

Distinctive road way signals have been adopted to indicate maximum speeds of Zephyr type motor trains.

A triangle type signal with reflex letter "Z" thereon indicates zone territory where maximum speed is indicated by the numerals thereon, and will govern until the next zone signal is reached.

Where speed restrictions are required on curves within a zone, a banjo type signal with reflex letter "C" and numerals thereon will indicate maximum speed permissible for that particular curve, after which zone speed may be resumed.

C. M. St. P. & P. special roadway speed signals consist of a post with a blade to the right thereof painted yellow, with the letters "RS" and numerals thereon indicating the permissible speed, and will govern on the Eastward track between Newport and St. Croix Tower.

The triangle and banjo type signals and C. M. St. P. & P. special roadway speed signals are located approximately 4000 feet from point of curve, or point where zone speed changes, unless otherwise specified.

Speed restrictions for Zephyr type motor trains are as follows:

BETWEEN SAVANNA AND MINNEAPOLIS

Westw M.P.	н.			M	P.H.
Zone	Other	Condition	M. P. Location	Zone	Othe
90	***		Savanna to 171.00	90	
		Curve	146.15	• •	70
40	• •		171.00 to 169.10 (IC)	40	
• •	25	*Turnout	Portage	- : :	25
80	- ::-	_	172.50 to 181.00(IC)	80	* 1
	65	Curve	344.40(IC)	• •	
	65	Curve	344.30(IC)		-
	70	Curve	340.40(IC) 176.20(IC)	• •	70
• •	70	Curve	340.20(IC) 176.40(IC)	• •	70
::	75	Curve	339.70(IC)		•
40	• •		335.00(IC) to 185.50	40	
75			185.50 to 187.00	75	• •
90	• •		187.00 to 239.00	90	
• •	::	*Turnout	Ports	7.07	50
• •		*R. R. Crossing	Crawford	• •	::
		*Turnout	Crawford		40
20	• •		239.00 to 240.00	20	
90			240.00 to Herrington Jct.	90	
	50	*Turnout	Herrington Jct. freight track		30
70		t	0.00 to 5.00 freight track	70	
	15	Curve	North Lacrosse, west leg of		
	200		wye		18
	30	*Turnout and Cross			
			track	• •	30
40		*	Herrington Jct. passenger		
			track to 12th Street La	2020	
			Crosse	40	
40		*	La Crosse River bridge, pas-		
			senger track to North La		
			Crosse	40	
• •	30	*	Bridge 300.40		30
60		t	North La Crosse to 303.00	60	
	40	*Turnout	Sullivan Jct.		
90			303.00 to 357.00	90	
	75	Curve	325.60		60
	40	*R. R. Crossing	Miner		40
85			357.00 to 364.50	85	
	50	*Turnout	Trevino		
• •	50	*Turnout	Mears		
60			364.50 to 366.50	60	
80			366.50 to 379.00	80	
85			379.00 to 389.30	85	
90		t	389.30 to 410.25	90	
	60	Curve	407.20		60
	40	*Turnout	Prescott		
	30	*Curve	407.70		30
		*Turnout	Burns		40
55		t	410.25 to 415.25		
	-	*R. R. Crossing and	A STATE OF THE STA		
20.00	05965	turnout	St. Croix		25
			113.00 CMStP&P to 410.25	50	
			422.25 to 113.00 CMStP&P	70	
60			415.25 to Daytons Bluff		
-			Daytons Bluff to Minneapolis	35	

†Roadway signal located at point where speed changes.

*No road way signal.

When using any turnout or cross-over not otherwise specified, will not exceed speed designated for other trains.

Zephyr type motor trains approaching train order signal in stop position will sound four short blasts of the whistle and must not exceed sixty miles an hour passing stations at which train orders or clearance cards are to be delivered. The delivery of all train orders, clearance cards and instructions will be made on the right hand side.