

CHICAGO & NORTH WESTERN RAILWAY

**GALENA DIVISION
SOUTHERN DISTRICT**

TIME TABLE

No. 23

Effective Sunday, June 23, 1940

AT 12:01 O'CLOCK A. M.

CENTRAL TIME

**For the Government and in-
formation of employes only.**

**F. J. BYINGTON, General Manager
W. A. KRAEMER, Ass't General Manager
H. R. KOCH, Superintendent**

CHICAGO & NORTH WESTERN RAILWAY

**GALENA DIVISION
SOUTHERN DISTRICT**

TIME TABLE

No. 23

Effective Sunday, June 23, 1940

AT 12:01 O'CLOCK A. M.

CENTRAL TIME

**For the Government and in-
formation of employes only.**

**F. J. BYINGTON, General Manager
W. A. KRAEMER, Ass't General Manager
H. R. KOCH, Superintendent**

Westward—Between Nelson and South Pekin—Eastward

SECOND CLASS				Fuel Water, Wye and Turntable Stations	Distance from Nelson	Office Open Week Days	Subdivision 1 Time Table 23 June 23, 1940					Capacity of Siding	SECOND CLASS					Office Open Sundays and Holidays
391	381	93	383				154	92	380	172	386							
DAILY	DAILY	Tuesday Thursday Saturday	DAILY				DAILY	Monday Wednesday Friday	DAILY	DAILY	DAILY							
P.M. 7:30	P.M. 2:30	A.M. 8:10	A.M. 2:30	FW TTY	Continuous	NELSON	A.M. 10:45	P.M. 3:00	P.M. 12:45	P.M. 9:10	A.M. 12:45	Continuous						
7:40	2:40	8:20	2:4070	YARD OFFICE	10:30	2:40	12:35	8:55	12:25	7:00 a.m. to 4:00 p.m.						
7:45	2:45	8:30	2:45	4.51	TOWER GO	10:25	2:30	12:29	8:50	12:16	2:15 a.m. to 10:15 a.m. 2:00 p.m. to 10:00 p.m.						
7:53	2:53	8:40	2:55	6.87	VAN PETTEN	10:15	2:15	12:20	8:40	12:06						
8:01	3:03	9:11	3:02	11.70	HAHNAMAN	10:00	2:00	12:10	8:30	11:57	12:01 p.m. to 8:01 p.m. 9:00 p.m. to 5:00 a.m.						
8:15	3:16	9:35	3:15	14.61	TOWER WN	9:35	1:40	11:54	8:15	11:42	Closed						
8:26	3:27	9:45	3:26	W	23.94	NORMANDY	9:05	1:15	11:40	7:59	11:30	Closed						
8:35	3:36	9:55	3:34	30.24	MANLIUS	8:55	12:59	11:31	7:50	11:21						
8:47	3:47	10:10	3:45	34.38	LANGLEY	8:40	12:35	11:16	7:35	11:10	★7:20 a.m. to 9:20 a.m. ★4:30 p.m. to 6:30 p.m.						
8:55	3:55	10:20	3:53	35.78	BUDA	8:30	12:20	11:07	7:25	11:00						
9:00	4:00	10:58	4:00	FWY	40.73	TOWER UD	8:05	12:05	10:58	6:50	10:38	Closed						
9:08	4:09	11:15	4:08	44.89	MORSE	7:55	11:15	10:48	6:40	10:29	Closed						
9:19	4:20	11:35	4:20	46.73	STORAGE	7:35	10:50	10:31	6:20	10:12	Closed						
9:29	4:30	11:55	4:30	51.33	BROADMOOR	7:20	10:35	10:18	6:05	10:01						
9:45	4:50	12:20	4:50	W	57.81	CAMP GROVE	6:55	10:15	10:00	5:40	9:45	Closed						
10:03	5:10	12:40	5:08	63.61	SPEER	6:05	9:40	9:25	4:55	8:55						
10:08	5:15	12:45	5:12	72.05	AKRON	6:00	9:35	9:20	4:50	8:50	Continuous						
10:30	5:30	1:00	5:30	78.14	RADNOR	5:55	9:30	8:45						
10:50	5:45	1:10	5:50	80.29	LIMESTONE	5:30	9:05	7:45	Continuous						
11:00	5:55	1:25	6:00	82.17	KICKAPOO	5:20	8:50	9:05	4:35	7:35						
11:30 P.M.	6:30 P.M.	1:45 P.M.	6:30 A.M.	FW TT	83.16	ADAMS STREET	5:00 A.M.	8:30 A.M.	8:45 A.M.	4:15 P.M.	7:15 P.M.	Continuous						
DAILY	DAILY	Tuesday Thursday Saturday	DAILY	85.37	PEORIA (Keystone Switch)	DAILY	Monday Wednesday Friday	DAILY	DAILY	DAILY	★Holiday assignment only.						
				86.01	TUSCARORA												
				93.48	HOLLIS												
					SOUTH PEKIN												

The normal position of the switch at Yard Office will be for East Wye.

All westward trains will approach Storage, Broadmoor, Radnor, Limestone and Kickapoo under control, prepared to stop within vision.

All westward movements at Tuscarora will be made through passing track.

Between Adams St. and Peoria Union Depot trains will be governed by time table and rules and regulations of the P. & P. U. R. R.

All trains will go to Adams St. to leave cars they may have in their train for that point, or to pick up cars as directed by Train Dispatcher.

The time shown for eastward trains at South Pekin applies at the East Switch.

Westward—Between South Pekin and DeCamp—Eastward

SECOND CLASS			Fuel, Water, Wye and Turntable Stations	Distance from South Pekin	Office Open Week Days	Subdivision 2		Capacity of Siding	SECOND CLASS			Office Open Sundays and Holidays
381	123	383				Time Table 23			380	124	386	
DAILY	DAILY	DAILY				June 23, 1940			DAILY	DAILY	DAILY	
P.M. 7.30	A.M. 9.30	A.M. 7.00	FWTT	0.0	Continuous SOUTH PEKIN	A.M. 8.00	P.M. 1.00	P.M. 5.15	Continuous	
7.45	9.50	7.15	6.04	6.04 GREEN VALLEY	75	7.45	12.35	4.45	
8.00	10.05	7.30	13.08	7:15 a.m. to 4:15 p.m.	7.04 ALLEN	75	7.30	12.15	4.30	Closed	
8.15	10.20	7.45	W	20.70	8:45 a.m. to 5:45 p.m.	7.62 LUTHER	75	7.15	11.55	4.15	★8:45 a.m. to 5:45 p.m.	
8.25	10.30	7.52	25.15	4.45 HUBLY	75	7.05	11.43	4.05	
8.40	10.45	8.07	30.73	8:45 a.m. to 5:45 p.m.	5.58 SWEETWATER	79	6.49	11.25	3.48	Closed	
8.46	10.52	8.14	33.87	3.14 CULVER	6.42	11.18	3.41	
8.52	11.10	8.22	37.26	3.39 BARR	75	6.34	11.10	3.34	
8.55	11.15	8.24	Y	38.26	Continuous	1.00 TOWER BX	6.31	11.05	3.32	Continuous	
9.04	11.25	8.32	41.88	3.62 SIDING No. 2	81	6.22	10.55	3.24	
9.25	11.50	8.55	W	46.67	7:30 a.m. to 4:30 p.m.	4.79 BANDO	5.52	10.25	2.52	Closed	
9.33	12.01	9.03	50.09	3.42 ARCHER	75	5.45	10.17	2.45	
9.48	12.16	9.20	FW	57.48	8:45 a.m. to 5:45 p.m.	7.39 LICK	75	5.32	9.58	2.31	Closed	
10.01	12.30	9.40	64.01	6.53 COMPRO	83	5.20	9.40	2.18	
10.14	12.45	9.52	Y	70.08	7:45 a.m. to 4:45 p.m.	6.07 VIRDEN	75	5.08	9.20	2.07	Closed	
10.24	12.55	10.01	74.19	4.11 GIRARD	75	4.54	9.07	1.53	
10.45	1.30	10.25	W	86.62	12.43 WOMAC	94	4.30	8.40	1.30	
10.55	1.38	10.35	92.23	5.61 SIDING No. 3	90	4.18	8.25	1.18	
11.05	1.50	10.40	95.06	7:50 a.m. to 4:50 p.m.	2.83 TOWER ON	★7:50 a.m. to 4:50 p.m.	
11.30	2.10	11.00	FWTT	98.45	9:00 a.m. to 5:00 p.m. 9:45 p.m. to 5:45 a.m.	3.39 BENLD	120	4.00	8.00	1.00	9:00 a.m. to 5:00 p.m. 9:45 p.m. to 5:45 a.m.	
12.30	P.M.	12.01	100.25	1.8 MINE 4 SWITCH	3.00	A.M.	12.15	
12.40	12.10	102.8	2.6 MINE 14 SWITCH	2.45	12.10	
12.45	12.15	106.0	Continuous	3.2 DECAMP	2.40	12.01	
12.50	A.M.	12.25	From Benld	EAST ST. LOUIS	2.30	A.M.	11.50	Continuous	
2.30	A.M.	2.01	41.1	1.00	A.M.	10.30	
DAILY	DAILY	DAILY	☉Office in Inter. Tower	DAILY	DAILY	DAILY	★No Sunday assignment; holiday assignment only.	

Time shown at Benld applies at switch at east end of load yard.
 Water tank at Bando is located 2.1 miles east of Bando at Sangamon River.
 Water tank at Lick is located 1 mile east of Lick at Lick Creek.
 Water tank at Womac is located 2.8 miles east of Womac at Macoupin Creek.
 All trains will approach these points under control, expecting to find main line occupied.

SPEED TABLE		
Miles per Hour	Time per Mile	
	Minutes	Seconds
15	4	0
20	3	0
25	2	24
30	2	0
35	1	43
40	1	30
45	1	20

THE LINE BETWEEN BENLD AND DECAMP WILL BE OPERATED AS A SWITCHING DISTRICT.

In the district between Benld and Mine 4 Switch, trains will run at RESTRICTED SPEED, expecting to find switch engines occupying main track. All movements between these points will be made as required by Rule 93 amended.

In the district between Mine 4 Switch and DeCamp, yard engine and extra train movements will be made only by train order. All movements between these points will be made as required by Rule S-87.

All trains will approach DeCamp and Mine 14 Switch under RESTRICTED SPEED, expecting to find train or switch engines using same.

All main line switches west of Benld will be set and locked for main line.

SPEED RESTRICTIONS

LOCATION	Restrictions		LOCATION	Restrictions	
	Speed Per Hour			Speed Per Hour	
	Pass. Trains	Freight Trains		Pass. Trains	Freight Trains
BETWEEN NELSON AND BENLD Maximum speed, miles per hour: Passenger trains 45, Freight Trains 40.			BETWEEN NELSON AND BENLD—Continued Between spring switch east end of passing track at Tuscarora and over spring switch at west end of passing track at Tuscarora..... Eastward..... Westward.....	30 25	30 25
Between home signals, C. B. & Q. Interlocking Plant, Tower GO..... Eastward..... Westward.....	35 40	30 30	Over gate protected P. T. R. R. crossing at Hollis... (See additional speed restrictions.)	10	10
Between home signals, C. B. & Q. Interlocking Plant, Tower WN.....	30	30	Between Hollis and Bridge No. 1731—Illinois River..		35
Between West switch Normandy and two miles west (Normandy Swamp).....		35	Over Bridge No. 1731—Illinois River.....	25	25
Between East end of curve one mile East of Langley and Tower UD..... Eastward.....		35	Between west end Bridge No. 1731 and east switch at South Pekin..... Westward.....		35
Between home signals, C. B. & Q. Interlocking Plant, Tower UD.....	30	30	Between west end Bridge No. 1731 and distant signal 3,300 feet west of Bridge No. 1731 Eastward.....		30
Between Tower UD and Storage.. Eastward.....		35	Between distant signal 3,300 feet west of Bridge No. 1731 and east switch at South Pekin..... Eastward.....		35
Over spring switch east end two tracks at Storage..	25	25	Over spring switch, east end of yard at South Pekin Eastward..... Westward.....	25 10	25 10
Around curve at penstock Broadmoor and to west end of two tracks, Broadmoor.. Westward.....	40	25	Over spring switch west end of yard at South Pekin..	10	10
Over spring switch west end of two tracks at Broad- moor..... Eastward.....	30	30	Between spring switch west end of yard at South Pekin to distant signal 2,800 feet south of south switch..... Eastward.....		35
Over spring switch west end of two tracks at Broad- moor..... Westward.....	25	25	Between home signals I. C. interlocking plant, Luther	30	30
Between west end of two tracks at Broadmoor and Camp Grove..... Eastward.....		35	Between west switch at Hubly and top of hill one mile east of Sweetwater..... Eastward.....	35	25
Between Camp Grove and Speer.. Westward.....	40	35	Between distant and home signals and over C. & I. M. Interlocking plant, Tower BX.....	35	35
Over spring switch at east end of two tracks at Radnor..... Eastward..... Westward.....	25 30	25 30	Between west switch Siding No. 2 and Bando.....	40	35
Between east end two tracks at Radnor and west end of two tracks at Limestone. Eastward..... Westward.....	40 40	35 20	Between east end Bridge No. 1956, three miles west of Standard City and west end of curve west of Bridge No. 1956.....	40	30
Over interlocked switch at west end of two tracks at Limestone..... Eastward..... Westward.....	30 25	30 25	Between distant signal east of Tower ON and over Interlocking plant at Tower ON.....	25	25
Over interlocking plant Kick- apoo..... Straight Route... Diverging Route..	30 25	30 25	BETWEEN BENLD AND DECAMP Maximum speed, miles per hour: Passenger trains 35, Freight trains 25.		
Between Interlocking plant at Kickapoo and Key- stone Switch.....	40	30	Over Bridge No. 2002-C on Mine No. 4 Spur.....	20	20
Between Keystone switch and Tuscarora.....	20	20	Between home signals I. T. R. R. Wabash Interlock- ing Plant, DeCamp.....	30	25
Over spring switch east end of passing track at Tuscarora.....	25	25			

ADDITIONAL SPEED RESTRICTIONS

Light engines, or engines with caboose only, must not exceed 15 miles per hour over any street or highway crossing in any city, town or village.

Steam wrecking and pile driver outfits must not exceed a speed of 25 miles per hour.

In the district between Tower ON (Yard Limits) and Benld, trains will run at restricted speed.

In addition to observing Rules 601A to 672 amended, all trains will approach signal and gate protected railroad crossings at restricted speed.

The following Rules and Instructions will be observed at the P. T. Ry. crossing at Hollis:

All trains will approach this railroad crossing at restricted speed. If the Home signal indicates Proceed, Rule 601C amended, the engine or leading car must not exceed a speed of 10 miles per hour passing the Home signal and over the crossing.

If a train is stopped by the Home signal, Rule 601A amended, and no conflicting movement is evident, a trainman must proceed to the crossing and if crossing gate is not in proper position, must place it over the P. T. track and train may proceed over the crossing under protection of the trainman at the crossing.

Speed Over Cross-Overs and Turn-Outs The speed of a train moving over a cross-over, turn-out from main track to siding or to diverging route at a junction, must not exceed 10 miles per hour, except as indicated in speed restrictions.

Circus and Carnival Trains Circus and Carnival trains on main line districts will not exceed 35 miles per hour on straight track and 25 miles per hour on curves. On branch lines will not exceed 25 miles per hour on straight track and 20 miles per hour on curves. Speed restrictions requiring less than the above speed must be observed.

Scale Test Cars Crews handling scale test cars, either U. S. Government owned, or such cars of this or other railroads, must not exceed speed of 30 miles per hour on main line, and 20 miles per hour on branch lines and must carefully observe the operation of trains whenever handling cars of this type.

General Rules governing employes of the Operating Department, dated December 1st, 1929, are issued in book form.

Every employe whose duties are in any way prescribed by these rules, must always have a copy of them at hand when on duty.

SIGNS AND LETTERS

The following signs when placed before the figures of the schedule indicate:

- s—Regular stop.
- f—Flag stop to receive or discharge revenue passengers or freight.

The following signs when placed elsewhere indicate:

- F—Fuel.
- W—Water.
- TT—Turntable.
- Y—Wye.

On the road, at stations, in yards and on industrial tracks, there are buildings, structures, station platform canopies, mail cranes, dividing or between line fences which are located between tracks, bridge girders and other obstructions which, owing to local conditions or requirements, do not give clearance to men on top of or side of cars or engines. Employes must familiarize themselves with these conditions in the districts in which they are employed and where they exist must not extend any part of their bodies out from engines or cars, or attempt to alight therefrom. New employes must exercise great care in this respect.

SPECIAL RULES

Standard Time 1. Clocks showing Central Standard time are located at Yard Office; Agent's Office; and Telegraph Office, Benld; Train Dispatcher's Office. Engineer's Room at Round House, South Pekin.

Superior Direction Rule S-72 2. EASTWARD trains are superior to WESTWARD trains of the same class.

Register Stations 3. All trains will register at Yard Office, Adams St., South Pekin and Benld.

Two Tracks 4. Two tracks in operation as follows:

Tower GO to the cross over west end Nelson yard.

Between Bridge 1499 just east of Storage and west switch at Broadmoor.

Radnor to Limestone, extending from east switch at Radnor to west switch at Limestone.

Normal position of switches will be for eastward trains except east switch at Radnor and Storage.

Train Orders In two or more track districts, extra freight trains may be operated without train orders.

BLOCKING

Automatic Block 5. Between Radnor and Kickapoo.

Time Spacing Rule 91 Except as above Rules 380 to 382 govern and trains will be spaced ten minutes apart.

OPERATION OF SINGLE TRACK BETWEEN KICKAPOO AND LIMESTONE BY SIGNAL INDICATIONS

6. Signal indications supersede time table authority and train orders across the single track between Kickapoo Interlocking Plant and west end two tracks switch at Limestone. Eastward trains receiving a proceed indication from signal 160 or 160A (eastward home signals of Interlocking plant at Kickapoo) and westward trains receiving a proceed indication from signal 157 or 157A (signals governing westward movements over west end switch of two tracks at Limestone) will be governed accordingly.

The west end switch of the two tracks at Limestone is operated by means of an electric switch mechanism controlled by the operator at Kickapoo. Home signal 156 governs eastward movements over this switch as well as protects the block in the direction of traffic. A low speed signal located on the mast of signal 156 governs movements against traffic onto the westward main track. Home signal 157 governs westward movements across this switch in the direction of traffic and also indicates that a movement may be made toward Kickapoo.

There is a low speed signal (157A) located to the north of the eastward track and on the foundation of the signal bridge. This signal governs movements westward from the eastward main track. If the westward signals are in a stop position they must not be passed without permission from the operator at Kickapoo, which permission may be obtained by means of the telephone located near the switch.

Should the switch at the west end of the two tracks fail and instructions should be given by the operator to throw the switch by hand, this can be done by means of the crank provided for the purpose and located in a box near the telephone. This crank should be removed and inserted in the socket in the top of the mechanism case, and crank turned as far as it will go.

The removal of the crank from the box disconnects the motor of the switch mechanism from all control and the crank should not be replaced in the box until the movement for which the switch has been thrown has been completed. The crank must then be returned to its place in the box.

When a train or engine has been stopped by a Stop signal at the above interlockings a trainman or engineman must at once communicate with the leverman by telephone. The instructions must be repeated to insure correct understanding. When given oral permission to pass a Stop signal, a movement must not be made over a dual control switch until it has been operated by hand in accordance with instructions posted in the telephone box at the signal.

The eastward home signal 156 and the low signal on the same mast should not be passed when in the Stop position without receiving permission from the operator at Kickapoo in like manner.

A telephone is also located near the facing point cross-over just east of signals 154 and 155. When a westward train desires to use the eastward main track from this cross-over westward, permission must be obtained from the operator at Kickapoo before the switches are thrown or movement is started.

Train order signal at Kickapoo will govern.

7. SPRING SWITCHES RULES 104f, 104g, 510a, 512a AND 512b WILL BE OBSERVED

Normal position for spring switch at east end of two tracks at Storage is for westward movements and switch is protected by color light signal located 2800 feet east.

Normal position of spring switch at west end of two tracks at Broadmoor is for eastward movements and switch is protected by a color light signal located 2800 feet west.

Normal position for switch at east end of two tracks at Radnor is for westward movements and this switch is protected by signal 143.

Normal position for spring switch at east end of Tuscarora passing track is for westward trains to enter passing track, and this switch is protected by a two position upper quadrant signal the normal position of which is at caution.

Normal position of spring switch at west end of Tuscarora passing track is for movement of eastward trains on the main line, and this switch is protected by the Eastward Home Signal for Hollis gate and signal protected crossing of P. T. Ry.

Normal position for spring switch at east end of South Pekin Yard is for westward trains to enter yard lead, and this switch is protected by a two position upper quadrant signal located 2800 feet east.

Normal position for spring switch at junction of the load and empty yard leads at west end of South Pekin Yard is for load yard lead, and this switch is protected by a color light signal located 2800 feet west.

When given oral permission to pass a Stop signal which governs over a spring switch in the facing direction, a trainman or the engineman must examine the spring switch points to know that they are fully closed before moving over the switch.

8. The use of sand is prohibited on all Interlocking plants between the Home signals; also prohibited between the fouling point and switch points on any turnout connected with the main line in Automatic Block, Automatic Train Control or Centralized Control Districts, and must not be used on any spring switch between the fouling point and the switch point. Sand is an insulator and its use on the rail may result in the improper functioning of signal or Interlocking apparatus.

Telephone Locations 9. Telephones are located as follows, connecting with Dispatchers circuit except as noted:

- Nelson Yard—In Booth, east side, west end yard (Block only).
- Van Petten—On pole, east side, 300 ft. east of west industry track switch.
- Langley—On pole, east side, near west passing track switch.
- Morse—On pole, east side, 300 ft. east of west industry track switch.
- Radnor Hill—On poles, west side near Bridges 1604 and 1613.
- Limestone—On pole, east side, east cross-over, and at hard road (Block only).
- Limestone—In Booth, west cross-over. (Dispr. and Block).
- Limestone—In Booth, west end two tracks (Block only).
- Kickapoo—In Booth, eastward home signal, Peoria Line. (Block only).
- Adams St.—In yard office and on pole, south side near old viaduct.
- Peoria (Keystone Switch)—In office.
- Tuscarora—On pole, west side near Dike road.
- South Pekin—On pole, east side, load yard lead, and west side at spring switch.
- Barr—In Booth, west side, 125 feet north of hard road.
- Siding 2—In Booth east side, middle of yard.
- Sangamon River—On pole west side, near coal house (Block only).
- Compro—On pole, west side, near hard road.
- Standard City—On pole, west side, west end Schoper siding.
- Siding 3—In Booth, west side, middle of yard.
- Mine 4 Switch—In Booth, west side (Dispr. and Block).
- Mine 14 Switch—In Booth, west side (Dispr. and Block).
- Mine 14—In Mine Co. office (Block only).

Additional Telephones are located in Conductor's rooms in depots at Normandy, Manlius, Buda, Green Valley, Allen, Luther (Block only), Hubly, Sweetwater, Archer, Lick, Virden, Girard and Womac and in waiting rooms at Hahnman, Langley, Broadmoor, Camp Grove, Speer, Akron and Radnor which may be used to communicate with Dispatcher in case of accident or delay.

Sprinkling Hogs Rule 731 10. Conductors will see that Rule 731 is observed and that record is kept on wheel report showing stations at which each car of hogs is sprinkled and condition of hogs when taken and left. Hog sprinkling devices are located at the water tank at—Radnor, Broadmoor and Manlius.

Freight Trains Carrying Passengers 11. The following freight trains only, will be permitted to carry a limited number of passengers, provided with proper transportation:

Nos. 92 and 93 between Yard Office and Adams St.

Between Kickapoo and Peoria 12. All Westward trains will obtain permission from Towerman at Kickapoo, and all Eastward trains will obtain permission from and Peoria Towerman at Kickapoo, at Yardmaster's office, Adams St. Yard, before proceeding between Kickapoo and Adams St., and then be governed by Rule 93—Amended.

The train order signal at Kickapoo will not govern trains between Kickapoo and Peoria.

CROSSINGS, JUNCTIONS AND DRAW-BRIDGES, AT WHICH RULES 601A TO 672 AMENDED, WILL BE OBSERVED

C. B. & Q.	Tower GO.
C. B. & Q.	Tower WN.
C. B. & Q.	Tower UD.
C. & N. W.	Kickapoo.
P. T., C. B. & Q., P. & P. U.	Peoria Junction.
Illinois River	4.40 miles east of South Pekin.
I. C.	Luther.
C. & I. M.	Tower BX.
C. C. C. & St. L.	Tower ON.
I. T. R. R., No. 3 Mine Track	Benld.

Railroad Crossings 13. The following crossings are interlocked and Rules 601A to 672, Amended, will be observed:
I. T. R. R. and Wabash at DeCamp.

In addition to observing Rules 601A to 672, Amended, all trains will approach the signal and gate protected railroad crossings shown below at restricted speed. If clear indication is given, the engine or leading car must not exceed a speed of 15 miles per hour passing the home signal:—

- None.
- Crossings at which Rule 98 will be observed:
I. T. R. R., 0.52 miles west of Benld.

ACTUAL TONNAGE RATINGS

DISTRICT	Class of Engine		
	Z	J	J4
Benld to South Pekin	3800	5000	7390
South Pekin or Adams St. to Radnor (Single)	1470	1740	2500
South Pekin or Adams St. to Storage (Class J4 helper to Radnor)	3475	3600	5000
Storage to Yard Office	3800	4500	7500
Yard Office to Adams St. or South Pekin	1700	2000	2900
South Pekin to Benld	2000	2800	3700

MAXIMUM WIDTH AND HEIGHT OF LOADED CARS THAT WILL PASS IN SAFETY OVER THE SOUTHERN DISTRICT, GALENA DIVISION

Between	Height Above Top of Rail			Structure Limiting Height			
	9 ft. wide	10 ft. wide	11 ft. wide				
	ft.	in.	ft.	in.	ft.	in.	
Nelson and Broadmoor	15	11	15	6	15	1	O. R. Br. 1484½ at Buda and Tanks at Manlius and Buda.
Broadmoor and Kickapoo	17	0	16	7	16	1	
Kickapoo and Peoria	20	3	20	3	20	3	O. R. Br. 1558½ E. of Akron and Tanks at Broadmoor and Radnor.
Kickapoo and Lick	18	11	18	7	18	3	O. R. Br. 1632½ W. of Kickapoo.
Lick and Benld	17	0	16	8	16	4	O. R. Br. 1783 W. of Allen and Tank at Sangamon.
Benld and DeCamp	20	10	20	10	20	10	Tank at Benld. O. H. Br. 2010, 4 m. west of Benld.

No load must exceed eleven (11) feet in width, regardless of height.

Trainmen and Yardmen must know, and will be held responsible, that cars do not exceed above width and height before placing them in trains or hauling them over the division.

COMPANY SURGEONS

CHICAGO	IRVING S. CUTTER	Medical Director
	V. H. HORNING	First Asst. Medical Director
DIXON	A. F. MOORE, M. D.	District Surgeon
	Office Telephone 82—Residence Telephone 1282. May be called to any place between Nelson and Buda.	
STERLING	C. G. BEARD, M. D.	Local Surgeon
	F. W. BRODERICK	Oculist
	Telephones—Office—84-1 Residence, 705-W Phones Office 803; Residence 168W	
PEORIA	R. A. HANNA, M. D.	District Surgeon
	R. M. SUTTON, M. D.	Local Surgeon
	709 Lehman Bldg. Telephones, Office 8234; Residence, 5054	
PEKIN	N. D. CRAWFORD, M. D.	District Surgeon
	F. C. GALE, M. D.	Local Surgeon
	Telephones, Office, 55; Residence, 55B Telephone, 531	
ATHENS	RONALD C. WHERRY, M. D.	Local Surgeon
	T. F. HILL, M. D.	Local Surgeon
	115 So. Capital St., Telephone, 117 B Telephone, 89	
SPRINGFIELD	DON DEAL, M. D.	Local Surgeon
	JOHN R. NEAL, M. D.	Local Surgeon
	Telephones, Office, Capital 111; Residence, Capital 1621 Hotel Abraham Lincoln	

COMPANY SURGEONS—Continued

GIRARD	H. E. FINNEY, M. D.	Local Surgeon
	Telephones, Office 25; Residence, 26	
GILLESPIE	H. A. ENGH, M. D.	Local Surgeon
	Telephone, 16R1	
BENLD	D. J. ZERBOLIO, M. D.	Local Surgeon
	Telephone, Main 214	

Illinois Terminal R. R. Freight schedules are shown below as information.

207 Daily	201 Daily		200 Daily	202 Daily
A.M.	P.M.		A.M.	A.M.
3:00	3:45	Benld	2:30	7:45
6:00	7:30	E. St. Louis	12:01	3:30
6:30	8:00	St. Louis	11:30	3:00
A.M.	P.M.		P.M.	A.M.

DIVISIONAL STAFF

ASSISTANT SUPERINTENDENT

H. A. WESTBERG

TRAINMASTER

J. F. CHARTERS
CHICAGO

TRAINMASTER

F. W. YEAGER
SOUTH PEKIN

CHIEF TRAIN DISPATCHER

R. G. BELL
SOUTH PEKIN

DISPATCHERS

J. T. CASTER
J. S. PETERS
A. C. MORSE

N. V. BOYLAN
J. H. COLLINS

MASTER MECHANIC

J. S. JONES
CHICAGO

ASSISTANT MASTER MECHANIC

L. A. HARDIN
SOUTH PEKIN

ROAD FOREMAN OF ENGINES

ROY WALTERS
SOUTH PEKIN

DIVISION ENGINEER

E. L. MEAD
CHICAGO

ROADMASTERS

L. C. CAMPBELL
SOUTH PEKIN

M. L. BRADBURY
SOUTH PEKIN

DISTRICT CLAIM AGENT

O. J. ADAMSON
CHICAGO

