1	
	C I KENNEDY Trainmester Chillicathe III
j	G. L. KENNEDY, Trainmaster
ı	C. R. ROSE, Trainmaster Shopton, Ia.
ı	P. J. WHITE, Chief Dispatcher Shopton, Ia.
ı	T. O'TOOLE, Asst. Chief DispatcherShopton, Ia.
1	H. R. BEAUMONT, Asst. Chief Dispatcher Shopton Ia
ł	C. C. POLHANS, Asst. Chief DispatcherShopton, Ia.
ı	TRAIN DISPATCHERS—SHOPTON, IA.
ı	
ı	E. G. MEYER. J. H. HORAN. G. M. HOBACK. H. D. FOSTER. L. C. WALKER. R. G. BUCKINGHAM.
ı	N. L. BARNES. P. M. BUCKINGHAM A. D. BOOF
ı	W. R. BABB. C. R. MACHEN. H. A. MILLER.
ı	S. A. HISE. M. A. BARBER. J. D. HUNTER.
ı	H. E. McCORMICK.D. W. TEEL. B. D. COTTER.
ı	R. W. CRUZE. H. D. SPICER. M. J. MERDIAN.
ı	N. L. BARNES. W. R. BABB. S. A. HISE. H. E. McCORMICK.D. W. TEEL. R. W. CRUZE. A. MATHISEN. D. WALKER. R. G. B. BUCKINGHAM. R. G. B. BUCKINGHAM. R. G. B. BUCKINGHAM. R. G. BUCKINGHAM. R. G. BUCKINGHAM. H. A. MILLER. J. D. HUNTER. B. D. COTTER. M. J. MERDIAN. L. E. REHBEIN.
ı	G. W. SEARS, TrainmasterCorwith, Ill.
ı	N. L. MINNIX, Trainmaster
ı	F. A. BEAUCHAMP, Trainmaster
ı	G. B. LUNDAY, Asst. Trainmaster
ı	F. M. WARD, Asst. Trainmaster
ı	H. C. WHITTAKER, Asst. Superintendent Argentine, Kans.
ı	W. A. GOSSETT, Passenger Trainmaster Kansas City, Mo.
ı	V. K. WOODSIDE, Asst. Psgr. Trainmaster Kansas City, Mo.
ı	H. E. HODGINS, Trainmaster Argentine, Kans.
ı	W. C. PARKS, Trainmaster Argentine, Kans.
ı	H. E. PHILLIPS, Asst. Trainmaster Argentine, Kans.
١	J. V. NEELY, Asst. Trainmaster Argentine, Kans.
ĺ	
ı	

AVOID DAMAGE — SWITCH CUSTOMERS CARS CAREFULLY

OVERSPEED Couplings are DAMAGING - Here's what happens:

4	miles per	hour	SAFE COU	PLING SPI	0101)	
5	miles per	heur	 Damage B	egins			
6	miles per	hour	24 times as	damaging	as	4	MPI
7	miles per	hour	3 times as	damaging	as	4	MPI
8	miles per	hour	4 times as	damaging	as	4	MPI
9	miles per	hour	5 times as	damaging	as	4	MPI
10	miles per	hour	6 times as	damaging	as	4	MPI

Damage to freight or car can be avoided by always keeping coupling speed within the safe range — NOT OVER 4 MILES PER HOUR—A BRISK WALK.

HANDLE FREIGHT CAREFULLY AND KEEP OUR CUSTOMERS.

IT'S EVERYBODY'S JOB ON THE SANTA FE!

SPEED TABLE.

Table of speeds (minutes and seconds per mile, in terms of miles per hour).

Time Per Mile Min. Sec.	Miles Per Hour	Time Min.	ile	Miles Per Hour	M	Per ile Sec.	Miles Per Hour
36	100		58	62.1	1	40	36.0
37	97.3		59	61.0	1	42	35.3
38	94.7	1		60.0	1	44	34.6
39	92.3	1	02	58.0	1	46	34.0
40	90.0	1	04	56.2	1	48	33.3
41	87.8	1	06	54.5	1	50	32.7
42	85.7	1	08	52.9	1	52	32.1
43	83.7	1	10	51.4	1	54	31.6
44	81.8	1	12	50.0	1	56	31.0
45	80.0	1	14	48.6	1	58	30.5
46	78.3	1	16	47.4	2		30.0
47	76.6	1	18	46.1	2	05	28.8
48	75.0	1	20	45.0	2	10	27.7
49	73.5	1	22	43.9	2	15	26.7
50	72.0	1	24	42.9	2	30	24.0
51	70.6	1	26	41.9	2	45	21.8
52	69.2	1	28	40.9	3		20.0
53	67.9	1	30	40.0	3	30	17.1
54	66.6	1	32	39.1	4		15.0
55	65.5	1	34	38.3	2 2 2 2 2 3 4 4 5	30	13.3
56	64.2	1	36	37.5			12.0
57	63.2	1	38	36.8	6		10.0

The Atchison, Topeka and Santa Fe Railway Co.

EASTERN LINES
Eastern District

ILLINOIS DIVISION

TIME TABLE NO.



IN EFFECT

Sunday, March 3, 1957

At 12:01 A. M. Central Standard Time.

This Time Table is for the exclusive use and guidance of Employes.

J. N. LANDRETH, General Manager, Topeka, Kansas.

J. B. NOE, Asst. General Manager, Topeka, Kansas. R. J. YOST, Superintendent, Shopton, Iowa.

R. D. CLOUSING, Superintendent, Chicago, Illinois. E. R. ROBERTSON, Superintendent, Argentine, Kansas.

Hall 1 57 5500 1026

SIGNAL SYSTEM ONE IN EFFECT:

Interlockings M.P. 3.1, Joliet U.S., Plaines, Verona, Ancona, Toluca and Chillicothe.

SIGNAL SYSTEM TWO IN EFFECT:

Stewart Ave. to Chillicothe, except Interlockings M.P. 3.1, Joliet U.S., Plaines, Verona, Ancona, Toluca and Chillicothe.

RULE 251 IN EFFECT:

Stewart Ave. to Interlocking M.P. 3.1, and Joliet U.S. to Pequot.

RULE 261 IN EFFECT:

On Main Tracks Interlocking M.P. 3.1 to Joliet U.S. and Pequot to Chillicothe.

Trains must secure numbered clearance cards before leaving originating stations, except from Pekin District at Ancona.

Between Chicago and C.& W.I. Jct. be governed by C.& W.I. Timetable, Rules and Regulations.

Between Stewart Ave. Crossing and Panhandle Crossing, A.T.& S.F. trains may use I.C. Main Tracks with the current of traffic on signal indication from Stewart Ave. Crossing westward; on hand signals from the Switchtender from Panhandle Crossing eastward; and on signal indication in either direction with the current of traffic from Interlocking M.P. 3.1. These tracks are in Yard Limits (see Rule 93) and protection per Rule 99 must be provided.

Movement through slip switches east of Panhandle Crossing may be made only on hand signal from Switchtender with yellow flag or yellow light.

Between Kernan and M.P. 88.8 north track designated main track No. 2 upon which the current of traffic is westward; middle track main track No. 1 upon which the current of traffic is eastward; and south track designated main track No. 3 upon which there is no current of traffic and trains have no time table superiority.

				ESTWAR							urn es.	b
7	13	9	17	15	21	1	123	19	TIME TABLE No. 1.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Capacity Per Car.
Fast Mail- Express.	Passenger.	Kansas City Chief.	Super Chief.	Texas Chief.	El Capitan.	San Francisco Chief.	The Grand Canyon.	The Chief.	March 3, 1957.	Ruli	Fuel, 1 Tables	Siding 50 ft.
Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily,	STATIONS.			
PM 11.55 - AM -	PM 11.10	PM 10.00	PM 7.00	PM 6.00	PM 5.45	PM 4.01	PM 12.01	AM 9.10	CHICAGO. YL	0	FT	
12.01	11.15	10.05	7.05	6.05	5.50	4.06	12.06	9.15	C. & W. I. Jct.	79.2		
12.08	11.22	10.12	7.12	6.12	5.57	4.13	12.13	9.21	Stewart Ave. Crossing.	26.4	_	
12.00	11.22	10.12	1.12	-0.12	3.51	7,13	12.15	9.21	I.N. Cossing.	35.8		
									CORWITH, YL	0	FY	
12.11	11.25	10.16	7.15	6.15	6.00	4.16	12.16	9.25	Chicago Belt Crossing. NERSKA. YL 5.5	0		
12.16	f11.32	10.21	7.21	6.21	6.06	4.22	12.24	9.30	McCOOK. B. & O. C. T. Crossing.	U		E 126 W 76
									5	0	_	E 190 W 78
	f11.38		7.28	6.26	6.11	4.27	12.30		WILLOW SPRINGS.	0	_	W 78
	f11.47	10.33	$\frac{7.36}{7.41}$	6.34	6.19	4.35	12.39	9.42	LEMONT. 0-4.2- ROMEO.	0	-	W 71
	f11.55	10.42	7.45	6.42	6.27	4.43	12.47	9.49	LOCKPORT.	0	_	"
									O JOLIET YARD. YLH	10.6	FT	
12.45	- AM -	s10.50	7.52	° 6 50	6 6 25	9 4 50	s12.55	. 0 ==	JOLIET U.S. YLD	10.6		
12.49		10.55	7.53 7.57	6.54	6.39	4.54	1.00	s 9.55 9.59	C. R. I. & P. Crossing. C 4.0 PLAINES.	0		W 98
12,17	12.10	10.00	- 1.51	0.51	- 0,05	1.51	1.00	7.57	DRUMMOND.	15.8	_	
10.50	61 0 00	11.05	0.00	7.00	C 40	5.00	1 10	10.00	4.6	6.1		E 56
1.02	f12.20 12.24	11.05	8.06	7.03	6.48	5.03	$\frac{1.10}{1.14}$	10.08	LORENZO. PEQUOT.	9.1	_	W 89
1.02		f11.12	- 6.10	7.07	0.52	3.07	1.1-1	10.12	COAL CITY.	8.7		
	f								7.9 MAZON.	10.2		
1 10	610 41	11 04	0.01	7 17	7.00	F 17	1 26	10.00	4.7 ————————————————————————————————————	15.8		E 102 W103
1.12	f12.41	11.24	8.21	7.17	7.02	5.17	1.26	10.22	VERONA. 4.0 — KINSMAN.	13.7	_	W 103
	f								E RANSOM.	15.8	-	E 25
1.22	f12.55	11.34	8.31	7.27	7.12	5.27	1.38	10.32	× 4.6 — βω	0		E 14
1.30	s 1.05	s11.45	8.40	s 7.35	7.20	5.35	s 1.50	s10.40	STREATOR. YL	0	FT	
1									GM&O & NYC Crs'g.	0		1
									Wabash Crossing.	0		
	f								MOON.	0		
1.37	f 1.12	11.54	8.46	7.42	7.27	5.42	1.58	10.47	ANCONA.	15.8	_	
1.47	r 1 20	-AM- f12.09	8.57	7.50	7 27	<i>E E</i> 2	2.10	10.57	E	26.4		W 87
1.47	f 1.20	112.09	8.57	7.52	7.37	5.52	2.10	10.57	4 6.0 - O	0		W 01
1.55	f 1.40	12.18	9.06	8.01	7.46	6.01	2.20	11.06	WILBERN.	0	_	
s 2.05	s 1.50	s12.30	9.15 PM		7.55 PM	6.10 PM		s11.15	CHILLICOTHE.	26.4	FT	
Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(129.8)			
59.9	48.7	51.9	57.7	59.9	59.9	60.4	52.3	62.3	Average speed per hour.		_	

ns.		ø						ASTWARI				
Communications.	Mile Post.	Ruling Grade Ascending.	TIME TABLE No. 1,	8	10	22	16	2	18	20	124	12
Comm	Mil	Rulin	March 3, 1957.	Fast Mail- Express.	Kansas City Chief.	El Capitan.	Texas Chief.	San Francisco Chief.	Super Chief.	The Chief.	The Grand Canyon.	The Chicagoan
			STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.
C		_	CHICAGO. YL	AM 4.30	AM 7.05	AM 7.15	AM 9.00	PM 12.20	PM 12.30	PM 3.30	PM 6.20	PM 8.00
	1.3	0 79.2	C. & W. I. Jet.	4.25	7.00	7.10	8.55	12.15	12.25	3.25	6.15	7.55
	1.4	26.4	Stewart Ave. Crossing.									
	4.4	0	Panhandle Crossing.	4.10	6.49	6.57	8.44	12.03 - PM-	12.14	3.14	6.00	7.44
С	5.9	0	CORWITH. YL									
С	7.3	- 50	Chicago Belt Crossing.	4.06	6.45	6.53	8.40	11.59	12.10	3.10	5.56	7.40
C	12.8		5.5 ———————————————————————————————————	3.57	6.37	6.44	8.32	11.52	12.02	3.02	s 5.46	7.32
		0	M				0.06	11.46	- PM -	2.56		7 27
С	17.4	0	OWILLOW SPRINGS.	3.51	6.33	6.39	8.26				s 5.37	7.27 7.19
C	25.1	13.7	7.7———————————————————————————————————	3.43	6.23	6.30	8.18	11.38	11.48	2.48		7.19
C	29.3	10.6	ROMEO.	3.37	6.17	6.24	8.12	11.32	11.42	2.38		7.14
C	32.7	10.6 10.6	LOCKPORT.		6.13	6.19	6.06	11.20	11.50	2.50	5 5.10	1.11
C	36.2	10.6	JOLIET YARD. YL									
C	37.5	15.8	C.R.I.&P. Crossing.		s 6.05	s 6.10	s 8.00	s11.20	11.30	s 2.30	s 5.00	s 7.05
C	41.5	14.5	PLAINES.	3.17	5.54	6.04	7.52	11.12	11.24	2.22	4.44	6.57
	48.2	9.9	DRUMMOND.								f	
В	52.8	0.0	LORENZO.	3.05	5.40	5.52	7.40	11.02	11.12	2.10	f	6.47
C	57.2	0	PEQUOT.	3.00	5.35	5.48	7.35	10.58	11.08	2.05	4.33	6.43
C	58.2	0	COAL CITY.		s 5.31						s 4.30	
C	66.1	4.7	7.9 ————————————————————————————————————	2.52							s 4.20	
		0	4.7	- 10	- 10	- 25	7.00	10.47	10.57	1.52	s 4.12	6.33
C	70.8	0	VERONA.	2.48	5.19	5.37	1.23	10.47	10.57	1.55	s 4.12	- 0.33
С	74.8	0 15.8	KINSMAN.	2.41							s 3.57	
C	79.8	15.8	RANSOM.	2.41	5.06	5.25	7.11	10.36	10.45	1.41		6.21
C	84.4	15.8	KERNAN.	2.36 s 2.30		5.20	-					s 6.15
С	89.6		Z STREATOR. YL GM&O & NYC Crs'g.	\$ 2.30	5 4.55	3.20	5 7.05	10.50	10.10	1.55	3.10	- 0.10
-	90.2	0	Wabash Crossing.									
С	93.9	0									f	
В	95.8	0	MOON.	2.21	4.46	5.10	6.56	10.21	10.30	1.26	s 3.20	6.06
В	102.1	0	6.3			2.20					f	
C	109.9	21.1	LEEDS. 7.8 TOLUCA. 6.0 LA ROSE.	2.10	4.35	4.59	6.45	10.10	10.19	1.15	s 3.02	5.55
C	116.0	25.2	LA ROSE.	40							s 2.52	
В	120.9	26.4	WILBERN.	2.00	4.25	4.49	6.35	10.00	10.09	1.05	f	5.45
С	130.0	26.4	CHILLICOTHE.	1.50 AM	4.15 AM	4.40 AM	6.25 AM	9.50 AM	10.00	12.55 PM	2.35 PM	5.35 PM
			(129.8)	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.
			Average speed per hour,	48.7	45.8	50.2	50.2	51.9	51.9	50.2	34.6	53.7

SIGNAL SYSTEM ONE IN EFFECT:

Interlockings Chillicothe, Toluca, Ancona, Verona, Plaines, Joliet U.S. and M.P. 3.1.

SIGNAL SYSTEM TWO IN EFFECT:

Chillicothe to Stewart Ave., except Interlockings Chillicothe, Toluca, Ancona, Verona, Plaines, Joliet U.S. and M.P. 3.1.

RULE 251 IN EFFECT:

Pequot to Joliet U.S. and Interlocking M.P. 3.1 to Stewart Ave.

RULE 261 IN EFFECT:

On Main Tracks Chillicothe to Pequot and Joliet U.S. to Interlocking M.P. 3.1.

Trains must secure numbered clearance cards before leaving originating stations, except First Class Trains at Chillicothe and trains from Pekin District at Ancona.

Eastward trains leaving from Streator Yard will use main track No. 3 unless otherwise instructed.

Between C.& W.I. Jct. and Chicago be governed by C.& W.I. Timetable, Rules and Regulations.

Between Panhandle Crossing and Stewart Ave. Crossing, A.T.& S.F. trains may use I.C. Main Track with the current of traffic on signal indication from Stewart Ave. Crossing westward; on hand signal from the Switchtender from Panhandle Crossing eastward; and on signal indication in either direction with the current of traffic from Interlocking M.P. 3.1. These tracks are in Yard Limits (see Rule 93) and protection per Rule 99 must be provided.

Movements through slip switches east of Panhandle Crossing may be made only on hand signal from Switchtender with yellow flag or yellow light.

Between M.P. 88.8 and Kernan north track designated main track No. 2 upon which the current of traffic is westward; middle track main track No. 1 upon which the current of traffic is eastward; and south track designated main track No. 3 upon which there is no current of traffic and trains have no time table superiority.

SIGNAL SYSTEM ONE IN EFFECT:

Chillicothe to Shopton.

RULE 251 IN EFFECT:

Appleton to G.I. Tower and E. Ft. Madison to Shopton.

RULE 261 IN EFFECT:

On Main Tracks Chillicothe to Appleton and G.I. Tower to E. Ft. Madison.

Trains must secure numbered clearance cards before leaving originating stations, except First Class Trains at Chillicothe.

First Class Trains must secure numbered clearance cards at Fort Madison. Enginemen on westward trains are not required to secure. Conductors securing clearance cards or train orders at Fort Madison will deliver copy to Third District Engineman at Shopton.

	-			VESTWA First Cla					-		pu	D:
17	15	21	1	123	19	7	13	9	TIME TABLE No. 1,	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Siding Capacity 50 ft. Per Car.
Super Chief.	Texas Chief.	El Capitan.	San Francisco Chief.	The Grand Canyon.	The Chief.	Fast Mail- Express.	Passenger.	Kansas City Chief.	March 3, 1957.	Ruli	Fuel	Siding 50 ft.
Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	STATIONS,			
РМ 9.15	PM 8.10	PM 7.55	PM 6.10	PM 2.30	AM 11.15	AM 2.10	AM 1.55	AM 12.35	CHILLICOTHE.		FT	
9.24	8.19	8.04	6.19	2.41	11.24	2.20	f 2.05	12.46	EDELSTEIN.	58.1		W 74
							-		C.R.I. & P. Crossing.	0		
							f		PRINCEVILLE.	31.7		
9.32	8.27	8.12	6.27	2.50	11.32	2.28	f 2.13	12.55	MONICA. C. B. & Q. Crossing.	0		
							f		LAURA.	13.5		
9.40	8.35	8.20	6.35	2.59	11.40	2.36	f 2.22	1.04	WILLIAMSFIELD.	10.0		E 73 W110
							f 2.26		DAHINDA.	0	-	
9.47	8.42	8.27	6.42	3.07	11.46	2.42	£ 2.20		2.7 —	8.4	====	
9.47	0.42	0.21	6.42	3.07	11.46	2.42	f 2.28	1.11	APPLETON, O 5.3 - KNOX.	25.5		
							f		E. GALESBURG.	31.7		
										31.7		
10.00	s 8.55	8.40	6.55	s 3.25	s11.59	2.55	s 2.45	s 1.30		21.9	Y	
									G.I. TOWER. YL			E137 W138
					– PM –		f		O SURREY.	21.9		
10.09	9.04	8.49	7.03	3.34	12.07	3.03	f 2.54	1.38	CAMERON.			
							f		NEMO. NEMO.	0		
10.14	9.09	8.54	7.08	3.40	12.12	3.08	f 3.00	1.43	ormonde.			E102 W 84
							f		PONEMAH.	0		
10.22	9.17	9.02	7.15	3.48	12.19	2.16	6 2 00	1.50	SMITHSHIRE.	23.2		
10.22	2.11	9.02	7.13	3.40	12.19	3.16	f 3.08	1.50	- 3.1 — MEDIA,	12.1		
						13	7		4.3	13.5		E 77
10.28	9.23	9.08	7.21	3.55	12.25	3.22	f 3.22	1.56	STRONGHURST.	26.1		E 77 W173
							f		DECORRA.	o		
10.37	9.31	9.17	7.29	4.04	12.33	3.30	f 3.32	2.04	LOMAX.	10.0	10-17	W106
							f 3.38		DALLAS CITY.	10.6	- 116	d P
							f 0.00		PONTOOSUC.	0		
10.40	0.45	0.00	P 05	4.15	10.15				4.3	0	-	
10.48	9.42	9.29	7.39	4.15	12.43	3.40	f 3.45	2.15	1.8	21.1	100	E 67
10.55					s12.50			s 2.30	FORT MADISON.	0		
11.00 PM	s 9.55 PM	s 9.40 PM	s 7.50	\$ 4.35 PM	s12.55 PM	8 4.00 AM	s 4.15 AM	s 2.35 AM	SHOPTON. YL		F	H
Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(104.3)			
59.6	59.6	59.6	62.6	50.1	62.6	56.9	44.7	52.1	Average speed per hour,			

SECOND DISTRICT.

.80		Ð						ASTWAF				
Communications.	Mile Post.	Ruling Grade Ascending.	TIME TABLE No. 1,	10	22	16	2	18	20	124	12	8
Сошп	M	Ruli	March 3, 1957.	Kansas City Chief.	El Capitan.	Texas Chief.	San Francisco Chief.	Super Chief.	The Chief.	The Grand Canyon.	The Chicagoan.	Fast Mail- Express
			STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.
С	130.0		CHILLICOTHE.	AM s 4.10	AM 4.40	AM s 6.25	AM 9.50	AM 10.00	PM 112.55	РМ s 2.35	PM s 5.35	AM s 1.5
C	138.1	31.7	EDELSTEIN.	3.58	4.31	6.15	9.40	9.51	12.45	s 2.21	5.25	1.3
	144.3	31.7	C.R.I.& P. Crossing.									
C	144.7	21.8 23.2	PRINCEVILLE.		1					s 2.13		
C	148.3	20.2	MONICA. C.B.& Q. Crossing.	3.48	4.22	6.07	9,30	9.42	12 35	s 2.08	5.17	1.2
C	153.5	31.7	LAURA.	3.40	1.22	0.01		7.12	12.55	s 2.01	3.17	1.2
200	200.0	19.3	4.9			Hib-1 (March 200)			12022 3037			700 5
C	158.4	31.7	WILLIAMSFIELD.	3.38	4.14	5.59	9.20	9.34	12.25		5.09	1.1
	163.3	0	DAHINDA							1 1.49		
В	166.0	_	APPLETON.	3.29	4.07	5.52	9.13	9.27	12.18	f 1.45	5.02	1.0
В	171.2	0	NOX.							f		
	174.0	0	KNOX. 2.8 E. GALESBURG.							f		
c	177.5	15.3 7.4	GALESBURG. YL	s 3.15	3.55	s 5.40	9.00	9.15	12.05 - PM	s 1.30	s 4.50	s12.5
C	180.0	- 4	2.5 ————————————————————————————————————									
	183.4	7.4	SURREY. 0 2.6	TWO						f		
	186.0	0 5.7	CAMERON.	3.06	3.47	5.31	8.51	9.07	11.56	f 1.14	4.41	12.4
С	190.2	31.3	NEMO. 0-1.7-	RA						f		
С	191.9	31.3	ORMONDE.	TRACKS 3.01	3.42	5.26	8.46	9.02	11.51	f 1.05	4.36	123
В	197.1	31.2	5.2 ————————————————————————————————————	3.01	5.12	3.20	0.10	5.02	11.01	f	1.00	12.0
-		12.1	4.4									
С	201.5	31.7	SMITHSHIRE.	2.53	3.34	5.18	8.38	8.54	11.43	s12.53	4.28	12.3
C	204.6	31.2	MEDIA							s12.47		
C	208.9	00.4	STRONGHURST.	2.46	3.28	5.12	8.32	8.48	11.37	s12.40	4.22	12.2
	212.5	20.4 31.7	DECORRA.							f		
С	218.9	18.0	LOMAX.	2.36	3.19	5.03	8.23	8.39	11.28	s12.26	4.13	12.1
C	224.8		DALLAS CITY.							s12.16		
	226.6	10.7	PONTOOSUC.							Í		
С	230.9	14.5	E. FT. MADISON.	2.24	3.08	4.53	8.13	8.28	11.18	s12.06	4.03	12.0
C	232.9	23.9	FORT MADISON.	s 2,20	s 3.05	s 4 50	s 8 10	s 8 25	s11.15	s12.01		
c	234.6	0	FORTMADISON. 1.7 SHOPTON, YL	2.15	3.00 AM	4.45 AM	8.05 AM	8.20 AM	11.10 AM	11.35 AM	3.55 PM	11.5 PM
			(104.3)	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.
			Average speed per hour	54.4	62.6	62.6	59.6	62.6	59.6	34.8	62.6	52.1

SIGNAL SYSTEM ONE IN EFFECT:

Shopton to Chillicothe.

RULE 251 IN EFFECT:

Shopton to E. Ft. Madison and G.I. Tower to Appleton.

RULE 261 IN EFFECT:

On Main Tracks E. Ft. Madison to G.I. Tower and Appleton to Chillicothe.

Trains must secure numbered clearance cards before leaving originating stations. First Class Trains must secure numbered clearance cards at Fort Madison.

THIRD DISTRICT. ILLINOIS DIVISION. 6 WESTWARD. First Class. Capacity Per Car. Ruling Grade Ascending. TIME TABLE 17 15 21 1 123 19 13 7 9 No. 1, Siding (March 3, 1957. The Grand Texas Chief. San The Chief. Fast Mail-Kansas Capitan. Passenger. Express. City Chief. Canyon. Chief. Leave Daily. Leave Daily. Leave Daily. STATIONS. Daily. PM 9.45 AM 4.05 AM 2.40 TY SHOPTON. YL 4.40 1.00 4.20 11.05 10.00 SIGNAL SYSTEM TWO IN EFFECT: TOWER B. YL 40.3 - 7.5 -Shopton to Marceline. NEW BOSTON. W152 42.2 9.59 8.09 4.55 1.13 f 4.35 4.19 2.55 ARGYLE. E 39 11.19 10.13 RULE 251 IN EFFECT: 42.2 Shopton to Marceline. REVERE. W 30 4.49 C.B. & Q. Crossing. MEDILL. 42.2 Trains must secure num-E149 W133 11.32 10.28 10.13 8.23 5.12 1.28 f 4.57 4.34 3.12 bered clearance cards be-42.2 - 9.0 fore leaving originating stations, except westward 5.09 WYACONDA. W121 17.5 first class trains at Shop-- 5.3 -3.27 8 ton receiving same at Fort 11.45 10.40 10.25 5.25 GORIN. W 75 1.40 s 5.16 4.47 8.35 Madison; and westward 42.2 extra trains leaving from 5.23 RUTLEDGE. E 62 yard track Shopton, secure 42.2 E179 W155 at Tower B. Copies of 11.56 10.50 10.35 BARING. 8.45 5.37 1.51 s 5.35 4.59 3.41 00 clearance cards and train 39.3 orders received at Fort HURDLAND. E 90 Madison will be delivered 12.03 10.57 10.42 8.52 5.45 1.58 s 5.47 5.06 3.51 42.2 Engineman by Conductor - 6.4 at Shopton. GIBBS. 42.2 - 6.2 -E114 W162 LA PLATA. 12.14 s11.10 10.52 9.02 s 6.00 s 2.10 s 6.05 s 5.20 s 4.10 27.3 CARDY. E 71 0 ELMER. E 48 6.18 42.2 4.27 ETHEL. E151 12.27 11.25 11.05 9.15 6.18 2.25 s 6.27 5.37 42.2 - 6.6 -

2.38s

2.45 s

63.7

6.45

7.00 AM

Daily.

41.8

5.52

6.00s

58.2

4.41

4.50 AM

Daily.

12.40

12.45

11.38

11.45 PM

63.7

11.18

11.23 PM 9.28

9.33s

Arrive

6.32

Daily.

6.40s

HART.

BUCKLIN.

- 5.9 -

MARCELINE.

(111.5)

Average speed per hour.

42.2

31.0

E 73 W 54

FY

THIRD DISTRICT.

jë.									ASTWAF				
Communications,	Mile Post.	Ruling Grade Ascending.		No. 1,	10	22	16	2	18	124	20	12	8
Commi	Mil	Rulin		March 3, 1957.	Kansas City Chief.	El Capitan.	Texas Chief.	San Francisco Chief.	Super Chief.	The Grand Canyon.	The Chief.	The Chicagoan.	Fast Mai Express.
				STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily,	Arrive Daily.	Arrive Daily.	Arrive Daily.
C	234.6	0		SHOPTON. YL	s 2.10	s 2.55	AM s 4.40	s 8.00	AM s 8.15	AM s11.30	AM \$11.05	PM s 3.50	PM s11.40
С	235.9	15.4		TOWER B. YL									
В	243.4	36.9		NEW BOSTON.	1.55	2.40	4.25	7.45	8.00	11.10	10.50	3.35	11.2
В	248.0	42.2		ARGYLE.						f			
C	256.0	42.2		REVERE.	1.40	2.26	4.11	7.31	7.47	f10.53	10.36	3.23	11.1
В	263.1	42.2	Į,	C.B.& Q. Crossing. MEDILL. —— 9.0 ———	1.34	2.20	4.05	7.25	7.41	f10.45	10.30	3.17	11.0
С	272.3	42.2	STOP	WYACONDA.						s10.35			
C	277.6	41.7	K SYS	GORIN.	1.20	2.07	3.54	7.12	7.30	s10.26	10.17	3.06	10.5
C	282.6	42.2	LOCI	RUTLEDGE.						s10.20			
C	290.7	32.4	IC B	BARING.	1.07	1.55	3.44	7.00	7.21	s10.10	10.05	2.57	10.4
В	300.1	42.2	MAT	HURDLAND.	12.58	1.47	3.36	6.52	7.14	f 9.58	9.57	2.50	10.3
В	306.4	23.1	AUTO-	GIBBS. 6.2						f			
C	312.7	25.4		LA PLATA. ———————————————————————————————————	s12.45	1.36	s 3.25	6.41	7.04	s 9.45	9.45	s 2.40	s10.2
В	318.2	42.2		CARDY. 4.6									
C	322.9	o		ELMER.						s 9.29			
C	329.7	42.2		ETHEL. ————————————————————————————————————	12.25	1.20	3.08	6.25	6.48	s 9.20	9.29	2.23	10.0
В	336.3	42.2		HART. ————————————————————————————————————									
C	341.5	42.2		BUCKLIN.						s 9.05			
С	347.3			MARCELINE.	12.05 AM	1.00 AM	2.50 AM	6.05 AM	6.30 AM	8.55 AM	9.10 AM	2.05 PM	9.50 PM
				(111,5)	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.
		•	Av	erage speed per hour.	53.5	58.2	60.8	58.2	63.7	43.2	58.2	63.7	60.8

SIGNAL SYSTEM TWO IN EFFECT:

Marceline to Shopton.

RULE 251 IN EFFECT:

Marceline to Shopton.

Trains must secure numbered clearance cards before leaving originating stations, except First Class Trains at Marceline.

SIGNAL SYSTEM TWO IN EFFECT: Marceline to Sheffield.

RULE 251 IN EFFECT:

Marceline to Congo, except track No. 3 and on gantlet track, Bridge, M.P. 425.0—426.0, east of Sibley.

RULE 261 IN EFFECT:

Gantlet track, Bridge, M.P. 425.0—426.0, east of Sibley and Congo to Shef-

Trains must secure numbered clearance cards before leaving originating stations, except First Class Trains at Marceline.

Between Hardin and C.A. Jct. north track designated main track No. 2 upon which the current of traffic is westward; track immediately south thereof designated main track No. 1 upon which the current of traffic is eastward; and the south track is designated main track No. 3 upon which trains have no time table superiority and operation thereon must be authorized by train order with numbered clearance card, manual block rules govern.

Between Congo and Rock Creek Jct., Mo. Pac. tracks may be used with current of traffic on signal indication.

Movements against current of traffic must be au-thorized by Mo. Pac. Terminal Trainmaster.

All movements must be made at restricted speed and protected as per Rule 99 when using these tracks.

Speed limit 10 MPH through Mo. Pac. turnout Rock Creek Jct. interlocking.

Between Sheffield or Rock Creek Jct. and Kansas City Union Station be governed by Kansas City Ter-minal Ry. Co. Operating Rules.

				WARD.							TO	
15	21	1	123	19	13	7	9	17	TIME TABLE No. 1,	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Siding Capacity 50 ft. Per Car.
Texas Chief.	El Capitan.	San Francisco Chief.	The Grand Canyon.	The Chief.	Passenger.	Fast Mail- Express.	Kansas City Chief.	Super Chief.	March 3, 1957.	Rulin	Fuel, Turn T	Siding 50 ft.
Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily,	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily,	STATIONS.			
PM 11.45	PM 11.23	PM 9.33	PM 6.40	PM 2.45	AM 7.00	AM 6.00	AM 4.50	AM 12.45	MARCELINE.	0	FY	
					s 7.07				ROTHVILLE.	13.7		E 69 W 74
11.56	11.33	9.43	6.54	2.57	s 7.15	6.12	5.04	12.56		12.7		E 74 W 78
- AM -					f				Z MENDON. 7.4 DEAN LAKE.			
2200000	11.43	9.53	7.06	3.07	s 7.28	6.23	5.16	1.06	U BOSWORTH O			E131 W150
									TANDISH.	0		E 32
			s 7.20		s 7.45		s 5.30		CARROLLTON.	0		E130 W 73
12.17	11.53	10.03	7.23	3.19	7.47	6.35	5.32	1.16	W. B. JCT.	3.7		
12.23	11.59 - AM -	10.09	7.30	3.26	s 7.57	6.43	5.40	1.22	NORBORNE.	4.8		E 56 W113
12.30	12.06	10.16	7.37	3.33	s 8.08	6.50	5.48	1.29	HARDIN.	4.2		E104
12.35	12.11	10.21	s 7.45	3.38	s 8.15	6.55	s 5.55	1.34	O HENRIETTA 6		Y	E235 W136
					s 8.23				D CAMDEN.	14.2		
12.41	12.17	10.27	7.53	3.44	8.25	7.01	6.02	1.41		13.2		
					f				C.A. JCT.	26.4		E 91
12.51	12.27	10.37	8.04	3.55	f 8.39	7.12	6.12	1.51	SIBLEY			
					f				ATHERTON.			E119 W132
1.00	12.36	10.46	8.13	4.04	8.50	7.21	6.21	2.00	ETON. 2.8	9.4		-
					f			-	COURTNEY.	9.4		W 77
					f				SUGAR CREEK. YL	4.9		E 62
1.09	12.45	10.55	8.23	4.13	9.01	7.31	6.31	2.09	CONGO.	25.7		
									K.C.S. Crossing.			
1.13	12.49	10.59	8.27	4.17	9.05	7.35	6.35	2,13	SHEFFIELD, YL	14.8		
s 1.30 AM	s 1.05 AM	s 11.15 PM	s 8.50 PM	s 4.35 PM	s 9.30 AM	s 7.55 AM	s 7.00 AM	s 2.35 AM	KANSAS CITY.	15.5		
Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(103.8)			
59.3	61.1	61.1	47.9	56.6	41.5	54.2	47.9	56.6	Average speed per hour.			

FOURTH DISTRICT.

113,		ø		Ì					First Cla				
Communications.	Mile Post.	Ruling Grade Ascending.	No. 1,		16	2	18	124	20	12	8	10	22
Comm	Mi	Ruli	March 3, 1957.		Texas Chief.	San Francisco Chief.	Super Chief.	The Grand Canyon.	The Chief.	The Chicagoan.	Fast Mail- Express.	Kansas City Chief.	El Capitan.
			STATIONS.		Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily,	Arrive Daily.
С	347.3	42.2	MARCELINE.		AM 2.50	AM 6.05	AM 6.30	8.55	AM 9.10	PM s 2.05	РМ 9.50	AM \$12.05 - AM-	AM 1.00
С	354.6	8.9	ROTHVILLE.		2.42	5.57	6.23	f 8.38	9.02	1.57	9.41		
С	360.7	14.2	Z MENDON.		2.37	5.52	6.18	f 8.32	8.57	1.52	9.36	11.44	12.47
В	368.1	0	DEAN LAKE.	TWO									
С	374.3	26.4	BOSWORTH.		2.27	5.42	6.08	s 8.19	8.47	1.42	9.24	11.32	12.37
В	382.1	26.4	STANDISH.	TRACKS									
С	386.4	0	CARROLLTON.	S				s 8.05		-		s11.20	
С	388.7	0	W.B. JCT.		2.16	5.30	5.56	7.57	8.36	1.31	9.10	11.14	12.26
C	396.6	6.3	NORBORNE.		2.10	5.22	5.50	s 7.47	8.30	1.25	9.02	11.06	12.20
c	405.4	0	MARDIN.	S	2.03	5.15	5.43	s 7.35	8.23	1.18	8.55	10.57	12.13
C	411.3	6.6	HENRIETTA.	Tracks	1.58	5.10	5.38	s 7.25	8.18	1.13	8.50	s10.50	12.08
В	416.9	0	CAMDEN.	ks				f					
C	418.2	26.4	C.A. JCT.	,	1.52	5.04	5.32	7.17	8.12	1.07	8.44	10.44	12.02 -AM-
C	421.7	o	FLOYD.					f					
В	426.7	26.4	SIBLEY.	T	1.42	4.54	5.21	f 7.06	8.02	12.57	8.33	10.33	11.52
С	434.0	o	ATHERTON.	TWO T				f					
С	436.5	7.0	ETON.	TRAC	1.33	4.44	5.12	6.56	7.53	12.48	8.24	10.24	11.43
C	439.4	0	COURTNEY.	KS				f					
С	442.6	0	SUGAR CREEK. YL										
	444.2	42.2	CONGO. ————————————————————————————————————]	1.24	4.34	5.04	6.44	7.44	12.39	8.15	10.15	11.34
	445.9	0	K.C.S. Crossing.) [20]									
	446.4	48.5	SHEFFIELD. YL	H	1.20	4.30	5.00	6.40	7.40	12.35	8.10	10.10	11.30
С	451.1		KANSAS CITY. Union Station	.Ry.	1.10 AM	4.20 AM	4.50 AM	6.30 AM	7.30 AM	12.25 PM	8.00 PM	10.00 PM	11.20 PM
			(103.8)		Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.
			Average speed per hou	ır.	62.3	59.3	62.3	43.0	62.3	62.3	56.6	49.8	62.3

SIGNAL SYSTEM TWO IN EFFECT:

Sheffield to Marceline.

RULE 251 IN EFFECT:

Congo to Marceline, except track No. 3 and on gantlet track, Bridge, M.P. 426.0—425.0, east of Sibley.

RULE 261 IN EFFECT:

Sheffield to Congo and Gantlet track, Bridge, M.P. 426.0—425.0, east of Sibley.

Trains must secure numbered clearance cards before leaving originating stations.

Between C.A. Jct. and Hardin north track designated main track No. 2 upon which the current of traffic is westward; track immediately south thereof designated main track No. 1 upon which the current of traffic is eastward; and the south track is designated main track No. 3 upon which trains have no time table superiority and operation thereon must be authorized by train order with numbered clearance card, manual block rules govern.

Between Congo and Rock Creek Jct., Mo. Pac. tracks may be used with current of traffic on signal indication.

Movements against current of traffic must be authorized by Mo. Pac. Terminal Trainmaster.

All movements must be

All movements must be made at restricted speed and protected as per Rule 99 when using these tracks.

Speed limit 10 MPH through Mo. Pac. turnout Rock Creek Jct. interlocking.

Between Kansas City Union Station and Sheffield, or Rock Creek Jct. be governed by Kansas City Terminal Ry. Co. Operating Rules.

When train order signal at Eureka indicates "Stop", secure A.T.& S.F. and T.P.& W. clearance cards.

Between Streator Jct. and Pekin Jct. be governed by T.P.& W. Time Table, Rules and Regulations.

No switch lights on Pekin District.

Way Freight.	Fuel, W Turn Tabl Wye	Ruling C Ascend	No. 1, March 3, 1957.	Ruling (Mile P	Communic	48 Way Freight.	Siding Ca 50 ft. Pe
Leave Daily Ex. Sun.			STATIONS.				Arrive Daily Ex. Sun.	
AM 6.50		0	ANCONA.	0		В	PM 1.00	
6.55		15.3	LONG POINT.	0	2.5	С	12.40	
7.05		31.7	DANA. 5.8	0	7.1	C	12.20	20
		0	I.C. Crossing.	0	12.9			
7.30		23.8	MINONK.	13.2	13.0	C	12.01 - PM	19
7.45		0	BENSON.	32.7	19.0	С	11.20	14
8.00		41.2	ROANOKE.	47.5	24.5	С	11.00	16
8.15		o	STREATOR JCT.	0	30.7		10.15	
8.20		47.5	EUREKA.	26.4	31.1	С	10.10	44
8.40		26.4	PEKIN JCT.	0	36.7		9.45	
8.45		31.7	WASHINGTON.	31.7	38.0	C	9.40	17
9.00		31.7	COOPER.	52.8	41.0		9.25	7
9.10		0	CRANDALL. N.Y.C.& St.L. Crossing.	29.0	43.4		9.10	
9.40		0	MORTON.	0	45.7	C	9.00	18
		42.2	P.R.R. and I.T. Crossing		45.8			
10.10		0	GROVELAND.	81.8	49.4		8.20	30
10.35	FT	0	EAST YARDS. YI G. M. & O. Crossing.		56.8	С	8.03	73
10.45 AM		Ü	PEKIN. YI		57.7	С	8.00 AM	
Arrive Daily Ex. Sun.			(57.9)				Leave Daily Ex. Sun.	
14.8			Average speed per hour.	1	l.		11.6	1

A	Se	WEST	WARD.	First	pu					ng.	First	EASTV Se	VARD.	ss.
Siding Capacity 50 ft. Per Car.	71	75	43	Class.	Fuel, Water, Turn Tables and Wyes.	Ruling Grade Ascending.	TIME TABLE No. 1,	Ruling Grade Ascending.	Mile Post.	Communications.	Glass.	76	72	44
Siding 50 ft.	C.G.W.Ry. Freight. 42.	C.G.W.Ry. Time Freight. 92.	Mixed.	C.G.W.Ry. Passenger. 6.	Fuel, Turn T	Rulin	March 3, 1957.	Rulir	Mil	Comm	C.G.W.Ry. Passenger. 5.	C.G.W.Ry. Time Freight. 41.	C.G.W.Ry. Freight. 43.	Mixed.
	Leave Daily.	Leave Daily.	Leave Daily Ex. Sun.	Leave Daily Ex. Sat.			STATIONS.				Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily Ex. Sun.
			AM 7.00		Y	20.0	HENRIETTA. YL	0		C				РМ s 8.05
21			s 8.00			69.2	RICHMOND.		5.1	C				f 7.53
25			f 8.30			47.7	RAYVILLE.	57.4 52.8	13.6					f
			f 9.05			48.8	LAWSON.	58.6	24.8					f 7.11
			s 9.40			60.2	LATHROP. C.B.& Q. Crossing.	58.1	35.7	C				f 6.47
+26			s10.20			62.3	PLATTSBURG.	61.1	43.8	C				f 6.28
			s10.45			61.2	GOWER. 9.1	60.0	52.9	C				f 6.09
			f			52.8	AGENCY.	0	62.0					f
	PM 9.12	AM 11.40	11.20	PM 5.21		59.3 59.5	B. C. JCT.	60.5	65.2	В	AM 4.50	AM 2.45	AM 11.25	5.42
						0	C.R.I.& P. Crossing.	36.6	71.6					
						0	C.B.& Q. Crossing.	48.8	72.1					
							C.R.I.& P. Crossing. C.B.& Q. Crossing. M.K. JCT.		72.3 72.4					
	9.50 PM	- PM - 12.15 PM	11.45	5.38	F	0	TERMINAL YARD.	0	72.8	C	4.32	2.10 AM	10.50 AM	5.20
			s 11.55 AM	s 5.40 PM	Y	U	ST. JOSEPH U.S. YL		73.1	С	4.30 AM			5.00 PM
	Arrive Daily.	Arrive Daily.	Arrive Daily Ex. Sun.	Arrive Daily Ex. Sat.			(72.9)				Leave Daily Ex. Sun.	Leave Daily.	Leave Daily.	Leave Daily Ex. Sun.
	12.0	13.0	14.8	24.9			Average speed per hour.				23.7	13.0	13.0	23.6

SIGNAL SYSTEM TWO IN EFFECT:

Lathrop Interlocking and B.C. Jct. to M.P. 71.9.

RULE 261 IN EFFECT:

Between B.C. Jct. and M.P. 70.8.

Trains must secure numbered clearance cards before leaving originating stations, except westward C.G.W. trains at B.C. Jct. and eastward trains at St. Joseph U.S.; eastward trains secure at Terminal Yard

At B.C. Jct. authorized speed within home signal limits 15 MPH.

Signals at B.C. Jct. and M.P. 70.8 are controlled from Terminal Yard. If signal indicates "Stop", train will not proceed until aspect changes or permission is obtained by telephone from Terminal Yard Operator except, at B.C. Jct. eastward trains, if unable to communicate may, after placing dual control switch on hand operation, proceed on authority held for movement beyond B.C. Jct. Switch must be restored to motor position after movement is completed.

Trains and engines authorized to pass "Stop" signal to enter block between B.C. Jct. and M.P. 70.8 must proceed at restricted speed throughout block. Before making movement at B.C. Jct. with signal in "Stop" position, switch must be inspected and flag protection must be provided against conflicting route.

Between St. Joseph U.S. and M.P. 70.8 there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction, or switch not properly lined, but not exceeding 20 MPH. Between these points main track may be used not protecting against trains and engines.

Between St. Joseph U.S. and Monterey Street be governed by St. Joseph Union Depot Co. Time Table, Rules and Regulations.

No switch lights between Henrietta and B.C. Jct.

No. 43 is superior to No. 44.

Rules 16, S-89 (A) and 104(A) of the Rules, Operating Department, revised 1953, are amended as follows:

Rule 16: (e): Canceled, (l) and (m) amended to read:

(1): — -When standing - apply or release air brakes.

-When running — brakes sticking; look back for hand signals.

NOTE:-Hand or lamp signals must be given in addition to communicating signals (a), (c) and (l).

Rule S-89(A). Amended to read: At meeting point, the train holding main track must stop clear of the track to be used by the train to be met and, if practicable, be protected by lining the switch.

Rule 104(A). Amended to read: When a train is clear of main track, to be met or passed by another train, employe attending the switch will not go nearer the switch than the clearance point until the expected train has been met or has passed.

When a train is on the main track, to be met or passed by another train, employe attending the switch will, after lining and locking it. immediately return to the clearance point and remain back of that point until expected train clears the main track.

When necessary to go beyond the switch in flagging, the flagman must remain at least 150 feet away from the switch while approaching train is passing over it.

The conductor or engineman must have an oral understanding with the employe attending the switch as to the required handling under this rule.

Employes using switches must observe whether switch points fit properly after switch is lined, and must grasp the lock chain and pull it to insure that the lock is securely fastened.

Employes, in alighting from trains to change switches, must get off on opposite side of train from switch stand when to do so will not endanger their safety.

Crews of trains which are clear of main track must not give "proceed" signals to approaching trains.

1. Except as otherwise provided, Eastward Trains are superior to Westward Trains of the same class.

2. REGISTER STATIONS. (Rule 83).

STATIONS LISTED BELOW ARE REGISTER STATIONS ONLY FOR TRAINS DESIGNATED:

Station	Designated Trains.
Corwith	Originating or terminating.
	Originating, terminating or operating via Pekin District.
Chillicothe	All except First Class.
Fort Madison	First Class.
Marceline	All except First Class.
	Eastward First Class.
	Originating or terminating.

AT STATIONS LISTED BELOW TRAINS DESIGNATED WILL REGISTER BY FORM 903:

4. JUNCTION SWITCHES. (Rule 98).

LOCATION	NORMAL POSITION
	PEKIN DISTRICT.
Streator Jct. Pekin Jct.	T.P.&W. R.R. T.P.&W. R.R.
ST	JOSEPH DISTRICT.
B. C. Jet.	Dual controlled; handled by opera- tor Terminal Yard.
M. K. Jct.	Illinois Division.

5. JOINT TRACK FACILITIES.

CHICAGO. A.T.& S.F. trains will use C.& W.I. tracks between C.& W.I. Jct. and Dearborn Station.

PLAINES-PEQUOT-A.T.& S.F. and G.M.& O. The movement of G.M.& O. trains will be governed by rules in G.M.& O. Time Table.

W.B. JCT.-C.A. Jct .-- A.T.& S.F. and Wabash. The movement of Wabash trains will be governed by rules in Wabash Time Table. Wabash trains use marker lamps with red and green lenses.

ETON-CONGO-A.T.& S.F. and Mo. Pac. The movement of Mo. Pac. trains will be governed by bulletin order issued by Mo. Pac. Mo. Pac. trains use marker lamps with red and green lenses.

5. JOINT TRACK FACILITIES—(Cont'd).

CONGO-ROCK CREEK JCT. A.T.& S.F. trains may use Mo. Pac. tracks.

ROCK CREEK JCT., SHEFFIELD-A.T.& S.F. JCT. A.T.& S.F. trains use tracks of K.C.T. Ry. Co.

STREATOR JCT .- PEKIN JCT. Trains will use T.P. & W. track. B. C. JCT.—M.K. JCT. C.G.W. trains use A.T.& S.F. tracks and will be governed by A.T.& S.F. Time Table and Rules in C.G.W. Time Table. C.G.W. trains use marker lamps with red and green lenses.

ST. JOSEPH. Trains will use St. Joseph Union Depot Company tracks between St. Joseph U.S. and Monterey Street, 0.2 mile east of Union Station, and St. Joseph Terminal Ry. Co. tracks between Monterey Street and M.K. Jct.

6. MULTIPLE ARM HOME SIGNALS.

Where two or more arms on a home signal govern movements over an interlocked switch, top arm is assigned to the main track and lower arm to the inferior route, except as follows:

CHICAGO—STEWART AVE. INTERLOCKING.

EASTWARD WITH CURRENT OF TRAFFIC.

A.T.& S.F. Track—Signal just west of crossing. Red over Red—Stop. Red over Yellow—Proceed to next signal.

I.C. Track—Signal just west of crossing.

Red over Red—Stop.
Yellow over Red—Proceed to next signal. Red over Yellow-Diverging route.

EASTWARD AGAINST CURRENT OF TRAFFIC.

A.T.& S.F.—I.C. Tracks—Signal just west of crossing. Red-Stop.

Yellow-Proceed to coach yard and other routes.

EASTWARD WITH CURRENT OF TRAFFIC.

A.T.& S.F.—I.C. Tracks—Signal just east of crossing. Red over Red over Red—Stop.

Yellow over Red over Red—To I.C. track. Red over Yellow over Red—To C.& W.I. track. Red over Red over Yellow—To coach yard and other routes.

CHICAGO-INTERLOCKING M.P. 3.1. EASTWARD-4 UNIT SIGNAL.

1st. or top unit—G.M.& O. 2nd. unit—A.T.& S.F. 3rd. unit—I.C.

4th. or lower unit-Against traffic.

WESTWARD-2 UNIT SIGNAL. 1st. or top unit—A.T.& S.F. Lower unit—I.C. main tracks.

WESTWARD-4 UNIT SIGNAL.

1st. or top unit-G.M.& O. 2nd. unit—A.T.& S.F. 3rd. unit—I.C. main tracks.

4th. or lower unit-Against traffic.

JOLIET U.S.—Top arms assigned to passenger or A.T.&S.F. main tracks. Lower arms the freight or the G.M.& O. main tracks, except signal, east end station platform westward main track, lower arm assigned freight and passenger.

W.B. JCT .- Eastward, top indication governs movement to Wabash main track, lower indication to Wabash main track or siding, middle indication to A.T.& S.F. track.

C.A. JCT.—Track No. 3, westward, top arm governs movement to Wabash track, lower arm to A.T.& S.F. track.

ROCK CREEK JCT.—Eastward, top arm governs movement to Mo. Pac. passenger route, middle arm Mo. Pac. route to Congo, bottom arm to either route.

Westward, top arm to foreign line, middle arm to Kansas City Terminal, bottom arm to either route.

B.C. JCT .- Eastward, top unit governs movement to A.T.& S.F. track, lower unit to C.G.W. track.

7. TRAFFIC REVERSAL.

Between Interlocking M.P. 3.1 and Joliet U.S.

Operators will not display proceed signal for movement against the current of traffic without train order authority, except Operators may authorize such movements entirely within yard limits.

If trains are to use the other main track without signal indication. move must be authorized by numbered clearance card endorsed, "Use Track".

7. TRAFFIC REVERSAL—(Cont'd).

If a train or engine is stopped by a stop signal (Rule 292) it must not proceed without permission from interlocking station. If authorized to proceed be governed by Rule 606. If unable to communicate, after complying with Rule 606 (b), be governed by Rule 509 (a).

To avoid misunderstanding, instructions or information received by telephone must be repeated to employes from whom received, and names and occupations of employes stated.

Switch indicators are operative only with normal direction of traffic. At switches where there is no head out signal, obtain permission from Operator before occupying main track regardless of position of switch indicator. If communication fails, main track may be used under flag protection with front and rear protected until next home signal is passed.

Except as affected by these rules, block signal and train rules remain in force.

8. AUTOMATIC TRAIN CONTROL.

Maximum authorized speeds for cab signal indications are:

	MP.	
	Passenger	Freight
High (H) Indication	90	60
Medium (M) Indication	40	40
Low (L) Indication		20

Should the control cut in while approaching train control territory from the east or the Pekin District, seal may be broken by Conductor and pneumatic feature cut out, reporting by wire from first open office. A westward train may then proceed to Pequot, where seal will be delivered to Operator, train control equipment cut in and sealed, and test made before entering train control territory. Should test show train control inoperative, secure train order authority to proceed. If movement from Pekin District beyond Ancona not authorized before arrival Ancona, Conductor call Operator at Streator and be governed by verbal instructions which must be repeated. On arrival Streator, deliver seal to Operator.

Should cut out not be obtained in leaving train control territory at Pequot or Ancona, or should train control cut in after leaving such territory, seal may be broken by Conductor and pneumatic feature cut out. Report will be made at terminal and seal there delivered to Operator.

9.

11. RAILROAD CROSSINGS AT GRADE.
CHICAGO—Stewart Ave., I.C., C.& W.I. and P.R.R. Interlocking.

CHICAGO—Panhandle, P.R.R., B.& O.C.T. and C.J. Interlocking. CORWITH—I.N. Interlocking.

NEDGIA Chiana Dalt Interlealing

NERSKA—Chicago Belt. Interlocking.

McCOOK—B.& O.C.T. Interlocking.

JOLIET U.S.-C.R.I.& P. Interlocking.

STREATOR—G.M.& O. and N.Y.C. 0.1 mile west of station. Interlocking. Maximum speed 20 MPH.

STREATOR-Wabash 0.5 mile west of station. Interlocking.

PRINCEVILLE—C.R.I.& P. 0.4 mile east of station. Automatic Interlocking.

MONICA-C.B.& Q. Interlocking.

MEDILL-C.B.& Q. Interlocking.

SHEFFIELD-K.C.S. Interlocking. Maximum speed 25 MPH.

MINONK—I.C. 0.1 mile east of station. Interlocking. Maximum speed 20 MPH. If home signal indicates "stop", authority to proceed must be obtained from I.C. Operator. If so authorized member of crew must flag crossing until occupied by car or engine.

CRANDALL—N.Y.C.& St.L. Automatic Interlocking. Maximum speed 20 MPH.

MORTON—P.R.R. and I.T. 0.1 mile west of station. Stop. See Rules 98, A, B, C and D.

EAST YARDS-G.M.& O. Interlocking.

LATHROP—C.B.& Q. Automatic Interlocking. Maximum speed 20 MPH.

TERMINAL YARD—C.R.I.& P. 1.2 miles east of station is protected by gate set normally across C.R.I.& P. track. Approach pre-

11. RAILROAD CROSSINGS AT GRADE—(Cont'd).

pared to stop short of train, obstruction or gate not properly lined. When gate is normal may proceed at restricted speed.

C.B.& Q. 0.7 mile east of station. Stop. See Rules 98, A, B, C

C.B.& Q. and C.R.I.& P. 0.5 mile east of station. Stop. See Rules 98, A, B, C and D.

12. MAXIMUM AUTHORIZED SPEED FOR TRAINS.

		MILES PER HOUR		
LOCATION	Pass- enger	Freight and Mixed		
FIRST DISTRICT Chicago to Pequot. Pequot to Chillicothe (Except Track No. 3) Track No. 3 (Kernan to M.P. 88.8) SECOND DISTRICT THIRD DISTRICT	79 90 40 90	60 60 30 60 60		
FOURTH DISTRICT Marceline to W. B. Jct. W. B. Jct. to C. A. Jct. (Except Track No. 3) Track No. 3 (Hardin to C. A. Jct.) C. A. Jct. to Bridge M.P. 425.0 Bridge M.P. 425.0 to Sheffield Sheffield to Kansas City Union Station PEKIN DISTRICT	90 79 40 90 79 50 45	60 60 40 60 60 25 30		
ST. JOSEPH DISTRICT Henrietta to B. C. Jct B. C. Jct. to St. Joseph	30 40	30 30		
FIRST DISTRICT.				
Chicago, Dearborn Station to 12th. Street Viaduct	8	8		
Chicago, Curve, 15th. to 16th. Streets	15	12		
Chicago, Stewart Avenue Interlocking turnouts	10	10		
Chicago, Stewart Avenue to Interlocking M.P. 3.1	30	30		
Chicago, Interlocking, M.P. 3.1	20	15		
Chicago, Between first signal bridges East and West of Panhandle Crossing	20	20		
Curve, M.P. 9.7 to 9.9	1 40	35		
Bridge, M.P. 9.9 to 10.0	30	25		
Curve, M.P. 11.9 to 12.3	60	50		
Curve, M.P. 24.0 to 24.7	79	50		
Bridge, M.P. 24.7 to 24.8	40	30		
4 Curves, M.P. 24.8 to 25.9	50	40		
2 Curves, M.P. 27.4 to 28.7	65	50		
Curve, M.P. 29.0 to 29.2	70	55		
Curve, M.P. 35.3 to 35.6 Westward Track Eastward Track	79 70	50 50		
Curve, M.P. 36.3 to 36.7 (Westward Track	60	40		
(Basin Bridge) (Eastward Track	45	30		
Curve, M.P. 37.0 to 37.1	35	25		
Curves, M.P. 37.2 to 37.4 Joliet, through turnouts	15	15		
Curve, M.P. 43.6 to 43.9 Eastward Track	79	50		
3 Curves, M.P. 57.0 to 57.2 Eastward Track	40	1 50		
Curve, M.P. 57.0 to 57.3 Westward Track	75	1 50		
Curve, M.P. 58.4 to 58.6		50		
2 Curves, M.P. 88.2 to 89.0 (Westward Track (East of Streator) (Westward Track	60 55	40		
Streator, Main Street to Wabash Crossing	20	20		
SECOND DISTRICT.				
2 Curves, M.P. 131.6 to 132.1	1 70	50		
9 Curves, M.P. 132.6 to 136.8	55	50		
10 Curves, M.P. 161.6 to 170.3	75			
Galesburg, C.B.& Q. Viaduct to Main Street	20	20		
Curve, M.P. 224.7 to 225.0	60	50		
Curve, M.P. 230.7 to 231.1	50	40		
Mississippi River Bridge, M.P. 231.5 to 231.8	40	30		
8 Curves, M.P. 231.8 to 234.3	30	30		

12	MAXIMIIM	AUTHORIZED	SPEED FOR	TRAINS-	(Cont'd).

		MI PER	LES HOUR
	LOCATION	Pass- enger	Freight and Mixed
	THIRD DISTRICT.		
Curve,	M.P. 235.8 to 236.2	50	50
2 Curves,	M.P. 250.3 to 250.9	55	45
2 Curves,	M.P. 251.1 to 251.8	45	45
4 Curves,	M.P. 252.4 to 254.1	65	50
2 Curves,	M.P. 254.5 to 255.1	55	45
2 Curves,	M.P. 255.3 to 256.0	50	40
7 Curves,	M.P. 331.0 to 334.3	60	50
7 Curves,	M.P. 335.6 to 338.3	55	50
2 Curves,	M.P. 338.6 to 339.1	50	45
2 Curves,	M.P. 339.4 to 339.7	65	
	FOURTH DISTRICT.		
Curve,	M.P. 347.5 to 347.6 Westward Track Eastward Track	60 55	35
Curve,	M.P. 348.7 to 348.9 Westward Track	60	45
3 Curves,	M.P. 352.6 to 354.0	75	
2 Curves,	M.P. 372.0 to 372.7	80	
2 Curves,	M.P. 376.2 to 376.8	80	
Curve,	M.P. 382.4 to 382.5 Eastward Track	80	
Curve,	M.P. 384.3 to 384.5 Eastward Track	75	50
Curve,	M.P. 388.7 to 388.8 Eastward Track	40	40
	ves, west of Hardin, Track No. 3	1 15	15
5 Curves.	M.P. 416.7 to 419.1	65	55
2 Curves,	M.P. 425.0 to 426.3 and Bridge M.P. 425.0-426.0	25	15
Curve,	M.P. 426.4 to 426.7	55	45
Curve,	M.P. 427.0 to 427.3 Eastward Track	75	1
2 Curves,	M.P. 427.0 to 427.8 Westward Track	60	40
2 Curves,	M.P. 437.5 to 437.8	40	40
3 Curves,	M.P. 437.9 to 438.5	45	45
Curve,	M.P. 438.8 to 438.9	65	55
Curve,	M.P. 442.5 to 442.7	70	55
3 Curves,	M.P. 443.7 to 444.5	40	40
	lock Creek Jct. via Mo. Pac.	30	20
4 Curves,	M.P. 445.0 to 445.8	30	30
Curves,	Sheffield to Kansas City (Union	j	
	Station), except where otherwise restricted	40	20
	PEKIN DISTRICT.		
2 Curves,	M.P. 49.9 to 50.3	35	
4 Curves,	M.P. 54.5 to 55.8	35	
	ST. JOSEPH DISTRICT.		
3 Curves,	M.P. 4.5 to 5.3	20	20
3 Curves,	M.P. 43.2 to 44.2	15	15

13. SPEED REGULATIONS, PASSENGER TRAINS.

Enginemen of trains in which are dining or cafe cars will, during meal hours, regulate speed and manipulate air, rounding curves and making station stops, so that train will move smoothly, without jar, and train conductors must observe that this is done.

14. MAXIMUM SPEED OF ENGINES.

	1	MILES PI	ER HOUR	,
Diesel and Gas-Electric	Forward	Light Forward	Backing Or When Controlled From Rear Unit	Dead In Train
11-90, 300-314	100	80	45	90
325-344	80	80	45	80

14. MAXIMUM SPEED OF ENGINES.—(Cont'd).

		MILES P	ER HOUR	5	
Diesel and Gas-Electric— (Cont'd).	Forward	Light Forward	Backing Or When Controlled From Rear Unit	Dead In Train	
100-289, 401-430	65	65	45	60	
99, 600-611, 700-751, 2099, 2100- 2162, 2650-2893, 3000-3019 450-451	65	65	45*	60	
460-468	35	35	35	20	
500-564, 625-633, 1500-1537, 2200-2299, 2303-2304, 2310-2391, 2394-2399, 2403-2438, 2600-2606	45	45	45	45	
650-653, 2300-2302, 2400-2402	40	40	40	30	
RDC 191, 192 (Coupled)	80	80	70	70	
RDC 191, 192 (Single Unit)	80	80	50	70	
M115-M157, M175-M187	65	65	25	60	
M160-M162	70	65	25	70	
M190	80	65	25	75	
* Note: 65 MPH applies when backing handling train.					
Steam					
1010, 5000-5035	60	40	25		
3751-3775	90	40	25		
9191-9119	100	40	25		

15. MOVEMENTS OVER SUBMERGED TRACK. (Rule 817).

Equipment listed below must not be moved through water above top of rail greater than the depths and not in excess of the speeds shown:

Types of Equipment	Maxi- mum Depth Above Top of Rail (Inches)	Maximum Speed in Tow (MPH)	Maximum Speed Under Own Power (MPH)
Diesel Engines		_	_
450-451	2	5	5
11-15, 50, 80-87, 600-611, 2099-	3	5	5
2162	5	9	9
2310-2321, 2600-2606, 3000-3019	4	5	5
460-468, 2400-2402		5 5	5 5
16-48, 99, 101-344, 407-430, 500-	- /2		-
564, 625-633, 700-751, 1500-1537,			
2200-2299, 2303-2304, 2322-2399,			440
2403-2438, 2650-2893	5	5	5
Diesel-Electric and		_	_
Gas Electric Motor Cars	3	5	5
Passenger Cars			
Roller Bearings	8	5	0
Friction Bearings	12	5	0

16. DEAD ENGINES.

Steam engines must not be handled dead in train without special instructions.

17. DERRICKS, CRANES, ETC.

Trains handling derricks, clam shells, ditchers, pile drivers, spreaders (except spreaders with wings folded and fastened), and similar machinery moving on their own running gear must not exceed 30 MPH, except on Pekin and St. Joseph Districts, speed limit 24 MPH. Such equipment must not be moved in any train except on authority of Trainmaster.

18. SWITCHES-MAXIMUM AUTHORIZED SPEED.

Maximum authorized speed 10 MPH heading in or out over other than main track switches; 15 MPH over main track switches except those listed herein. Trains or engines trailing through and springing points of spring switches will not exceed speed prescribed for turnout.

"I"-Interlocked Switch.

"S"-Spring Switch.

STATION T

TYPE

LOCATION

MPH

FIRST DISTRICT.

Corwith	Ī	East leg of wye	10
	I	Crossovers west of I.N. crossing	30
McCook	Ι	Eastward head-in and head-out switches	40
M.P. 14.2	I	Crossover	40
M.P. 14.5	I	Switch to General Motors Plant	30
M.P. 16.5	I	Switch to General Motors Plant	30
Willow Springs	SI	Head-out switches Crossovers and head-in switches	30 40
Romeo	I	Crossovers	40
Joliet Yard	I S	Eastward head-in switch Head-out switch M.P. 36.4	30 30
Plaines	S	G.M.& O. to A.T.& S.F. West end siding and connection G.M.& O. to A.T.& S.F.	40 30
Pequot	I	A.T.& S.F. to G.M.& O. Crossovers	40 40
Verona	I S	Crossovers and head-in switches Head-out switches	40 30
Kernan	I	Crossovers	40
Streator	I	Crossovers and turnout Wabash Crossing	30
Ancona	I	Pekin District turnout Crossovers	30 40
Toluca	I S	Trailing point crossover Facing point crossover Westward head-out switch	40 30 30
Chillicothe	I	Crossovers and turnouts east end yard	40

SECOND DISTRICT.

Chillicothe	I	Crossovers and turnouts west end yard	30
Edelstein	IS	Crossovers Westward head-out switch	40 15
Monica	I	Crossovers	40
Williamsfield	I	Crossovers and westward head-in switch	40
	S	Head-out switches	30
Appleton	I	Facing point crossover	30
G.I. Tower	Ι	Westward head-in and head-out switches	30
	I S	Crossovers and eastward head-in switch Eastward head-out switch	$\frac{40}{30}$
Ormonde	IS	Crossovers and eastward head-in switch Head-out switches	40 30
Smithshire	I	Crossovers	40
Stronghurst	I I S	Crossovers Head-in switches Head-out switches	40 30 30
Lomax	I S	Crossovers Westward head-out switch	40 30
E. Ft. Madison	I	Crossovers	40
East End Shopton Yard	I	West crossover East crossover and head-in and	25
		head-out switches	30

18. SWITCHES-MAXIMUM AUTHORIZED SPEED-(Cont'd).

"I"-Interlocked Switch.

"S"-Spring Switch.

STATION TYPE

LOCATION

MPH

THIRD DISTRICT.

New Boston	I	Head-in switch	40
	S	Head-out switch	30
Medill	I	Head-in switches	40
	S	Head-out switches	30
Wyaconda	S	Head-out switch	30
Baring	I	Head-in switches	40
	S	Head-out switches	30
La Plata	I	Westward head-in switch	30
	S	Head-out switches	30
Ethel	I	Head-in switch	40
	S	Head-out switch	30
Marceline	I	Westward head-in switch	40

FOURTH DISTRICT.

Marceline	IS	Eastward head-in switch Westward head-out switch	30
Rothville	IS	Eastward head-out switch	30
Bosworth	IS	Head-in switches Head-out switches	30
Carrollton	S	Eastward head-out switch	30
W. B. Jet.	I	Crossover and Wabash Connection	40
Norborne	S	Westward head-out switch	30
Hardin	30		
S Eastward head-out switch I Eastward head-in switch I Westward head-in switch S Eastward head-out switch S Westward head-out switch			30 30 15
C. A. Jet.	I	Crossovers and Wabash Connection	40
Atherton	therton I Eastward head-in switch S Head-out switches		40 30
Eton	I	Crossover and Mo. Pac. Connection	30
Congo	I	Crossover Mo. Pac. Connection	40 30

19. YARD LIMITS.

Chicago (includes Corwith and Nerska). All movements between Panhandle Crossing and Stewart Avenue Crossing must be protected as per Rule 99.

Joliet U.S. (includes Joliet Yard).

Streator.

Chillicothe.

Galesburg. (includes G.I. Tower).

Shopton. (includes Fort Madison and Tower B).

Marceline.

Hardin. (Track No. 3 only).

Henrietta. (St. Joseph District and Track No. 3 only).

Sugar Creek.

Sheffield. (A.T.& S.F. Main Track).

Argentine. (includes Turner).

Pekin. (includes East Yards). St. Joseph U.S. (includes Terminal Yard).

16 ILLINOIS DIVISION.

20. BULLETIN BOOKS. Chicago Dearborn Station, Coach Yard and H	Round-					
house Offices. Corwith Telegraph, Roundhouse, No. 6 Yard Offices						
Corwith	es and					
Joliet Yard	.cc:					
St. Joseph	TTICE.					
22. STANDARD THERMOMETERS. Chicago (Coach Yard). Streator. Chillicothe. Marceline. McCook. G.I. Tower. W.B. Jct. Joliet Yard. Nemo. Henrietta. Plaines. Shopton. C.A. Jct.						
23. OVERHEAD OBSTRUCTIONS. (Rule 761).						
Mile Post Name						
FIRST DISTRICT.						
35.4 Railroad Viaduct. 116.9 Railroad Viaduct.						
SECOND DISTRICT.						
136.1 Highway Viaduct. 176.1 Highway Viaduct.						
176.6 Railroad Viaduct.						
THIRD DISTRICT.						
256.6 Highway Viaduct. 270.9 Highway Viaduct. 274.5 Highway Viaduct. 293.3 Highway Viaduct. 300.7 Railroad Viaduct. 306.2 Highway Viaduct. 307.6 Highway Viaduct. 312.5 Railroad Viaduct. 332.6 Highway Viaduct.						
FOURTH DISTRICT.						
347.5 Gracia St. Viaduct. 351.1 Highway Viaduct. 380.7 Highway Viaduct. 427.2 Highway Viaduct. 427.8 Highway Viaduct.						
ST. JOSEPH DISTRICT.						
24.9 Railroad Viaduct.						

24.	INDUSTRY PAGE.	AND	OTHER	TRACKS	NOT	ON	SCHEDUL	E
-----	----------------	-----	-------	--------	-----	----	---------	---

Name	Location	Capacity	
FIRST DISTRICT.			
Waterways Terminal (spur)	M.P. 14.5 M.P. 22.8 M.P. 27.8 M.P. 46.1 M.P. 50.3	72 cars Yard 60 cars 132 cars 7 cars	
SECOND DISTRICT			
Dahinda, Stanolind (spur)	M.P. 163.9	17 cars	
FOURTH DISTRICT	1.	y_	
Missouri Portland Cement Co	M.P. 440.8	Yard	
ST. JOSEPH DISTRIC	CT.		
Everett and Clark	M.P. 41.9	21 cars	
Newby Spur	M.P. 43.9	6 cars	

25. STATUTORY REGULATIONS.

IN ILLINOIS, it is lawful for the conductor to remove from the train, using no unnecessary force, any passenger who shall refuse, upon reasonable demand, to pay his lawful fare, or who shall upon the train or car use any abusive, vulgar, threatening, obscene or profane language thereon, or shall so conduct himself as to make his presence offensive or unsafe to passengers thereon; and when any passenger shall be guilty of disorderly conduct or use any obscene language to the annoyance and vexation of passengers, or play any game of cards or other games of chance for money or other valuable thing upon any railroad train, the conductor is authorized to stop his train at any place where such offense has been committed and eject such passenger from the train, using only the force which may be necessary to accomplish the removal, but before doing so shall tender to such passenger such proportion of the fare he has paid as the distance he then is from the place to which he has paid his fare bears to the whole distance for which he has paid his fare conductor may command the assistance of other employes of the railroad, or any of the passengers to assist in such removal.

IN MISSOURI, if any passenger shall refuse to pay his fare, or shall behave in an offensive manner, or be guilty of repeated violations of the rules of the company, it shall be lawful for the conductor of the train and the servants of the corporation, to put him and his baggage out of the cars, using no unnecessary force, at any usual stopping-place, or near any dwelling-house, as the conductor shall elect on

stopping the train.

SURGEONS OF THE A.T.& S.F. HOSPITAL ASSOCIATION.

THE A.T.& S.F. HOSPITAL ASSOCIATION.
DR. GEO. S. HOPKINS, Chief SurgeonTopeka.
LOCAL SURGEONS.
Dr. T. L. Hansen, 6 N. Michigan Ave
Dr. J. M. L. JENSEN, 6 N. Michigan Ave Chicago. Dr. Wm. D. Fitzgerald, 5158 W. Madison St Chicago.
DR. WM. D. FITZGERALD, 5158 W. Madison St Chicago.
Dr. R. D. Kearney, 6235 S. Kedzie
Dr. Adolph Faller, Jr., 7954 Stony Island Ave Chicago. Dr. Henry Matthews (Colored), 6252 S. Parkway. Chicago.
Dr. Henry Matthews (Colored), 6252 S. Parkway Chicago.
Dr. Lawrence Mann, 616 Railway Exchange Bldg., Chicago.
Dr. G. T. Buttice, 2136 S. Indiana
DR. E. J. MIRMELLI, 3814 S. Kedzie Ave Chicago.
Dr. J. R. Bernier, 1022 Argyle
DR. E. F. ADDENBROOKE, Dermatologist
DR. T. M. BURKHOLDER, Urologist
DR. S. A. LIBERT. Chicago. DRS. J. H. BUCKELY & M. J. McCarthy. Chicago.
DRS. J. H. BUCKELY & M. J. MCCARTHYChicago.
DR. R. S. ROWLETTE. Chicago. DR. C. E. WALLS, 505 N. Ridgeland. Oak Park. DR. T. J. BENTON. Willow Springs.
DR. C. E. WALLS, 505 N. RidgelandOak Park.
DR. T. J. BENTON Willow Springs.
DR. E. W. CAULDWELLLemont. DRS. WM. A. MEADOWS & E. A. ALBERSLockport.
DRS. WM. A. MEADOWS & E. A. ALBERSLockport.
Dr. R. L. Deiss
DRS. JOSEPH DUFFY & C. W. HOFFMANJoliet.
Drs. P. G. Nicholson & R. P. Smyk Coal City.
Dr. W. F. Breisch
Dr. Geo. Powers, JrStreator.
Dr. E. G. Barton Streator.
Dr. J. E. GOTTEMOLLER. Streator.
DR. R. J. DAVIES. Roanoke. DRS. J. I. WEIMER & R. K. TAUBERT. Pekin.
DRS. J. I. WEIMER & R. A. TAUBERTPekin.
DR. MICHAEL SCHUBERTToluca.
DR. I. E. DOLPH
Dr. D. D. Burroughs, (Surgical Consultant) Peoria.
Dr. R. K. DEAN
Dr. J. B. Bronny
Dr. J. B. Bronny
Drs. J. L. Hoyt & R. E. Icenogle Roseville.
Dr. H. C. Scholer
Dr. H. L. BockStronghurst
Drs. G. C. McGinnis & H. L. Schrier Fort Madison.
Drs. G. H. Evers & G. J. McMillan Fort Madison.
Drs. F. R. RICHMOND, Sr. & F. R. RICHMOND, JR Fort Madison.
Dr. R. L. Feightner (Surgery Consultant)Fort Madison.
Dr. J. L. McConnell
Dr. B. F. Hutchinson - Osteopath
Dr. Francis Tarvydas Edina.
Dr. H. D. Lehr - OsteopathLa Plata.
DR. J. J. WIMP
Dr. R. A. Divelbess - Osteopath
DR D D CHILARM PROCESS OF THE PROCES
DR. D. D. STUART Bosworth. DRS. E. L. BALES & E. W. ALLEN. Carrollton.
Dr. R. E. Haskell
Dr. E. E. GAY
Dr. W. B. SpauldingPlattsburg.
DRS. J. R. GREEN, SR. & J. R. GREEN, JR Independence.
Drs. J. H. Ryan & S. E. SenorSt. Joseph.
Dr. R. H. Dunham
Dr. Graham Owens, 906 Grand
Dr. R. D. Irland, Union Station Kansas City, Mo.
Dr. E. G. Kettner, 1103 Grand Ave Kansas City. Mo.
Dr. D. Ferguson (Colored), 1214 Vine Kansas City, Mo.
Dr. W. R. Peterson (Colored), 2462 Brooklyn Kansas City, Mo.
Dr. K. L. Shirman, 103 N. Elmwood
DRS. M. V. LAING, C. C. NESSELRODE &
G. R. Peters, 907 N. 7th. Kansas City, Kans. Dr. C. G. Davis, 905 N. 7th. Kansas City, Kans.
Dr. A. E. Silvers, 1702 Southwest BlvdKansas City, Kans.
Dr. E. S. MILLER, 731 Ann
Dr. W. D. Francisco, Huron Bldg
Dr. W. H. Dyer (Colored), 434 Quindaro Blvd. Kansas City, Kans.
Dr. K. C. Haas, 1533 S. 21st
Dr. J. D. Huff, Huron Bldg Kansas City, Kans.
Dr. H. L. Lloyd, 3200 Strong AveKansas City, Kans.
Dr. W. D. HAWLEY
Dr. P. R. Carpenter

EYE, EAR, NOSE AND THROAT SPECIALISTS AT LOCAL POINTS.

DR. D. J. Boles (Eye Only), 55 E. Washington Chicago.
DR. H. J. KOCH (Eye Only), 6235 S. Kedzie Chicago. DR. O. E. VAN ALYEA, 135 S. LaSalle St Chicago.
Dr. W. G. Ackerman (Eye Only), 104 S. Michigan. Chicago.
DR. G. W. CARLIN. Joliet. DR. B. O. BENDIXEN. Streator.
Dr. E. W. KILLIANStreator.
Dr. P. R. McGrath (Eye Only), 1214 Main St Peoria. Dr. W. E. Owen, 135 North St Peoria.
Dr. G. K. SMART Galesburg.
Dr. A. C. RICHMOND
J. S. KNIGHT, 305 W. 43rd
Dr. W. R. Eubank - Eye Specialist
DR. C. E. HASSIG, Huron Bldg
C. H. Steele, Brotherhood Bldg

A. J. STROBEL, General Watch Inspector......Topeka.


LOCAL TIME INSPECTORS

LOCAL TIME INSPECTORS
J. E. HESS, 1536 W. 47th St
W. H. KERRStreator.
L. A. BirkenbuschPekin.
F. E. LYNDSChillicothe.
C. W. HALLSTROMGalesburg.
L. C. HARDYFort Madison.
Albert ZurcherMarceline.
J. E. POINTER Richmond.
W. G. HARDEN St. Joseph.
J. H. MACE Co. (R. H. Rains), Union Station. Kansas City. Mo.
E. C. GORDON, 4610 Troost
L. J. WITMER, 841 Minnesota Ave Kansas City, Kans.
L. M. CONNOR, 3120 Strong Ave
Ross Lentz, 1506 S. 21st Kansas City, Kans.
R.L. Metz, 3221 Strong Ave Kansas City, Kans.
E. C. GORDON, 5514 Johnson Drive Mission, Kans.

CONDITIONAL STOPS SHOWN BELOW WILL BE MADE ONLY FOR REVENUE PASSENGERS. The term "beyond" refers to regular, flag or conditional stops authorized herein.

TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM	TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM
1-2		Woodward	Woodward	19	Carrollton	Tulsa	
	Streator Chillicothe	Canadian Pampa Amarillo Hereford	Canadian Pampa Amarillo Hereford		East of Kansas City	Dodge City to Halstead inclusive	
	Galesburg La Plata Marceline Carrollton	Clovis Fort Sumner Vaughn Belen and Scheduled stops Williams and beyond	Clovis Fort Sumner Vaughn Belen and Scheduled stops Williams and beyond		Emporia	St. John Garden City Lamar La Junta and North, and Scheduled stops beyond La Junta	
6	Newton to Kansas City		Wichita and beyond	20	Streator Chillicothe		St. John Garden City Lamar
9	In Illinois	Kansas City and beyond			Galesburg La Plata Emporia		La Junta and North, and Scheduled stops beyond La Junta.
	Verona Dallas City		Chicago and beyond	21—22	Streator }	Scheduled stops in California	Scheduled stops Albuquerque and
10	East of Kansas City		Beyond Kansas City	_			beyond
	Ransom Kinsman Verona Mazon	Chicago and beyond			Galesburg	Lamy and Scheduled stops in California	Lamy and Scheduled stops Albuquerque and beyond
	Toluca Dallas City			23—24	Between Kan- sas City and	Beyond	Beyond Wellington
11	Newkirk	Oklahoma City and beyond	Wichita and beyond	100	Wellington In Illinois	Wellington Stations in	Beyond Weinington
12	Newkirk	Wichita and beyond	Oklahoma City and beyond	123	In Illinois	Illinois and beyond Newton	Stations in Illinois
	East of Kansas City		Dodge City to Halstead inclusive		Ft. Madison to Kansas City	Beyond Newton	
15	Marceline	Tulsa, Wichita		124	Newton to Kansas City		Beyond La Junta
	Newkirk	and beyond Oklahoma City	Chicago and beyond Wichita and	211	Collinsville		Kansas City and beyond
	ENGLISH CONTRACTOR WAS DOUGHOUT	and beyond	beyond	-	Olathe	Cherryvale and beyond	Chicago and beyond
16	Marceline	01111	Wichita and beyond	010			
17—18	Joliet	Scheduled stops in Arizona and California	Scheduled stops in Arizona and California	212	Olathe	Chicago and beyond	Cherryvale and beyond
	Streator Chillicothe	Scheduled stops in	Scheduled stops in California		Collinsville	Kansas City and beyond	

Attendants accompanying live-stock or other shipments, may be carried on the train handling shipment of which they are in charge, when provided with proper transportation.





SANTA FE



Every employe should report promptly to his foreman, some member of the Safety Committee, or other proper person, all unsafe conditions or practices.

(See General Rules E and F, Book of Rules.)

