Rio Grande Junction Railway Co.

TIME TABLE No. 16,

To Take Effect at 12:05 o'clock A. M., Feb. 27, 1893.

FOR THE INFORMATION AND GOVERNMENT OF EMPLOYES ONLY.

THE COMPANY RESERVES THE RIGHT TO VARY FROM IT AT PLEASURE.

MOUNTAIN TIME WILL BE USED.

E. T. JEFFERY, General Manage W. G. CHOATE,

H. COLLBRAN,

SPECIAL RULES AND REGULATIONS.

Superseding All General Rules Inconsistent Therewith.

Rights of Trains.—Eastbound Trains have absolute Right of Track over Westbound Trains of same or inferior class.

Passengers will not be carried upon Freight Trains. Baggage will not be checked for Freight Trains.

Employes holding passes may be carried upon any Freight Train.

Passes held by Employes of R. G. Jct. Ry. will be honored on Trains of either Road between points on this Line. Stockmen in charge of stock, when holding proper contracts, will be carried on any Train having their stock.

EXPLANATION OF CHARACTERS:

Letters to Right of Station Names indicate Telegraph Call.

N-Day and Night Telegraph Offices.

s-Regular Stop.

f-Stop on Signals.

Figures under each Train indicate time used by Trains in passing over the Division.

• -Coal. O-Water. D-Day (only) Telegraph Offices.

1-Stop for Meals.
1-Standard Time Clocks. B-Bulletins.

B-Bulletins. Y-Wye.

- A. TRAIN WORK.—Trains must be made up systematically in station order, which order will be preserved in taking or leaving cars. In loading freight, it must, as far as practicable, be consolidated in full car loads, and occupy the least number of cars required, irrespective of other cars having to go empty in the same direction. Conductors must observe the above in loading local freight. Agents at way stations must hold small lots of freight to load on trains, instead of loading in cars at station. Agents at district terminals will transfer and consolidate the contents of lightly
- B. Not more than two engines must be coupled to one Passenger Train. If more power is required, trains must be divided.

loaded cars.

- C. SPEED OF TRAINS.—Trains must not exceed six miles per hour within corporate limits of towns or cities.
- D. AIR BRAKES.—The automatic air-brake must be used on Passenger Trains, and on Freight Trains having cars so equipped, and pressure-retaining valves must be applied before descending heavy grades. In Freight Trains, when only a portion of the cars are so equipped, these must be trained next to the engine, and care exercised in taking up slack of train when reducing speed.

The air hose, when not coupled between cars, must be coupled to dummy coupling provided for that purpose. (See Question No. 1, Air-Brake Instructions.)

Air-brakes must be tested on trains before leaving terminal stations, as required by Air-Brake Instructions. When double headers are run the air must be coupled to both engines, and forward engineman must operate the air-brake.

Pushing engines must always have air-brake coupled.

E. Delayed regular trains must not exceed card time in running, and irregular trains must not make the maximum speed allowed unless the condition of the track, the weather and all circumstances warrant their doing so with safety.

MAXIMUM SPEED OF TRAINS.

F. Delayed 1st Class Trains 40 miles per hour.
Delayed 2nd Class Trains 26 " "

Special Passenger Trains 40 " "

Extra Freight Trains 26 " "

Work Trains 25 " "

Extra Light Engines 30 " "

The speed given above must not be exceeded without an order from the Superintendent.

- G. All trains will reduce speed while running over high trestles, bridges, and at curves on miles 201, 401, 54 and 551.
- H. All trains must pass switches and stations with great caution, expecting to find occasion to stop.
- L In case of an extraordinary rain storm or high water, trains must be brought to a stop and a man sent out to examine bridges, trestles, culverts and other points liable to damage, before passing over.

Conductors and Enginemen will make careful inquiry at all stopping places, and, when thought advisable, make extra stops to ascertain the extent and severity of storms, taking no risks. In case of doubt as to the safety of proceeding, they will place their train upon the siding and remain there until certain it is safe to proceed.

- J. All trains will stop and see that switches are right for their trains to enter and leave Grand Junction Yard. See that all switches are left as found.
- K. Train and Enginemen must procure a copy of the General Rules before running upon this line. These Rules are the same as those in force upon the D. & R. G. Road. Rule Books can be obtained at Superintendent's office.

SPEED TABLE.

Speed	Atme	of Perfor	mance,	Speed	Time of Performance.						
Hour.	36 Mile.	14 Mile.	1 Mile.	Hour.	Mile.	14 Mile.	1 Mile.				
MILES, 12 3 4 4 5 6 77 8 9 10 111 123 134 15 16 17 18 19 20 21 22 23 24 25 6 97 28 29 30	M. S. 15 7 30 4 45 8 45 8 2 30 2 88 1 52 1 40 1 21 1 15 1 9 1 4 1 0 0 56 0 50 0 47 0 45 0 40 0 30 0 31 0 31 0 31 0 31	M. 5. 30 15 10 7 30 6 0 5 0 4 17 3 45 3 20 2 43 2 30 2 18 2 1 2 1 4 40 1 34 1 21 1 18 1 15 1 12 1 16 1 4 1 2 1 0	M. s. 60 20 15 12 0 10 0 0 8 34 7 30 6 40 6 6 0 5 27 4 4 4 7 30 6 40 6 6 2 4 4 4 7 3 6 4 3 6 4 4 4 6 6 6 6 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8	MILES, 312 32 33 34 35 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 55 56 57 58 59 60	M. S. 0 29 0 29 0 29 0 25 0 25 0 25 0 25 0 25	M. S. 0 58 0 56 0 54 0 53 0 50 0 48 0 47 0 48 0 42 0 41 0 40 0 39 0 38 0 37 0 36 0 38 0 33 0 34 0 34	M. S. 1562 149 145 142 140 1132 120 1132 1132 1132 1132 1132 1132				

Rio Grande Junction Railway Company.

RUNNING WEST.

RUNNING EAST.

Second	Class.			First	Class.				MYNEY MADEN				First (Class.			Second	Class.
Salt Lake	61 D. & R. G. Through California Fast Freight.	C. M. Limited Freight.	C. M. Pacific Express.	C. M. Aspen and Utah Express.		D. & R. G. Pacific Mail and Express.	Dietasco from New Gastle,	Chatlens.	TIME TABLE No. 16. In Effect Feb. 27, 1893, at 12:05 A. M.	degraph Stations.	Capacity of Sidings.	2 D. & R. G. Atlantic Mail and Express.	4 D. & R. G. Atlantic Express.	C. M. Centennial State Limited.	C. M. Chicago Limited.	32 C. M. Fast Freight.	62 D. & R. G. Salt Lake Fast Freight.	64 D. & R. G. Through California Fast Freight.
Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Miles.		STATIONS.	6	See.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.
6:10pm	1:45;=	2:10pm	10:30am	9:45ym	10:20m	9:55pm	.0	•0	BI NEW CASTLE. NC	N	200	8:10pm	11:05am	8:20pm	10:15±m	5:25m	1:35pm	10:25pm
6:30	2:04	2:30	10:42	9:57	10:32	10:07	6.8		81LT, 2.9		44	8:00	10:42	8:10	10:03	5:02	1:12	19:97
6:38	2:12	2:38	10:47	10:02	1 10:37	10:12	9.7		ANTLERS.		5	7:55	10:26	8:05	9:58	4:53	1:03	9:45
7:04	2:24	2:51	10:55	10:10	10:45	10:20	14.0	0	Y RIFLE. RI	H	143	1 7:47	10:18	7:57	9:52	4:39	12:47	9:27
7:33 7:45}	2:48	3:15	11:11	f 10:25	f 11:01	10:35	22.9		MORRIS.		55	7:35	10:02	7:45	9:37	4:12	12:17	8:54
8:20	3:10	3:40	: 11:27	10:42	: 11:17	10:52	31.3		PARACHUTE.		84	7:24	9:46	7:34	9:22	3:47	11:50	8:20
8:37	3:24	3:54	111:35	1 10:50	111:25	11:00	36.1		UNA. 7.9		64	7:15	9:37	7:25	9:14	3:32	{ 1:35 1:25	8:05
9:05	3:45	4:16	s 11:50	: 11:05	: 11:40	: 11:15	44.0	0	DE BEQUE.	M	126	1 7:02	9:22	7:12	9:01	3:08	10:57	7:38
9:30	4:05	4:35	12:02	f 11:18	f 11:52	11:28	50.7		CABEZA.		54	6:51	80:0	7:01	8:49	2:48	10:33	7:16
9:44	4:17	4:47	12:10	1 11:25	1 12:00	11:35	54.9		TUNNEL.		61	6:44	1 9:01	6:54	8:42	2:36	10:18	7:04
10:02	4:30	5:02	1 12:18	1 11:34	1 12:08	11:44	59.9		CAMEO. 4.9		59	6:36	1 8:52	6:46	1 8:33	2:22	10:00	6:46 6:32
10:17	4:44	5:15	1 12:28	1 11:43	1 12:18	11:53	64.8	0		D	77	6:27	f 8:42	6:37	1 8:25	2:07	9:42	6:22
10:35	4:57	5:30	f 12:38	1 11:54	1 12:28	12:04	70.0		CLIFTON.		48	6:21	1 8:32	6:31	t 8:17	1:51	9:25	6:09
11:00pm	5:15pm	5:50;=	12:50pm	12:05am	12:40pm	12:15am	76,9	•0	GRAND JUNCTION,	N	230	6:10pm	8:20am	6:20pm	8:05am	1:30am	9:00am	5:50pm
Daily.	Daily.	Daily.	Daily.	Daily.	Daily.	Daily.						Daily.	Daily.	Daily.	Daily,	Daily.	Daily.	Daily.
(4:50)	(3:30)	(3:40)	(2:20)	(2:20)	(2:20)	(2:20)				-	-	(2:00)	(2:45)	(9:00)	(2:10)	(3:55)	(4:35)	(4:35)

C. M. Trains 31 and 32, also D. & R. G. Trains 62 and 63, will do local work between New Castle and Grand Junction.

No Train will leave New Castle or Grand Junction without a Special Order or Clearance Ticket.

Registering Stations—New Castle and Grand Junction.

Switch and Road Engines will have the right to use Tracks within Yard-Limit Boards, regardless of all Second Class and Irregular Trains.

Trains must not exceed eight miles per hour over Switch at Junction of C. M. and D. & R. G. Tracks, near west end New Castle Yard.