

WESTERN PACIFIC RAILWAY COMPANY

WESTERN DIVISION

TIME TABLE

In Effect at 12:01 A. M. Pacific or 120th Meridian Time

(One hour slower than Mountain or 105th Meridian Time)

SUNDAY, NOVEMBER 27th, 1910

This Time Table is for the exclusive use and guidance of the employes concerned. The Company reserves the right to vary from it at pleasure.

Always have at hand for reference, the book of rules of the transportation department.

C. M. LEVEY,
2nd Vice-President and General Manager

J. W. MULHERN,
Superintendent

WESTWARD TRAINS ARE SUPERIOR TO EASTWARD TRAINS OF THE SAME CLASS. ALL TRAINS WILL BE HANDLED UNDER CONTROL REGARDLESS OF SCHEDULE TIME AT ALL POINTS WHERE SLIDES OR FALLING ROCK ARE APT TO BE ENCOUNTERED. EXTRA TRAINS MAY PASS AND RUN AHEAD OF SECOND-CLASS TRAINS WITHOUT ORDERS.

EASTWARD

FIRST DISTRICT

WESTWARD

SECOND CLASS			FIRST CLASS			Station Numbers	Water, Oil, Scales, Tables and Wees Register Stations Standard Clocks	Distance from San Francisco	Time Table No. 7 November 27, 1910 Succeeding No. 6			Distance from Stockton	Capacity of Side Tracks	Office Open	FIRST CLASS			SECOND CLASS		
192	64	90	4	10	8				9	7	1				91	193	65			
Way Freight Tues., Thurs., Sat.	Freight DAILY	Way Freight Except Sunday	Passenger DAILY	Passenger DAILY	Passenger DAILY			STATIONS Telegraph Offices and Calls				Passenger DAILY	Passenger DAILY	Passenger DAILY	Way Freight Except Sunday	Way Freight Tues., Thurs., Sat.	Freight DAILY			
			P. M. L. 7.30	P. M. L. 4.30	A. M. L. 9.00	0	W. C. O.	0.0	DN. SAN FRANCISCO ..Go	93.8	Yard		P. M. A. 12.30	P. M. A. 3.50	P. M. A. 8.45					
			8.00	4.55	9.25	3	W. C.	3.5	D. . . . WESTERN PACIFIC MOLE .WR	90.3	Yard	9 am to 9 pm	12.05PM	3.25	8.15					
								5.2S. P. CROSSING.....	88.6										
	P. M. L. 10.00	A. M. L. 7.00		8.04	4.59	9.30	6	W. C. O. T. R. K.	5.4	DN. OAKLAND TERMINAL. Ma	88.4	Yard		11.59AM	3.20	8.11	P. M. A. 4.00	A. M. A. 2.00		
								5.8S. P. CROSSING.....	88.0										
	10.07	7.08		\$ 8.08	\$ 5.02	\$ 9.34		6.6 OAKLAND	87.2			\$ 11.54	\$ 3.16	\$ 8.08		3.50	1.50		
								6.8S. P. CROSSING.....	87.0										
								7.2S. P. CROSSING.....	86.6										
								7.8S. P. CROSSING.....	86.0										
	10.15	7.25		F 8.18	5.09	\$ 9.42	10	9.7 FRUITVALE	84.1	33		11.45	\$ 3.08	F 7.59		3.30	1.43		
	10.17	7.30		8.20	5.10	F 9.44	11	10.4 MBLROSE	83.4	10		11.43	F 3.06	7.57		3.25	1.40		
									S. P. Crossing											
	10.30	7.45		8.27	5.16	F 9.51	13	13.3 ELMHURST	80.5	40		11.37	F 2.59	7.51		3.10	1.30		
									S. P. Crossing											
	10.35	7.50		F 8.31	F 5.19	\$ 9.54	15	14.7	D. . . . SAN LEANDRO . . .DR	79.1	5	7 am to 7 pm	F 11.34	\$ 2.56	F 7.48		2.56	1.25		
	10.55	8.30		F 8.43	F 5.29	\$ 10.05	20	20.4	D. . . . HAYWARDS . . .Hy	73.4	60	9 am to 9 pm	F 11.23	\$ 2.45	F 7.38		2.05	1.00		
	11.20	9.05		F 8.55	5.38	F 10.15	27	26.6	D. . . . DECATOD	67.2	20	7 am to 7 pm	11.13	\$ 2.35	7.28		1.30	12.35		
	11.35PM	9.30		\$ 9.01	F 5.43	\$ 10.23	30	29.7	DN. . . . NILESCn	64.1	91		F 11.08	\$ 2.27	F 7.23		1.05	12.20		
								30.3S. P. CROSSING.....	63.5										
	12.01AM	10.05		F 9.15	5.56	\$ 10.36	36	36.0	D. SUNOLSb	57.8	39	7 am to 7 pm	10.55	\$ 2.14	F 7.10		12.30PM	12.01AM		
	12.20	10.46		\$ 9.29	\$ 6.04	\$ 10.46	41	41.5	D. . . . PLEASANTON . . .Tn	52.3	33	6.30 am to 6.30 pm	\$ 10.46	\$ 2.04	\$ 7.00		11.55AM	11.35PM		
								42.7S. P. CROSSING.....	51.1										
								42.9S. P. CROSSING.....	50.9										
	12.40	11.20		\$ 9.44	\$ 6.15	\$ 10.59	48	47.6	2S. . . . LIVERMORE . . .Vn	46.2	35	8 am to 5 pm 8 pm to 5 am	\$ 10.34	\$ 1.51	\$ 6.49		11.20 10.59	11.15		
	1.15	11.55AM		10.05	6.32	F 11.16	56	56.5	D. ALTAMONTMN	37.3	45	7 am to 7 pm	10.17	\$ 1.34	6.32		10.17	10.45		
	1.40	12.25PM		10.22	6.46	F 11.31	63	62.9 MIDWAY	30.9	40		10.05	F 1.19	6.12		9.35	10.22		
P. M. L. 3.00	2.10	1.03		\$ 10.44	7.02	\$ 11.47	72	71.8	2S. CARBONACb	22.0	127	8 am to 5 pm 9 pm to 6 am	9.50	\$ 1.03	F 5.53		8.50	A. M. A. 11.00	9.35	
3.10	2.20	1.15		10.48	7.06	F 11.51AM	74	73.9	D. LYOTHKy	19.9	64	7 am to 7 pm	9.47	\$ 12.59	5.49		8.40	10.50	9.25	
									S. P. Crossing											
3.50	2.55	2.30		F 11.08	7.22	\$ 12.07PM	84	83.8 LATHROP	10.0	84		9.35	\$ 12.43	F 5.33		7.45	10.05	8.40	
									S. P. Crossing											
4.10	3.15	3.10		11.22	7.33	12.18	90	90.5 ORTEGA	3.3	13		9.25	12.32	5.22		7.15	9.45	8.15	
								93.2	...A. T. & S. F. CROSSING...	0.6										
4.30 P. M. A.	3.30 A. M. A.	3.30 P. M. A.		11.30 P. M. A.	7.40 P. M. A.	12.25 P. M. A.	94	93.8	DN. STOCKTONSn	0.0	Yard		9.20 A. M. L.	12.25 P. M. L.	5.15 P. M. L.		7.00 A. M. L.	9.30 A. M. L.	8.00 P. M. L.	
Tues., Thurs., Sat.	DAILY	Except Sunday		DAILY	DAILY	DAILY			S. P. Crossing				DAILY	DAILY	DAILY		Except Sunday	Tues., Thurs., Sat.	DAILY	
1.30	5.30	8.30		3.30	2.45	3.00			Time over District				2.45	3.00	3.00		9.00	1.30	6.00	
14.6	16.0	10.3		25.8	32.7	30.1			Average Speed per Hour				32.7	30.1	30.1		9.8	14.6	14.6	

BULLETIN STATIONS: Western Pacific Mole, Oakland Terminal, Stockton.
 Nos. 90-91-192 and 193 will carry passengers in caboose.
 Second-class and extra trains must approach all stations under full control, where view of main track within station limits is obstructed, expecting to find main line occupied, and will be governed by Rule 93, of the Transportation Department. Where there are no fixed signals indicating yard limits, trains will, when within switches, be considered as within yard limits.
 Automatic block signals govern track through Tunnels 1 and 2, three and one-half miles east of Niles. Eastward trains governed by home signal located fifteen hundred feet west of west portal Tunnel No. 1. No distant signal. Westward trains governed by home signal located two hundred feet east of east portal Tunnel No. 2. Distant signal located Nos. 192 and 193 will register at Carbona.

eighteen hundred feet east of home signal. A train finding the home signal in stop position will immediately send a flagman with lighted red and white lanterns ahead. After waiting five minutes the train will proceed, keeping at least one thousand feet behind the flagman until through both tunnels. If no obstruction is found, the facts will be reported to the superintendent from the first open telegraph office. In case a train is stopped within the block limits, it must be immediately protected as per Rule 99 regardless of the position of the signal. Rear brakemen will keep a red and white lantern lighted while passing through both tunnels.
 All trains must consume five (5) minutes passing through Niles Tunnel between Niles and Sunol.
 San Joaquin River drawbridge located 6.4 miles east of Lyoth. Home signals located five hundred feet east and west of bridge indicate position of draw. No distant signals.

INTERLOCKING PLANTS AND SIGNALS GOVERNING GRADE CROSSINGS—SEE PAGE 5.

**WESTWARD TRAINS ARE SUPERIOR TO EASTWARD TRAINS OF THE SAME CLASS.
 ALL TRAINS WILL BE HANDLED UNDER CONTROL REGARDLESS OF SCHEDULE TIME AT ALL POINTS WHERE SLIDES OR FALLING ROCK ARE APT TO BE ENCOUNTERED.
 EXTRA TRAINS MAY PASS AND RUN AHEAD OF SECOND-CLASS TRAINS WITHOUT ORDERS.**

EASTWARD			SECOND DISTRICT										WESTWARD						
SECOND CLASS			FIRST CLASS			Station Numbers	Water, Oil, Scales, Tables and Wyes and Register Stations Standard Clocks	Distance from San Francisco	Time Table No. 7		Distance from Oroville	Capacity of Side Tracks	Office Open	FIRST CLASS			SECOND CLASS		
94	92	64	4	10	8				November 27, 1910 Succeeding No. 6	STATIONS				STATIONS	9	7	1	93	65
Way Freight	Way Freight	Freight	Passenger	Passenger	Passenger	Telegraph Offices and Calls	Telegraph Offices and Calls	Passenger	Passenger	Passenger	Way Freight	Freight	Way Freight						
Except Sunday	Except Sunday	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	DAILY	Except Sunday	DAILY	Except Sunday						
A.M.L.	A.M.L.	A.M.L.	P.M.L.	P.M.L.	P.M.L.						A.M.A.	P.M.A.	P.M.A.	P.M.A.	P.M.A.				
	5.30	4.30	11.30	7.40	12.25	94	W.C.O.T.R.K.	93.8	DN.....STOCKTON.....Sn	111.3	Yard	9.20	12.25	5.15	4.00	7.00			
								95.1S. P. CROSSING.....	110.0									
	6.05	5.00	F11.55PM	8.00	\$12.50	105		104.8	D.....WEST LODI.....Di	100.3	91	7 am to 7 pm	9.00	\$12.02PM	4.55	3.00	6.20		
	6.25	5.15	12.03AM	8.08	F12.59	109		109.5BRACK.....	95.6	62		8.52	F11.53AM	4.48	2.40	6.15		
	6.40	5.30	\$12.11	F 8.16	\$ 1.08	114	W.	113.9	D..... THORNTONNh	91.2	100	7 am to 7 pm	F 8.44	\$11.45	\$ 4.41	2.20	6.00		
	7.00	5.50	F12.21	8.25	F 1.18	119		119.1 CERRO	86.0	46		8.35	F11.35	F 4.33	1.55	5.45		
	7.20	6.10	\$12.31	8.34	\$ 1.28	124		124.7	D..... FRANKLINFR	80.4	90	7 am to 7 pm	8.27	\$11.28	F 4.25	1.28	5.32		
	7.35	6.22	12.41	8.42	F 1.37	129		129.0 SIMS	76.1	18		8.19	F11.15	4.17	1.00	5.20		
	7.50	6.35	12.51	8.50	F 1.46	134		133.6 CORDOVA	71.5	7		8.10	F11.05	F 4.09	12.35	5.07		
	8.05	6.45	12.56	8.55	F 1.51	136		136.3 JEFFERY SHOPS	68.8	64		8.05	F11.00	4.05	12.20	5.00		
	8.30	6.55	\$ 1.01	9.00 P.M.A.	\$ 1.56	139	W.O.Y.K.	138.6	S. P. Crossing A DN.... SACRAMENTOSt	66.5	Yard	8.00 A.M.L.	\$10.55	\$ 4.00	12.10PM	4.50			
								140.8N. E. CROSSING.....	64.3									
	9.10	7.10	F 1.15		F 2.07	144		143.9 DEL PASO	61.2	73		F10.40	F 3.47	11.30AM	4.30			
	9.40	7.30	F 1.30		F 2.20	151		150.9 COUNSMAN	54.2	70		F10.28	F 3.36	10.55	4.10			
								152.5N. E. CROSSING.....	52.6									
	10.15	7.50	F 1.45		\$ 2.32	158	W.	156.1	D...PLEASANT GROVE..GV	49.0	65	7 am to 7 pm	\$10.15	F 3.25	10.15	3.50			
								162.0 NICOLAUS	43.1	Spur 4								
	11.50AM	8.30	F 2.15		F 3.02	172		172.5 DENNISTON	32.6	84		F 9.45	F 3.02	8.30	3.02			
								178.1N. E. CROSSING.....	27.0									
	12.55PM	8.50	\$ 2.30		\$ 3.17	179	W.	178.8	DN.... MARYSVILLEMs	26.3	142		\$ 9.30	\$ 2.46	7.45	2.20			
								180.2	S. P. Crossing										
	1.45	9.15	F 2.45		F 3.34	186		185.8S. P. CROSSING.....	24.9									
	2.22	9.50	F 3.02		F 3.50	193		192.9 TAMBO	19.3	50		F 9.15	F 2.33	7.20	1.45			
	3.00	10.20	\$ 3.15		\$ 4.00	199		199.4 MARSTON	12.2	62		F 9.02	F 2.22	6.45	1.20			
								199.4	D..... PALERMOMo	5.7	93	7 am to 7 pm	\$ 8.50	\$ 2.10	6.15	1.00			
A.M.L.	3.30	10.45	3.25		4.10	203	W.C.O.T.	202.9	...OROVILLE TERMINAL...	2.2	Yard		8.40	2.00	6.00	12.45 PM	P.M.A.		
6.00	P.M.A.	11.45						205.1	DN..... OROVILLEYd	0.0	69		8.35 A.M.L.	1.55 P.M.L.	A.M.L.	11.45 AM	4.10		
6.15	A.M.A.	11.59	3.30		4.15	205	R.K.								A.M.L.	11.30	3.45		
A.M.A.			P.M.A.		P.M.A.											P.M.L.			
Except Sunday	Except Sunday	DAILY	DAILY	DAILY	DAILY								DAILY	DAILY	DAILY	Except Sunday	DAILY	Except Sunday	
	10.00	6.15	4.00	1.20	3.50				Time over District				1.20	3.50	3.20	10.00	6.15		
	10.9	17.4	27.8	33.6	29.0				Average Speed per Hour				33.6	29.0	33.3	10.9	17.4		

WESTWARD TRAINS ARE SUPERIOR TO EASTWARD TRAINS OF THE SAME CLASS.
 TRAINS MUST GET CLEARANCE AT SACRAMENTO DISPATCHER'S OFFICE BEFORE LEAVING THAT POINT.
 EXTRA TRAINS MAY PASS AND RUN AHEAD OF SECOND CLASS TRAINS WITHOUT ORDERS.
 OROVILLE YARD EXTENDS FROM THE WEST SWITCH AT OROVILLE TERMINAL TO THE EAST SWITCH AT OROVILLE.
 TRAINS MOVING BETWEEN OROVILLE TERMINAL AND OROVILLE WILL BE GOVERNED BY RULE 93 OF THE TRANSPORTATION DEPARTMENT.

BULLETIN STATIONS: Stockton, Oroville.
 Nos. 9 and 10 will register at Sacramento.
 Nos. 92 and 93 will carry passengers in caboose.
 Second-class and extra trains must approach all stations under full control, where view of main track within station limits is obstructed, expecting to find main line occupied, and will be governed by Rule 93, of the Transportation Department. Where there are no fixed signals indicating yard limits, trains will, when within switches, be considered as within yard limits.
 Mokelumne River drawbridge, located 2.4 miles east of Thornton. Home signals five hundred feet east and west of bridge indicate position of draw. One distant signal 2,500 feet east of draw.

INTERLOCKING PLANTS AND SIGNALS GOVERNING GRADE CROSSINGS.
 S. P. crossing M. P. 95.1. Interlocked. Home signals four hundred and fifty feet east and west of crossing. One distant signal twenty-four hundred and fifty feet east of crossing.
 S. P. crossing M. P. 133.6. No signals.
 S. P. crossing M. P. 173.8. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 S. P. crossing M. P. 180.2. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 At grade crossings not interlocked or protected by signals, all trains will come to full stop 200 feet from crossing and ascertain it is clear before proceeding.

EASTWARD				THIRD DISTRICT										WESTWARD				
SECOND CLASS				FIRST CLASS		Station Numbers	Water, Oil, Scales, Tapes and Wyes Register Stations Standard Clocks	Distance from San Francisco	Time Table No. 7 November 27, 1910 Succeeding No. 6		Distance from Portola	Capacity of Side Tracks	Office Open	FIRST CLASS		SECOND CLASS		
64	94	4		STATIONS Telegraph Offices and Calls	1				65	95								
Freight	Way Freight	Passenger			Passenger	Freight	Way Freight											
DAILY	Except Sunday	DAILY			DAILY	DAILY	Except Sunday											
A.M.L.	A.M.L.	A.M.L.			P.M.A.	A.M.A.	P.M.A.											
11.59	6.15	3.40		205	R. K.	205.1	DN..... OROVILLE.....Yd	116.3	69									
12.25 PM	6.45	3.55		213		212.7	F..... BIDWELL.....	108.7	38									
12.40	7.05	F 4.05		217	W.	217.5 BLOOMER.....	103.9	54									
12.50	7.20	F 4.17		221		221.4 LAS PLUMAS.....	100.0	11									
1.03	7.30	F 4.26		224		224.3	DN... BERRY CREEK....Bk	97.1	55									
1.20	7.50	F 4.40		229	W.	228.5	F..... BLINZIG.....	92.9	20									
1.30	8.00	F 4.50		232		232.2 INTAKE.....	89.2	12									
1.45	8.15	F 4.59		235		235.2	F..... POE.....	86.2	48									
2.08	8.30	S 5.12		239	W.C.	239.2	2S..... BIG BAR.....Bg	82.2	73	10 pm to 7 am 9 am to 6 pm								
2.32	8.50	5.26		244		243.7	F..... CRESTA.....	77.7	34									
2.50	9.05	F 5.38		248	W.	247.5	F..... MERLIN.....	73.9	45									
3.20	9.30	5.54		253		253.1	F..... TOBIN.....	68.3	60									
3.55	10.05	F 6.14		260	W.	259.9	DN..... BELDEN.....Bn	61.5	64									
4.15	10.30	F 6.29		263		264.6	F..... RICH.....	56.8	62									
4.50	11.00	F 6.49		270	W.	270.3	F..... VIRGILIA.....	51.1	52									
5.10	11.20 AM	F 7.00		274		273.7 TWAIN.....	47.7	67									
5.45	12.05 PM	S 7.20		281	W.C.	281.0	DN..... KEDDIE.....Kd	40.4	60									
6.20	12.45	S 7.40		288		287.8	D..... HARTWELL.....Rt	33.6	65	7 am to 7 pm								
7.10	1.40	S 8.10		297	W.	296.6	DN... SPRING GARDEN...Sg	24.8	70									
7.35	2.00	F 8.30		301		301.6	D..... SLOAT.....SO	19.8	49	6 am to 6 pm								
8.25	2.55	F 8.53		310	W.	310.3	F..... BLAIRSDEN.....	11.1	30									
8.40	3.15	F 9.10		314		313.6	D..... CLIO.....Co	7.8	52	7 am to 7 pm								
9.10	3.40	F 9.25		318		318.3	F..... MABIE.....	3.1	17									
9.30 P.M.A.	4.00 P.M.A.	9.35 A.M.A.		321	W.C.T.O. R.K.	321.4	DN..... PORTOLA.....K	0.0	Yard									
DAILY	Except Sunday	DAILY																
9.30	9.45	5.55																
12.2	11.8	19.6																
Time over District																		
Average Speed per Hour																		

WESTWARD TRAINS ARE SUPERIOR TO EASTWARD TRAINS OF THE SAME CLASS.
ALL TRAINS WILL BE HANDLED UNDER CONTROL REGARDLESS OF SCHEDULE TIME AT ALL POINTS WHERE SLIDES OR FALLING ROCK ARE APT TO BE ENCOUNTERED. WHEN TRAINS OF THE SAME CLASS MEET ON THE THIRD DISTRICT, THE WEST-BOUND TRAIN WILL TAKE SIDING. EXTRA TRAINS MAY PASS AND RUN AHEAD OF SECOND CLASS TRAINS WITHOUT ORDERS.

BULLETIN STATIONS: Oroville, Portola.
 All trains must consume nine (9) minutes passing through Spring Garden Tunnel between Spring Garden and Sloat.
 Second-class and extra trains must approach all stations under full control, where view of main track within station limits is obstructed, expecting to find main line occupied, and will be governed by Rule 93, of the Transportation Department. Where there are no fixed signals indicating yard limits, trains will, when within switches, be considered as within yard limits.
INTERLOCKING PLANTS AND SIGNALS GOVERNING GRADE CROSSINGS.
 S. V. & M. crossing M. P. 318.3. No signals. All trains come to full stop 200 feet from crossing and ascertain it is clear before proceeding.

Automatic signals govern track through tunnel No. 35, between Sloat and Spring Garden. Eastward trains governed by home signal, located 1,000 feet west of tunnel. Westward trains governed by home signal located 400 feet east of tunnel and distant signal located 2,000 feet east of the home signal. A train finding the home signal in stop position will immediately send a flagman with lighted red and white lanterns ahead. After waiting five minutes, the train will proceed, keeping at least 1,000 feet behind the flagman until through tunnel. If no obstruction is found, the fact will be reported to Superintendent from first telegraph office. In case a train is stopped within the block limits, it must be immediately protected as per Rule 99, regardless of the position of the signal. Rear brakeman will keep a red and white lantern lighted while passing through the tunnel.

EASTWARD				FOURTH DISTRICT				WESTWARD						
SECOND CLASS		FIRST CLASS		Time Table No. 7				FIRST CLASS		SECOND CLASS				
216	64	4		Station Numbers	Water, Oil, Tables, Scales and Wyes Register Stations Standard Clocks	Distance from San Francisco	November 27, 1910 Succeeding No. 6		Distance from Gerlach	Capacity of Sidings	Office Open	1	65	217
Mixed	Freight	Passenger					STATIONS					Passenger	Freight	Mixed
Except Sunday	DAILY	DAILY		Telegraph Offices and Calls								DAILY	DAILY	Except Sunday
A.M.L. 9.15	P.M.L. 10.30	A.M.L. 9.45		321	W.C.T.O. R.K.	321.4	DN.....	PORTOLA.....	Kl	116.9	Yard	A.M.A. 8.40	A.M.A. 2.00	P.M.A. 6.30
9.27 A.M.A.	10.40	9.51		324		324.1	B. & L. JCT.....		114.2		8.33	1.45	6.18 P.M.L.
B. & L. No. 17	10.55	\$10.01		328		328.1	BECKWITH JCT.....		110.2	34	\$ 8.27	1.30	B. & L. No. 16
	11.10	10.11		332		332.4	HINDOO.....		105.9	40	8.20	1.12	
	11.35	F10.26		340	W.	339.6	2S.....	CHILCOOT.....	Ch	98.7	25	F 8.10	12.50	
	11.50 PM	10.36		342		341.8	RAINBOW.....		96.5	30	8.00	12.35	
	12.20 AM	10.44		345		345.8	SCOTTS.....		92.5	35	7.51	12.20 AM	
	12.38	F10.56		353		352.1	RED ROCK.....		86.2	21	F 7.35	11.55 PM	
	12.48	F11.02		356		355.5	CONSTANTIA.....		82.8	12	F 7.28	11.45	
	12.58	\$11.08		358	W.C.	358.2	D.....	OMIRA.....	Ma	80.1	82	7 am to 7 pm \$ 7.22	11.30	
	1.15	\$11.18		362		362.9	DN.....	DOYLE.....	Do	75.4	58	\$ 7.11	11.15	
				363		363.6	N. C. O. Ry. Transfer....		74.7	Spur 30			
	2.00	F11.43		372		371.5	N. C. O. Ry. Crossing....		66.8				
	2.35	F11.58 AM		384		377.6	CALNEVA, Cal.....		60.7	30	F 6.46	10.30	
	3.00	12.13 PM		391		383.9	D.....	FLANIGAN Nev.....	Fn	54.4	61	7 am to 7 pm F 6.35	10.10	
	3.10	F12.18		394		391.7	KEPLER.....		46.6	54	6.22	9.46	
	3.45	F12.38		405		393.7	DN.....	SAND PASS.....	Sa	44.6	60	F 6.19	9.40	
	4.20	F 1.00		416		404.8	SANO.....		33.5	59	F 5.59	9.03	
	4.50	F 1.15		424		416.4	REYNARD.....		21.9	57	F 5.39	8.25	
	5.17	1.27		431		424.0	BRONTE.....		14.3	74	F 5.27	8.00	
6.00 A.M.A.		1.40 P.M.A.		438	W.C.T.Y. R.K.	430.6	PHIL.....		7.7	81	5.17	7.38	
Ex. Sun.	DAILY	DAILY				438.3	DN.....	GERLACH.....	Gr	0.0	Yard	5.05 A.M.L.	7.15 P.M.L.	
0.12	7.30	3.55					Time over District					3.35	6.45	0.12
13.5	15.3	29.8					Average Speed per Hour					32.6	17.1	18.5

WESTWARD TRAINS ARE SUPERIOR TO EASTWARD TRAINS OF THE SAME CLASS.
ALL TRAINS WILL BE HANDLED UNDER CONTROL REGARDLESS OF SCHEDULE TIME AT ALL POINTS WHERE SLIDES OR FALLING ROCK ARE APT TO BE ENCOUNTERED.

EXTRA TRAINS MAY PASS AND RUN AHEAD OF SECOND-CLASS TRAINS WITHOUT ORDERS.

BULLETIN STATIONS: Portola, Gerlach.

All trains must consume seven (7) minutes passing through Chilcoot Tunnel, between Chilcoot and Rainbow.

Second-class and extra trains must approach all stations under full control, where view of main track within station limits is obstructed, expecting to find main line occupied, and will be governed by Rule 93, of the Transportation Department. Where there are no fixed signals indicating yard limits, trains will, when within switches, be considered as within yard limits.

INTERLOCKING PLANTS AND SIGNALS GOVERNING GRADE CROSSINGS.

B. & L. crossing M. P. 328.1. N. C. O. crossing M. P. 371.5. No signals. All trains come to full stop 200 feet from crossing and ascertain it is clear before proceeding.

Automatic block signals govern track through tunnel No. 37, between Chilcoot and Rainbow. Eastward trains governed by home signal located 450 feet west of tunnel. Westward trains governed by home signal located 2,000 feet east of tunnel. A train finding the home signal in stop position will immediately send a flagman with lighted red and white lanterns ahead. After waiting five minutes the train will proceed, keeping at least 1,000 feet behind the flagman, until through tunnel. If no obstruction is found, the facts will be reported to Superintendent from first telegraph office. In case a train is stopped within the block limits, it must be immediately protected, as per Rule 99, regardless of the position of the signal. Rear brakeman will keep a red and white lantern lighted while passing through the tunnel.

**COMMERCIAL SPURS
MAIN LINE**

STATIONS	Distance from San Francisco	How Connected	Cars Capacity
HUDSON LUMBER CO.....	15.9	1 E	14
OAKLAND BRICK CO. SPUR....	27.7	1 E	20
EBERLY, F 7 & 8.....	28.9	Siding	22
NILES PIT	29.1	Siding	106
CALIFORNIA BRICK CO. SPUR.	31.8	1 W	15
HACIENDA, F 7 & 8.....	39.7	1 W	6
PALMER	49.0	1 W	14
GOECKEN, F 7 & 8.....	53.9	1 E	5
LINNE	70.6	1 E	7
LUDWIG	73.0	1 E	7
RHODES	75.5	1 W	4
FITZ	77.3	1 W	10
GARRISON	82.7	1 W	13
FRENCH CAMP	88.6	1 W	8
HARTE, F 7 & 8.....	100.4	1 W	12
GREER, F 7 & 8.....	131.6	1 E	10
CLEVELAND SPUR	176.1	1 W	9
VALLEY CONTRACTING CO. SPUR.....	204.3	1 W	14
SWAYNE LUMBER CO., F 7 & 8.	229.2	Siding	7
MASSACK	292.2	1 E	12
CROMBERG	303.2	Siding	24
DELLEKER	320.0	1 E	66

EASTWARD

SECOND CLASS		Water, Oil, Scales, Tables and Wyes Register Stations Standard Clocks	Station Numbers	Distance from Tesla	Time Table No. 7 November 27, 1910 Succeeding No. 6		Distance from Carbona	Capacity of Sidings	SECOND CLASS	
192	193				STATIONS	STATIONS				
Way Freight	Way Freight				November 27, 1910	November 27, 1910			Way Freight	Way Freight
Tues., Thurs., Sat.	Tues., Thurs., Sat.				Succeeding No. 6	Succeeding No. 6			Tues., Thurs., Sat.	Tues., Thurs., Sat.
P. M. L. 1.15	P. M. L. 1.15		BA13	0.0 TESLA TESLA	13.3	89	P. M. A. 12.45	P. M. A. 12.45
1.30	1.30		BA12	1.7 WALDEN WALDEN	11.6	80	12.30PM	12.30PM
2.00	2.00	W.	BA10	3.7 CARNEGIE CARNEGIE	9.6	150	11.55AM	11.55AM
2.35	2.35		BA4	9.9 KERLINGER KERLINGER	3.4	80	11.25	11.25
3.00 P. M. A.	3.00 P. M. A.	W. C. Y. R.	72	13.3	D..... CARBONACB	D..... CARBONACB	0.0	133	11.00 A. M. L.	11.00 A. M. L.
Tues., Thurs., Sat.	Tues., Thurs., Sat.								Tues., Thurs., Sat.	Tues., Thurs., Sat.
1.45	1.45				Time over District	Time over District			1.45	1.45
7.4	7.4				Average Speed per Hour	Average Speed per Hour			7.4	7.4

Derailing switches in main line just east of east switches at Carnegie and Tesla. All trains in both directions will stop and set these for the ground after passing over. Clay bunkers on main line at Tesla will not clear men on sides or top of box cars. Trains on Tesla Branch will not exceed speed of 12 miles per hour. When there are cars on the short track on the north side of main line just west of freight house at Carnegie, they will not clear a man on the side of a car on the main line. Bunkers on north side of main line at Manganese, seven miles west of Carbona, will not clear man on side of car.

WESTWARD TRAINS ARE SUPERIOR TO EASTWARD TRAINS OF THE SAME CLASS.

ALL TRAINS WILL BE HANDLED UNDER CONTROL REGARDLESS OF SCHEDULE TIME AT ALL POINTS WHERE SLIDES OR FALLING ROCK ARE APT TO BE ENCOUNTERED.

INTERLOCKING PLANTS AND SIGNALS GOVERNING GRADE CROSSINGS ON FIRST DISTRICT.

S. P. crossing M. P. 5.2. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 S. P. crossing M. P. 5.8.
 S. P. crossing M. P. 6.8.
 Temporary home signals located five hundred feet east and west of each crossing. All trains come to full stop regardless of position of signals and not proceed until given hand signal by flagman.
 S. P. crossing M. P. 7.2. No signals.
 S. P. crossing M. P. 7.8. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 S. P. crossing M. P. 10.4. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 S. P. crossing M. P. 13.3. No signals.
 S. P. crossing M. P. 30.3. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 S. P. crossing M. P. 42.7. No signals.
 S. P. crossing M. P. 42.9. No signals.
 S. P. crossing M. P. 73.9. Interlocked. Home signals eight hundred feet west and four hundred and fifty feet east of crossing. Distant signals two thousand feet east and west

of home signals. Two-arm signal two hundred and ten feet west of crossing; upper arm governs main line westward over crossover switch; lower arm governs movement from main track to passing track through crossover. Dwarf signal fifty feet west of crossover between main line and passing track governs movement from passing track through crossover to main line.
 S. P. crossing M. P. 83.8. Interlocked. Home signals four hundred and fifty feet east and west of crossing. Distant signals two thousand feet east and west of home signals.
 S. P. crossing of old Tesla Line. Ortega, M. P. 90.5. Interlocked. Two-arm home signal five hundred feet west of junction switch. Upper arm governs eastward trains on main line; lower arm governs trains over S. P. crossing old line. Home signal five hundred feet east of junction governs westward trains on main line. Distant signals two thousand feet east and west of home signals.
 Sante Fe crossing M. P. 93.2. Interlocked. Home signals four hundred and fifty feet east and west of crossing. One distant signal twenty-four hundred and fifty feet west of crossing.
 S. P. crossing M. P. 93.8. Interlocked. Home signals four hundred and fifty feet east and west of crossing. No distant signals.
 At grade crossings not interlocked or protected by signals, all trains will come to full stop 200 feet from crossing and ascertain it is clear before proceeding.

FLAGGING RULES FOR BRIDGE AND TRACK FOREMEN

Bridge and track foremen must be familiar with the use and meaning of all signals and see that they are clearly understood and rightly used by persons employed under them. When making repairs to track or bridges, they must endeavor to keep the main track safe for the passage of trains. The main track must never be obstructed in any way without first conspicuously displaying the stop signal. When changing rails or in any way working on the track or bridges, rendering track impassable, first put out a red flag in the hands of a reliable man (which must be kept in his hands), twenty telegraph poles in each direction from the impassable point and the flagmen must also place one torpedo at a distance of four telegraph poles beyond the point of the flag. In foggy weather on heavy down grade or curves, flags must be placed at least ten telegraph poles farther distant than above. When necessary to protect a section of track that is not impassable, but over which speed should be reduced, the following rule will govern: A yellow flag by day or a yellow light at night should be placed, on the engineer's side in both directions, twenty telegraph poles from the point where the slow track begins, and a green flag on the same side of track at a point where the slow track ends; the yellow flag to indicate to engineer the restrictions to be observed, green flag will indicate that he has passed over the slow track. Track and bridge men will be held responsible for the strict compliance with these rules by their men and must report any violations on the part of train or enginemen to observe same.

F. L. CORWIN,
Trainmaster, Stockton

J. P. QUIGLEY,
Chief Dispatcher, Sacramento

W. J. DAVIS,
Trainmaster, Portola