

WILMINGTON DIVISION.

From San Francisco.			Distances from Los Angeles.	STATIONS.	Distances from San Francisco.	Toward San Francisco.		
5 Passenger. A	3 Passenger. A	1 Passenger. A				2 Passenger. A	4 Passenger. A	6 Passenger. A
3.30 p m	10.35 a m	4.00 p m	.0	LV † Los Angeles. Ar	470.7	8.50 a m	2.20 p m	9.10 a m
4.00	11 05	4.30	6.0	... Florence ...	476.7	8.20	1.52	8.37
4.20	11.22		11.5	... † Compton ...	482.2		1.35	8.20
4.25*	11.30*		13.8	... † Dominguez ...	484.5		*1.28	*8.12
4.35*	11.37*		16.3	... † Cerritos ...	487.0		*1.20	*8.05
4.55 p m	11.55 a m		22.3	Ar † Wilmington. LV	493.0		1.00 p m	7.45 a m

SAN DIEGO DIVISION.

		4.30 p m	6.0	LV ... Florence ... Ar	476.7	8.20 a m		
		4.55	12.7	... † Downey ...	483.4	7.50		
		5.10	16.8	... † Norwalk ...	487.5	7.30		
		5.30*	23.1	... Costa ...	493.8	*7.10		
		5.40 p m	26.7	Ar ... † Anaheim ... LV	497.4	7.00 a m		

A—Daily.
 FULL FACED FIGURES denote meeting and passing Stations, and Trains will in all cases STOP.
 *Trains Stop only on Signal.
 †—No Side-Track at Station.
 Nos. 1 and 2 Stop at "Rubio's" for Passengers only. †Day Telegraph Stations.

☞ For Rules and Regulations, see inside.

READ RULES and REGULATIONS CAREFULLY.

No 7 Same 25th 1877

SOUTHERN PACIFIC RAILROAD.

LOS ANGELES, YUMA, WILMINGTON,
 AND
 SAN DIEGO DIVISIONS.

TIME TABLE (New Series) No. 7.

TO TAKE EFFECT ON MONDAY, JUNE 25th, 1877, AT 12.05 A. M.

For the government and information of employees only, and is not intended for the information of the Public. The Company reserves the right to vary the same, as circumstances may require.

A. N. TOWNE, General Superintendent,	- - - SAN FRANCISCO.
JOHN CORNING, Ass't Gen'l Sup't,	- - - SAN FRANCISCO.
E. E. HEWITT, Ass't Sup't,	- - - LOS ANGELES.

LOS ANGELES DIVISION.

From San Francisco.				Distances from Mojave.	STATIONS.	Distances from San Francisco.	Toward San Francisco			
21		19					20		22	
Freight.	Passenger	Freight.	Passenger				Passenger	Freight.	Passenger	Freight.
A	A	A	A	A	A	A	A			
4.30	P.M.	4.00	P.M.	370.2	Lv... SAN FRANCISCO ..Ar.	0	12.40	P.M.	7.30	A.M.
1.00	A.M.	8.15	P.M.	287.4	Lv..... LATHROPAr.	82.8	8.20	A.M.	9.45	P.M.
2.40	A.M.	9.10	A.M.	0	Lv..... †MOJAVE Ar.	370.2	6.30	P.M.	7.40	P.M.
3.10*	...	9.25*	...	6.6 †GLOSTER Ar.	376.8	*6.13	...	*7.10	...
3.45	...	9.44	...	13.8 SAND CREEK Ar.	384.0	5.54	...	6.35	...
4.40	...	10.10	...	24.8 LANCASTER Ar.	395.0	5.26	...	5.45	...
5.30	...	10.35	...	35.7 ALPINE Ar.	405.9	4.54	...	4.54	...
6.30	...	11.06	...	45.4 ACTON Ar.	415.6	4.14	...	3.55	...
6.55	...	11.20	...	49.1 †RAVENA Ar.	419.3	4.00	...	3.35	...
7.35	...	11.51	...	57.6 LANG Ar.	427.8	3.24	...	2.55	...
8.20	...	12.24	P.M.	67.7 †NEWHALL Ar.	437.9	2.48	...	2.05	...
8.40	...	12.35	...	71.3 ANDREWS Ar.	441.5	2.35	...	1.45	...
9.00	...	12.50*	...	74.2	SAN FERNANDO TUNNEL	444.4	*2.20	...	1.30	...
9.25	...	1.05	...	79.4 †SAN FERNANDO Ar.	449.6	2.05	...	1.05	P.M.
10.20*	...	1.35	...	91.9 SEPULVEDA Ar.	462.1	1.35	...	*11.45	...
11.00	A.M.	1.55	P.M.	100.5	Ar..... †LOS ANGELES...Lv.	470.7	1.15	P.M.	11.00	A.M.

A—Daily.
 *—Trains Stop only on Signal.
 § —No Side-Track at Station.
 †Day Telegraph Stations.
 * All Trains will use nine minutes in passing through San Fernando Tunnel.

James Campbell, Train Master, Mojave.

YUMA DIVISION.

From San Francisco.				Distances from Los Angeles.	STATIONS.	Distances from San Francisco.	Toward San Francisco			
19		20					20		20	
Passenger	Passenger	Passenger	Passenger				Passenger	Passenger	Passenger	Passenger
A	A	A	A	A	A	A	A			
...	...	2.25	P.M.	0	Lv... †LOS ANGELES... Ar.	470.7	10.25	A.M.
...	...	3.10	...	9.2 SAN GABRIEL Ar.	479.9	9.50
...	...	3.20	...	11.7 SAVANNA Ar.	482.4	9.40
...	...	3.30	...	13.1 †MONTE Ar.	483.8	9.35
...	...	4.00*	...	19.3 PUENTE Ar.	490.0	*9.10
...	...	4.45	...	29.3 †SPADRA Ar.	500.0	8.40
...	...	5.05	...	32.8 †POMONA Ar.	503.5	8.30
...	...	5.40*	...	42.3 CUCAMONGA Ar.	513.0	*8.00
...	...	6.30	P.M.	57.5	Ar..... †COLTONLv.	528.2	7.05	A.M.
...	...	7.00	P.M.	57.5	Lv..... †COLTON... Ar.	528.2	6.45	A.M.
...	...	7.15*	...	60.9 MOUND CITY Ar.	531.6	*6.30
...	...	8.10*	...	72.0 EL CASCO Ar.	542.7	*5.50
...	...	8.50*	...	80.6 SAN GORGONIO Ar.	551.3	*5.20
...	...	9.15*	...	86.8 BANNING Ar.	557.5	*4.55
...	...	9.40	...	92.7 †CABAZON Ar.	563.4	4.30
...	...	10.15*	...	101.2 WHITE WATER Ar.	571.9	*3.55
...	...	10.45*	...	108.7 SEVEN PALMS Ar.	579.4	*3.20
...	...	12.05	A.M.	129.5 †INDIO Ar.	600.2	1.55
...	...	1.00	...	142.8 WALTERS Ar.	613.5	1.00	A.M.
...	...	2.10	...	160.2 †DOS PALMAS Ar.	630.9	11.45
...	...	2.55*	...	171.1 FRINK'S SPRING Ar.	641.8	*11.00
...	...	4.05*	...	188.8 FLOWING WELL Ar.	659.5	*9.50
...	...	4.30*	...	194.8 TORTUGA Ar.	665.5	*9.25
...	...	4.55*	...	200.9 MAMMOTH TANK Ar.	671.6	*9.00
...	...	5.35*	...	211.9 MESQUITE Ar.	682.6	*8.05
...	...	6.30*	...	225.7 CACTUS Ar.	696.4	*7.05
...	...	7.25*	...	239.3 PILOT KNOB Ar.	710.0	*6.05
...	...	8.00	A.M.	247.3	Ar. †COLORADO RIVER..Lv.	718.0	5.30	P.M.

A—Daily.
 *Trains Stop only on Signal.
 †Day Telegraph Stations.

FULL-FACED FIGURES denote meeting and passing places, and Trains will in all cases STOP

For Rules and Regulations, see inside.



RULES AND REGULATIONS

	SIGNALS.	Terminal and Junction Stations.	20. Conductors of all Trains (and Engineers of Engines running without Trains), will register at Junction and Terminal Stations (in a book kept for that purpose), the time of their arrival and departure (and, if irregular, the direction going). And before leaving Terminal Stations, or passing Junctions, will ascertain from Register or Yard Master (in case there is no Yard Master, then from Agent), if all Trains having right of track have arrived and departed. Yard Masters (or Agents) will be held alike responsible, with Conductor, for a violation of this rule.
Red Signal if track out of order	1. A Red Flag by day, a Red Light by night, or an explosion of a Torpedo on the Track, is a signal of danger. A Red Flag placed outside the rails signifies that the track is out of order, and speed of train or engine must be reduced to six miles per hour. A Red Flag placed between the rails, signifies that the track is impassable, and trains must come to a full stop.	Intoxicating Drink Forbidden.	GENERAL RULES. 21. The use of intoxicating Drinks is strictly forbidden. Total abstinence in this particular is necessary to safety in operating the road. Any employee drinking intoxicating liquors (or smoking on passenger trains) while on duty, will be dismissed from the service of the Company.
Red Signal carried on Engine, and Rights of Trains following.	2. A Red Flag by day, or a Red Light by night, displayed on the front of an Engine, indicates that another Train is following, which has precisely the same rights as the Engine or Train bearing the signal. Flagged Trains, under this Rule, however, may run to meeting points ten (10) minutes behind the Train bearing the flag, and Trains of same class, running in an opposite direction, will give them a clear track for that time—ten (10) minutes. See Rules 12, 15 and 17.	Bulletin Board.	22. Train men will consult Bulletin Boards daily.
Green Signal.	3. A Green Flag by day, or a Green Light by night, displayed at a Station, denotes that a Telegram or Train order is waiting, and the Train must be brought to a stop. See Rule 69.	Standard Time.	23. The clock in the Office of the Division or Assistant Superintendent is the standard time by which Trains will be run. Conductors and Engineers will compare their watches with it daily, when practicable; also compare time with each other before leaving Terminal Stations.
White Signal and Rights of Trains following	4. A White Flag by day, or a White Light by night, displayed on the front of an Engine, indicates that another Train is following, but will keep out of the way of all regular Passenger and Freight Trains; but Work Trains and Track Parties must be kept entirely out of their way and give them a clear track. Engineers and Conductors of Trains bearing a White Flag or White Light, will be particular and call the attention of meeting Trains, Station Agents, and all others concerned, and explain the meaning of it.	Riding Free.	24. No person will be allowed to ride free, except as provided in circular relating thereto.
Taking down Signals	5. When a signal (Red or White) carried for a Train following, is taken down by the Conductor at a Station, he will notify the Agent, who will put out a Red Signal, and not let any Train pass toward the Flagged Train without first notifying the Conductor what is expected to arrive.	Absence from Duty.	25. No person employed on Trains, or at Stations, will leave his place or change with another without permission from the Division or Assistant Superintendent.
Whistle Signals.	6. One Sound of the Whistle is the signal to apply the Brakes. Two Sounds of the Whistle is the signal to let go the Brakes. Three Sounds of the Whistle is the signal to back. Four Sounds of the Whistle is the signal to call in a Flagman. Five Sounds of the Whistle is a warning to men on top of Freight Cars, that Train is approaching a tunnel or covered bridge. Several Short Sounds of the Whistle is the signal of danger.	Responsibility of Conductor and Engineer.	26. Trains will be under the control of the Conductor, and will be run as nearly to card time as possible, under no circumstances leaving a Station earlier than the card time, except on special order, and remaining at a Station only so long as necessary to transact the business of the Train. Although the Conductor has charge of the Train, the Engineer will not therefore be considered blameless if he runs any unnecessary risk. Nor will he be relieved from all blame if he proceeds in violation of instructions or orders, even should the Conductor, from negligence or misapprehension, direct him so to do. All the prescribed precautions must be observed which are necessary to safety.
Bell Signals.	7. One Stroke of the Cab Bell signifies stop. The Cab Bell must not be used to start trains.	Duty of Trainmen.	27. Conductors and Brakemen of all Trains meeting or passing, or when approaching a Station, must be out looking for signals and be prepared to do anything required for safety or expedition; and all Trainmen will be at their Train at least thirty minutes before starting time and examine the same to see if everything is in order.
Lamp Signals.	8. A light swung over the head is a signal to go ahead; when swung across or at right angles with the track, is a signal to back up; and when moved up and down, is a signal to stop; if motion of lamp is quick, move quick (but with care); if slow, move slow.	Badges.	28. Conductors, Engineers, Firemen, Baggage men and Brakemen on trains conveying passengers are required to wear badges as prescribed by law.
Violent Signals.	9. Notice must be taken of all violent signals. Always stop and ascertain precisely the meaning of every signal given that may seem to indicate danger	Conductors responsible for Brakemen.	29. Conductors of Freight Trains will be held responsible for the faithful performance of duty by the Brakemen on their Trains. They will require the doors of all Freight Cars in their trains to be closed, and will in all cases, when ascending or descending grades, station themselves on the rear part of the train, and see that their brakemen are at their posts.
Signals on Rear Car.	10. All Night Trains (and Freight and Work Trains running in day time) must, in all cases, carry a Red Signal on the rear car, and Engines running without trains on rear of tender.	Leaving Cars at Stations.	30. In no case must a Car be left on a grade without the Brake being set and the wheels blocked. Conductors of Freight and Work Trains, in switching out cars at stations, or meeting and passing trains on tracks where station work is done, should leave cars as near as practicable as they find them, or at convenient places for loading and unloading. They will also render Station Agents assistance in switching cars, in order to an economical disposition of the business of stations.
Losing Rights.	11. Regular Trains, both Passenger and Freight, 24 hours or more behind card time lose all their rights, become irregular, and cannot move except under orders from the Train Dispatcher, or in accordance with Rule 67	Reporting Accidents.	31. Conductors will report in writing to the Division or Assistant Superintendent all injuries to persons caused by their Train, giving number of Train and Engine; the names of all employees on their Train; also, the names of others witnessing accident, and all other information that may be useful as a matter of record, and whenever practicable, get the signatures of employees and other witnesses to report, after reading the same to them. In case of accident resulting in injury to passengers or employees, or damage to rolling stock or contents of cars, the Conductor (if Conductor is disabled, the head brakeman) will immediately notify the Division or Assistant Superintendent by telegraph of such accident, giving full particulars and stating what assistance, if any, is required. If between stations, send a man to nearest telegraph office with the dispatch. The Division or Assistant Superintendent on receiving such information will immediately transmit the same by telegraph to the General Office.
Right of Trains to Track.	12. Passenger Trains will have the right to the Track, and Freight and all other Trains will keep out of their way.	Disabled Cars.	32. Disabled cars left at Stations must be reported (by telegraph, if practicable,) to the Division or Assistant Superintendent.
Right of Freight Trains to Main Track at Meeting Points.	13. If Freight Trains are at any time obliged to keep the Main Track at a Station where they are to meet a Passenger Train, a man with a Red Flag by day, or a Red Light by night, must always be sent a sufficient distance in the direction of the approaching Train, to give suitable warning for it to approach carefully.	Conductors' Duty.	33. Conductors will have the names of Stations announced in all Passenger Cars, and at Junctions will have the names of the principal stations where connecting Trains stop, also announced; and Passenger Conductors must in all cases give Signal for starting their Trains from Depot platform or ground, and before doing so see that all are on board and will also give personal attention to seating passengers. On arrival at Terminal Station they will remain with their Train until passengers have alighted, and see that all needful assistance is given them.
Rights of Work Trains to Main Track.	14. Work Trains will keep ten (10) minutes out of the way of Passenger and Freight Trains, but will have a right to work on the Track whenever Freight Trains are Thirty Minutes late (except when an Engine passes bearing a White Flag or White Light, as per Rule 4), by taking care to keep a man stationed, with a flag, at least three-quarters of a mile in the direction of approaching Trains. Freight Trains will run with great care whenever they are behind time.	Switches, penalty for leaving open.	34. Conductors will see that Switches, after being used, are left turned to the main track. Any employee leaving a switch turned from the main track, or unlocked, after using, will be dismissed from the service of the Company.
Rights of Trains.	15. Trains bound toward San Francisco will have the right to the track against Trains of same class moving in the opposite direction, until they (the Trains toward San Francisco) are twenty-five minutes behind their Card (leaving) time. Trains bound from San Francisco will wait twenty-five minutes for Trains of the same class moving in the opposite direction, after which they (the Train from San Francisco) will have the right to the track indefinitely as against Trains of the same class moving in the opposite direction, keeping twenty-five minutes behind their Card (leaving) time at each and every succeeding Station, until the expected Train is met; but speed must not exceed that allowed by their regular Card time. When arriving and leaving time is given at Stations for one or both Trains, the leaving time of the Train that has the rights to the track will be the Card time for both Trains, in accordance with this Rule.	Report to Dispatcher.	35. Conductors of all Trains, immediately before starting out on their runs, will go in person to the Telegraph Office to inquire if any special orders are awaiting them and report to Train Dispatcher the number of engine and number of cars in their train. A report of the same nature must be made at the Telegraph Office on arrival at Destination, giving arriving time.
Allowance for Variation of Watches.	16. Always allow five (5) minutes for possible variation of watches. This must be allowed at meeting places, and also when instructed by Telegraph to leave a Station at a specified time against an expected Train, and in all other cases where any possible danger may arise from difference in time.	Protecting Train in case of Accident.	36. In case of accident or stoppage upon the main track from any cause, Conductors must, always and immediately, station men not less than three-quarters of a mile distant, in both directions, with Red Flags by day, or Red Lights by night, and, as an extra precaution, if in snow sheds, or Foggy or Storming, or at night, two Torpedoes must be clasped to the rail on the Engineer's side, one at the Flag limit (not less than three-quarters of a mile,) the other fifty yards beyond it. And as a safeguard and warning to following trains, the rear Flagman, when recalled, will leave the torpedoes clasped to the rail. The Engineer of a following train finding them, will immediately bring the Train to a full stop, and then proceed, with great care, to the place of obstruction, or next Station. It must not be assumed that there are no Trains approaching from either direction. And care must also be taken in case a Train is delayed, and liable to be overtaken by a following Train, to guard against accident.
Following Trains.	17. Following Trains must proceed with great caution, keeping at least ten minutes in the rear of the preceding train. Whenever an Extra Train is to follow another, notice must be given the Conductor of the forward Train, and he must notify Station Agents and all the Conductors he may meet, besides carrying the proper signal; also notify the Conductor and Engineer of the following Train at what Stations he expects to do work, and such following Train must approach all Stations, Water and Wooding places with great care, with Train under full control.		
Maximum Speed of Trains.	18. When behind time, Passenger Trains will not run faster than thirty miles an hour, and Freight Trains not faster than fifteen miles an hour on straight line. Through cañons or around curves the limits will be twenty-five (25) miles per hour for Passenger, and thirteen (13) miles an hour for Freight and Work Trains, except on special order from the Superintendent or Train Dispatcher.		
Approaching Stations.	19. Approach all Stations slowly; pass all Stations carefully, and be sure the Switches, by their levers, are seen to be right. Trains first arriving at meeting points, will when practicable, take side track, entering same from nearest end. If necessary to pass Station to back in it must be done under a red signal sent ahead a sufficient distance to insure safety.		

INSTRUCTIONS FOR EMPLOYEES.

Brakeman on Rear of Train.	<p>37. A Brakeman must always be stationed upon the rear car, and not leave his position without permission from his Conductor, except to Flag following Trains; in such case, the Conductor or another Brakeman must immediately take his place. The Rear Brakeman will examine brakes on rear car before leaving Terminal Stations, and if not found in running order, will report the same to Conductor.</p>	Hand Cars.	<p>during stormy weather and time of flood, to properly guard the Track and Bridges from water and slides.</p>
Stopping Trains.	<p>38. When the Engineer shuts off steam at Stations where the Train is to stop, the Brakemen must apply their hand-brakes (if the Train is not equipped with air-brakes), and, using judgment, endeavor to stop at the Station without the necessity of the Engineer sounding his whistle—too much sounding of the whistle impairs its value as a signal of danger.</p>	Piling Material near Track.	<p>57. No Section or other Foreman will allow his hand-car to be used on the Track except in the service of the Company.</p> <p>58. No wood, freight, timber, or material of any kind, will be allowed to be piled within five feet of the Track, except in Snow-sheds and Tunnels, and in such cases must be piled a sufficient distance from the Track to clear Engines, Snow Plows and Cars.</p>
Sliding Wheels.	<p>39. Brakemen must not slip the wheels, and it is the duty of the Conductor, and a very important one, to see to this matter.</p>	Property found.	<p>59. All property found on the Road must be forwarded to the Division or Assistant Superintendent, or notice given him of being found.</p>
Backing Trains.	<p>40. When it is necessary to back a Train, a brakeman must be stationed on the rear car, where he can have a full view of the track, and have a brake under his control; and the Engineer and Fireman must so station themselves that they can see any signal given to stop. Back up slow and have Train under full control.</p>	Always take safe course.	<p>60. In cases of uncertainty always take the safe side; let every man protect his own Train and Engine, and each Section Man and Station Agent his Track and Switches, and accidents from carelessness will never occur.</p>
Coupling Cars.	<p>41. Train men and others are especially enjoined to use great care in coupling and uncoupling cars. Do not go between the cars to couple them unless the draw-bars are known to be in good order. In coupling the Miller hook on to other styles of draw-bars, first insert the link in the hook, using the pin chained to the Miller platform.</p>	Dispatcher's Authority and Duty.	<h3>RULES GOVERNING THE MOVEMENT OF TRAINS BY TELEGRAPH.</h3>
Starting Trains.	<p>42. Engineers will not start with the Train until they are directed by the Conductor, and must invariably start with care, (first ringing Engine Bell), and see that they have the whole of the Train before getting beyond the limits of the Station; and must run the Train as nearly on time as possible, arriving at the Stations neither too soon nor too late.</p>	Train Orders.	<p>61. No more than one person shall be permitted to move Trains by Special Orders, at the same time. The Division or Assistant Superintendent, and such other person as he may designate as "TRAIN DISPATCHER," shall be authorized to move Trains by Telegraph, or otherwise. Train Dispatchers will closely watch all Trains, both on and off of time, and anticipate their wants, that no time may be lost at Telegraph Stations waiting for orders.</p>
Testing Air Brakes and approaching Stations.	<p>43. Engineers will in all cases before starting passenger Trains from a Terminal Station, apply the Air-brake to make sure that the pump and hose are in proper order; and when approaching Stations where Trains are to be met or passed, reduce speed at a sufficient distance from the Switch to give full control of their Train by hand-brakes, in case of failure of air-brakes. Approach all Stations with care, as switches are liable to be misplaced.</p>	Line Down.	<p>62. Telegraphic Messages involving movements of Trains must be in writing, and addressed to the Conductor and Engineer of the Train, and shall be made positive and defined, using plain and unmistakable terms. (If the order is not fully understood by those to whom it is addressed, they must ask for and receive an explanation, before signing the 13.) The Conductor and Engineer addressed must read the order carefully, and, if understood, shall sign it, which must, in all cases, be repeated back to the Dispatching Office, and the Dispatcher, if the order is correctly understood, will telegraph back "Correct." The Operator will in no case sign the name of the Engineer to his understanding of the order, nor will the Conductor be permitted to do so. All orders and messages in regard to the movements of Trains must be written in full by the receiving operator on yellow "manifold paper," so arranged that three impressions shall be taken, one each for Conductor, Engineer and Operator, and no abbreviations shall be used except 12 (How do you understand?) or 13 (I understand). Operators will not suffer an order to leave their possession, until they shall have received and endorsed upon the same, "Correct," in answer to the 13 message of the Conductor and Engineer, nor until they have signed the same. No Special Engine or Train will be allowed to run on verbal orders, under any circumstances, on the Main Track outside of Terminal or other Yards. Such orders must be in writing, understanding taken, and "Correct," given in same manner as provided for Telegraphic Orders.</p>
Train Breaking in two.	<p>44. Engineers or Firemen should look back frequently to see that all is right; and in case the Train has broken apart, great care must be taken to keep the forward end out of the way of detached part; sounding whistle repeatedly to warn Train-men, and if on a down grade, the forward part of the Train will keep moving, even to the next Station, if necessary. If detached portion of Train is out of sight, and it is necessary to back up, before doing so, if on a down grade, allow ample time to elapse before starting, and send a man back with flag at least fifteen (15) minutes before moving; and if there is no brakeman on top of Train, after flag has been sent back, the Engineer will send his fireman out on Train to keep watch and give necessary signals; then move with great care, stopping at all obscure places unless it is certain that rear part of Train is at a stand and will not move until reached. Every precaution must be used to prevent accidents. Take no chances.</p>	Work Train orders.	<p>63. Should the line, from any cause, fail to work before the Operator has received the endorsement "Correct," he will not deliver such order.</p>
Signals approaching Stations and Crossings.	<p>45. Engineers must sound the whistle when within one-half mile of a Station, and ring the bell when within eighty rods of a highway crossing, and continue ringing until it is passed. A neglect of this precaution, required by law, will be sufficient cause for dismissal.</p>	Following Signals.	<p>64. Conductors of Work Trains will notify the Dispatching Office, the night previous, of the limits within which they desire to work the following day, and get their orders. If it should become necessary to go outside of such limits, it must be done with a flag to the next Telegraph Office, where orders must be obtained, as provided in Rule 62.</p>
Signals at Tunnels and covered Bridges.	<p>46. Engineers will enter all Tunnels with great caution, and Engineers of Freight Trains will give five short blasts of the whistle before entering Tunnels and covered Bridges, to warn men on the Train to keep clear of danger. This precaution must not be neglected.</p>	Green Signals.	<p>65. When an order is sent by Telegraph to a Train to carry a flag or light for an extra Train or Engine, in no case will the extra Train or Engine be allowed to avail itself of the forward Train's order, but must obtain an order to follow from the Dispatcher before starting.</p>
Dampers.	<p>47. Dampers of ash pans must in all cases be closed while Engines are crossing bridges and passing wood yards.</p>	Authority to order Signal carried.	<p>66. To avoid, as far as possible, all unnecessary delay at Stations where Telegraphic Orders are awaiting an expected Train, the Operator will display at the Station, as a signal, a Green Flag by day, or a Green Light by night. When this signal is shown, the approaching Train will, in all cases, come to a full stop, and Conductor and Engineer will go immediately to the Telegraph Office, to receive and respond to such orders as may be awaiting them. Operators must not fail to take in the signal at once, after the departure of the Train for which it was shown.</p>
Outfit for Engines.	<p>48. Engineers must see that their Engines are provided with a pair of jack-screws, which must at all times be kept in good order, extra spring hangers, flags, lamps, and all tools necessary for use in case of casualties.</p>	Train rights under orders.	<p>67. Should a Train, having lost its rights, be held by another between Telegraph Stations, the Conductor of the Train so held may require the first Train passing him bound in the same direction, to flag him to the next Telegraph Station; on arrival he must report for orders. The Conductor of the Train carrying such flag shall telegraph to Train Dispatcher, stating from what Station he flagged the Train. On receiving such report for transmission, the Operator will put out a Red Flag or Light, and keep the same in view until the Flagged Train arrives.</p>
Persons allowed to ride on Engines.	<p>49. Engineers will not allow any person to ride on the Engine except Officers of the Track Department, Foremen of Repairs, Conductors of Snow Plows or Conductor of the Train, without an order from the Superintendent or Master Mechanic.</p>	Reporting at Telegraph Office.	<p>68. When a Train has orders to run in advance of its Card time or regardless of a specified Train, it gives the Train under such orders no right over any other Train.</p>
Warning Section Men.	<p>50. Engineers, running Special Trains, or engines without Trains, will sound the whistle repeatedly in obscure places, to warn Section Men. Engineers of Night Trains, when behind time, will also take the same precaution after day-light; and when running in a fog or snow-storm, when behind time, will also warn Section men in a like manner.</p>	Leaving Reports of Trains.	<p>69. Conductors will report in person immediately on arrival at every day Telegraph Office, and at all night Telegraph Offices, and ask if there are any Train or other orders awaiting them. This rule does not excuse the Operator from showing all proper signals to stop Trains, or neglect in the prompt delivery of messages, but is an additional safeguard. Should a Train be held at a Telegraph Station where there is no Night Operator the Conductor may call the Day Operator into the office, to get orders for him.</p>
Freight Trains carrying Passengers, Killing Stock.	<p>51. When a Freight Train is composed of two or more sections running on the same time, the rear Train will do the local work, and, if allowed to take passengers, is the only one on which they will be carried under any circumstances, except persons in charge of Live Stock.</p>	Running faster than Schedule Time.	<p>70. Conductors of all Trains, will leave at Telegraph Stations, with the Agent or Operator, a written statement, giving the number of Train, number and kind of cars, and time of arrival and departure.</p>
Throwing Fuel from Tender.	<p>52. Great care must be taken to prevent killing live stock. Bring the Train to a full stop if necessary. Should any be killed or struck, the Engineer must report in writing, on blanks furnished for that purpose, to Division or Assistant Superintendent, giving number of Engine, number of Train, names of Conductor and Fireman, and all other information that may be useful. If stock is killed when it is apparent that it might have been avoided, the value of the stock so killed will be deducted from the Engineer's pay.</p>	Green Signals and holding Trains.	<p>71. Whenever it becomes necessary, from any cause, for the Dispatcher to run a Train faster than its regular card time, it must be only from one Telegraph Station to the next, and so on until it resumes its regular card time.</p>
Cars on Side Track	<p>53. Engineers and Firemen are particularly directed not to throw any fuel from the Tender while in motion. If any is found unfit for use, it should be thrown off at Engine House Yard at end of run. Wood must not be piled on Tenders in such a manner or quantity as to be liable to fall off.</p>	Agents duty.	<p>72. When an Operator receives an order to hold a Train, he must first put out the Green signal, and then reply that such signal has been put out. The Operator will be careful to observe that the signal is not disturbed or hidden from the view of the Engineer, and will notify promptly all other Trains that the signal is not for them. The Green signal must not be relied upon exclusively to hold Trains. Operators are expected to watch closely for the expected Train, using all necessary means to stop it. In case the Train or any part of it has already passed the Telegraph Office, although still at the Station, Operators' 13 must not be sent back until the Engineer or Conductor has been shown the order, and has endorsed the same with his understanding that he is held.</p>
Agents responsible for Switches	<p>54. Station Agents are required to see that the doors of all cars on the Side Tracks are securely fastened, and that the brakes are set and the cars far enough from the Main Track as not to endanger passing Trains, and that the wheels of all cars on Side Tracks are properly blocked, and cars must never be allowed to stand on the Main Track.</p>	Track obstructed.	<p>55. Station Agents will be held responsible for the proper security and position of the Switches, and must in no case allow them to be turned from the Main Track, except when a Train is to leave or enter a Side Track.</p>
Track obstructed.	<p>56. In all cases, either by day or night, when the Track is obstructed, by reason of repairing or otherwise, so as to endanger the passing of Trains, a Red Flag by day or a Red Light by night must be placed at least three-quarters of a mile in both directions, so as to be plainly seen by an approaching Train. Road Masters will see that Section Men are on hand</p>		