

SOUTHERN PACIFIC LINES

TEXAS AND NEW ORLEANS RAILROAD COMPANY

TIME TABLE

FOR THE

SAN ANTONIO DIVISION

173

To Take Effect Sunday, March 8, 1942, at 12:01 A. M.

CENTRAL STANDARD TIME

For the government and information of employes only.

A. D. MIMS,
Vice President and General Manager

B. S. HOLLIMON,
Assistant General Manager

O. C. CASTLE,
Superintendent of Transportation

COMPANY SURGEONS

Location	Name	Title
Houston	Dr. Judson L. Taylor	Chief Surgeon
Houston	Dr. J. G. Evans	Assistant Chief Surgeon
Alpine	Dr. J. E. Wright	Local Surgeon
Alpine	Dr. Malone Hill	Local Surgeon
Boerne	Dr. J. P. Nease	Local Surgeon
Cibola	Dr. John E. Rabel	Local Surgeon
Columbus	Dr. C. I. Shult	Local Surgeon
Columbus	Dr. Sam H. Kirkham	Local Surgeon
Comfort	Dr. C. Jones	Local Surgeon
Del Rio	Dr. H. B. Ross	Division Surgeon
Del Rio	Dr. D. A. York	Division Surgeon
Del Rio	Dr. Joseph I. Sanders	Examining Surgeon
Del Rio	Dr. W. K. McWilliams	Examining Surgeon
Del Rio	Dr. W. P. Meredith	Local Surgeon
Del Rio	Dr. R. M. Jones	Local Oculist and Aurist
Eagle Lake	Dr. J. R. Laughlin	Local Surgeon
Eagle Lake	Dr. J. W. Giesel	Local Surgeon
Eagle Pass	Dr. Ellis F. Gatos	Local Surgeon
East Barnard	Dr. J. Dan Schuhmann	Local Surgeon
El Paso	Dr. J. L. Green	Division Surgeon
El Paso	Dr. G. Evans	Examining Surgeon
El Paso	Dr. E. W. Rheinheimer	Examining Surgeon
El Paso	Dr. Russell Holt	Examining Surgeon
El Paso	Dr. H. H. Gambrell	Local Surgeon
El Paso	Dr. E. H. Irvin	Division Oculist and Aurist
Fabens	Dr. J. W. McClain	Local Surgeon
Flatonia	Dr. H. Fultz	Local Surgeon
Flatonia	Dr. B. Strain	Local Surgeon
Fulshear	Dr. J. W. Balke (Rosenberg)	Local Surgeon
Gonzales	Dr. Louis J. Stahl	Local Surgeon
Hondo	Dr. J. Meyer	Local Surgeon
Hondo	Dr. W. H. Smith	Local Surgeon
Houston	Dr. H. C. Feagin	Local Surgeon
Houston	Dr. P. Kirkpatrick	Local Surgeon
Houston	Dr. W. J. Snow	Local Oculist and Aurist
Houston	Dr. E. M. Arnold	Local Oculist and Aurist
Houston	Dr. Allen Pollette	Local Surgeon
Houston	Dr. D. M. Greedy	Local Surgeon
Houston	Dr. E. A. Moers	Local Surgeon
Houston	Dr. E. K. Green	Local Surgeon
Houston	Dr. Ray Collins	Local Surgeon
Houston	Dr. E. K. Chunn	Local Surgeon
Houston	Dr. J. L. Patteson	Local Surgeon
Houston	Dr. E. E. Rohrer	Local Surgeon
Kerrville	Dr. J. B. Woodall	Local Surgeon
La Grange	Dr. L. D. Boelsche	Local Surgeon
Luling	Dr. M. W. Pitts	Local Surgeon
Luling	Dr. E. A. Benbow	Local Surgeon
Luling	Dr. W. P. Watkins	Local Surgeon
Marfa	Dr. J. C. Darracott	Examining Surgeon
Marfa	Dr. L. A. Lavanture	Local Surgeon
Rosenberg	Dr. J. W. Weeks	Local Surgeon
Rosenberg	Dr. J. W. Balke	Local Surgeon
Sabinal	Dr. E. U. Wood	Local Surgeon
San Antonio	Dr. C. E. Scull	Division Surgeon
San Antonio	Dr. E. W. Coyte	Examining Surgeon
San Antonio	Dr. R. E. Bowen	Local Surgeon
San Antonio	Dr. Dudley Jackson	Local Surgeon
San Antonio	Dr. E. D. Shipman	Local Surgeon
San Antonio	Dr. H. Bowen, Jr.	Local Surgeon
San Antonio	Dr. L. F. Novak	Local Surgeon
San Antonio	Dr. M. W. McCurdy	Division Oculist and Aurist
San Antonio	Dr. O. H. Jordan	Local Oculist and Aurist
San Antonio	Dr. Thos. W. Folbre	Local Oculist and Aurist
Sanderson	Dr. R. E. Lester	Examining Surgeon
Sanderson	Dr. Wm. Aston	Local Surgeon
Schulenburg	Dr. L. J. Peters	Local Surgeon
Seguin	Dr. N. D. Poth	Local Surgeon
Seguin	Dr. C. W. Raetzsch	Local Surgeon
Sierra Blanca	Dr. Geo. M. Dume	Local Surgeon
Spofford	Dr. A. P. Utterback (Brackettville)	Local Surgeon
Sugar Land	Dr. C. A. Slaughter	Local Surgeon
Uvalde	Dr. E. A. Ends	Examining Surgeon
Uvalde	Dr. G. H. Merritt	Local Surgeon
Van Horn	Dr. John P. Wright	Local Surgeon
Wallis	Dr. W. T. Brown	Local Surgeon
Welmar	Dr. A. H. Pothast	Local Surgeon

General Hospital—

Southern Pacific Hospital, Thomas Street, between James and Paschal, Houston.

Emergency Hospital—

Hotel Dieu, El Paso.
Medical & Surgical Clinic, Del Rio.
Santa Rosa Infirmary, San Antonio.

TIME INSPECTORS

Sidney F. Ball, General Time Inspector	Chicago, Ill.
C. E. Ross	El Paso
Art Kassel	El Paso
Max Bogusch	Sanderson
S. E. McMath	Del Rio
Chas. Gildemeister & Son	San Antonio
O. B. Humble	San Antonio
Wm. L. Dostal	Rosenberg
Houston Watch Company	Houston
W. E. Connor	Houston

INTERLOCKING WHISTLE CODES

TOWER 6, EL PASO

Main track movements in either direction with current of traffic _____
Main track movements in either direction against current of traffic o _____

T. & N. O. Union Depot connection, from any direction o o _____
S. P. Co. main track East and West o _____
S. P. Co. connection to and from Union Depot o _____
(NOTE—Top arm signal at switch leading to Union Depot governs route to Union Depot track. The lower arm governs the route to either the T. & N. O. or Pacific Lines Freight Yard.)

TOWER 47, EL PASO

Main track movements in either direction with current of traffic _____
Main track movements in either direction against current of traffic o _____

North lead, Eastward o o _____
North lead, Westward o o _____
South lead, Eastward o o _____
South lead, Westward o o _____
To T. & P. main track o o _____
Westward to west yard o o _____
To East Yard o o _____
Eastward to West Yard o _____
From Alamogordo Subdivision to T. & N. O. yard _____
From Alamogordo Subdivision to West Yard o o _____
From T. & N. O. yard to Alamogordo Subdivision o o _____
From west yard to Alamogordo Subdivision o _____
S. P. Shop Lead Track Eastward from any point o o _____
S. P. Shop Lead Track Westward from any point o o _____
S. P. Enginehouse Lead Track Eastward o o _____
S. P. Enginehouse Lead Track Westward o o _____

TOWER No. 105, I-G. N. and S. A. B. & T. CROSSINGS, SAN ANTONIO

For westward main track with current of traffic from any point _____
Westward main track against current of traffic from any point o _____
Eastward main track with current of traffic from any point o o _____
Eastward main track against current of traffic from any point o o _____
Union Stock Yard lead from any point _____

TOWER No. 112, S. A. B. & T. CROSSING, SAN ANTONIO

Westward main track with current of traffic from any point _____
Westward main track against current of traffic from any point o _____
Eastward main track with current of traffic from any point o o _____
Eastward main track against current of traffic from any point o o _____
To Victoria Division from any point o _____
To Kerrville Subdivision from any point o o _____

TOWER No. 109, S. A. B. & T. CROSSING (Kerrville Subdivision) SAN ANTONIO

Main track from any point _____
To S. A. B. & T. o o _____

TOWER No. 121, OLIVE STREET, SAN ANTONIO

Westward main track with current of traffic from any point _____
Eastward main track with current of traffic from any point o o _____
East Yard from any point o _____
Enginehouse lead from any point o o _____
Industry Yard from any point o o _____

Note—A buzzer located on corner of enginehouse will be used in lieu of engine whistle for all outbound engine movements from enginehouse, using above code.

Engines moving westward over Hackberry Street on auxiliary track must approach interlocking switch, located just west of Hackberry Street, expecting to find it lined for either route.

Yard engines moving through interlocking plant from vicinity of Burleson Street, will first communicate with signal operator from Burleson Street crossing tower.

TOWER No. 3, T. & N. O. CROSSING, FLATONIA

Main track from any point _____
To south siding from any point o o _____
To north siding from any point o _____
To Dallas and Austin Divisions from any point o o _____

TOWER No. 115, T. & N. O. and G. C. & S. F. CROSSINGS, EAGLE LAKE

Main track, Glidden Subdivision, eastward from any point _____
Main track, Glidden Subdivision, westward from any point o o _____
Main track, Bellaire Subdivision, from any point o o _____
Main track, Yoakum Subdivision, from any point o o _____
To Glidden Subdivision siding from any point o o _____
To Rice Mill Spur from any point o o _____

East end ice track switch and Alamo Lumber Co. Spur switch are electrically locked and cannot be hand operated until released by signal operator.
Telephone located on pole just east of Rice Mill track.

TOWER No. 17, G. C. & S. F. CROSSING, ROSENBERG

Main Track from any point _____
To west siding from any point o o _____
To east siding from any point o _____
Victoria Division from any point o _____
G. C. & S. F. from any point o o _____

TOWER No. 114, S. L. Ry. CROSSING, SUGAR LAND

Main track _____
During the hours an operator is not on duty, plant will be operated as a cabin-interlocker. The normal position of signals and derails will be for San Antonio Division main track.

TOWER No. 13, EUREKA

Main track for movement with the current of traffic, from main track except San Antonio Division main track westward _____
San Antonio Division main track westward o _____
Eastward main track eastward, from any other point o o _____
Westward main track westward, from any other point o _____
Eastward main track westward, from any point o _____
Westward main track eastward, from any point o _____
To Wye track, from any point o o _____

TOWER No. 134, I-G. N. CROSSING, STELLA

(Cabin Interlocker)

All trains must be governed by signal indication. Normal position of signals for trains on T. & N. O. main track is "proceed." If signal is in stop position member of crew will operate plant in accordance with instructions located within cabin interlocker.

TOWER No. 30, T. & N. O. and G. H. & H. CROSSINGS, HARRISBURG

To Houston Division main track, from any point _____
Glidden Subdivision main track, from any point o _____
To saw mill, from any point o o _____
To Cut Off between Harrisburg and Manchester o o _____
Eastward trains must approach Harrisburg WITH CAUTION and stop clear of east switch to siding unless home interlocking signal indicates proceed.

TOWER No. 81, G. C. & S. F. CROSSING, (Glidden Subdivision)

Glidden Subdivision main track eastward or westward _____
Transfer from any point o _____

INTERLOCKING PLANT No. 51, G. C. & S. F. CROSSING, WALLIS, PASSENGER STATION

Main track _____

STATIONS AND TRACKS NOT OTHERWISE SHOWN IN TIME TABLE

Distance from	Miles	STATION	M. P. Location	Car Capacity and Direction Opening if Spur	
				Opening if Spur	Direction
El Paso	49.2	Acala	780.1	31-E	
El Paso	72.9	Gypsum	756.4	13-E	
El Paso	122.8	Mica	706.5	23	
Sanderson	83.4	High Spur	428.0	11-W	
Del Rio	3.5	Mid Kansas Oil Tracks	375.1	Two, 15 each-W	
San Antonio	19.1	Cibola	190.2	23	
San Antonio	30.0	Seguin Brick & Tile Co.	179.3	117-W	
San Antonio	31.1	Noite	178.2	171-E	
Glidden	5.1	Talton	82.0	20-E	
Glidden	7.5	Laban	79.6	75-E	
Eagle Lake	10.2	Arroz	51.0	13	
Eagle Lake	38.6	Scurlock Oil Co.	22.9	5-E	
Eagle Lake	43.7	Howellville	17.5	8-E	
Eagle Pass	2.7	Dolchburg	30.5	32-E	
Eagle Pass	6.9	Quemado Junction	26.3	40-E	
Houston	14.5	Pierce Junction	0.3	18	
Houston	12.2	Medio	2.6	28	
Houston	9.0	Streets	5.8	8	
Kerrville	33.6	Spanish Pass	274.9	7	
Kerrville	55.4	Olga	253.1	14	
Kerrville	57.8	Shavano	250.7	2-E	
Gonzales	5.3	Botts	7.0	3-E	
Gonzales	6.5	Kokernot	5.8	17	
Gonzales	8.9	Conrad	3.4	4-E	
La Grange	5.3	Joiner	19.4	9-W	

EASTWARD

EL PASO SUBDIVISION

WESTWARD

Length of sidings in care, location of buildings, water closets, interlocking plants, turn tables, ways and tele-phones.	SECOND CLASS					FIRST CLASS				Distance From El Paso	TIME TABLE No. 173 March 8, 1942 CENTRAL STANDARD TIME	Mile Post Location	FIRST CLASS				SECOND CLASS		Train Order Office Hours and Hours of Signal Operators at Interlocking Stations	
	566 T. & P. Freight	244 Freight	564 T. & P. Freight	242 Freight	246 Freight	512 T. & P. Sunshine Special	6 Argonaut	506 T. & P. Texas Ranger	2 Sunset Limited				511 T. & P. Sunshine Special	5 Argonaut	507 T. & P. Texas Ranger	1 Sunset Limited	245 Freight	241 Freight	Daily Ex. Sundays and Legal Holidays	Sundays and Legal Holidays Only
	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		
BKP Yard						9:45 ^{AM}	9:40 ^{PM}	1:30 ^{PM}	10:15 ^{AM}	0.0	TOWER 6 R EL PASO 1-1 (Union Depot)	829.3	7:30 ^{AM}	9:20 ^{AM}	6:00 ^{PM}	8:20 ^{PM}			Continuous Closed	Continuous Closed
YWO1PK Yard		4:00 ^{PM}		9:00 ^{AM}	1:00 ^{PM}	9:50	9:45	1:35	10:20	1.1	TO-R EL PASO (Octavia St.) 0.6	828.2	7:23	9:11	5:53	8:13	5:35 ^{AM}	7:55 ^{PM}	Continuous Closed	Continuous Closed
I	6:20 ^{PM}	4:03	10:01 ^{AM}	9:03	1:03	9:52	9:47	1:37	10:22	1.7	(Tower 47 S. P. and T. & P. Conn.) 4.8	827.6	7:21	9:09	5:51	8:11	5:33	7:53	Continuous Closed	Continuous Closed
Yard P	6:35	4:15	10:13	9:15	1:15	10:02	9:57	1:46	10:31	6.6	ALFALFA 8.1	822.8	7:09	8:57	5:39	8:00	5:18	7:37	Continuous Closed	Continuous Closed
51 P	6:48	4:27	10:25	9:27	1:27	10:10	10:05	1:55	10:38	12.6	TO YSLETA 1.5	818.7	7:00	8:45	5:31	7:52	5:08	7:27	Continuous Closed	Continuous Closed
P	6:51	4:40	10:28	9:40	1:40	10:12	10:07	1:57	10:40	14.1	BELEN 2.5	815.2	6:57	8:41	5:28	7:50	5:05	7:23	Continuous Closed	Continuous Closed
75 P	6:55	4:44	10:32	9:44	1:44	10:16	10:11	2:01	10:44	16.6	BUFORD 5.4	812.7	6:53	8:37	5:24	7:47	5:01	7:18	Continuous Closed	Continuous Closed
79 P	7:10	4:53	10:41	9:53	1:53	10:23	10:18	2:09	10:50	22.0	CLINT 7.2	807.3	6:45	8:29	5:16	7:40	4:52	7:10	Continuous Closed	Continuous Closed
E96 PW Will	7:30	5:06	10:53	10:05	2:05	10:32	10:27	2:19	10:58	29.2	TO FABENS 5.3	800.1	6:35	8:18	5:06	7:30	4:41	7:00	4:00 ^{PM} 8:00 ^{AM}	4:00 ^{PM} 8:00 ^{AM}
77 P	7:45	5:16	11:05	10:15	2:15	10:39	10:34	2:27	11:05	35.0	TO TORILLO 4.6	794.3	6:26	8:09	4:55	7:23	4:32	6:52	8:30 ^{AM} 12:01 ^{PM}	8:30 ^{AM} 12:01 ^{PM}
84 P	7:55	5:24	11:16	10:23	2:23	10:45	10:40	2:34	11:11	39.6	POLVO 6.2	789.7	6:19	8:02	4:48	7:17	4:24	6:44	1:01 ^{PM} 5:30 ^{PM}	1:01 ^{PM} 5:30 ^{PM}
72 P	8:06	5:33	11:30	10:34	2:34	10:54	10:48	2:43	11:19	45.8	ISER 7.4	783.5	6:10	7:52	4:39	7:09	4:13	6:32	Continuous Closed	Continuous Closed
71 PWY	8:19	5:45	11:42	10:46	2:46	11:04	10:59	2:55	11:28	53.2	TO FORT HANCOCK 4.7	776.1	5:59	7:41	4:28	6:59	4:01	6:20	Continuous Closed	Continuous Closed
86 P	8:28	5:53	11:50	10:54	2:55	11:10	11:05	3:01	11:34	57.9	MENARY 5.2	771.4	5:51	7:33	4:19	6:52	3:52	6:11	Continuous Closed	Continuous Closed
71 P	8:37	6:02	11:59 ^{AM}	11:03	3:04	11:18	11:12	3:08	11:41	63.1	MADEN 3.6	766.2	5:44	7:25	4:12	6:45	3:43	6:02	Continuous Closed	Continuous Closed
71 P	8:47	6:15	12:09 ^{PM}	11:13	3:14	11:24	11:19	3:15	11:47	66.7	RAMEY 4.0	762.6	5:38	7:18	4:05	6:39	3:34	5:47	Continuous Closed	Continuous Closed
71 P	8:59	6:32	12:20	11:23	3:24	11:32	11:26	3:23	11:54 ^{AM}	70.7	FINLAY 5.2	758.6	5:30	7:10	3:57	6:32	3:24	5:37	Continuous Closed	Continuous Closed
105 PW	9:19	6:47	12:38	11:43	3:45	11:40	11:35	3:31	12:01 ^{PM}	75.9	TO SMALL 3.7	763.4	5:21	7:02	3:49	6:25	3:10	5:27	Continuous Closed	Continuous Closed
81 P	9:31	7:00	12:53	11:56 ^{AM}	3:56	11:48	11:43	3:39	12:08	79.6	TORCER 4.2	749.7	5:12	6:54	3:39	6:17	3:00	5:17	Continuous Closed	Continuous Closed
72 P	9:46	7:13	1:08	12:08 ^{PM}	4:09	11:56 ^{PM}	11:51	3:50	12:16	83.8	LARGA 4.2	745.5	5:03	6:46	3:28	6:09	2:50	5:07	Continuous Closed	Continuous Closed
79 P	10:01	7:26	1:25	12:20	4:22	12:05 ^{AM}	11:59 ^{PM}	4:00	12:24	88.0	ETHOLEN 4.4	741.3	4:54	6:38	3:19	6:01	2:40	4:57	Continuous Closed	Continuous Closed
157 PO	10:15 ^{PM}	7:34	1:40 ^{PM}	12:30	4:30	12:15 ^{AM}	12:10 ^{AM}	4:10 ^{PM}	12:30	92.4	TO-R SIERRA BLANCA 4.7	736.9	4:45 ^{AM}	6:30	3:10 ^{PM}	5:55	2:30	4:49	Continuous Closed	Continuous Closed
72 P		7:42		12:38	4:38		12:16		12:36	97.1	MALLIE 5.2	732.2		6:19		5:47	2:19	4:39	Continuous Closed	Continuous Closed
51 P		7:51		12:47	4:47		12:22		12:42	102.3	GRAYTON 4.4	727.0		6:12		5:41	2:11	4:31	Continuous Closed	Continuous Closed
72 P		7:59		12:57	4:55		12:28		12:47	108.7	BOLA 4.6	722.6		6:06		5:35	2:03	4:24	Continuous Closed	Continuous Closed
72 P		8:07		1:07	5:03		12:34		12:53	111.3	TORBERT 4.3	718.0		6:00		5:29	1:55	4:16	Continuous Closed	Continuous Closed
71 PW		8:15		1:14	5:12		12:40		12:58	115.6	TO HOT WELLS 5.0	713.7		5:54		5:23	1:47	4:08	8:00 ^{PM} 3:00 ^{AM}	8:00 ^{PM} 3:00 ^{AM}
51 P		8:24		1:23	5:21		12:46		1:04	120.6	DALBERG 5.0	708.7		5:47		5:17	1:35	3:56	Continuous Closed	Continuous Closed
69 P		8:33		1:32	5:40		12:52		1:10	125.6	COLLADO 3.8	703.7		5:40		5:11	1:27	3:48	Continuous Closed	Continuous Closed
71 P		8:41		1:40	5:49		12:57		1:15	129.4	FAY 4.4	699.9		5:34		5:05	1:19	3:41	Continuous Closed	Continuous Closed
77 PW		8:56		1:55	6:04		1:10		1:27	133.8	LOBO 5.7	695.5		5:26		4:59	1:10	3:33	Continuous Closed	Continuous Closed
50 P		9:08		2:07	6:16		1:19		1:36	139.5	DANUBE 5.4	689.8		5:16		4:52	12:55	3:23	Continuous Closed	Continuous Closed
61 P		9:18		2:17	6:26		1:26		1:43	145.1	CHISPA 7.9	684.2		5:08		4:45	12:45	3:14	Continuous Closed	Continuous Closed
71 P		9:30		2:29	6:38		1:36		1:53	153.0	WENDELL 3.9	676.3		4:58		4:36	12:32	3:03	Continuous Closed	Continuous Closed
51 P		9:37		2:36	6:45		1:41		1:58	156.9	RUBIO 4.6	672.4		4:52		4:31	12:24	2:55	Continuous Closed	Continuous Closed
BKWOPY Yard		9:45 ^{PM}		2:45 ^{PM}	6:55 ^{PM}		1:47 ^{PM}		2:05 ^{PM}	161.5	TO-R VALENTINE	667.8		4:45 ^{AM}		4:25 ^{PM}	12:15 ^{AM}	2:45 ^{PM}	Continuous Closed	Continuous Closed
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
	566	244	564	242	246	512	6	506	2			511	5	507	1	245	241			
	(3.55) 23.6	(5.45) 27.9	(3.39) 24.8	(5.45) 27.9	(5.55) 27.1	(2.30) 36.9	(4.07) 39.2	(2.40) 34.7	(3.50) 42.2		Time Over Subdivision Average Speed per Hour	(2.45) 34.5	(4.35) 35.3	(2.50) 32.6	(3.55) 41.2	(5.20) 30.1	(5.10) 31.1			

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72) Except No. 1 is Superior to No. 506, and No. 5 is Superior to No. 512.

Nos. 564 and 566 must obtain a clearance at T. & P. train-order office, El Paso, authorizing movement from Tower 47. Nos. 2, 506, 6 and 512 must obtain a clearance at El Paso (Octavia St.).

Schedule time and train orders for trains to or from T. & P. Ry. at Sierra Blanca will apply at T. & P. passenger connection switch, which is the first remote-control switch west of depot.

See Item 42, Special Instructions, Page 12, regarding train movements between Tower 47 and Tower 6.

See Page 15 for additional flag stops to entrain or detrain revenue passengers.

EASTWARD

VALENTINE SUBDIVISION

WESTWARD

Length of sidings in cars, and time for switching, unloading, and loading, including standard clock, interlocking plants, turn tables, eyes and tele-grams.	SECOND CLASS				FIRST CLASS		Distance From Valentine	TIME TABLE No. 173 March 8, 1942	Mile Post Location	FIRST CLASS		SECOND CLASS			Train Order Office Hours and Hours of Signal Operators at Interlocking Stations			
	244	330	242	246	2	6				5	1	241	329	245		Daily Ex. Sundays and Legal Holidays	Sundays and Legal Holidays Only	
	Freight	Sante Fe Mixed	Freight	Freight	Sunset Limited	Argonaut				Argonaut	Sunset Limited	Freight	Sante Fe Mixed	Freight				
	Leave Daily	Leave Mon., Wed. and Fri.	Leave Daily	Leave Daily	Leave Daily	Leave Daily				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Tues., Thur. and Sat.	Arrive Daily				
BKWOYP Yard	10.05 ^{PM}		3.15 ^{PM}	7.25 ^{AM}			0.0	TO-R VALENTINE	667.8	4.40 ^{AM}	4.20 ^{PM}			1.55 ^{PM}		11.10 ^{PM}	Continuous	Continuous
51 P	10.25		3.35	7.45			7.5	QUEBEC	660.3	4.25	4.08			1.43		10.55		
51 P	10.42		3.57	8.00			8.0	RYAN	652.3	4.14	3.57			1.31		10.42		
51 P	10.52		4.07	8.10			4.7	CONEJO	647.6	4.07	3.50			1.23		10.34		
51 P	11.01		4.16	8.20			5.2	ARAGON	642.4	4.00	3.43			1.15		10.25		
49 P	11.11		4.28	8.30			5.7	GALGO	636.7	3.51	3.35			1.06		10.15		
67 PW	11.26		4.38	8.45			6.0	MARFA	632.8	3.43	3.28			12.58		10.07	Continuous	Continuous
50 P	11.41		4.52	9.00			6.5	NOPAL	626.3	3.28	3.16			12.46		9.55		
80 P	11.59 ^{PM}	7.10 ^{PM}	5.07	9.18			6.8	PAISANO	619.5	3.18	3.05			12.35 ^{PM}	9.25 ^{PM}	9.43		
75 P							7.0	TORONTO	612.5									
			7.50 ^{PM}				7.5	ALPINE JUNCTION	608.5						8.45 ^{PM}			
77 Yard WYP	12.24 ^{AM}		5.32	9.43			8.0	ALPINE	607.2	2.46	2.30			11.55 ^{AM}		9.03	Continuous	Continuous
72 P	12.36		5.44	9.55			8.5	STROBEL	600.2	2.31	2.16			11.32		8.47		
72 P	12.48		5.56	10.07			9.0	ALTUDA	591.5	2.19	2.03			11.15		8.32		
72 P	12.59		6.07	10.18			9.5	LENOX	584.6	2.06	1.49			10.59		8.17		
75 POW	1.14		6.22	10.37			10.0	MARATHON	576.0	1.51	1.34			10.37		8.02	Continuous	Continuous
72 P	1.35		6.39	10.51			10.5	WARWICK	567.6	1.35	1.18			10.22		7.50		
76 P	1.47		6.51	11.02			11.0	HAYMOND	560.4	1.23	1.07			10.07		7.38		
49 PW	1.59		7.03	11.14			11.5	TESNUS	551.9	1.10	12.54			9.52		7.22		
51 P	2.06		7.10	11.21			12.0	MAXON	548.3	1.02	12.46			9.37		7.10		
71 P	2.21		7.25	11.36			12.5	ROSENFELD	540.9	12.49	12.34			9.22		6.52		
71 PW	2.35		7.39	11.50 ^{AM}			13.0	LONGFELLOW	532.2	12.34	12.20			9.07		6.37		
44 P	2.47		7.51	12.05 ^{PM}			13.5	EMERSON	524.3	12.19	12.05 ^{PM}			8.52		6.22		
53 P	2.55		7.59	12.15			14.0	GAVILAN	520.1	12.11	11.58 ^{AM}			8.42		6.12		
Yard BKWOYP	3.05 ^{AM}		8.10 ^{PM}	12.25 ^{PM}			14.5	SANDERSON	515.9	12.01 ^{AM}	11.50 ^{AM}			8.30 ^{AM}		6.00 ^{PM}	Continuous	Continuous
	Arrive Daily	Arrive Mon., Wed. and Fri.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			Leave Daily	Leave Daily			Leave Daily	Leave Tues., Thur. and Sat.	Leave Daily			
	244	330	242	246	2	6			5	1			241	329	245			

(5.00) 30.4 (0.40) 16.5 (4.55) 30.9 (5.00) 30.4 (3.37) 41.9 (4.15) 35.7 (4.39) 32.7 (4.30) 33.7 (5.25) 28.1 (0.40) 16.5 (5.10) 29.4

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72)

Eastward trains entering Sanderson freight yard will use crossover about opposite stock pens, but if necessary for eastward trains to enter yard at the extreme west end, spring switch must be thrown by hand.
See Page 15 for additional flag stops to entrain or detrain revenue passengers.

EASTWARD

SANDERSON SUBDIVISION

WESTWARD

Length of sidings in cars, location of bulletin, water closets, interlocking plants, turn tables, eye and tele-phones.	SECOND CLASS			FIRST CLASS			Distance From Sanderson	TIME TABLE No. 173 March 8, 1942	Mile Post Location	FIRST CLASS		SECOND CLASS		Train Order Hours		
	242	246	244	2	6	1				5	241	245	Daily Except Sundays and Legal Holidays	Sundays and Legal Holidays Only		
	Freight	Freight	Freight	Sunset Limited	Argonaut	Sunset Limited				Argonaut	Freight	Freight				
	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Arrive Daily				Arrive Daily	Arrive Daily	Arrive Daily				
WOPYBK Yard	8:50 ^{PM}	12:55 ^{PM}	3:35 ^{AM}				0.0	TO-R SANDERSON	511.9	11:40 ^{AM}	11:50 ^{PM}		7:50 ^{AM}	4:55 ^{PM}	Continuous	Continuous
71 P	9:10	1:10	3:50				8.4	FEODORA	503.5	11:25	11:32		7:25	4:28		
73 P	9:25	1:25	4:05				14.7	MOFETA	497.2	11:13	11:20		7:10	4:13		
49 PW	9:40	1:40	4:20				21.8	TO DRYDEN	490.1	11:01	11:07		6:54	3:59	Continuous	Continuous
40 P	9:50	1:50	4:30				28.4	THURSTON	488.5	10:51	10:55		6:30	3:44		
69 P	10:00	2:00	4:40				34.1	WATKINS	477.8	10:41	10:44		6:15	3:30		
50 P	10:11	2:11	4:51				40.7	MALVADO	471.2	10:30	10:33		6:00	3:17		
55 P	10:25	2:20	5:00				45.5	LOZIER	466.4	10:22	10:25		5:48	3:05		
56 PW	10:50	2:45	5:25				53.8	PUMPVILLE	458.6	10:08	10:11		5:25	2:45		
52 P	11:00	2:55	5:35				58.2	HUJITO	453.7	9:57	9:59		5:01	2:23		
51 P	11:07	3:02	5:42				61.4	OSMAN	450.5	9:52	9:54		4:53	2:15		
E50 W51 POW	11:21	3:16	5:56				68.8	TO LANGTRY	443.8	9:39	9:41		4:35	2:00	Continuous	Continuous
50 P	11:34	3:29	6:09				74.8	DORSO	437.1	9:28	9:28		4:22	1:47		
84 P	11:46 ^{PM}	3:41	6:21				80.7	SHUMLA	431.2	9:19	9:19		4:10	1:35		
53 P	12:21 ^{AM}	4:16	6:55				88.0	VIADUCT	423.9	9:01	9:00		3:40	1:05		
51 P	12:31	4:26	7:05				92.8	RONA	419.1	8:52	8:51		3:29	12:54		
54 P	12:41	4:36	7:16				98.2	TO COMSTOCK	413.7	8:43	8:41		3:17	12:42	Continuous	Continuous
52 P	12:51	4:46	7:27				103.1	CABRA	408.8	8:34	8:31		3:04	12:29		
48 P	1:01	4:56	7:38				107.8	FEELY	404.1	8:26	8:24		2:52	12:17		
72 P	1:11	5:06	7:49				113.1	BULLIS	398.8	8:18	8:16		2:40	12:05 ^{PM}		
72 PW	1:21	5:16	8:07				118.6	DEVIL'S RIVER	393.8	8:07	8:06		2:20	11:45 ^{AM}		
51 P	1:36	5:31	8:22				124.6	McKEES	387.8	7:57	7:57		2:05	11:30		
WOTPYBK Yard	1:50 ^{AM}	5:50 ^{PM}	8:40 ^{AM}				133.8	TO-R DEL RIO	378.6	7:45 ^{AM}	7:45 ^{PM}		1:50 ^{AM}	11:15 ^{AM}	Continuous	Continuous
	Arrive Daily	Arrive Daily	Arrive Daily							Leave Daily	Leave Daily		Leave Daily	Leave Daily		
	242	246	244							1	5		241	245		

(5.00)	(4.55)	(5.05)	(3.40)	(4.05) Time Over Subdivision.....	(3.55)	(4.05)	(6.00)	(5.40)
26.7	27.1	26.2	36.3	32.7 Average Speed per Hour.....	34.1	32.7	22.2	23.6

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72)

At Langtry, time and train orders for westward trains apply at west switch of east siding, and for eastward trains at east switch of west siding.

Class F-1, GS-1 and F-5 engines must not go beyond 90 pound rail in old coal track Shumla.

See Page 15 for additional flag stops to entrain or detrain revenue passengers.

 Water at Pecos River Bridge, Mile Post 423.

EASTWARD

DEL RIO SUBDIVISION

WESTWARD

Length of sidings in cars, location of bulletins, water and fuel stations, standard turn tables, ways and tele-phones.	THIRD CLASS				SECOND CLASS			FIRST CLASS		Mile Post Location	TIME TABLE No. 173 March 8, 1942		Mile Post Location	FIRST CLASS		SECOND CLASS		THIRD CLASS		Train Order Office Hours and Hours of Signal Operator at Interlocking Stations			
	86 Local Freight	246 Freight	244 Freight	242 Freight	2 Sunset Limited	6 Argonaut	1 Sunset Limited	5 Argonaut	245 Freight		241 Freight	85 Local Freight		Daily Ex. Sun and Legal Holidays	Sundays and Legal Holidays Only								
	Leave Daily Ex. Monday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Arrive Daily	Arrive Daily	Arrive Daily		Arrive Daily	Arrive Daily Ex. Sunday											
WBKYOTP Yard		6.30 ^{PM}	9.30 ^{AM}	2.30 ^{AM}						9.55 ^{PM}	10.40 ^{AM}	0.0	TO-R DEL RIO	378.6	7.30 ^{AM}	7.30 ^{PM}	10.30 ^{AM}	1.10 ^{AM}			Continuous	Continuous	
72 P		6.50	9.50	2.50						10.07	10.53	8.4	JOHNSTONE	370.2	7.18	7.18	10.13	12.51					
72 P		7 10	10.03	3.00						10.14	11.00	14.3	AMANDA	364.3	7.11	7.10	10.03	12.41					
41 P		7.20	10.13	3.10						10.20	11.05	18.0	STANDART	359.7	7.04	7.03	9.53	12.31					
72 P		7.30	10.23	3.20						10.28	11.12	24.6	PINTO	354.0	6.57	6.55	9.42	12.20					
72 WP		7.40	10.33	3.30						10.35	11.19	29.8	LAS MORAS	348.8	6.50	6.47	9.32	12.10 ^{AM}					
YPOW Yard		6.40 ^{AM}	8.00	10.53	3.50					10.46	11.31	36.9	TO-R SPOFFORD	341.7	6.40	6.36	9.20	11.58 ^{PM}			1.15 ^{PM}	Continuous	Continuous
73 P		6.55	8.13	11.06	4.03					10.57	11.42	44.9	ANACACHO	333.7	6.25	6.22	9.07	11.43			12.50		
72 P		7.05	8.23	11.16	4.13					11.02	11.48	49.2	PAVO	329.4	6.19	6.16	8.59	11.35			12.35		
72 P		7.15	8.33	11.26	4.23					11.08	11.54 ^{AM}	53.8	ODLAW	324.8	6.13	6.10	8.51	11.26			12.25		
71 WP		7.30	8.43	11.36	4.33					11.14	12.02 ^{PM}	59.1	OLINE	319.5	6.06	6.03	8.42	11.14			12.02 ^{PM}		
45 P		7.50	8.53	11.46	4.43					11.21	12.11	65.0	OBI	313.6	5.58	5.55	8.32	11.03			11.46 ^{AM}		
71 P		8.22	9.03	11.56 ^{AM}	4.53					11.29	12.19	70.6	HACIENDA	307.6	5.50	5.47	8.22	10.53			11.20		
PYW Yard		8.50	9.23	12.16 ^{PM}	5.10					11.44	12.35	77.5	TO UVALDE	301.1	5.40	5.37	8.10	10.42			11.01	Continuous	Continuous
74 P		9.02	9.33	12.26	5.25					11.51	12.43	82.2	INGE	298.4	5.25	5.22	7.54	10.28			10.35		
52 P		9.15	9.43	12.36	5.35					11.59 ^{PM}	12.53	88.2	TO KNIPPA	290.4	5.17	5.14	7.45	10.19			10.23	8.00AM to 11.30AM 12.30PM to 5.00PM	Closed
51 P		9.30	9.53	12.46	5.45					12.07 ^{PM}	1.01	94.7	YUCCA	283.9	5.08	5.05	7.35	10.09			10.10		
72 PW		9.40	10.01	12.54	5.53					12.13	1.08	99.1	SABINAL	279.5	5.00	4.55	7.27	10.01			9.40		
48 P		9.55	10.14	1.06	6.05					12.22	1.19	106.6	SECO	272.0	4.51	4.46	7.15	9.48			9.15		
83 P		10.10	10.25	1.16	6.15					12.29	1.29	111.6	TO DHANIS	267.0	4.43	4.36	7.03	9.33			9.01	8.00AM to 12.01PM 1.01PM to 5.00PM	Closed
52 PW		10.38	10.45	1.31	6.30					12.39	1.43	120.1	TO HONDO	258.5	4.32	4.24	6.50	9.20			8.41	Continuous	Continuous
72 P		11.00	10.53	1.38	6.37					12.45	1.50	124.3	QUIHI	254.3	4.24	4.14	6.37	9.07			8.25		
72 P		11.20	11.08	1.53	6.58					12.55	2.02	129.9	DUNLAY	248.7	4.16	4.07	6.25	8.56			8.10		
68 P		11.40 ^{AM}	11.20	2.13	7.10					1.04	2.13	137.7	NOONAN	240.9	4.06	3.57	6.12	8.42			7.55		
72 PW		12.01 ^{PM}	11.30	2.30	7.20					1.13	2.24	144.5	TO LACOSTE	234.1	3.55	3.46	5.59	8.29			7.40	8.00AM to 11.30AM 12.30PM to 5.00PM	8.00AM to 11.30AM 12.30PM to 5.00PM
72 P		12.18	11.40	2.42	7.30					1.22	2.34	152.0	MACDONA	226.6	3.45	3.35	5.47	8.17			7.30		
P		12.35	11.52 ^{PM}	2.54	7.42					1.32	2.45	159.8	WITHERS	218.8	3.35	3.25	5.35	8.05			7.10		
												161.8	DUNCAN FIELD	216.8									
I												165.9	TOWER 105 (I.-G.N. and S.A.B. & T. Crossings)	212.7								Continuous	Continuous
I												167.5	TOWER 112 (S. A. B. & T. Crossing)	211.1								Continuous	Continuous
Yard BKP												169.3	TO-R SAN ANTONIO (Commerce Street)	209.3	3.15 ^{AM}	3.05 ^{PM}						Continuous	Continuous
I												170.6	TOWER 121 (Olive St.)	208.0								Continuous	Continuous
BOKPTWY Yard		1.15 ^{PM}	12.30 ^{AM}	3.30 ^{PM}	8.20 ^{AM}							171.2	TO-R EAST YARD	207.4			5.00 ^{AM}	7.30 ^{PM}			6.30 ^{AM}	Continuous	Continuous

(6.35) 20.4 (6.00) 28.5 (6.00) 28.5 (5.50) 29.4 (4.00) 42.5 (4.30) 37.6Time Over Subdivision..... (4.15) 39.3 (4.25) 38.3 (5.30) 31.1 (5.40) 30.3 (6.45) 19.9
 ...Average Speed per Hour...

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72)

See Item 64, Special Instructions, page 12, regarding train movements between Tower 112 and East Yard.
 Trains will move with caution within Spofford Yard Limits, expecting to find main track occupied.
 See Page 15 for additional stops to entrain or detrain revenue passengers.

EASTWARD

SAN ANTONIO SUBDIVISION

WESTWARD

Length of sidings in feet, location of ballasts, water and fuel stations, standard turn tables, eye and tele-phones.	THIRD CLASS			SECOND CLASS			FIRST CLASS			Distance From San Antonio	TIME TABLE No. 173 March 8, 1942	Mile Post Location	FIRST CLASS			SECOND CLASS		THIRD CLASS	Train Order Office Hours and Hours of Signal Operator at Interlocking Stations	
	84	250	248	242	8	6	2	7	5				1	249	247	83				
	Local Freight	Freight	Freight	Freight	Alamo	Argonaut	Sunset Limited	Alamo	Argonaut				Sunset Limited	Freight	Freight	Local Freight				
Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ex. Sunday	Daily Except Sundays and Legal Holidays	Sundays and Legal Holidays Only				
Yard BKP					11.30 ^{AM}	3.40 ^{PM}	2.15 ^{AM}				209.3	6.30 ^{AM}	2.35 ^{PM}	2.55 ^{AM}				Continuous	Continuous	
I											1.3							Continuous	Continuous	
BKYOWPT	7.00 ^{AM}	7.15 ^{PM}	6.45 ^{PM}	2.30 ^{PM}	11.39	3.47	2.23				208.0							Continuous	Continuous	
Yard											0.5	6.15	2.23	2.42	8.45 ^{AM}	6.15 ^{PM}	2.00 ^{PM}	Continuous	Continuous	
P											4.8									
72 P	7.15	7.30	6.57	2.42	11.48	3.55	2.33				201.8	6.00	2.16	2.33	8.33	6.02	1.30			
47 P	7.25	7.40	7.06	2.51	11.55	4.02	2.39				196.7	5.51	2.09	2.24	8.23	5.52	1.15			
WP					11.58 ^{PM}	4.05	2.42	15.1			194.2	5.45	2.05	2.20						
72 P	7.40	7.50	7.13	2.58	12.01 ^{AM}	4.07	2.44	16.4			192.9	5.38	2.03	2.18	8.16	5.44	1.00			
64 P	8.01	8.05	7.27	3.12	12.13	4.17	2.53	24.3			185.0	5.22	1.52	2.07	8.01	5.29	12.40			
46 P	8.15	8.15	7.35	3.20	12.20	4.23	2.59	29.1			180.2	5.12	1.45	2.01	7.52	5.20	12.20			
E71 W30 WP	8.45	8.30	7.50	3.35	12.34	4.35	3.07	35.3			174.0	5.00	1.36	1.53	7.40	5.08	12.01 ^{PM}	Continuous	Continuous	
60 P	8.55	8.38	7.57	3.42	12.40	4.40	3.12	38.6			170.7	4.48	1.31	1.48	7.29	4.59	11.35 ^{AM}			
70 P	9.15	8.50	8.08	3.53	12.48	4.48	3.19	44.8			164.5	4.40	1.23	1.40	7.19	4.48	11.20			
68 P	9.30	9.00	8.17	4.02	12.55	4.54	3.25	49.7			159.6	4.29	1.15	1.33	7.09	4.28	11.05			
E58 P WY W103 Yard	10.15	9.12	8.30	4.15	1.04	5.02	3.32	56.0			153.8	4.18	1.07	1.25	6.57	4.15	10.15	Continuous	Continuous	
61 P	10.30	9.25	8.40	4.25	1.18	5.10	3.39	61.3			148.0	4.06	1.00	1.18	6.47	3.57	10.00			
72 P	10.50	9.33	8.47	4.32	1.25	5.17	3.44	65.3			144.0	4.00	1.00	1.13	6.40	3.50	9.40			
77 P	11.10	9.43	8.56	4.42	1.32	5.24	3.50	70.1			139.2	3.50	1.07	1.07	6.30	3.40	9.20			
71 PW	11.30	9.59	9.13	4.58	1.48	5.37	4.03	78.1			131.2	3.35	1.00	1.07	6.18	3.25	9.00	9.00 ^{AM} to 11.30 ^{AM} 12.30 ^{PM} to 6.00 ^{PM}	12.15 ^{PM} to 5.45 ^{PM}	
72 P	11.50 ^{AM}	10.10	9.23	5.10	1.58	5.45	4.12	84.7			124.6	3.24	1.00	1.07	6.03	3.10	8.45			
N64 IPY S71 Yard	12.20 ^{PM}	10.20 ^{PM}	9.35 ^{PM}	5.20	2.08	5.53	4.20	89.3			120.0	3.13	1.00	1.07	5.55 ^{AM}	3.00 ^{PM}	8.30	Continuous	Continuous	
62 P	12.50			5.31	2.20	6.02	4.29	95.7			118.6	2.55	1.00	1.07			7.40			
49 PW	1.15			5.43	2.37	6.14	4.38	102.2			107.1	2.37	1.00	1.07			7.20	8.00 ^{AM} to 11.50 ^{AM} 12.50 ^{PM} to 5.00 ^{PM}	Closed	
42 P	1.45			5.58	2.48	6.25	4.48	110.4			98.9	2.27	1.00	1.07			7.00			
49 P	2.10			6.08	3.03	6.34	4.56	115.7			93.6	2.18	1.00	1.07			6.47			
Yard BKYPTOW	2.30 ^{PM}			6.20 ^{PM}	3.15 ^{AM}	6.43 ^{PM}	5.05 ^{AM}	122.2			87.1	2.09 ^{AM}	1.27 ^{AM}	1.57 ^{PM}			6.35 ^{AM}	Continuous	Continuous	
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily					Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Ex. Sunday		
	84	250	248	242	8	6	2					7	5	1	249	247	83			

.... Time Over Subdivision (4.21) (3.08) (2.58) (2.50) (3.15) (7.25)
 ... Average Speed per Hour ... 28.1 39.0 41.1 30.9 26.8 16.5

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72)

Trains move with caution within Luling yard limits, and Flatonia yard limits, expecting to find main track occupied.
 See Items 64 and 65, Special Instructions, Page 12, regarding train movements between Salado Junction, East Yard and San Antonio.
 See Page 15 for additional flag stops to entrain or detrain revenue passengers. Nos. 7 and 8 will stop at Cibolo, on flag.

EASTWARD

GLIDDEN SUBDIVISION

Yard	THIRD CLASS			SECOND CLASS			FIRST CLASS								Distance From Glidden	TIME TABLE No. 173 March 8, 1942	
	82 Local Freight	242 Freight	352 Freight	372 Freight	6 Argonaut	56 G. C. & S. F. Passenger	302 Motor	310 Motor	58 G. C. & S. F. Passenger	304 Passenger	2 Sunset Limited	8 Alamo	STATIONS				
	Leave Daily Ex. Sunday	Leave Daily	Leave Daily	Leave Daily Ex. Saturday	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily					
BKOPWTY	6.40 ^{AM}	8.05 ^{PM}			6.43 ^{PM}						5.05 ^{AM}	3.15 ^{AM}	0.0	TO-R	GLIDDEN		
Yard P	6.50				6.49						5.09	3.23	2.8		2.8 COLUMBUS		
82 Yard P	7.00	8.30			6.55						5.14	3.31	5.9		3.1 ALLEYTON		
72 P	7.15	8.45			7.05						5.24	3.41	12.0		7.0 RAMSEY		
76 W Yard	8.40	9.05 ^{PM}			7.14						5.32	3.56	18.6		5.7 EAGLE LAKE		
IP													18.8	Tower 115	9.2 T. & N. O. CROSS.		
I													19.1	TO	0.3 G. C. & S. F. CROSS.		
77 P	9.00				7.24						5.42	4.08	25.8		8.2 LISSE		
81 P	9.15				7.30						5.48	4.18	30.2		4.9 NOTTAWA		
87 P	9.40				7.36						5.54	4.30	35.3	TO	5.1 EAST BERNARD		
71 P	9.50				7.42						6.00	4.38	40.1		4.8 TAVENER		
72 P	10.26				7.48						6.06	4.46	44.5		4.4 RANDON		
42 W Yard BKPWYI	11.00		7.50 ^{PM}	12.45 ^{PM}	8.00	3.50 ^{PM}	3.10 ^{PM}		6.31 ^{AM}	6.26 ^{AM}	6.16	5.01	51.2	TO-R	0.7 TOWER 17 (G. C. & S. F. Cross.)		
65 P	11.45		7.55	12.52	8.05	3.55	3.15		6.35	6.30	6.20	5.10	54.2		3.0 ROSENBERG		
72 P	11.50		7.58	12.57	8.07	3.57	3.17		6.37	6.32	6.22	5.12	55.2		3.0 RICHMOND		
74 P	11.59 ^{AM}		8.03	1.02	8.11	4.01	3.21		6.41	6.36	6.26	5.17	57.7		2.5 FLORA		
159 P	12.15 ^{PM}		8.17	1.12	8.17	4.07	3.27		6.46	6.41	6.32	5.23	62.4		2.5 HARLEM		
IP													62.6		4.7 SUGAR LAND		
90 PW	12.35		8.35	1.25	8.25	4.13	3.37		6.52	6.47	6.38	5.34	67.4	TO TOWER 114 (S.L.R.R. Cross.)	4.8 STAFFORD		
95 P	12.50		8.40	1.30	8.27	4.15	3.40		6.54	6.49	6.40	5.37	68.7		4.3 MISSOURI CITY		
74 P	1.00		8.47	1.38	8.32	4.20	3.46		6.59	6.54	6.45	5.42	72.0		3.9 LOTUS		
PY	1.10		8.54	1.42	8.35	4.23	3.50		7.02	6.57	6.48	5.45	74.5		1.9 WEST JUNCTION		
P			11.35 ^{PM}										79.6		1.3 BELLAIRES JUNCTION		
IPY	Via Harrisburg		11.50	Via Harrisburg	8.47	Via Tower 81	4.05	9.51	Via Tower 81	7.07	7.00	6.00	88.8	TO	4.2 EUREKA (Tower 18)		
BKP			11.59 ^{PM}										86.3		2.0 BOULEVARD JOT.		
PY	1.10		8.54	1.42	9.00 ^{PM}		4.20 ^{PM}	10.05 ^{AM}		7.20 ^{AM}	7.15 ^{AM}	6.15 ^{AM}	88.3	TO-R	0.2 HOUSTON (Passenger Station)		
70 IP	1.40		9.15	1.52			4.23		7.02				74.5		4.3 WEST JUNCTION		
IP							4.28		7.07				77.2	A. B. S.	2.7 STELLA		
80 IPY	2.05 ^{PM}						4.37 ^{PM}		7.21 ^{AM}				81.5	TO-R	4.3 TOWER 81 (G. C. & S. F. Crossing)		
													84.6	TO-R	3.1 HARRISBURG Tower 30 (G. H. & H. Crossing)		
			11.59 ^{PM}										86.3		2.5 BOULEVARD JOT.		
			12.03 ^{PM}										87.3		1.0 NILES		
			12.15										88.7	A. B. S.	1.4 Tower 26 (T. & N. O. Cross.)		
													92.0		3.3 TOWER 68		
BKP	2.40 ^{PM}	1.00 ^{PM}	10.30 ^{PM}	2.45 ^{PM}										TO-R	0.3 ENGLEWOOD		

(8.00) 11.5 (4.55) 17.6 (2.40) 15.3 (2.00) 20.3 (8.00) 38.7 (0.47) 39.9 (1.10) 30.8 (0.22) 23.5 (0.50) 36.5 (0.54) 40.0 (2.10) 40.7 (3.00) 29.4

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72)

Unless otherwise provided, time and train orders at Harrisburg apply at Tower 30.
 See Item 88, Special Instructions, Page 12, regarding train movements between Bellaire Junction and Eureka, between Eureka and Houston Passenger Station, and between Boulevard Junction and Englewood via Niles.
 Time at Englewood for Nos. 82, 352 and 372 for information only. See Special Instructions, Item 92, Page 12, for train movements between Harrisburg and Englewood via Houston Division.
 See BELLAIRE SUBDIVISION, Page 10, for movements of Nos. 309 and 310, to and from passenger station at Eagle Lake. Transfer and siding must be kept clear. Trains will move with caution within Eagle Lake yard limits expecting to find main track occupied.
 No. 2 will stop at Rosenberg to discharge passengers destined Palacios from points west of San Antonio.
 See Page 15 for additional flag stops to entrain or detrain passengers.

GLIDDEN SUBDIVISION

WESTWARD

TIME TABLE No. 173 March 8, 1942		Mile Post Location	FIRST CLASS							SECOND CLASS				THIRD CLASS		Train Order Office Hours and Hours of Signal Operators at Interlocking Stations	
STATIONS			301	55	5	309	57	303	1	7	371	351			81		
			Motor	G. C. & S. F. Passenger	Argonaut	Motor	G. C. & S. F. Passenger	Passenger	Sunset Limited	Alamo	Freight	Freight			Local Freight		
		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily Ex. Saturday	Arrive Daily			Arrive Daily Ex. Sunday	Daily Except Sundays and Legal Holidays	Sundays and Legal Holidays Only	
Automatic Block System	TO-R GLIDDEN	87.1															
	2.8 COLUMBUS	84.3															
	3.1 ALLEYTON	81.2															
	7.0 RAMSEY	74.2															
	5.7 EAGLE LAKE	68.6															
	0.2 T. & N. O. CROSS.	68.3															
	0.3 G. C. & S. F. CROSS.	68.0															
	6.2 LISSIE	61.8															
	4.9 NOTTAWA	56.9															
	5.1 EAST BERNARD	51.8															
	4.8 TAVENER	47.0															
	4.4 RANDON	42.6															
	6.7 TOWER 17 (G. C. & S. F. Cross.)																
	TO-R ROSENBERG	35.0	8:45AM	9:55AM	10:18		10:30PM	10:37PM	10:51	12:48	9:00AM	12:01AM			11:00		
	1.0 RICHMOND	32.9	8:36	9:49	10:12		10:24	10:30	10:46	12:36	8:55	11:50PM			10:28		
2.5 FLORA	31.9	8:33	9:47	10:10		10:22	10:28	10:44	12:33	8:52	11:45			10:22			
4.7 HARLEM	29.4	8:30	9:43	10:06		10:18	10:25	10:40	12:29	8:47	11:40			10:15			
0.2 SUGAR LAND	24.7	8:24	9:37	10:01		10:12	10:20	10:35	12:22	8:38	11:30			10:01			
TO TOWER 114 (S.L.R.R. Cross.)	24.5																
4.8 STAFFORD	19.7	8:16	9:31	9:54		10:06	10:14	10:29	12:14	8:25	11:17			9:31			
3.3 MISSOURI CITY	18.4	8:13	9:29	9:52		10:04	10:12	10:27	12:12	8:21	11:12			9:20			
1.9 LOTS	14.5	8:08	9:24	9:47		9:59	10:07	10:22	12:07	8:13	11:05			9:10			
WEST JUNCTION	12.6	8:05	9:21	9:44		9:56	10:04	10:19	12:04AM	8:09	11:01			9:05			
5.1 BELLAIRE JUNCTION	4.2		Via Tower 81		5:36PM	Via Tower 81				Via Harrisburg	Via Harrisburg			Via Harrisburg			
TO EUREKA (Tower 13)	5.7	7:53		9:32	5:28		9:52	10:07	11:52PM								
2.5 BOULEVARD JCT.	3.2																
TO-R HOUSTON (Passenger Station)	1.2	7:40AM		9:20AM	5:15PM		9:40PM	9:55PM	11:40PM								
A. P. S.	WEST JUNCTION	12.6		9:21			9:56			8:09	11:01			9:05			
	2.7 STELLA																
	Tower 134 (I.-G. N. Crossing)	9.9		9:16			9:51			8:00	10:50			8:55			
	TO-R TOWER 81 (G. C. & S. F. Crossing)	4.6		9:08AM			9:43PM										
	TO-R HARRISBURG Tower 80 (G. H. & H. Crossing)	7.7								7:40AM	10:30PM			8:40AM			
	1.0 BOULEVARD JCT.	2.7															
	1.4 NILES	3.7															
	1.4 Tower 26 (T. & N. O. Cross.)	5.1															
	3.3 TOWER 68	8.4															
	TO-R ENGLEWOOD	8.7									7:15AM	10:00PM			8:15AM		

Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily Ex. Saturday	Leave Daily	Leave Daily Ex. Sunday
301	55	5	309	57	303	1	7			371	351	81
(1.05)	(0.47)	(2.07)	(0.21)	(0.47)	(0.57)	(2.02)	(2.29)			(1.45)	(2.01)	(5.00)
34.2	39.9	41.6	24.9	39.9	39.1	43.5	35.6			23.2	20.1	14.7

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72)

Unless otherwise provided, time and train orders at Harrisburg apply at Tower 80.
 See Item 88, Special Instructions, Page 12, regarding train movements between Bellaire Junction and Eureka, between Eureka and Houston Passenger Station, and between Boulevard Junction and Englewood via Niles.
 Time at Englewood for Nos. 81, 351 and 371 for information only. See Special Instructions, Item 92, Page 12, for train movements between Harrisburg and Englewood via Houston Division.
 See BELLAIRE SUBDIVISION, Page 10, for movements of Nos. 309 and 310, to and from passenger station at Eagle Lake. Transfer and siding must be kept clear. Trains will move with caution within Eagle Lake yard limits expecting to find main track occupied.
 No. 2 will stop at Rosenberg to discharge passengers destined Palacios from points west of San Antonio.
 See Page 15 for additional flag stops to entrain or detrain passengers.

10 EASTWARD		BELLAIRE SUBDIVISION WESTWARD			
SECOND CLASS	FIRST CLASS	Distance From Eagle Lake	TIME TABLE No. 173 March 8, 1942	Mile Post Location	FIRST CLASS
242 Freight	310 Motor				309 Motor
Leave Daily	Leave Daily				Arrive Daily
Yard WIP	9-05 ^{AM}	8-15 ^{AM}	0.0	TO Tower 115	7-10 ^{PM}
I			0.5	(G. O. & S. F. Crossing) EAGLE LAKE (T. & N. O. Crossing) 0.5 (G. C. & S. F. Crossing) 7.1	
24 Team	9-23	8-28	7.6	CHESTERVILLE	6-55
73 IY	9-45	8-41	16.4	TO Tower 51 (G. O. & S. F. Crossing) WALLIS	6-40
40 W	9-59	8-52	22.9	SIMONTON	6-28
12	10-08	9-00	27.7	FULSHEAR	6-20
29	10-16	9-06	31.1	FLEWELLEN	6-14
33	10-25	9-12	34.8	GASTON	6-08
18 Team W	10-45	9-21	40.5	CLODINE	5-59
75	11-00	9-30	46.2	ALFIE	5-49
71	11-15	9-37	50.8	JEANNETTA	5-42
13	11-25	9-41	53.8	BELLAIRE	5-38
	11-35 ^{PM}	9-43 ^{PM}	54.9	BELLAIRE JUNCTION	5-36 ^{PM}
	Arrive Daily	Arrive Daily			Leave Daily
	242	310			309

EASTWARD		EAGLE PASS SUBDIVISION WESTWARD	
SECOND CLASS	TIME TABLE No. 173	SECOND CLASS	
228 Mixed	March 8, 1942	227 Mixed	225 Freight
Leave Daily		Arrive Daily	Arrive Daily Ex. Sunday
Yard BOYWP	11-45 ^{PM}	3-00 ^{PM}	7-00 ^{PM}
20	11-55 ^{PM}	3-10	6-34
20	12-20 ^{PM}	3-35	6-16
39	12-38	3-53	6-01
43	12-53	4-08	5-46
Yard OWYP	1-15 ^{PM}	4-30 ^{PM}	5-30 ^{PM}
	Arrive Daily	Arrive Daily Ex. Sunday	Leave Daily Ex. Sunday
	228	227	225
(1.30) 23.0	(1.30) 23.0 Time Over Subdivision	(1.30) 23.0
..... Average Speed per Hour			
Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.) Except No. 225 is Superior to No. 228.			
The crew assigned to or ordered for the train may assume the schedule of No. 228 at Eagle Pass and leave Eagle Pass without a clearance.			
Train Order Office Hours	Daily Ex. Sunday and Legal Holidays	Legal Holidays Only	Sundays Only
Spofford	Continuous	Continuous	Continuous
Eagle Pass	8:00 AM to 5:00 PM	Closed	Closed

EASTWARD		KERRVILLE SUBDIVISION WESTWARD	
SECOND CLASS	TIME TABLE No. 173	SECOND CLASS	
212 Mixed	March 8, 1942	211 Mixed	
Leave Daily Ex. Sunday		Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday
Yard TW	1-00 ^{PM}	0.0	TO-R KERRVILLE
I	1-08	3.2	LEGION
27	1-25	9.9	CENTER POINT
15	1-53	18.6	TO COMFORT
25 Y	2-04	22.3	FREDERICKSBURG JCT.
15 W	2-15	26.1	WARING
13	2-26	29.5	WELFARE
22	2-52	39.0	TO BOERNE
8		45.4	VAN RAUB
34 Y	3-20	49.4	CAMP STANLEY JUNCTION
17	3-22	50.3	LEON SPRINGS
20 W	3-26	52.0	VIVA
Yard Y	3-42	54.6	BECKMANN
29	4-00	61.2	ROBARDS
		69.9	I-G-N. CROSSING
I		70.3	TOWER 109 (S.A.B. & T. Crossing)
I	4-30	71.4	(TOWER 112 (S.A.B. & T. Crossing)
BKP	4-45 ^{PM}	73.2	TO-R SAN ANTONIO (Commerce Street)
I		74.5	TOWER 121 (Olive St.)
BKWOTYP		75.1	TO-R EAST YARD
	Arrive Daily Ex. Sunday		Leave Daily Ex. Sunday
	212		211
(3.45) 19.5 Time Over Subdivision	(4.01) 18.2 Average Speed per Hour
Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.) Except: No. 211 is Superior to No. 212.			
Trains must approach Fredericksburg Jct., Camp Stanley Junction and Beckmann expecting to find main track occupied without flag protection.			
Nos. 211 and 212 will stop on flag at Shavano M. P. 250.7, Olga M. P. 253.1, Spanish Pass M. P. 274.9, Kenilworth M. P. 277.9, Lomas M. P. 285.5, Idlewild M. P. 288.0, Split Rock M. P. 303.6, Schreiner M. P. 307.2.			
See Item 64, Special Instructions, Page 12, regarding train movements between Tower 112, San Antonio and East Yard.			
Train-Order Office Hours and Hours of Signal Operators at Interlocking Stations	Daily Except Sundays and Legal Holidays	Sundays and Legal Holidays Only	
Kerrville	8:00 AM to 5:00 PM	Closed	
Comfort	8:00 AM to 5:00 PM	Closed	
Boerne	8:00 AM to 5:00 PM	Closed	
Tower 109 (SAB&T Crossing)	Continuous	Continuous	
Tower 112 (SAB&T Crossing)	Continuous	Continuous	
San Antonio (Commerce St.)	Continuous	Continuous	
Tower 121 (Olive St.)	Continuous	Continuous	
East Yard	Continuous	Continuous	

(2.30)
23.0

(1.28)
37.3

..... Time Over Subdivision

(1.34)
35.0

..... Average Speed per Hour

Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.) Nos. 309 and 310 will stop on flag at Howellville.

See Glidden Subdivision, Pages 8 and 9, for train movements between T. & N. O. crossing and passenger and freight stations at Eagle Lake.

Trains will move with caution within Eagle Lake yard limits expecting to find main track occupied.

EASTWARD		LA GRANGE SUBDIVISION WESTWARD	
SECOND CLASS	TIME TABLE No. 173	SECOND CLASS	
217 Mixed	March 8, 1942	219 Mixed	
Leave Daily Ex. Sunday		Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday
TP	0.0	LA GRANGE	24.7
27 House	11.9	ELLINGER	12.8
Yard BKWOTYP	25.1	TO-R GLIDDEN	0.0
	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Leave Daily Ex. Sunday
	217	219	
(0.30) 25.0	(0.30) 25.0 Time Over Subdivision	(0.30) 25.0
..... Average Speed per Hour			
Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.)			
Train Order Office Hours	Daily Ex. Sunday and Legal Holidays	Legal Holidays Only	Sundays Only
Glidden	Continuous	Continuous	Continuous

EASTWARD		GONZALES SUBDIVISION WESTWARD	
SECOND CLASS	TIME TABLE No. 173	SECOND CLASS	
218 Mixed	March 8, 1942	217 Mixed	219 Mixed
Leave Daily Ex. Sunday		Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday
BOYWP	4-30 ^{PM}	12-10 ^{PM}	0.0
P	5-00 ^{PM}	12-40 ^{PM}	12.3
	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Leave Daily Ex. Sunday
	218	216	217
(0.30) 25.0	(0.30) 25.0 Time Over Subdivision	(0.30) 25.0
..... Average Speed per Hour			
Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.) Except: No. 217 is Superior to No. 218.			
Schedules at Harwood will be assumed by crews assigned to or ordered for the train.			
Train-Order Office Hours and Hours of Signal Operators at Interlocking Stations	Daily Except Sundays and Legal Holidays	Sundays and Legal Holidays Only	
Tower 115, Eagle Lake	Continuous	Continuous	
Tower 51, Wallis	Continuous	Continuous	
Gonzales	7:30 AM to 12:01 PM 1:01 PM to 4:30 PM	Closed	

EASTWARD		LA GRANGE SUBDIVISION WESTWARD	
SECOND CLASS	TIME TABLE No. 173	SECOND CLASS	
217 Mixed	March 8, 1942	219 Mixed	
Leave Daily Ex. Sunday		Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday
TP	0.0	LA GRANGE	24.7
27 House	11.9	ELLINGER	12.8
Yard BKWOTYP	25.1	TO-R GLIDDEN	0.0
	Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday	Leave Daily Ex. Sunday
	217	219	
(0.30) 25.0	(0.30) 25.0 Time Over Subdivision	(0.30) 25.0
..... Average Speed per Hour			
Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.)			
Train Order Office Hours	Daily Ex. Sunday and Legal Holidays	Legal Holidays Only	Sundays Only
Glidden	Continuous	Continuous	Continuous

EASTWARD		LA GRANGE SUBDIVISION WESTWARD	
SECOND CLASS	TIME TABLE No. 173	SECOND CLASS	
212 Mixed	March 8, 1942	211 Mixed	
Leave Daily Ex. Sunday		Arrive Daily Ex. Sunday	Arrive Daily Ex. Sunday
Yard TW	1-00 ^{PM}	0.0	TO-R KERRVILLE
I	1-08	3.2	LEGION
27	1-25	9.9	CENTER POINT
15	1-53	18.6	TO COMFORT
25 Y	2-04	22.3	FREDERICKSBURG JCT.
15 W	2-15	26.1	WARING
13	2-26	29.5	WELFARE
22	2-52	39.0	TO BOERNE
8		45.4	VAN RAUB
34 Y	3-20	49.4	CAMP STANLEY JUNCTION
17	3-22	50.3	LEON SPRINGS
20 W	3-26	52.0	VIVA
Yard Y	3-42	54.6	BECKMANN
29	4-00	61.2	ROBARDS
		69.9	I-G-N. CROSSING
I		70.3	TOWER 109 (S.A.B. & T. Crossing)
I	4-30	71.4	(TOWER 112 (S.A.B. & T. Crossing)
BKP	4-45 ^{PM}	73.2	TO-R SAN ANTONIO (Commerce Street)
I		74.5	TOWER 121 (Olive St.)
BKWOTYP		75.1	TO-R EAST YARD
	Arrive Daily Ex. Sunday		Leave Daily Ex. Sunday
	212		211
(3.45) 19.5 Time Over Subdivision	(4.01) 18.2 Average Speed per Hour
Eastward Trains are Superior to Trains of the Same Class in the Opposite Direction. (See Rule S-72.) Except: No. 211 is Superior to No. 212.			
Trains must approach Fredericksburg Jct., Camp Stanley Junction and Beckmann expecting to find main track occupied without flag protection.			
Nos. 211 and 212 will stop on flag at Shavano M. P. 250.7, Olga M. P. 253.1, Spanish Pass M. P. 274.9, Kenilworth M. P. 277.9, Lomas M. P. 285.5, Idlewild M. P. 288.0, Split Rock M. P. 303.6, Schreiner M. P. 307.2.			
See Item 64, Special Instructions, Page 12, regarding train movements between Tower 112, San Antonio and East Yard.			
Train-Order Office Hours and Hours of Signal Operators at Interlocking Stations	Daily Except Sundays and Legal Holidays	Sundays and Legal Holidays Only	
Kerrville	8:00 AM to 5:00 PM	Closed	
Comfort	8:00 AM to 5:00 PM	Closed	
Boerne	8:00 AM to 5:00 PM	Closed	
Tower 109 (SAB&T Crossing)	Continuous	Continuous	
Tower 112 (SAB&T Crossing)	Continuous	Continuous	
San Antonio (Commerce St.)	Continuous	Continuous	
Tower 121 (Olive St.)	Continuous	Continuous	
East Yard	Continuous	Continuous	

SPECIAL INSTRUCTIONS

GENERAL

1. Trains displaying signals for a following section must sound one long and two short blasts of engine whistle when passing both engine and caboose of freight trains, which must be acknowledged by two short blasts of whistle and proceed signal from a member of train crew.
2. A train may arrive at a station in advance of its schedule arriving time.
3. When trains, or engines with or without cars, meet in vicinity of highway crossings at grade they must proceed WITH CAUTION, and, if necessary to avoid accident, STOP.
4. Employees are forbidden to ride front foot board of yard engines in direction of movement, or on pilot of road engines.
5. Trains and engines must stop before crossing a railway at grade unless protected by an interlocking plant.
6. Rule 10 (H), revised: A metal signal painted solid green on front and back will be used to mark limit of restriction in lieu of the green metal signal with white border as prescribed in second paragraph of Rule 10 (H).
7. Roadmasters, B. & B. and signal supervisors, signal foremen, linemen, traveling motor-car repairmen, water-service repairmen, operators of roadway machines and any employees who operate motor cars, must use watches as prescribed by Rule 2, and must be provided with current time-table while operating motor cars and roadway machines.
8. On a passenger train when approaching a station where engines are to be changed or train is to be switched, trainman will open steam valve on rear of train one mile or more in advance and sound Communicating Signal 16 (m). Before opening the valve, trainman must look forward on each side of train to observe whether employees or other pedestrians are walking along the track, who might be scalded by the discharge of steam, and consideration must be given to selecting a location for this operation where there is the least possibility of danger to employees or pedestrians, or damage to property. Steam must not be blown from train line approaching or passing over street or highway crossings.
9. At stations, except at Langtry, where there are two or more sidings, eastward trains must take the most westerly siding, and westward trains the most easterly siding, for trains having authority to hold the main track, unless otherwise directed by train order, or the movement made under flag protection.
10. Engines must not be operated over the live rail of any track scale.

LOCAL

ALL SUBDIVISIONS

19. Cars, gross weight in excess of limits shown, and engines heavier than class indicated, must not be handled between the points named:

Between	Cars	Class Engine	
		Freight	Passenger
El Paso and San Antonio	210,000	GS-1, F-5	P-13-14, GS-1
San Antonio and Houston (via Glidden Subdivision)	210,000	F-1	P-13-14
Eagle Lake and Houston (via Bellaire Subdivision)	210,000	F-1	P-13-14
Spofford and Paloma	210,000	F-1	P-13-14
Paloma and Eagle Pass	210,000	MK-5	P-13-14
San Antonio and Camp Stanley Jct.	210,000	C-9	C-9
Camp Stanley Jct. and Kerrville	210,000	C-24	C-24
Harwood and Gonzales	210,000	T-28	T-28
Glidden and La Grange	169,000	M-4	M-4

20. Limits of sidings at stations named are as follows:
 - Spofford —West switch to cross-over switch near tool house.
 - Harwood —East switch to cross-over switch.
 - Alief —West switch to cross-over switch.
 - Jeannetta —East switch to cross-over switch.
23. Extra precaution must be used when operating Class MK-5, F-1, F-5 or GS-1 engines on other than main tracks and sidings.
24. Santa Fe trains display markers with red and yellow lights. The yellow lights bear the same significance as do the green lights under T. & N. O. rules.

25. Freight trains must be inspected at each water stop. When conditions are favorable and, in the judgment of the conductor and engineer, it is safe to do so, and when additional stops can thereby be avoided, freight trains may run between water stops without stopping for inspection, provided the distance shall not be greater than indicated below:

Manifest Trains—
60 miles, except may run between El Paso and Small; Fort Hancock and Lobo; Valentine and Alpine; Alpine and Sanderson; Sanderson and High Bridge (428-A); Del Rio and Uvalde; Uvalde and East Yard; East Yard and Waelder; Luling and Glidden.

Other Freight Trains—
50 miles, except may run between El Paso and Small; Valentine and Alpine; Alpine and Tescus; Sanderson and Pumpville; East Yard and Luling; Luling and Glidden; Glidden and Rosenberg.

Trainmen are not relieved of making inspection as prescribed by Rule 827 when stops are made at a lesser distance.

Freight trains must be thoroughly inspected at High Bridge (428-A) before crossing.

26. Spring Switches are located as follows:
- Belen —East end double track, normal position for westward track.
 - Madden —East end of siding, normal position for main track.
 - Ramey —East end of siding, normal position for main track.
 - Small —East end of siding, normal position for main track.
 - Torcer —East end of siding, normal position for main track.
 - Lasca —East end of siding, normal position for main track.
 - Marfa —East and West ends of siding, normal position for main track.
 - Sanderson —Main-track switch, extreme west end of yard, normal position for main track.
 - Sanderson —Derail in No. 1 track, west of east crossover, normally to derail eastward movements.
 - Withers —West end double track, normal position for eastward track.
 - San Antonio —Switch connecting west lead track with westward main track at Victoria Street, normal position for westward main track.
 - East Yard —Switch connecting yard lead with eastward main track, east end of yard, normal position for the lead.
 - Waelder —West end siding, normal position for main track.
 - West Junction —Switch connecting westward track of double track to single track, normal position for single track.

They are designated by two targets, one hexagon shape, painted white, bearing the letters "SS"; the other a standard red target.

Trains and engines may trail through spring switches when normally set, but when a stop is made before the entire engine or cars have passed over the points, a reverse movement must not be made until switch has been set by hand. After trailing through a spring switch, a reverse movement must not be made until it is known that both points have moved to proper position as prescribed by Rule 104 (C). Running switches must not be made over spring switches and blow-off cocks, sanders, or injectors must not be operated and boosters must not be started, while engines are standing on or passing over such switches.

Speed of 15 miles per hour must not be exceeded over spring switches east end of yard, East Yard, and at Victoria Street, San Antonio.

Where reduction of speed over other spring switches is required, it will be indicated by slow boards, or by other speed restrictions within the same limits.

27. The following signals, equipped with triangular number plates, have included in their control limits, either spring switches, special devices, or both. When indicating STOP, in addition to complying with the provisions of Rule 509, careful inspection must be made of the track, switches and structures as indicated below, and it must be known that the route is safe for passage of trains before proceeding:

Signals	Location
1316—Waelder—	Spring switch, west end of siding.
2188—Withers—	Spring switch, end of double track.
3889—Between McKees and Devils River—	Falling-rock detector, also fusible wire on Bridges 390-C, 390-D and 390-E.
3896—Between McKees and Devils River—	Falling-rock detector.
3909—Between McKees and Devils River—	Falling-rock detector, also fusible wire on Bridge 390-E.
3916—Between McKees and Devils River—	Falling-rock detector, also fusible wire on Bridges 390-C, 390-D and 390-E.
4469—Between Langtry and Osman—	Falling-rock detector.
4488—Between Langtry and Osman—	Falling-rock detector.
5168—Sanderson—	Spring switch, west end of yard.
5980—Between Altuda and Strobel—	High-water detector, Bridge 597-C.
5975—Between Altuda and Strobel—	High-water detector, Bridge 597-C.
6325—Marfa—	Spring switch, east end of siding.

- 6334—Marfa—
 - 7451—Lasca—
 - 7491—Torcer—
 - 7531—Small—
 - 7623—Ramey—
 - 7657—Madden—
 - 8151—Belen—
- (Note: Spring switches east end of yard, East Yard, and at Victoria Street, San Antonio, not protected by signals.)

28. TAKE SIDING INDICATORS are located on Signals 6065 and 6074, east and west ends of siding at Alpine. (See Rules 705 to 709, inclusive).

29. In addition to location shown on schedule page of time-table, bulletin and circular books are located as follows:

- El Paso —S. P. enginehouse; T. & P. yard office.
- Valentine —Enginehouse.
- Sanderson —Enginehouse.
- Del Rio —Enginehouse.
- San Antonio—Enginehouse; Yardmaster's office, Olive Street.
- Glidden —Enginehouse.
- Houston —Enginehouse; Yardmaster's office, Hardy Street; Union Station (for G. C. & S. F.).
- Hearne —Enginehouse; Train-order office; Yardmaster's office.
- Yoakum —Enginehouse; Train-order office.
- Victoria —Enginehouse; Dispatcher's office.

30. In addition to location shown on schedule page of time-table, standard clocks are located as follows:

- El Paso —S. P. Enginehouse; T. & P. yard office.
- Del Rio —Enginehouse.
- San Antonio—Enginehouse.
- Houston —Enginehouse.

31. Yards located at the following stations are designated by yard-limit boards:

El Paso — Alfalfa	San Antonio — Withers — Salado Jct.
Valentine	Luling
Alpine — Alpine Jct.	Platonia
Sanderson	Glidden — Columbus — Alleyton — Laban
Del Rio	Eagle Lake
Spofford	Rosenberg
Eagle Pass — Quemado Jct.	Houston — North Jct.
Uvalde	Harrisburg

32. To prevent cars rolling out of yard, hand brakes must be set on freight trains, or cut of cars, before engine is detached as follows:

- El Paso freight yard—At least five cars on east end of train when train, or part of train, is left west of Octavia Street.
- Valentine—At least five cars on west end of train.
- Alpine Junction (P. & S. F. or T. & N. O. transfer tracks)—At least ten cars on east end to prevent rolling into P. & S. F. yard.
- Sanderson—At least twelve cars on east end of train.
- Del Rio—A sufficient number on west end of train.
- East Yard—At least eight cars on east end of train.
- Glidden—At least eight cars on east end of train.

33. A trainman is required to ride rear platform of passenger and freight trains and to watch closely for fire while train is passing over the following bridges:

- Del Rio Subdivision:
 - Bridge 307.79, Nueces River, west of Hacienda.
- San Antonio Subdivision:
 - Bridge 204.64, Salado Creek, east of East Yard.
 - Bridge 193.10, Cibolo River, Schertz.
 - Bridge 178.43, Guadalupe River, east of Hilda.
 - Bridge 156.48, San Marcos River, west of Luling.
- Glidden Subdivision:
 - Bridge 84.06, Colorado River, Columbus.
 - Bridge 32.42, Brazos River, Richmond.
- Kerrville Subdivision:
 - Bridge 267-A, Cibolo Creek, between Van Raub and Boerne.
 - Bridge 280-A, Joshua Creek.
 - Bridge 285-D, Guadalupe River, east of Fredericksburg Junction.
- La Grange Subdivision:
 - Bridge 1-C, Colorado River.
- Bellaire Subdivision:
 - Bridge 49-E, East Bernard River.
 - Bridge 41-A, Brazos River.
 - Bridge 38-B, Crump Creek.

(See Pages 2, 13, 14 and 15 for additional instructions, information and speed restrictions applicable to all subdivisions.)

SPECIAL INSTRUCTIONS

EL PASO, VALENTINE AND SANDERSON SUBDIVISIONS

41. Employes of the T. & N. O. R.R. Company will be governed by rules and regulations of the El Paso Union Depot Company within the limits of that company.

42. Main tracks between Tower 47 and Tower 6, El Paso, will be used jointly by trains of the San Antonio Division and the Deming and Alamogordo Subdivisions of the Rio Grande Division. Trains between these points will run with caution, expecting to find the main track occupied. Second-class and inferior trains, and engines, may run ahead of first-class trains, but must not occupy the main track when it is known a first-class train will thereby be delayed, and movement against the current of traffic may be made only under flag protection. Signal operator at Tower 6 will not set the route or clear signals for an eastward movement to move against the current of traffic from Tower 6 to El Paso Street crossover except on instructions of the yardmaster, who must know the movement is protected. Trains may run extra, moving with the current of traffic, between Tower 47 and Tower 6 without train-order authority, but must obtain a clearance before commencement of trip if an operator is on duty.

43. The north track of the double track between Tower 47 and El Paso (Union Depot) will be known as Track No. 1, and the south track as Track No. 2.

44. Westward trains approaching Tower 47 must move from Piedras Street to Tower 47 interlocking limits with caution, expecting to find main track occupied by yard engines.

45. Westward trains entering Pacific Lines yard, El Paso, will head through crossover east of Tower 47, and between sunset and sunrise will receive proceed signal with green light before entering receiving track.

46. Eastward trains checking a regular train on register at El Paso, or identifying a train on opposite track between El Paso (Union Depot) and Belen, will not be required to check against the same train before passing from double to single track.

47. First-class trains may register at El Paso (Octavia Street) by register ticket, Form 2642.

48. Ysleta is a train-order office for eastward trains only.

49. The normal position of Distant Signal 8147 governing westward trains at Belen is CAUTION.

50. Freight trains, in cutting crossing just east of station building at Fabens, must leave an opening between white lines each side of crossing. Loading platform and roof of shed the entire length of the platform on south track, cotton compress at Fabens, will not clear a man on north side of a car or Engine.

51. Trains may register at Sierra Blanca by register ticket, Form 2642, and obtain train-order check, Form R, of superior trains due.

52. Conductors and engineers of T. & P. westward trains may register watch comparison at Sierra Blanca by delivering Form 1525-A to the operator. (See Rule 3.)

53. Spur track switch from enginehouse lead at Valentine must be left lined for the spur.

54. Oil and water columns between main track and track No. 1, Valentine and Sanderson yards, do not afford standard clearance. Employes must exercise extreme care in riding or getting on or off cars and engines in this vicinity.

55. Class F-1 or heavier type engines must not use west leg of wye or oil track at Del Rio beyond switch point of the switch connecting these two tracks.

DEL RIO AND SAN ANTONIO SUBDIVISIONS

61. Class F-1 or heavier engines must not use west leg of wye or oil track at Del Rio beyond the switch point of switch connecting these two tracks.

62. Spofford is a register station only for trains that originate or terminate there.

64. Main tracks between Tower 112, San Antonio (Commerce Street) and East Yard will be used jointly by trains of the San Antonio Division and the Victoria Division. Trains between these points will run with caution, expecting to find the main track occupied. Second-class and inferior trains, and engines, may run ahead of first-class trains, but must not occupy the main track when it is known a first-class train will thereby be delayed, and movements against the current of traffic may be made only under flag protection.

65. Main track between East Yard and Salado Junction will be used jointly by trains of the San Antonio Division and the Victoria Division. Movements between these points will be governed by Positive Block Signal indications.

66. Westward trains of the Del Rio Subdivision, checking a regular train on register at East Yard or San Antonio (Commerce Street), or identifying a first-class train on opposite track between San Antonio (Commerce Street) and Withers, or identifying other trains on opposite track between East Yard and Withers, will not be required to check against the same train before passing from double to single track.

67. Eastward trains of the San Antonio Subdivision, checking a regular train on register at San Antonio (Commerce Street) or East Yard, or identifying a train on opposite track between these points and the end of double track at East Yard, will not be required to check against the same train before passing from double to single track.

68. San Antonio (Commerce Street) and East Yard are train-order offices only for trains that originate there.

69. San Antonio (Commerce Street) is a register station only for trains that originate or terminate there.

70. First-class trains may register at East Yard by register ticket, Form 2642.

71. Flatonía is a register station only for trains that originate or terminate there. Trains may register at Flatonía by register ticket, Form 2642, and obtain a train-order check, Form R, of superior trains due.

72. First-class trains, and extra trains holding running orders through Glidden, may register at Glidden by register ticket, Form 2642, and obtain train-order check, Form R, of superior trains due, and may leave Glidden without a clearance if train-order signal is changed to indicate PROCEED in accordance with Rule 221.

Trains of the San Antonio and Glidden Subdivisions, with the same conductor and engineer operating through Glidden, may be issued train orders on one subdivision that affect their movements on the other, or both, subdivisions.

73. Engines larger than the C-8-9 class must not be operated beyond the first switch on Government track inside the fence at Randolph Field.

75. Class MK-5 and heavier engines must not be operated on the following tracks:

Marion—Gin spur.
Seguin Brick and Tile Co. tracks near Hilda.
Nolte Mill tracks.
Seguin—Tracks 1, 3, 4 and oil-sump track.
Luling—Gin spur; Magnolia spur beyond the right-of-way fence.

76. Engines must not exceed four miles per hour on compress track, Luling.

77. Class MK-5 and F-1 engines may use track No. 2 at Seguin but must not exceed eight miles per hour.

GLIDDEN AND BELLAIRE SUBDIVISIONS

81. First-class trains, and extra trains holding running orders through Glidden, may register at Glidden by register ticket, Form 2642, and obtain train-order check, Form R, of superior trains due, and may leave Glidden without a clearance if train-order signal is changed to indicate PROCEED in accordance with Rule 221.

Trains of the San Antonio and Glidden Subdivisions, with the same conductor and engineer operating through Glidden, may be issued train orders on one subdivision that affect their movements on the other, or both, subdivisions.

82. Engines weighing in excess of 155,000 pounds on drivers must not use rice-mill tracks at Eagle Lake.

84. Rosenberg and Tower 81 are register stations only for trains that originate or terminate there.

85. Trains may register at Tower 81 and Harrisburg by register ticket, Form 2642, and obtain train-order check, Form R, of superior trains due.

86. Trains originating at Houston Passenger Station, enroute to Bellaire Subdivision at Bellaire Junction, must obtain a clearance at Houston Passenger Station, authorizing movement from Bellaire Junction. Trains originating at Englewood, enroute to Glidden Subdivision via Harrisburg, must obtain a clearance at Harrisburg.

87. Trains moving to or from Glidden Subdivision at Harrisburg will be governed by train-order signal located near Tower 30. The train-order signal located near Houston Division main track near switch leading to Glidden Subdivision governs trains moving exclusively on Houston Division.

88. Main tracks between Bellaire Junction and Eureka will be used jointly by trains of the Glidden and Bellaire Subdivisions. Main tracks between Eureka and Houston Passenger Station and between Boulevard Junction and Tower 26 via Niles will be used jointly by trains of the San Antonio Division and Dallas and Austin Divisions, and between Tower 26 and Englewood by trains of the San Antonio Division, Dallas and Austin Divisions and Houston Division. Trains between these points will run with caution, expecting to find the main track occupied. Second-class and inferior trains, and engines, may run ahead of first-class trains, but must not occupy the main track when it is known a first-class train will thereby be delayed, and movements against current of traffic may be made only under flag protection. Between Bellaire Junction and Houston Passenger Station; between Boulevard Junction and Niles and between Tower 26 and Englewood trains may run extra moving with current of traffic without train-order authority. For movements between Tower 26 and Niles see special instructions, Page 14, Centralized Traffic Control System, Glidden Subdivision.

89. The main track between Tower 17 and east switch of east siding, Rosenberg, will be used jointly by trains of the Victoria and San Antonio Divisions and the G. C. & S. F. Movements between these points must be made with caution expecting to find main track occupied. Second-class and inferior trains, and engines, must not occupy the main track when it is known that a first-class train will thereby be delayed.

90. Westward trains between Houston Passenger Station, Bellaire Junction and West Junction, checking a regular train on register at Houston Passenger Station, or receiving a train-order check, Form R, of a regular train at Eureka, or identifying a train on opposite track, will not be required to check against the same train before passing from double to single track at Bellaire Junction or West Junction.

91. Trains to or from the Bellaire Subdivision at Bellaire Junction, authorized to use a schedule, or run as a section of a schedule, on the Bellaire Subdivision, may assume the corresponding schedule, or corresponding section of schedule, on the Glidden Subdivision between Bellaire Junction and Houston Passenger Station, displaying green signals when required.

92. Movements between Harrisburg and Englewood will be made in accordance with the current time-table, special instructions and train orders of the Houston Division.

93. Overlap posts are located—Stafford (to the left of main track), governing eastward trains. Lotus—governing eastward trains.

94. Trains and engines must approach passenger yard, Houston, with caution and be governed by signals from switch tender as follows: PROCEED signal with green flag by day and green light by night before entering passenger yard; PROCEED signal with yellow flag by day and yellow light by night before leaving passenger yard. The following whistle code will be sounded at Houston Avenue Underpass for guidance of switch tender in handling switches at entrance to passenger station yard:

San Antonio Division trains ——— o
Victoria Division trains o o ——— o

EAGLE PASS, KERRVILLE, GONZALES AND LA GRANGE SUBDIVISIONS

101. Westward trains of the Kerrville Subdivision, checking a regular train on register at East Yard or San Antonio (Commerce Street), or identifying a train on opposite track between East Yard and Tower 112, will not be required to check against the same train before passing from double to single track.

104. Engines must not move over track scales, Gonzales Cotton Oil & Manufacturing Co. at Gonzales.

105. Speed of 10 miles per hour must not be exceeded over Colorado River Bridge on LaGrange Subdivision.

106. Train and engine movements over Main and Quarry Streets, Eagle Pass, must be protected by flagman.

Train and engine movements on the Quemado Spur, Eagle Pass Subdivision, must be made with caution; maximum speed for forward movement 20 miles per hour, and for backup movement 15 miles per hour.

Class MK-5 or heavier engines must not use short leg of wye at Eagle Pass.

SPECIAL INSTRUCTIONS

SPEED

150. Unless otherwise further restricted, the following is maximum speed for trains between the points named:	Passenger Trains Handled by Passenger Engines			Gas Electric Motor			Passenger Trains Handled by Engines with Two Wheel Engine Trucks			Manifest Freight Trains when not handling any of the restricted cars shown in Item 161.			Freight and Mixed Trains			Trains handling derricks, ditching machines, steam shovels, drag lines, pile drivers scale test cars and machines of similar kind on own wheels.			150(a). The speed indicated must not be exceeded at any point, by engines listed below, in any service, or when handled in tow.						
	Miles per hour			Miles per hour			Miles per hour			Miles per hour			Miles per hour			Miles per hour			30 miles per hour 307 to 386 481 867 to 894						
	Straight Track	Unprotected Curves	Protected Curves	Straight Track	Unprotected Curves	Protected Curves	Straight Track	Unprotected Curves	Protected Curves	Straight Track	Unprotected Curves	Protected Curves	Straight Track	Unprotected Curves	Protected Curves	Straight Track	Unprotected Curves	Protected Curves	Straight Track	Unprotected Curves	Protected Curves	35 miles per hour 803, 804, 807, 810, 811, 813, 819, 820, 825, 829, 831, 832, 835, 845, 848, 895, 896.			
BETWEEN																						STATIONS			Miles Per Hour
El Paso and Houston.....	60	60	GOVERN	60	60	GOVERN	45	45	FREIGHT TRAIN SPEED ON SLOW BOARDS	45	45	GOVERN	40	40	GOVERN	25	25	25	El Paso.....	25					
Eagle Lake and Bellaire Jct.....	45	45	GOVERN	55	50	GOVERN	40	40				GOVERN	30	30	GOVERN	25	18	18	Marfa.....	15					
West Junction and Harrisburg.....	35	35	GOVERN	38	38	GOVERN	35	35				GOVERN	25	25	GOVERN	20	15	15	Alpine.....	15					
Eagle Pass and Spofford.....	40	40	GOVERN	45	45	GOVERN	30	30				GOVERN	30	30	GOVERN	25	18	18	Del Rio.....	18					
Kerrville and Van Raub.....	30	30	GOVERN	33	33	GOVERN	25	25				GOVERN	25	25	GOVERN	20	15	15	San Antonio.....	18					
Van Raub and San Antonio.....	35	35	GOVERN	38	38	GOVERN	30	30				GOVERN	30	25	GOVERN	20	15	15	Seguin.....	6					
Gonzales and Harwood.....	30	30	GOVERN	33	33	GOVERN	25	25				GOVERN	25	25	GOVERN	20	15	15	Luling.....	10					
La Grange and Glidden.....	20	20	GOVERN	20	20	GOVERN	20	20				GOVERN	20	20	GOVERN	10	10	10	Flatonia.....	6					
																				Schulenburg.....	20				
																				Weimar.....	10				
																				Columbus.....	10				
																				Eagle Lake.....	6				
																				Rosenberg.....	6				
																				Richmond.....	6				
																				Sugar Land.....	15				
																				Houston.....	18				

152. MAXIMUM SPEED OF ENGINES

Yard engines in service, running forward or backward with or without cars, and road engines in service, running backward, with or without cars, or when shoving cars ahead of engine _____ 20 miles per hour.

Yard engines, not equipped with engine trucks, in tow in charge of messenger, and under sufficient steam to lubricate, moving forward or backward, rods in place _____ Freight train speed.

Road engines in tow in charge of messenger, and under sufficient steam to lubricate: Moving forward or backward, main or side rods, or both, removed _____ 20 miles per hour.

Road engines running forward, light, unless otherwise directed _____ Freight train speed.

153. Trains must not exceed 15 miles per hour through crossovers, junctions and other diverging switches; 25 miles per hour over drawbridges; and 45 miles per hour over railroad crossings at grade not otherwise further restricted.

154. Trains and engines must proceed with caution between Dakota and Wyoming streets and between Crockett and East Houston Streets, San Antonio, looking out for cross-over movements to and from passenger yard, and during the hours named below, must not exceed six (6) miles per hour over the following street crossings and, if necessary, send a flagman ahead before proceeding:

- San Antonio: Sherman, Burleson, Lamar, Burnet, Montana, Wyoming, Dakota _____ 12:01 A.M. to 6:00 A.M.
- Pine, Hackberry, Dawson, Houston, Crockett, Center, East Commerce, South Presa, South St. Mary's, South Flores and South Brazos Streets have crossing gates operated at all hours.
- San Antonio (Kerrville Subdivision): West Laurel and Probandt Street _____ All Hours
- Luling: All Streets _____ All Hours
- Gonzales: St. Joseph Street _____ All Hours

156. GS-1 class engines, when used in passenger service, must not exceed 55 miles per hour on straight track and unprotected curves.

Engines not equipped with trailer trucks, when used in passenger service, must not exceed 55 miles per hour.

157. Trains must stop before crossing High Bridge (428-A) Sanderson Subdivision and must not exceed speed of 12 miles per hour until entire train is over the bridge. Application of brakes while train is on the bridge should be avoided except in emergency. Flagman must ride on platform of rear car and signal when train has passed over bridge, keeping a close lookout for fire.

159. Passenger trains leaving or entering El Paso Union Depot must not exceed six (6) miles per hour between lead track out of Union Depot and crossover just west of Tower 6.

160. Movements of all trains on and through the various crossovers and in interlocking limits of Tower 47 must be made with caution not exceeding 10 miles per hour.

161. Speed shown under "Manifest Freight Trains," Item 150, may be observed when not handling:

Loaded tank cars, except tank cars of 10,000 gallons capacity or less when not containing gasoline, naphtha, or other highly inflammable commodities;

Any open-top car loaded with transformers, rail, poles or piling, twin or other multiple loads;

Any other open-top cars when lading projects above ends or sides of car, unless car foreman or lead inspector, after careful inspection, certifies load in good condition for fast speed;

Machines on own wheels such as cranes, derricks, ditching machines, or any other car restricted by rule or special instructions;

Cars with arch bar type trucks.

162. LOCATIONS WHERE SLOW BOARD RESTRICTIONS APPLY TO MORE THAN ONE CURVE, STRUCTURE OR EXTENDED SECTION OF TRACK.

FOR EASTWARD TRAINS			FOR WESTWARD TRAINS		
Location of Slow Board M.P.	Beginning of Restriction M.P.	End of Restriction M.P.	Location of Slow Board M.P.	Beginning of Restriction M.P.	End of Restriction M.P.
81.95	81.20	74.20	73.45	74.20	81.20
251.67	250.92	249.70	248.95	249.70	250.92
306.87	306.12	304.49	304.49	304.49	306.12
397.70	396.95	396.35	395.60	396.35	396.95
401.87	401.12	401.04	400.29	401.04	401.12
411.11	410.36	410.05	409.28	410.05	410.36
411.91	411.16	410.39	409.64	410.39	411.16
414.43	413.68	412.75	412.75	413.68	414.43
417.87	417.12	416.54	415.79	416.54	417.12
418.83	418.08	417.14	416.39	417.14	418.08
421.27	420.52	420.17	419.42	420.17	420.52
428.83	428.08	421.45	420.70	421.45	428.08
431.51	430.76	428.07	428.57	428.07	430.76
436.31	435.56	435.32	434.57	435.32	435.56
437.24	436.49	435.87	435.12	435.87	436.49
439.84	439.09	437.00	436.25	437.00	439.09
440.32	439.57	438.73	437.98	438.73	439.57
442.50	441.75	440.26	439.51	440.26	441.75
449.48	448.73	447.80	446.85	447.80	448.73
456.71	455.96	454.21	453.46	454.21	455.96
458.12	457.37	456.11	455.36	456.11	457.37
461.00	460.25	459.92	459.17	459.92	460.25
461.99	461.24	460.50	459.75	460.50	461.24
463.37	462.62	461.75	461.05	461.75	462.62
464.58	463.83	463.58	463.83	463.58	464.58
466.23	465.48	464.54	463.79	464.54	465.48
470.96	469.31	468.01	467.26	468.01	469.31
473.82	473.07	472.35	471.69	472.35	473.07
477.18	476.43	474.61	473.86	474.61	476.43
481.46	480.71	479.59	479.59	480.71	481.46
486.27	485.51	484.75	484.75	485.51	486.27
487.87	487.12	486.47	485.72	486.47	487.12
490.87	490.12	489.54	488.79	489.54	490.12
511.49	511.39	507.75	507.75	511.39	511.49
522.93	521.88	518.90	518.15	518.90	521.88
544.05	543.30	542.71	541.96	542.71	543.30
545.39	544.61	543.98	543.23	543.98	544.61
546.03	545.88	545.32	544.57	545.32	546.03
548.20	547.45	546.49	546.49	547.45	548.20
551.77	551.92	549.79	549.04	549.79	551.77
559.62	559.87	558.32	558.32	559.62	559.87
576.46	575.71	574.50	574.50	575.71	576.46
589.83	589.08	587.75	587.75	589.08	589.83
600.28	599.53	599.01	598.26	599.01	599.53
603.38	602.63	601.49	600.74	601.49	602.63
605.52	604.77	603.45	602.70	603.45	604.77
610.35	609.60	608.46	607.71	608.46	609.60
618.03	617.88	617.14	616.39	617.14	617.88
620.82	620.07	618.33	617.58	618.33	620.07
748.92	748.17	746.66	745.91	746.66	748.17
763.69	762.94	762.52	761.77	762.52	762.94
768.07	767.32	766.47	765.72	766.47	767.32
768.08	767.33	766.58	765.83	766.58	767.33
768.57	767.82	767.07	766.32	767.07	767.82
785.83	785.08	784.66	783.91	784.66	785.08
824.48	823.73	823.18	822.53	823.18	823.73

163. Location of slow boards not located at the distance prescribed by Rule 10 (J):

	Slow board location (Mile post)	Distance from beginning of restriction (mile)
Eastward Trains:	205.82	0.58
	301.17	0.50
	418.83	0.67
	437.24	0.81
	503.16	0.59
	511.49	0.10
	532.93	0.99
Westward Trains:	428.57	0.50
	620.09	0.56
	766.54	0.54
	783.97	0.69
	822.53	0.65

SPEED TABLE

This table is for information in determining speed per mile and is in no way affects rules or special instructions governing speed of trains.

Miles per Hour	1 Mile in		Miles per Hour	1 Mile in		Miles per Hour	1 Mile in	
	Min.	Sec.		Min.	Sec.		Min.	Sec.
6	10	0	30	2	0	49	1	13
8	7	30	31	1	56	50	1	12
10	6	0	32	1	52	51	1	10
12	5	0	33	1	49	52	1	9
15	4	0	34	1	45	53	1	7
16	3	45	35	1	42	54	1	6
17	3	31	36	1	40	55	1	5
18	3	20	37	1	37	56	1	4
19	3	9	38	1	34	57	1	3
20	3	0	39	1	33	58	1	2
21	2	51	40	1	30	59	1	1
22	2	43	41	1	27	60	1	0
23	2	36	42	1	25	65	0	55
24	2	30	43	1	23	70	0	51
25	2	24	44	1	21	75	0	48
26	2	18	45	1	20	80	0	45
27	2	13	46	1	18	85	0	42
28	2	8	47	1	16	90	0	40
29	2	4	48	1	15	95	0	38
						100	0	36

SPECIAL INSTRUCTIONS

CENTRALIZED TRAFFIC CONTROL SYSTEM

(C. T. C. S.)

VALENTE SUBDIVISION

GOVERNING THE MOVEMENT OF TRAINS BETWEEN ALPINE AND PAISANO.

Centralized Traffic Control Signals have semaphore arms painted the same as Interlocking Signals and their indications are the same as those displayed by Interlocking Signals.

The following special instructions will govern operation of trains through centralized traffic control territory:

CENTRALIZED TRAFFIC CONTROL SYSTEM LIMITS

Between Signal 6073, main track at Alpine, and Signal 6200, main track at west switch of siding at Paisano.

OPERATION — CENTRALIZED TRAFFIC CONTROL SYSTEM

Trains and engines will operate within centralized traffic control system limits in accordance with Centralized Traffic Control Signal indications, which supersede the superiority of trains, and should run to a signal indicating STOP but not pass it without first securing permission by telephone from the operator at Alpine, and then be governed by the provisions of Rules 603 and 609, and before passing it, must see that the switch is properly lined and not exceed twelve miles per hour until entire train has cleared the switch.

The lower arm of a three-arm signal governs movements into sidings at Toronto and Paisano and to P. & S. F. Railway at Alpine Junction; the lower arm of the two-arm signal at junction switch at Paisano governs movements to P. & S. F. Railway; dwarf signals govern movements out of sidings; one-arm signal 6085 at Alpine Junction governs movements from P. & S. F. Railway and T. & N. O. transfer and one-arm signal 6106 at Junction switch, Paisano, governs movements from P. & S. F. Railway. All other signals govern main-track movements.

Westward P. & S. F. trains must approach west switch T. & N. O. transfer, Alpine Junction, with caution, looking out for T. & N. O. engines using transfer track.

Signals 6201 and 6203 at west end of siding Paisano govern movements over, but not beyond, the switch.

At Paisano:—The yellow arm on Signal 6200 governing eastward trains at west end of siding, when in restrictive position, will indicate Home Signal 6198 at junction switch, or Home Signal 6194 at east end of siding, or both, are in STOP position.

The yellow arm on Signal 6198 governing westward trains at east end of siding when in restrictive position, will indicate Home Signal 6197 at junction switch, or Home Signal 6201 at west end of siding, or both, are in STOP position.

At Toronto:—Distant Signal 6132, 2983 feet west of west switch of siding, governing eastward trains, when in restrictive position, will indicate Home Signal 6128 at west end of siding, or Home Signal 6129 at east end of siding, or both, are in STOP position.

Within Centralized Traffic Control System limits trains may run extra without running orders.

Operator at Alpine will not line the switch and clear the signal for trains from the P. & S. F. Railway to enter main track at Paisano or at Alpine Junction without first securing permission from the train dispatcher.

Trains from and to the P. & S. F. Railway at Alpine Junction will enter and leave the main track at the switch located at signals 6085 and 6084.

The siding switches at Toronto and Paisano, the main track switch at Alpine Junction and the junction switch at Paisano, are power operated by the operator at Alpine. If necessary to operate a power switch by hand, a crank is located in a box on one end of the instrument case at the switch and printed instructions are located in telephone box on other end of instrument case. The crank must be replaced in box and box locked after having been used.

Sand must not be used over movable parts of power-operated switches. Trains must not blow out boilers when passing over power-operated switches, or when passing signals.

Trains or engines desiring to do switching or other work on the main track within Centralized Traffic Control System limits will secure permission by telephone from the operator at Alpine. The length of time the block may be occupied will be indicated by the operator, and at the expiration of this time the block must be vacated or an extension of time secured.

Trains or engines entering the main track at the west end of siding or house track Alpine and at P. & S. F. transfer tracks must secure permission from the operator at Alpine before fouling the main track and then be governed by position of switch indicator located at west switch of siding, Alpine, and crossover switch at P. & S. F. transfer tracks, west of Alpine, before lining the switch of either track.

Trains or engines, after having cleared the main track and lined the switch and derail to permit a main track movement at the crusher track Toronto, must secure permission from the operator at Alpine before re-entering the main track, and then be governed by position of switch indicator before lining the switch and derail.

Indicators between Toronto and Paisano are for information of maintenance of way forces, and not for train operation.

Intermediate home signals 6078, 6079, 6097 and 6102 between Alpine and Toronto and 6141, 6146, 6150, 6164, 6171 and 6175 between Toronto and Paisano are automatic block signals, and trains stopped by such signals will be governed by Rule 509.

GLIDDEN SUBDIVISION

Train and engine movements on single track of the Freight Route between Tower 26 and Niles will be in accordance with Centralized Traffic Control signal indications, which supersede the superiority of trains. Such signals are of the light type, bearing number plate. Trains, after stopping, may pass a signal indicating "stop" only in compliance with Rule 603.

Trains may operate between Tower 26 and Niles without train-order authority, but such trains originating at Englewood must obtain a clearance at that station.

Signal No. 1, located at the west interlocking limits of Tower 26, just west of Maury Street, governs westward movements; Signal No. 16, located at the fouling point on eastward track, and Signal No. 15, located at the fouling point on westward track. Other Centralized Traffic Control signals to govern westward and eastward movements are located as follows:

Signal No. 3, westward)	near Old Signal Shop
Signal No. 4, eastward)	
Signal No. 5, westward)	
Signal No. 6, eastward)	near North Main Street underpass
Signal No. 9, westward)	
Signal No. 10, eastward)	at Houston Avenue

Telephones for communication with the signal operator at Maury Street and with the assistant yardmaster at Hardy Street, are located as follows:

SA Yard Crossover west of Hardy Street
Signal No. 4
Old Freight House Lead
Signal No. 6
West end Shop Lead
Signal No. 10
Niles
Trains must not exceed 15 miles per hour between Tower 26 and Niles and must proceed with caution, expecting to find governing signals indicating "stop."

REMOTE SWITCH CONTROL

EL PASO UNION DEPOT

The switches just east of El Paso Union Depot yard governing movements into and out of El Paso Union Depot tracks and cross-over movements from westward and eastward main tracks, Nos. 1 and 2, are electrically operated from Tower 6. Interlocking Signals and Interlocking Rules will govern movements over these switches.

The top, or longer arm, on interlocking home signal governing westward movements at El Paso Street governs through crossover and into El Paso Union Depot yard; the lower, or shorter arm, governs continuous movements on westward track.

When the signals are not cleared or the switch is not set for the route required, train or enginemen will communicate with the signal operator at Tower 6 by telephone located in box on westward signal mast at El Paso Street, on signal mast near east lead El Paso Union Depot or on iron fence El Paso Union Depot. Instructions for operating the switch by hand, when so authorized by the signal operator, are located in telephone boxes.

When necessary for a yard engine to use a route that has been lined for an approaching passenger train, the signal operator must immediately be so advised by telephone, in order that he may restore the route and clear signals for the passenger train.

The engine foreman in charge of switching of passenger equipment at east end of El Paso Union Depot yard will advise signal operator by telephone when he is ready to start switching over El Paso Union Depot connection, and signal operator will set this switch and clear signal, leaving same in that position until engine foreman advises switching has been completed.

Conductors of eastward passenger trains will advise signal operator by telephone, located in box on El Paso Union Depot fence, when train is ready to leave.

TOWER 47—EL PASO

The switch just east of east interlocker limits, Tower 47, governing movements to and from the lead to El Paso S. P. freight yards is electrically operated from Tower 47. Interlocking signals and interlocking rules will govern movement over this switch.

SIERRA BLANCA

T. & P. freight switch located 1893 feet east of the west switch of siding, and T. & P. passenger switch located 3623 feet east of T. & P. freight switch at Sierra Blanca are electrically operated from train-order office. Interlocking Signals and Interlocking Rules will govern movements over these switches. Movements from T. & P. tracks to main track will be governed by light-type signals located a short distance east of the switches.

When the signals are not cleared or the switch is not set for the route required, train or enginemen will communicate with the operator by telephone located in box on post near the switch. Instructions for operating the switch by hand, when so authorized by the operator, are located in telephone box.

Movements to and from T. & P. tracks through electrically-operated switches must not exceed fifteen miles per hour.

Cars or engines must not be left standing on electrically-operated switches, or between the home signals located east and west thereof, thereby preventing the operator from operating the switches.

SANDERSON

The switch at east end of Sanderson yard is electrically operated from the train-order office. Interlocking Signals and Interlocking Rules will govern movements over this switch.

When the signals are not cleared or the switch is not set for the route required, train or enginemen will communicate with the operator by telephone located in box on iron post on north side of track just east of the switch; one long ring for operator; two long rings for maintainer. Instructions for operating the switch by hand, when so authorized by the operator, are located in telephone box.

When making a movement into or out of yard over No. 1 extension switch, the switch will automatically return to normal position for main-track movement and the derail located west of the switch will automatically be set to derail an eastward movement from track No. 1 as soon as the train or engine for which the route was lined has cleared the home signals located just east and west of the switch and derail, and trains moving westward into yard must not make a reverse movement until the signal has been cleared or the operator has authorized the movement.

FLATONIA, EAGLE LAKE AND ROSENBERG

The west switches of north and south sidings at Flatonia are electrically operated from Tower 3.

The west switch of siding at Eagle Lake is electrically operated from Tower 115.

The west switch of west siding at Rosenberg is electrically operated from Tower 17.

Interlocking signals and interlocking rules will govern movements over these switches.

When the signal is not cleared or the switch is not set for the route required, train or enginemen will communicate with the signal operator by telephone, but inferior eastward trains approaching any of these switches and finding the switch set for main-track movement, and the governing signal clear, are authorized to proceed with caution on the main track to the next signal governing in direction of movement.

EAST YARD

The switch at east end of double track, East Yard, is electrically operated from the train-order office at East Yard; the normal position is for the westward track. Interlocking Signals and Interlocking Rules will govern movements over this switch.

When the signal is not cleared, or the switch is not set for the route required, trainmen or enginemen will communicate with the operator at East Yard by telephone, one of which is located in a box on the east side of instrument case opposite power switch, and the other on Signal 2070. When authorized by the operator, switch may be manipulated by hand, instructions for which are located in the telephone box on instrument case.

WEST JUNCTION

The switch connecting the single main track with the eastward main track of double track is electrically operated from Tower 13, Eureka; the normal position is for single track movement. Interlocking signals and interlocking rules will govern movements over this switch.

When signal is not cleared or the switch is not set for the route required, trainmen or enginemen will communicate with the operator at Tower 13 by telephone which is located in the box on west end of instrument case opposite power switch. When authorized by the operator, switch may be manipulated by hand, instructions for which are located in telephone box.

Westward trains moving with the current of traffic from double to single track shall be governed by Signal 95 and trail through spring switch, and when the signal is not cleared to authorize movement through the switch, trainmen or enginemen will communicate with the operator at Tower 13 by telephone, for instructions.

Movements to or from double track through electrically-operated switch, or spring switch, with governing signal indicating proceed are restricted to maximum speed of fifteen miles per hour.

Westward trains, not receiving a check against, or identifying superior trains at or before arriving West Junction, shall communicate with train dispatcher by telephone at West Junction for check of such train; except, westward second-class or inferior trains from either route, arriving at West Junction when a westward superior train from the other route is due, and unable to identify the superior train may, when the governing signal is clear, proceed to the next open train-order office to obtain Form R check of such train, but must carefully look out for the superior train following, and if seen approaching, the inferior train must arrange for the superior train to promptly pass.

BOULEVARD JUNCTION

Both switches of the crossover just east of Heights Boulevard are electrically operated from Tower 13, Eureka.

Dwarf light Signal X-35-SA, located to the north of Chaney Yard lead track west of Harvard Street, governs westward movements entering the interlocking limits from any of the Chaney Yard tracks; normal position is stop. The route must be set against conflicting movements by the operator at Tower 13, Eureka, and the west switch of the lead must be set for the lead by a member of the crew before Signal X-35-SA will indicate proceed. Trains or engines must not enter main track from lead, Chaney Yard, unless so authorized by telephone by signal operator at Tower 13, Eureka, when telephone communication is possible.

Location of local telephones connected with Tower 13:

Mechanism case at signal bridge.
Mechanism case east of Harvard Street.
Crossing watchman's booth, Heights Boulevard.

Before moving over an electrically-operated switch with the signal indicating "stop," it must be known the switch is properly set, and a speed of twelve miles per hour must not be exceeded until the entire train has passed over the switch.

SA

SPECIAL INSTRUCTIONS

POSITIVE BLOCK

Positive block signals have semaphore arms painted the same as interlocking signals, and their indications are the same as those displayed by interlocking signals.

Trains and engines will operate within positive block signal limits in accordance with positive block signal indications, which supersede the superiority of trains, but second-class and inferior trains, and engines, will not occupy a positive block or overlap in connection therewith, when it is known a first-class train will thereby be delayed.

To enter a positive block when the signal indicates STOP, the movement must be made in accordance with the provisions of paragraph (d) or paragraph (e), Rule 509, but before applying paragraph (e), trainmen, and engine men must assure themselves, either by means of vision or telephonic communication, that the block is not occupied by an opposing train.

Automatic block signals located within positive block limits will be respected in accordance with automatic block system rules.

POSITIVE BLOCK LIMITS

BETWEEN EAST YARD AND SALADO JUNCTION:

Signal 2066 at east end of double track, East Yard, governs movements from that point to Salado Junction.

Signal 2043 on San Antonio Subdivision, 550 feet east of Salado Junction switch, and Signal 1361 on the Victoria Division at Salado Junction, govern movements Salado Junction to end of double track, East Yard.

Overlap extends east of Salado Junction to Signal 2027. Westward inferior trains of the San Antonio Subdivision, waiting for superior trains from the Victoria Division to enter the positive block at Salado Junction, or East Yard, must wait east of Signal 2027.

Trains entering positive block from Victoria Division at Salado Junction, as per paragraph (d) or (e), Rule 509, with Signal 1361 at STOP and indicator at switch indicating block occupied, must protect themselves against westward trains on San Antonio Subdivision.

ADDITIONAL FLAG STOPS TO ENTRAIN OR DETRAIN REVENUE PASSENGERS

Train	At Stations	Entrain Passengers to or Beyond	Detrain Passengers from or Beyond
1	Between Houston and El Paso	West of El Paso	Atlanta, Birmingham, Memphis, Florida
	Sugar Land		Schedule stops east of Houston and from trains connecting at Houston
	Between Rosenberg and San Antonio		Passengers from Sunbeam train 14 at Houston
2	Randolph Field	El Paso	East of Houston
	Between El Paso and Houston	Atlanta, Birmingham, Memphis, Florida	West of El Paso
	Randolph Field	East of Houston	El Paso
5	Sugar Land	Schedule stops east of Houston and schedule stops for trains connecting at Houston	
	Between Houston and El Paso		Connecting Lines at New Orleans
	Between Houston and San Antonio	West of San Antonio	East of Houston
6	Between Rosenberg and San Antonio		From trains connecting at Houston
	Sugar Land	San Antonio	
	East Bernard	San Antonio	
	Harwood	San Antonio	Houston
	Between San Antonio and El Paso	Any Station	Any Station
7	Between El Paso and San Antonio	Any Station	Any Station
	Between San Antonio and Houston	Schedule stops east of Houston and schedule stops for trains connecting at Houston	West of San Antonio
	Harwood	Houston	San Antonio
8	Sugar Land		San Antonio
	Missouri City	West of Rosenberg	Houston
303	Missouri City	Houston	Stations West
	Sugar Land	West of Rosenberg	
304	Any Station	West of Victoria	
	Any Station		West of Rosenberg

RATINGS OF ENGINES IN FREIGHT SERVICE—IN UNITS OF 1000 POUNDS (Ms) 15

Nominal	CLASS Designation	ENGINE NUMBERS	El Paso	Valentine	Valentine	Del Rio	Del Rio	San Antonio	Glidden	Eagle Pass	Spofford	San Antonio	Gonzales	La Grange
			to Valentine	to El Paso	to Del Rio	to Valentine	and San Antonio	and Glidden	and Houston	to Spofford	and Kerrville	and Harwood	and Glidden	
F-5	F63 294/32 306/B61SF	906-921	4800	5850	5300	4800	6100	5600	16500	9300	11000			
GS-1	G573 27/30 262/B58SF	700-707	4150	5200	4500	4150	5200	4800	14000	7900	9400			
F-1	F63 274/32 278SF	953-999	3650	4400	4000	3675	4800	4400	13000	7350	8750			
MK-5	MK63 26/28 210S	738-794	3000	3650	3300	3050	3750	3500	9000	5090	6060			
C-8-9	C57 22/30 190S	800-850	2200	2690	2450	2250	3200	3050	7500	4240	5060	2360	2130	1750
P-13	P73 25/30 189-B63SF	631-633	2370	2900	2600	2400	2900	2700	7000	4100	4900			
P-9	P73 25/30 183-B63SF	622-630	2370	2900	2600	2400	2900	2700	7000	4100	4900			
P-6	P-7 25/28 178/B59SF	610-621	2130	2600	2350	2150	2600	2380	6500	3680	4380			
P-5	P77 22/28 148-B58SF	600-609					2000	1850	4150	2850	3400	1490	1470	1210
M-10	M63 21/28 152S	500-514					2200	2040	5700	3230	3840	1660	1640	1350
M-6	M63 21/28 142S	515-517					1980	2140	5420	3090	3650	1610	1590	1280
C-24	C-50 20/26 152S	885-894					2240	2070	5670	3160	3760	1690	1640	1300
C-23	C-50 20/26 144S	877-884					2100	1940	5320	3010	3580	1610	1550	1220
C-22	C-50 20/26 141S	874					2100	1940	5320	3010	3580	1610	1550	1220
C-21	C-50 20/24 140S	870					2050	1880	5160	2920	3480	1570	1510	1200
C-20	C-50 19/26 124S	867-869					1930	1750	4800	2720	3230	1450	1400	1100
M-19	M-56 19/26 133	497-498					1900	1730	4750	2690	3200	1440	1400	1100
M-17	M-56 19/26 118	495					1800	1640	4500	2560	3040	1360	1330	1040
M-4	M-63 20/28 128S	410-432, 434-459					1950	1780	4850	2740	3280	1470	1400	1100
T-28	T-69 22/28 163S	388-399					2370	2160	5900	3340	4000	1780	1700	1400
T-38	T-62 19/24 93	376						1320	3600	2040	2440	1080	1044	820
T-27	T-63 20/26 112	377-386					1710	1560	4250	2400	2880	1280	1210	970
T-25	T-63 19/26 100	364					1540	1400	3840	2170	2600	1140	1080	880
T-25	T-56 19/26 100	353-358, 361					1540	1400	3840	2170	2600	1140	1080	880
A-1	A-73 20/28-125 B-52-SF	273-277						1610	4390			1320	1260	1000
A-1	A-77 20/28-125 B-53-SF	278						1520	4170			1250	1200	950
E-22	E-69 19/24-79S	244-248												
E-22	E-69 19/24-76S	250-252, 254-256-257							1180	3240				740
E-23	E-73 20/24 93S	261-265										975	930	740
E-23	E-73 20/24 90S	266-272							1310	3580				820
E-39	E-62 17/24-64S	205-207-208										870	830	660
E-40	E-62 18/24-73S	223										975	930	740

The following table will govern in maximum loading "total weight car and contents" for cars of the size of journals shown regardless of nominal capacity of car.

Nominal Capacity	Journal	Total Weight Car and Contents
40,000 lbs.	3 3/4 x 7	66,000 lbs.
60,000 "	4 1/2 x 8	103,010 "
80,000 "	5 x 9	136,000 "
100,000 "	5 1/2 x 10	169,000 "
140,000 "	6 x 11	210,000 "

Except: Hart convertible type ballast cars, load limit must not exceed 90,000 pounds.

PASSENGER ENGINES

Numbers	Class
700-707	GS-1
630-632	P-14
631-633	P-13
622-630	P-9
610-621	P-6
600-609	P-5
388-399	T-28
273-278	A-1
261-272	E-23

LEGAL HOLIDAYS:

New Year's Day	January 1st.
Washington's Birthday	February 22nd.
Decoration Day	May 30th.
Independence Day	July 4th.
Labor Day	First Monday in September.
Thanksgiving Day	Last Thursday in November
Christmas	December 25th.

J. D. Kinsler,
Superintendent, San Antonio

W. R. Mann,
Assistant Superintendent, San Antonio

T. J. Womack,
L. B. Welch,
Trainmasters, San Antonio

Marvin Bell,
Trainmaster, El Paso

J. J. Moore,
Superintendent,
Houston Division, Houston

J. G. McCullar,
Traveling Engineer, El Paso

C. G. Cook,
Traveling Engineer, San Antonio

C. C. Williams,
H. Dickson,
W. O. Strother,
Chief Train Dispatchers, San Antonio

Traveling Engineer will exercise duties of Trainmaster when on line.

L. F. Tadlock,
Terminal Superintendent, El Paso

H. T. Etheridge,
W. R. Riggs,
Chief Train Dispatchers, El Paso

T. G. Gready,
Chief Train Dispatcher, Houston

F. W. H. Wehner,
Terminal Trainmaster, Del Rio

MAP OF THE SAN ANTONIO DIVISION SOUTHERN PACIFIC LINES TEXAS AND NEW ORLEANS RAILROAD COMPANY

