

**MISSOURI PACIFIC EMPLOYEES' HOSPITAL ASSOCIATION  
ST. LOUIS, MO.**

**H. J. Mohler, President**

**The Names and Locations of Local and Dispensary Surgeons**

E. K. Guinn.....	Okolona, Miss.
R. G. Hendrick.....	Okolona, Miss.
B. T. Gregory.....	Okolona, Miss.
G. W. Bounds.....	Shannon, Miss.
H. J. Kellum, Jr.....	Tupelo, Miss.
G. L. Brown.....	Tupelo, Miss.
Ross B. Love.....	Tupelo, Miss.
A. C. McCully.....	Saltillo, Miss.
R. B. Caldwell.....	Baldwyn, Miss.
W. H. Sutherland.....	Booneville, Miss.
W. H. Anderson.....	Booneville, Miss.
S. C. Gallaway.....	Booneville, Miss.
C. W. Norwood.....	Corinth, Miss.
Frank M. Davis.....	Corinth, Miss.
Jesse T. Davis.....	Corinth, Miss.
T. L. Sweat.....	Corinth, Miss.
Montie E. Smith.....	Selmer, Tenn.
J. A. Smith.....	Selmer, Tenn.
Oscar M. McCallum.....	Henderson, Tenn.
D. C. King.....	Henderson, Tenn.
J. H. Booth.....	Jackson, Tenn.
Geo. B. Hubbard.....	Jackson, Tenn.
L. B. Myhr.....	Jackson, Tenn.
W. T. Fitts.....	Jackson, Tenn.
Leland M. Johnson.....	Jackson, Tenn.
Paul E. Wylie.....	Jackson, Tenn.
J. H. Chandler.....	Jackson, Tenn.
George Harvey.....	Jackson, Tenn.
Geo. E. Spangler.....	Humboldt, Tenn.
E. C. Crafton.....	Trenton, Tenn.
F. Douglas.....	Dyer, Tenn.
Wm. F. Bell.....	Rutherford, Tenn.
Alden Gray.....	Kenton, Tenn.
M. A. Blanton, Jr.....	Union City, Tenn.
B. O. Garner.....	Union City, Tenn.
H. E. Tilsworth.....	Clinton, Ky.
Thos. T. Braekin, Jr.....	Bardwell, Ky.
Fay S. Comer.....	Cairo, Ill.
Flint Bondurant.....	Cairo, Ill.
J. K. Rosson.....	Tamms, Ill.
W. A. Schroeder.....	Anna, Ill.
E. R. Esposito.....	Murphysboro, Ill.
W. J. Borgsmiller.....	Murphysboro, Ill.
J. A. Weatherly.....	Murphysboro, Ill.
E. K. Ellis.....	Murphysboro, Ill.
Jos. A. Petrazio.....	Murphysboro, Ill.
H. F. Busse.....	Campbell Hill, Ill.
W. F. Weir.....	Sparta, Ill.
C. O. Boynton.....	Sparta, Ill.
W. W. Fullerton.....	Sparta, Ill.
L. T. Mattingly.....	Red Bud, Ill.
J. A. Werth.....	Waterloo, Ill.
G. Dundon.....	Columbia, Ill.
Frederick W. Gebhart.....	Columbia, Ill.
R. F. Culbertson.....	E. St. Louis, Ill.
J. W. Compton.....	E. St. Louis, Ill.
V. P. Siegel.....	E. St. Louis, Ill.
O. J. Culbertson.....	E. St. Louis, Ill.
J. O. Gordon.....	Memphis, Tenn.
J. E. Cox.....	Memphis, Tenn.
H. S. Rhea, Asst. Res. Surg.....	Memphis, Tenn.

**The Names and Locations of Veterinarians**


Charles Wright.....	Local Veterinarian.....	Jackson, Tenn.
W. L. Stroup.....	Local Veterinarian.....	Corinth, Miss.
J. T. Alston.....	Local Veterinarian.....	Tupelo, Miss.

**The Names and Locations of Watch Inspectors**

R. P. Wiggins.....	St. Louis, Mo.
Zerweck Jewelry Co.....	East St. Louis, Ill.
Miss Elizabeth Penninger.....	Murphysboro, Ill.
H. O. Lewis.....	Tamms, Ill.
John Warren, Jr.....	Cairo, Ill.
E. G. Sims.....	Cairo, Ill.
Overall Jewelry Co.....	Union City, Tenn.
Paul Crider.....	Humboldt, Tenn.
L. P. Jackson.....	Jackson, Tenn.
Galbriths Jewelry Co.....	Henderson, Tenn.
Little Jewelry Co.....	Corinth, Miss.
Riley Jewelry Co.....	Tupelo, Miss.
A. F. Massing.....	Okolona, Miss.

# Gulf, Mobile and Ohio R. R.

## NORTHERN DIVISION



### TIME TABLE

# No. 40

**Taking Effect 12:01 A. M.**

**SUNDAY, OCTOBER 25, 1959**

**Superseding Time Table No. 39**

**Dated Sunday, OCTOBER 26, 1958**

**FOR THE GOVERNMENT AND INFORMATION  
OF EMPLOYEES ONLY**

**Not intended for the information of the public, nor as  
an advertisement of the time of trains. The  
Railroad reserves the right to vary  
therefrom as circumstances  
may require.**

**DESTROY ALL TIME TABLES OF PREVIOUS DATE**

- B. V. BODIE, Vice President & General Manager.**
- P. B. BRIDGES, Ass't. General Manager.**
- C. E. LANHAM, Gen. Supt. Transportation.**
- G. R. KELLY, Superintendent.**
- S. G. THOMASON, Superintendent.**
- R. B. McALPIN, Rules Director.**

MURPHYSBORO DISTRICT—Southward

Capacity of Sidings in Cars	MILES FROM MOBILE	TIME TABLE No. 40 In Effect October 25, 1959		Station Numbers	SECOND CLASS					
		STATIONS			29		33		31	
					Manifest Freight		Manifest Freight		Manifest Freight	
					Daily		Daily		Daily	
				AM		PM		PM		
	648.70	ST. LOUIS (Union Station)	649							
	645.88	E. ST. LOUIS (Relay Depot)	646							
Yd.	842.66	DN.....TOLSON	642		L 12 45		L 12 30		L 7 10	
		4.65								
80	638.11	TB...EAST CARONDELET	638		12 55		12 40		7 20	
		4.86								
125	633.25	TB.....BIXBY	633		1 05		12 50		7 30	
		2.96								
	630.29	D.....COLUMBIA	630							
		8.52								
89	621.77	D.....WATERLOO	622		1 30		1 15		7 55	
		5.26								
115	616.51	TB.....BURKSVILLE	617		1 40		1 25		8 05	
		8.18								
113	608.33	D.....RED BUD	608		1 55		1 40		8 20	
		8.74								
105	599.59	TB.....BALDWIN	600		2 10		1 55		8 40 <sup>30</sup>	
		8.69								
24	590.90	DN.....SPARTA	591		2 25		2 10		8 55	
		1.59								
125	589.31	TB.....EDEN	589		2 29		2 13		9 00	
		7.88								
72	581.43	D.....PERCY	581		2 42		2 26		9 13	
		2.78								
109	578.65	TB.....WILLISVILLE	579		2 47		2 31		9 18	
		8.90								
78	569.75	D.....AVA	570		3 04		2 48		9 35	
		14.43								
Yd.	555.32	DN...MURPHYSBORO	555		3 30 <sup>28</sup>		3 13		10 00	
		8.55								
88	548.77	TB.....ETHERTON	549		3 42		3 25		10 12	
		9.13								
112	538.64	TB.....ALTO PASS	540		4 00		3 45		10 32	
		11.64								
	528.00	D.....JONESBORO	528							
		1.83								
108	526.37	TB.....KING	526		4 30		4 13		11 00	
		6.12								
95	520.25	TB.....MILL CREEK	520		4 40		4 23		11 10	
		7.78								
Yd.	512.47	DN.....TAMMS	512		5 00		4 45		11 25	
					6 30 <sup>32</sup>		5 30 <sup>30</sup>		12 05	
		15.14								
175	497.33	TB.....DAVIS	497		7 00		6 00		12 35 <sup>28</sup>	
		0.54								
	496.79	DN...NORTH CAIRO	496		A 7 05		A 6 05		A 12 40	
					AM		PM		AM	
					29		33		31	
					Daily		Daily		Daily	

DESTROY ALL TIME TABLES OF PREVIOUS DATE

R. B. McALPIN, Rules Director  
 E. G. THOMASON, Superintendent  
 G. R. KELLY, Superintendent  
 C. E. LANHAM, Gen. Supt. Transportation  
 F. B. BRIDGES, Asst. General Manager  
 B. V. BODIE, Vice President & General Manager

The Names and Locations of Watch Inspectors

R. E. WIGGINS, Co. ...  
 J. F. JARVIS, Co. ...  
 G. H. ...  
 ...

MURPHYSBORO DISTRICT—Northward

Capacity of Sidings in Cars		TIME TABLE No. 40 In Effect October 25, 1959		SECOND CLASS		
MILES FROM MOBILE	STATIONS	Station Numbers	28	32	30	
			Manifest Freight	Manifest Freight	Manifest Freight	
			Daily	Daily	Daily	
			AM	PM	PM	
648.70	ST. LOUIS (Union Station)	649				
	3.12					
648.58	E. ST. LOUIS (Relay Depot)	648				
	2.92					
Yd. 642.66	DN.....TOLSON.....	642	A 7 00	A 12 20	A 10 25	
	4.55					
80 638.11	TB...EAST CARONDELET.....	638	6 41	11 57	10 05	
	4.86					
125 633.26	TB.....BIXBY.....X.	633	6 31	11 47	9 55	
	2.96					
630.29	D.....COLUMBIA.....	630				
	8.52					
99 621.77	D.....WATERLOO.....	622	6 02	11 23	9 26	
	5.26					
115 618.51	TB.....BURKSVILLE.....	617	5 52	11 13	9 16	
	8.18					
113 608.33	D.....RED BUD.....	608	5 34	10 55	8 58	
	8.74					
108 599.59	TB.....BALDWIN.....	600	5 16	10 36	8 40 <sup>31</sup>	
	8.69					
24 590.90	DN.....SPARTA.....X.	591	4 58	10 18	8 22	
	1.59					
125 589.31	TB.....EDEN.....	589	4 54	10 14	8 18	
	7.88					
72 581.43	D.....PERCY.....Y.X.	581	4 40	10 01	8 05	
	2.78					
109 578.65	TB.....WILLISVILLE.....	579	4 33	9 54	7 58	
	8.90					
78 569.75	D.....AVA.....	570	4 15	9 36	7 36	
	14.43					
Yd. 555.32	DN...MURPHYSBORO...Y.X.	555	3 30 <sup>29</sup>	8 56	6 51	
	6.55					
98 548.77	TB.....ETHERTON.....	549	3 15	8 36	6 31	
	9.13					
112 539.64	TB.....ALTO PASS.....	540	2 56	8 16	6 11	
	11.64					
528.00	D.....JONESBORO.....	528				
	1.63					
106 528.37	TB.....KING.....	526	2 17	7 37	5 32	
	6.12					
95 520.26	TB.....MILL CREEK.....	520	2 05	7 25	5 20	
	7.78					
Yd. 512.47	DN.....TAMMS.....	512	{ 1 45	{ 7 05	{ 5 00	
			{ 1 15	{ 6 30 <sup>29</sup>	{ 3 55 <sup>33</sup>	
	15.14					
175 497.33	TB.....DAVIS.....Y.	497	12 35 <sup>31</sup>	5 50	3 15	
	0.54					
486.79	DN.....NORTH CAIRO.....	486	L 12 25	L 5 45	L 3 10	
			AM	AM	PM	
			28	32	30	
			Daily	Daily	Daily	

JACKSON DISTRICT—Southward

Capacity of Sidings in Cars	MILES FROM MOBILE	TIME TABLE No. 40 In Effect October 25, 1959		Station Numbers	SECOND CLASS		
		STATIONS			31	29	33
					Manifest Freight	Manifest Freight	Manifest Freight
				Daily	Daily	Daily	
				AM	AM	PM	
496.79	DN	NORTH CAIRO	496	L 12 40	L 7 05	L 6 05	
		VIA ILLINOIS CENTRAL 11.79					
485.00	DN	WINFORD JUNCTION	485	1 09	7 34	6 34	
150 484.33	DN	WINFORD	484	1 10	7 35	6 35	
172 470.34	TB	COLUMBUS	470	1 36	8 03	7 01	
125 456.15	TB	CAYCE	456	2 02	8 30	7 27	
142 446.65	D	UNION CITY	447	2 33	8 50	7 48	
115 442.21	DN	RIVES	442	2 55	9 05	7 58	
115 431.07	TB	KENTON	431	3 15 <sup>32</sup>	9 25	8 18	
65 425.38	D	RUTHERFORD	426	3 25	9 35	8 28	
70 421.15	TB	DYER	421	3 33	9 45	8 36	
145 414.26	D	TRENTON	414	3 45	10 02	8 52 <sup>28</sup>	
120 403.21	DN	HUMBOLDT	403	4 10	10 40	9 15	
143 383.50	TB	CARROLL	384	4 30	11 00 <sup>30</sup>	9 35	
Yd. 386.06		JACKSON	386	4 45	11 15	9 55	
Yd. 384.26	DN	ISELIN	384	A 5 00	A 11 30	A 10 10	
				AM	AM	PM	
				31	29	33	
				Daily	Daily	Daily	

# JACKSON DISTRICT—Northward

TIME TABLE No. 40 In Effect October 25, 1959			SECOND CLASS						
Capacity of Sidings in Cars	MILES FROM MOBILE	STATIONS	Station Numbers	32		30		28	
				Manifest Freight		Manifest Freight		Manifest Freight	
				Daily		Daily		Daily	
				AM		PM		AM	
	496.79	DN..... NORTH CAIRO.....	496	A 5 45	A 3 10	A 12 25			
		VIA ILLINOIS CENTRAL 11.79							
	485.00	WINFORD JUNCTION.....	485	5 15	2 40	11 53			
		0.67							
150	484.33	DN..... WINFORD.....	484	5 14	2 39	11 52			
		13.99							
172	470.34	TB..... COLUMBUS.....	470	4 45	2 10	11 23			
		14.19							
125	456.15	TB..... CAYCE.....	456	4 18	1 38	10 50			
		9.50							
142	446.65	D..... UNION CITY..... Y.X.	447	3 50	1 15	10 30			
		4.44							
115	442.21	DN..... RIVES..... X.	442	3 35	12 55	9 50			
		11.14							
115	431.07	TB..... KENTON.....	431	3 15 <sup>37</sup>	12 35	9 27			
		5.69							
65	425.38	D..... RUTHERFORD.....	426	3 01	12 25	9 17			
		4.23							
70	421.15	TB..... DYER.....	421	2 53	12 15	9 07			
		6.89							
146	414.26	D..... TRENTON.....	414	2 41	12 03	8 52 <sup>33</sup>			
		11.05							
120	403.21	DN..... HUMBOLDT..... Y.X.	403	2 20	11 35	8 30			
		9.71							
143	393.50	TB..... CARROLL.....	394	2 00	11 00 <sup>29</sup>	8 00			
		7.44							
Yd.	386.06	JACKSON..... X.	386	1 45	10 45	7 45			
		1.80							
Yd.	384.26	DN..... ISELIN..... { W.F. Y.S.	384	L 1 30	L 10 30	L 7 30			
				AM	AM	PM			
				32	30	28			
				Daily	Daily	Daily			

OKOLONA DISTRICT—Southward

Capacity of Sidings in Cars	MILES FROM MOBILE	TIME TABLE No. 40 In Effect October 25, 1959		Station Numbers	FIRST CLASS			SECOND CLASS			
		STATIONS			9	53	31	29	77	75	
					Illinois Central	Illinois Central	Manifest Freight	Manifest Freight	Illinois Central	Illinois Central	
					Daily	Daily	Daily	Daily	Daily	Daily	
		AM	PM	AM	PM	AM	PM				
Yd.	386.06	JACKSON.....X.	386								
		1.80									
Yd.	384.26	DN.....ISELIN.....	384			L 7 45	L 12 20				
		0.90									
	383.36	TB.....ISELIN JUNCTION.....	383			7 48	12 22				
		1.55									
	381.81	DN.....PERRY.....	382	L 2 45	L 5 33	7 53	12 27	L 5 55	L 3 25		
		0.60									
83	381.21	.....FOX.....	381	2 46	5 34	7 54	12 28	5 56	3 26		
		6.50									
158	374.71	TB.....PINSON.....	375	2 53	5 40	8 12	12 45	6 09	3 39		
		5.83									
94	368.88	D.....HENDERSON.....	369	2 59	5 46	8 24	12 55	6 20	3 50		
		6.44									
208	382.44	TB.....FINGER.....	382	3 05	5 52	8 45 <sup>22</sup> 9 12 <sup>52</sup>	1 05	6 32	4 02		
		9.80									
100	382.84	TB.....BETHEL SPRINGS.....	383	3 15	6 02	9 20	1 22	6 50	4 25 <sup>28</sup>		
		4.69									
125	347.95	D.....SELMER.....	348	3 20	6 07	9 30	1 34	6 57	4 31		
		7.16									
175	340.79	TB.....RAMER.....	341	3 28	6 14	9 43	1 49	7 10	4 44		
		10.28									
	330.61	DN.....RUSLOR JUNCTION.....	331	A 3 40 <sup>30</sup>	A 6 26	10 03	2 07	A 7 30	A 5 00		
		1.68									
Yd.	328.86	DN.....CORINTH.....	329			10 40	2 40				
		5.28									
85	323.67	TB.....JOBES.....	324			10 50	2 50				
		6.90									
175	316.67	TB.....RIENZI.....	317			11 02	3 02 <sup>28</sup>				
		8.10									
75	308.67	D.....BOONEVILLE.....	309			11 20	3 20				
		11.17									
88	297.40	D.....BALDWIN.....	297			11 42	3 42				
		9.87									
175	287.63	TB.....SALTILLO.....	287			12 02	4 02				
		8.63									
66	279.00	DN.....TUPELO.....X.	279			12 30	4 30				
		7.47									
127	271.63	TB.....GLEN.....	272			12 45	4 45				
		10.10									
Yd.	261.43	DN.....OKOLONA.....	262			A 1 15 <sup>28</sup>	A 5 15				
						AM	PM	AM	PM		
						9	53	31	29	77	75
						Daily	Daily	Daily	Daily	Daily	Daily



# SPECIAL INSTRUCTIONS

## NORTHERN DIVISION

**No. 1.** All trains must secure clearance before leaving North Cairo and Corinth.  
Southward trains must secure clearance before leaving Winford.  
All trains must secure clearance before leaving Tamms.

**No. 2.** Northward trains are superior to trains of the same class in the opposite direction.

**No. 3.** L&N trains using G. M. & O. tracks at Humboldt will be governed by G. M. & O. rules and regulations.  
S. L. S. F. trains using G. M. & O. tracks at Tupelo will be governed by G. M. & O. rules and regulations.

**No. 4.** All trains between St. Louis Union Station and East St. Louis will be governed by the rules of the Terminal Railroad Association and Union Depot Company.  
Northward trains before proceeding to Relay Depot over Conologue track must call up "Q" tower by telephone and obtain authority.

**No. 5.** Unless otherwise provided, northward trains taking siding at Iselin will head in at the south switch at Iselin, and southward trains taking siding at Iselin will head in through the crossover just south of signal 384-9.  
Northward train leaving Iselin to meet southward train in Jackson Yard will not pass Madison Street until the southward train shows up.

**No. 6. TRAIN REGISTERS:**

Venice	Iselin
Tolson	Perry
Tamms	Ruslor Junction
North Cairo	Okolona
Winford	

All trains will register at Tolson North Cairo, Winford, Perry and Ruslor Junction, by giving the operator at those points Form 9 properly filled out, and the operator will personally make entry in the register.

**No. 7. YARDS:**

E. St. Louis-Tolson	Rives
Percy	Humboldt
Murphysboro	Jackson-Iselin
Tamms	Ruslor Junction-Corinth
Davis-Cairo	Tupelo
Union City	Okolona

**No. 9. RAILROAD CROSSINGS:**

Interlocked:	Maximum Speed	Passenger	Freight
A. & S. —Mile 642	35 MPH	25 MPH	
M. P. —Bixby	45 MPH	35 MPH	
M.-I. —Sparta	45 MPH	25 MPH	
M. P. —Percy	35 MPH	25 MPH	
I. C. —Mile 555	25 MPH	25 MPH	
C. & E. I. —Tamms	35 MPH	20 MPH	
M. P. —Between Mile Posts L-1 and L-2.	35 MPH	25 MPH	
I. C. —Rives	45 MPH	20 MPH	
I. C. —Winford and North Cairo—crossover—end of double track.	20 MPH	20 MPH	

**Non-Operative approach signals:**

I. C. —Jackson	20 MPH	20 MPH
Southern —Corinth	20 MPH	20 MPH
St.L.-S.F. —Tupelo	20 MPH	20 MPH

**Not Interlocked:**

Terminal R. R.—E. St. Louis		
I. C. —E. St. Louis		
Wiggins Ferry —E. St. Louis		
Southern —E. St. Louis		
N. Y. C. —Between Mile Posts L-3 and L-4		
L. & N. —Humboldt		

**No. 9. RAILROAD CROSSINGS:—Concluded**  
Gates:

L. & N.—Union City

Maximum speeds prescribed must not be exceeded through interlocking limits (that is, between absolute Signals), and do not relieve employes from complying with Rule 93 and special instructions.

**No. 10. WATER STATIONS:**

Venice	Iselin
Tamms	Corinth
	Okolona

**No. 11. FUEL STATIONS:**

Venice	Corinth
Tamms	Okolona
Iselin	

**No. 12. BULLETIN BOARDS:**

Venice, Yard Office	Iselin Yard Office
Venice, Roundhouse	Iselin Round House
Tamms Yard Office	Corinth
	Okolona

**No. 13. STANDARD CLOCKS:**

Venice	Iselin Yard Office
Tolson-Yard Office	Iselin Round House
Murphysboro	Corinth
Tamms Yard Office	Okolona
North Cairo	

**No. 14. MAXIMUM SPEED RESTRICTIONS:**

Between E. St. Louis and Okolona.	Passenger.....	55 MPH
	Freight.....	40 MPH

**Exceptions:**

Between Perry and Ruslor Jct.	Passenger.....	70 MPH
-------------------------------	----------------	--------

From MP 368.5 to MP 364.5, Ballard — NORTHWARD Track.	Passenger.....	40 MPH
---	----------------	--------

Through switches MP 368.6 and MP 369.5 SOUTHWARD Movement.	Passenger.....	40 MPH
--	----------------	--------

Between north and south siding switches at Murphysboro.	Trains and Engines.....	20 MPH
---	-------------------------	--------

Between north switch Davis and North Cairo.	Trains and Engines.....	20 MPH
---	-------------------------	--------

Between Illinois and Ballard, over Ohio River Bridge.	Trains and Engines.....	20 MPH
---	-------------------------	--------

Trains having hot boxes must be stopped before moving on Ohio River Bridge and proper attention given to such boxes before proceeding.

Trains using turnouts will not exceed.....15 MPH

Passenger trains must consume 8 minutes going down Alto Pass Hill.

Freight trains must consume 12 minutes going down Alto Pass Hill.

Trains Handling Loaded Koppel Air Dump Cars....25 MPH

Steam Derricks.....25 MPH

Scale Test Cars.....35 MPH



**No. 14. MAXIMUM SPEED RESTRICTIONS:—Concluded**

Trains handling Jordan Spreader, 25 miles per hour, with wings properly secured and trailing.  
 Steam Shovels, Hoisting Derricks, Pile Drivers, Locomotive Cranes, and Asphalt or similar paving plants, on own trucks.....25 MPH  
 Operating or towing standard switchers.....25 MPH  
 Diesel-electric engines and passenger cars must not be operated, either by towing or using power through water having a greater depth over rail, or at a greater speed, than that shown in the following table:

	Depth of Water	Speed
Electro-Motive Freight Engines.....	4"	5 MPH
Baldwin Diesel Engines.....	6"	5 MPH
Ingalls Combination Engine.....	6"	5 MPH
Alco Freight & Switching Diesel Engines.....	4"	5 MPH
Passenger Cars with Roller Bearings.....	8"	5 MPH
Passenger Cars, Standard Friction Bearings.....	12"	5 MPH

All trains will observe speed restrictions indicated by Diamond Boards.

**No. 15. WARNING:**

All employees are warned that it is dangerous to ride on tops or sides of cars, or to lean out from engines or cars while passing such as platforms, coal houses, engine houses, freight houses, ice houses, storage houses, warehouses, mail cranes, stock pens, nearby fences and telephone poles, crossing gates, cotton platforms, cottonseed houses, log derricks, piles of lumber, and similar buildings and structures.

**No. 16. EXTRACT FROM LAWS OF MISSISSIPPI:**

"It shall be unlawful to back a train of cars, or part of a train, or an engine into or along a passenger depot at a greater rate of speed than three miles an hour; and every such train, part of a train, or engine backing into or along a passenger depot, and within fifty feet thereof, shall, for at least three hundred feet before it reaches or comes opposite to such depot, be preceded by a servant of the railroad company on foot, not exceeding forty nor under twenty feet in advance, to give warning."

**SIGNALS APPROACHING HIGHWAY CROSSINGS:**

Attention is particularly directed to the laws of Illinois, Kentucky, Tennessee and Mississippi, which require that the crossing signal, by whistle, shall be continuously repeated, or that the bell shall be continuously rung, from whistle board to each highway crossing. In Tennessee, the law also requires that the whistle should be blown or the bell rung at a distance of one mile before reaching the corporate limits of any city or town.

**No. 17. BUSINESS TRACKS NOT SHOWN AS STATIONS ON FACE OF TIME TABLE:**

Station No.	Name	Mile Post	Car Capacity	Opens
632	Millstadt Jct.....	631.86	28	North
623	Henke Spur.....	623.01	9	South
587	Ritter.....	586.50	25	North
574	Campbell Hill.....	574.18	12	North
544	Pomona.....	543.99	10	South
535	Mountain Glen.....	535.19	15	North
517	Elco.....	517.22	12	South
480	Laketon.....	479.88	10	North
475	Berkeley.....	475.13	14	Double
464	Oakton.....	464.19	35	Double
459	Moscow.....	459.40	12	Double
452	Jordan.....	452.37	30	Double
408	Fruitland.....	408.14	16	Double
391	Gilmore.....	391.07	10	Double
359	McNairy.....	358.84	10	South
303	Wheelers.....	302.51	28	Double
292	Guntown.....	292.34	24	Double
275	Verona.....	274.73	23	Double
269	Shannon.....	269.33	23	Double
266	Chickasaw.....	266.09	2	North

**No. 18. AUTHORIZED DIESEL OPERATION:**

Following diesel units will not be operated between:  
 St. Louis Union Station and E. St. Louis via Eads Bridge.....807A-810A  
 Not more than 2 units of other classes of diesels may be operated in multiple between St. Louis Union Station and E. St. Louis via Eads Bridge.

**No. 19. INSTRUCTIONS REGARDING INTERLOCKING AND BLOCK SIGNAL TERRITORY:**

**DEFINITIONS:**

**MEDIUM SPEED.**—A speed not exceeding 30 miles per hour.  
**RESTRICTED SPEED.**—Proceed, not exceeding 15 miles per hour, prepared to stop short of train, engine, obstruction, or switch not properly lined and to look out for broken rail.  
**WITH CAUTION.**—To run at reduced speed, according to conditions, prepared to stop short of train, engine, obstruction, or before reaching a stop signal.

**OKOLONA DISTRICT—RUSLOR JCT.—ISELIN**

Automatic Block Signal System is in effect between Ruslor Jct. and Iselin Jct.

Normal position train-order signals at Ruslor Jct. and Perry will indicate "STOP" and must be changed within the view of approaching train.

G. M. & O. trains must approach Ruslor Jct. and Perry prepared to stop before reaching fouling point of adjoining tracks and stop unless switches are properly lined and train-order signal indicates "proceed," and will call for signal by one long and one short sound of whistle.

I. C. trains on either G. M. & O. or I. C. tracks must approach Ruslor Jct. and Perry prepared to stop before reaching the fouling point unless switches are lined for the I. C. connecting track and will call for signal by four short sounds of whistle.

I. C. trains approaching Ruslor Jct. and Perry will be handed clearance by operator with check of overdue superior trains. All trains to be registered at Ruslor Jct. and Perry by conductors handing operator register slip who will personally make entry in the register. Operators at Ruslor Jct. and Perry will be required to open and close all switches to be used by trains at their stations, except south siding switch Fox and I. C. siding switch Ruslor Jct.

Interlocking signals govern the movement of trains and engines between Iselin and Iselin Junction, without requiring the use of train orders, and their indications supersede timetable superiority, but do not dispense with the use or observance of other signals whenever and wherever they may be required.

Trains or engines not receiving proper signal indication at either Iselin or Iselin Junction will communicate with the operator at Iselin.

**JACKSON DISTRICT—WINFORD JCT.—NORTH CAIRO**

Between Winford Junction and North Cairo block signal indications supersede Time Table superiority without requiring the use of train orders; they do not dispense with the use or observance of other signals whenever or wherever they may be required.

Trains may pass stop and proceed signals, proceeding from such signal to the next signal indicating proceed, at restricted speed not exceeding fifteen miles per hour.

Clear home signal for northward trains at Winford Junction and for southward trains at North Cairo will authorize trains to proceed.

Trains not receiving proper signal indication at Illinois or Ballard will communicate with Operator at North Cairo. Telephone located at switch.

Trains not receiving proper signal indication at either end of One Mile Bridge will communicate with Operator at Winford Jct.

Telephone located at switch.

# SPECIAL INSTRUCTIONS—Concluded

## MURPHYSBORO DISTRICT—NORTH CAIRO—TOLSON

**Traffic Control System—Rules 525 to 540, inclusive—is in effect between North Cairo and Murphysboro.**

Crews of northward trains, taking service at North Cairo, must approach the next signal in advance at restricted speed, and be governed by indication displayed by that signal.

Movement of trains and engines from the northward absolute signal at the north end of the siding at Murphysboro will be governed by the indication of that signal, if there are no train order or timetable restrictions affecting their movement. If the signal displays a red aspect, trains and engines, after being authorized by the control station to pass the signal, must move at restricted speed until entire train has passed "ETC" sign located approximately 14,000 feet north of the signal. Telephone located adjacent to absolute signals at north siding switch may be used to communicate with control station.

All main track switches between the north and the south siding switches at Murphysboro are hand operated and Rule 513 must be observed in their operation and use. All derrails are equipped with switch circuit controllers requiring that the derrails be on the rail in derailing position when not in use. Inside switch of crossover between main track and siding at Walnut Street also will be equipped with switch circuit controller requiring that inside switch of this crossover be normally lined for movement on the siding.

When control station authorizes use of switch equipped with electric lock, the switch must be operated as follows:

1. Unlock and open door of electric lock case.
2. If indicator is in "CLEAR" position, turn crank to the left until it is against stop block, then operate switch in the usual manner.
3. If electric switch lock fails to release, trainman must secure authority to operate emergency release. Instructions for operating emergency release are posted inside of electric lock case.

When a train or engine is occupying main track, the leading truck of engine or car must be less than one car length ahead of switch before the electric lock can be operated.

After movements over the switch have been completed, restore switch to normal position and lock it, turn crank to

the right until it is against stop block, close and lock door of electric lock case and notify control station.

Northward trains to hold main track at Bixby will call for signal by one long and one short sound of the whistle, and will be governed by indication of absolute signal located south of the crossing.

Northward trains to take siding at Bixby will call for signal by four short sounds of the whistle, and will be governed by indication of absolute signal located south of the crossing.

Southward trains holding main track at Bixby will call for signal by one long and one short sound of the whistle, and will be governed by indication of absolute signal located north of crossing.

Southward trains on siding at Bixby will call for signal by four short sounds of whistle, and will be governed by indication of dwarf signal located at south end of siding.

Northward trains approaching Alton & Southern crossing, south of Tolson, destined East St. Louis, using main track, will be governed by upper signal, 800 feet south of crossing. Trains destined to head in Tolson Yard will be governed by lower signal.

Southward trains on main track will be governed by the absolute signal located 800 feet north of crossing.

Southward trains moving out of Tolson Yard will be governed by dwarf signal located 300 feet north of the crossing between siding and main track.

## No. 20. SPRING SWITCHES.

Spring switches are in use at north end yard lead Jackson and at south end of siding Selmer.

A semaphore switch indicator equipped with switch key release box is located at spring switch at south end siding at Selmer.

Before train leaves siding to enter main track, a member of train crew must insert switch key in release box, turning key clockwise to full right, and if semaphore indicator displays "CLEAR", and operating rules are complied with, train may proceed through spring switch.

If the indicator displays "STOP", after waiting three (3) minutes and complying with operating rules, train may proceed through spring switch.

Spring switches must not be thrown by hand while cars are holding switch points open, except in emergency and then extreme care must be used in operating switch stand to avoid injury.

JACKSON DISTRICT—WINDFORD JCT.—NORTH CAIRO

Between Windford Junction and North Cairo block signal indications apply. This signal is not to be used for the use of train orders; they do not dispose with the use of other signals whenever they may be required.

Trains may pass stop and proceed signals, proceeding from such signals to the next signal indicating proceed, at restricted speed not exceeding fifteen miles per hour.

Clear home signal for northward trains at Windford Junction and for southward trains at North Cairo will authorize train to proceed.

Trains not receiving proper signal indication at Illinois or Ballard will communicate with Operator at North Cairo. Telephone located at switch.

Trains not receiving proper signal indication at either end of One Mile Bridge will communicate with Operator at Windford Jct.

Telephone located at switch.

No. 17. BUSINESS TRACKS NOT SHOW AS STATIONS ON FACE OF TIME TABLE.

crossing signal, by whistle shall be continuously sounded or that the bell shall be continuously rung from the sideboard to each highway crossing. In T-crossovers, the law also requires that the whistle should be blown or the bell rung at the time of one mile before reaching the crossing limits in any city or town.

Station	Name	Mile Post	Capacity	Open
308	Chicago	388.00		North
307	Stanhope	389.33		Double
306	Vernon	374.77		Double
305	Gettysburg	372.33		Double
304	Windsor	362.61		Double
303	Albany	358.84		Double
302	Clinton	349.97		Double
301	Franklin	347.14		Double
300	Franklin	347.14		Double
299	Jordan	343.37		Double
298	Monroeville	340.40		Double
297	Monroeville	340.40		Double
296	Monroeville	340.40		Double
295	Barkeley	337.18		Double
294	Laketon	327.14		Double
293	Elon	317.23		Double
292	Mountain View	302.70		Double
291	Pomona	283.00		Double
290	Campbell Hill	274.18		Double
289	Water	268.50		Double
288	Water	268.50		Double
287	Water	268.50		Double
286	Water	268.50		Double
285	Water	268.50		Double
284	Water	268.50		Double
283	Water	268.50		Double
282	Water	268.50		Double
281	Water	268.50		Double
280	Water	268.50		Double
279	Water	268.50		Double
278	Water	268.50		Double
277	Water	268.50		Double
276	Water	268.50		Double
275	Water	268.50		Double
274	Water	268.50		Double
273	Water	268.50		Double
272	Water	268.50		Double
271	Water	268.50		Double
270	Water	268.50		Double
269	Water	268.50		Double
268	Water	268.50		Double
267	Water	268.50		Double
266	Water	268.50		Double
265	Water	268.50		Double
264	Water	268.50		Double
263	Water	268.50		Double
262	Water	268.50		Double
261	Water	268.50		Double
260	Water	268.50		Double
259	Water	268.50		Double
258	Water	268.50		Double
257	Water	268.50		Double
256	Water	268.50		Double
255	Water	268.50		Double
254	Water	268.50		Double
253	Water	268.50		Double
252	Water	268.50		Double
251	Water	268.50		Double
250	Water	268.50		Double
249	Water	268.50		Double
248	Water	268.50		Double
247	Water	268.50		Double
246	Water	268.50		Double
245	Water	268.50		Double
244	Water	268.50		Double
243	Water	268.50		Double
242	Water	268.50		Double
241	Water	268.50		Double
240	Water	268.50		Double
239	Water	268.50		Double
238	Water	268.50		Double
237	Water	268.50		Double
236	Water	268.50		Double
235	Water	268.50		Double
234	Water	268.50		Double
233	Water	268.50		Double
232	Water	268.50		Double
231	Water	268.50		Double
230	Water	268.50		Double
229	Water	268.50		Double
228	Water	268.50		Double
227	Water	268.50		Double
226	Water	268.50		Double
225	Water	268.50		Double
224	Water	268.50		Double
223	Water	268.50		Double
222	Water	268.50		Double
221	Water	268.50		Double
220	Water	268.50		Double
219	Water	268.50		Double
218	Water	268.50		Double
217	Water	268.50		Double
216	Water	268.50		Double
215	Water	268.50		Double
214	Water	268.50		Double
213	Water	268.50		Double
212	Water	268.50		Double
211	Water	268.50		Double
210	Water	268.50		Double
209	Water	268.50		Double
208	Water	268.50		Double
207	Water	268.50		Double
206	Water	268.50		Double
205	Water	268.50		Double
204	Water	268.50		Double
203	Water	268.50		Double
202	Water	268.50		Double
201	Water	268.50		Double
200	Water	268.50		Double
199	Water	268.50		Double
198	Water	268.50		Double
197	Water	268.50		Double
196	Water	268.50		Double
195	Water	268.50		Double
194	Water	268.50		Double
193	Water	268.50		Double
192	Water	268.50		Double
191	Water	268.50		Double
190	Water	268.50		Double
189	Water	268.50		Double
188	Water	268.50		Double
187	Water	268.50		Double
186	Water	268.50		Double
185	Water	268.50		Double
184	Water	268.50		Double
183	Water	268.50		Double
182	Water	268.50		Double
181	Water	268.50		Double
180	Water	268.50		Double
179	Water	268.50		Double
178	Water	268.50		Double
177	Water	268.50		Double
176	Water	268.50		Double
175	Water	268.50		Double
174	Water	268.50		Double
173	Water	268.50		Double
172	Water	268.50		Double
171	Water	268.50		Double
170	Water	268.50		Double
169	Water	268.50		Double
168	Water	268.50		Double
167	Water	268.50		Double
166	Water	268.50		Double
165	Water	268.50		Double
164	Water	268.50		Double
163	Water	268.50		Double
162	Water	268.50		Double
161	Water	268.50		Double
160	Water	268.50		Double
159	Water	268.50		Double
158	Water	268.50		Double
157	Water	268.50		Double
156	Water	268.50		Double
155	Water	268.50		Double
154	Water	268.50		Double
153	Water	268.50		Double
152	Water	268.50		Double
151	Water	268.50		Double
150	Water	268.50		Double
149	Water	268.50		Double
148	Water	268.50		Double
147	Water	268.50		Double
146	Water	268.50		Double
145	Water	268.50		Double
144	Water	268.50		Double
143	Water	268.50		Double
142	Water	268.50		Double
141	Water	268.50		Double
140	Water	268.50		Double
139	Water	268.50		Double
138	Water	268.50		Double
137	Water	268.50		Double
136	Water	268.50		Double
135	Water	268.50		Double
134	Water	268.50		Double
133	Water	268.50		Double
132	Water	268.50		Double
131	Water	268.50		Double
130	Water	268.50		Double
129	Water	268.50		Double
128	Water	268.50		Double
127	Water	268.50		Double
126	Water	268.50		Double
125	Water	268.50		Double
124	Water	268.50		Double
123	Water	268.50		Double
122	Water	268.50		Double
121	Water	268.50		Double
120	Water	268.50		Double
119	Water	268.50		Double
118	Water	268.50		Double
117	Water	268.50		Double
116	Water	268.50		Double
115	Water	268.50		Double
114	Water	268.50		Double
113	Water	268.50		Double
112	Water	268.50		Double
111	Water	268.50		Double
110	Water	268.50		Double
109	Water	268.50		Double
108	Water	268.50		Double
107	Water	268.50		Double
106	Water	268.50		Double
105	Water	268.50		Double
104	Water	268.50		Double
103	Water	268.50		Double
102	Water	268.50		Double
101	Water	268.50		Double
100	Water	268.50		Double
99	Water	268.50		Double
98	Water	268.50		Double
97	Water	268.50		Double
96	Water	268.50		Double
95	Water	268.50		Double
94	Water	268.50		Double
93	Water	268.50		Double
92	Water	268.50		Double
91	Water	268.50		Double
90	Water	268.50		Double
89	Water	268.50		Double
88	Water	268.50		Double
87	Water	268.50		Double
86	Water	268.50		Double
85	Water	268.50		Double
84	Water	268.50		Double
83	Water	268.50		Double
82	Water	268.50		Double
81	Water	268.50		Double
80	Water	268.50		Double
79	Water	268.50		Double
78	Water	268.50		Double
77	Water	268.50		Double
76	Water	268.50		Double
75	Water	268.50		Double
74	Water	268.50		Double
73	Water	268.50		Double
72	Water	268.50		Double
71	Water	268.50		Double
70	Water	268.50		Double
69	Water	268.50		Double
68	Water	268.50		Double
67	Water	268.50		Double
66	Water	268.50		Double
65	Water	268.50		Double
64	Water	268.50		Double
63	Water	268.50		Double
62	Water	268.50		Double
61	Water	268.50		Double
60	Water	268.50		Double
59	Water	268.50		Double
58	Water	268.50		Double
57	Water	268.50		Double
56	Water	268.50		Double
55	Water	268.50		Double
54	Water	268.50		Double

SAFETY PRECAUTIONS  
SPEED TABLE

Time per Mile	Miles per Hour	Time per Mile	Miles per Hour	Time per Mile	Miles per Hour	Time per Mile	Miles per Hour
0 min. 36 sec.	100.00	0 min. 58 sec.	62.07	1 min. 19 sec.	45.57	1 min. 41 sec.	35.64
0 " 37 "	97.30	0 " 59 "	61.02	1 " 20 "	45.00	1 " 42 "	35.29
0 " 38 "	94.74	1 " 0 "	60.00	1 " 21 "	44.44	1 " 43 "	34.95
0 " 39 "	92.31	1 " 1 "	59.02	1 " 22 "	43.90	1 " 44 "	34.62
0 " 40 "	90.00	1 " 2 "	58.06	1 " 23 "	43.37	1 " 45 "	34.29
0 " 41 "	87.80	1 " 3 "	57.14	1 " 24 "	42.86	1 " 46 "	33.96
0 " 42 "	85.71	1 " 4 "	56.25	1 " 25 "	42.35	1 " 47 "	33.64
0 " 43 "	83.72	1 " 5 "	55.38	1 " 26 "	41.86	1 " 48 "	33.33
0 " 44 "	81.82	1 " 6 "	54.55	1 " 27 "	41.38	1 " 49 "	33.03
0 " 45 "	80.00	1 " 7 "	53.73	1 " 28 "	40.91	1 " 50 "	32.73
0 " 46 "	78.26	1 " 8 "	52.94	1 " 29 "	40.45	1 " 51 "	32.43
0 " 47 "	76.60	1 " 9 "	52.17	1 " 30 "	40.00	1 " 52 "	32.14
0 " 48 "	75.00	1 " 10 "	51.43	1 " 31 "	39.56	1 " 53 "	31.86
0 " 49 "	73.47	1 " 11 "	50.70	1 " 32 "	39.13	1 " 54 "	31.58
0 " 50 "	72.00	1 " 12 "	50.00	1 " 33 "	38.71	1 " 55 "	31.30
0 " 51 "	70.59	1 " 13 "	49.31	1 " 34 "	38.30	1 " 56 "	31.03
0 " 52 "	69.23	1 " 14 "	48.65	1 " 35 "	37.89	1 " 57 "	30.77
0 " 53 "	67.92	1 " 15 "	48.00	1 " 36 "	37.50	1 " 58 "	30.51
0 " 54 "	66.67	1 " 16 "	47.37	1 " 37 "	37.11	1 " 59 "	30.25
0 " 55 "	65.45	1 " 17 "	46.75	1 " 38 "	36.73	2 " 0 "	30.00
0 " 56 "	64.29	1 " 18 "	46.15	1 " 39 "	36.36	4 " 0 "	15.00
0 " 57 "	63.16			1 " 40 "	36.00		

- |  |                   |   |                   |
|--|-------------------|---|-------------------|
| G. W. GOOGE, Asst. to Supt.....        | Jackson, Tenn.    | W. A. BITTLE, Chief Dispatcher.....         | Murphysboro, Ill. |
| R. A. STEPHENS, Asst. Supt.....        | Venice, Ill.      | M. ALVIS, Asst. Chief Dispatcher.....       | Murphysboro, Ill. |
| W. R. BARR, Rules, Examiner.....       | Tuscaloosa, Ala.  | J. L. WILLETT, Dispatcher.....              | Murphysboro, Ill. |
| J. P. ELLIOTT, Chf. Yd. Operation..... | Okolona, Miss.    | B. C. ELLIS, Dispatcher.....                | Murphysboro, Ill. |
| W. M. ROGAN, Trainmaster.....          | Venice, Ill.      | W. P. ALVIS, Dispatcher.....                | Murphysboro, Ill. |
| M. H. TUCKER, Trainmaster.....         | Venice, Ill.      | C. W. RICHARDSON, Dispatcher.....           | Murphysboro, Ill. |
| H. O. LEWIS, Trainmaster.....          | Tamms, Ill.       | W. C. POOLE, Dispatcher.....                | Murphysboro, Ill. |
| H. C. SULLIVAN, Trainmaster.....       | Jackson, Tenn.    | P. N. MCGEE, Extra Dispatcher.....          | Murphysboro, Ill. |
| H. F. MURPHY, Trainmaster.....         | Jackson, Tenn.    | A. I. REID, Extra Dispatcher.....           | Murphysboro, Ill. |
| J. A. MILAM, Asst. Trainmaster.....    | Jackson, Tenn.    | E. C. TAYLOR, Extra Dispatcher.....         | Murphysboro, Ill. |
| J. T. PARTEN, Asst. Trainmaster.....   | Jackson, Tenn.    | J. F. ELLIS, Extra Dispatcher.....          | Murphysboro, Ill. |
| S. A. DICKSON, Trainmaster.....        | Corinth, Miss.    | L. P. PARKER, Road Foreman of Engines.....  | Jackson, Tenn.    |
| H. D. AJAX, Asst. Trainmaster.....     | Corinth, Miss.    | J. P. HANCOCK, Road Foreman of Engines..... | Jackson, Tenn.    |
| L. W. BABB, Asst. Trainmaster.....     | Corinth, Miss.    | R. JEFFERIES, Road Foreman of Engines.....  | Jackson, Tenn.    |
| A. F. MASSING, Trainmaster.....        | Okolona, Miss.    | R. M. SEAVERS, Road Foreman of Engines..... | Murphysboro, Ill. |
| A. H. BURTON, Trainmaster.....         | Murphysboro, Ill. |   |                   |

## SAFETY PRECAUTIONS

Bear in mind that Eternal Vigilance is the price of SAFETY and that SAFETY must have first consideration in the operation of this property.

Rules are the result of past experiences. A wise man does not pit his judgment against them. Observe all rules and be safe.

The time to prevent an accident is before it occurs.

Conductors and engineers, be sure you understand your orders. Read them twice, and check Nos. against clearance.

Don't fail to ring bell or blow whistle at dangerous places.

Don't stand on end of a car without having a secure hold.

Don't sit on brake wheels of cars.

Don't stand close to pole when polling cars.

Don't go between cars to make a coupling.

Don't attempt to adjust couplers on moving cars.

Don't kick drawbars or open knuckles with the feet.

Don't walk on frogs, switches, guard rails or interlocking machinery or connections.

Don't cut air in too abruptly; use sufficient time and avoid sticking brakes.

Avoid coupling to or going against standing engine motor on or around inspection pit tracks, until assured no one is working on or about them.

When using jacks under rails, place outside if possible.

Loose ties and rails should be kept six feet back from the track to give trainmen sufficient clearance.

Remove motor cars from track when they are not in use.

Stand back at a safe distance when cars pass to avoid being struck by protruding objects.

Agents and operators should note condition of trains as they pass their stations. This denotes efficiency.

Handle telephone receivers, during lightning storm, in such a manner as not to cause contact with any metallic substance.

Employees must not ride on the forward footboard of yard engines on long moves or transfers in yard and are forbidden to ride on pilots of locomotives between stations.

# SAFETY FIRST