

PRINTED
FROM
CON P. CURRAN PRINTING CO.
ST. LOUIS, MO.

SAFETY FIRST



DIVISION OFFICERS

N. N. HOPKINS....Superintendent.....Kansas City, Mo.
E. H. CAMPBELL..Terminal Superintendent..Kansas City, Mo.
R. C. WILDEBOOR.Assistant Terminal
Superintendent.....Kansas City, Mo.
J. S. SEIFERT.....Terminal Trainmaster....Kansas City, Mo.
M. G. JACKSON....Terminal Trainmaster.. Kansas City, Mo.
F. E. BROMLEY....Asst. Term. Trainmaster..Kansas City, Mo.
W. H. SHIDELER..Trainmaster, St. Louis,
Glencoe and Bagnell
Subdivs.....Jefferson City, Mo.
E. M. BISHOP.....Trainmaster, Sedalia
Subdiv.....Jefferson City, Mo.
C. R. DODSON.....Trainmaster, River,
Lexington and
Marshall Subdivs.....Jefferson City, Mo.
B. F. SCHNEIDER.Road Foreman of
Engines.....Jefferson City, Mo.
W. R. HENEGAR...Road Foreman of
Engines.....Jefferson City, Mo.
H. H. GREEN.....Division Trainmaster...Jefferson City, Mo.
A. K. BOYCE.....Asst. Chief Dispatcher ..Jefferson City, Mo.
H. H. BUXTON.....Asst. Chief Dispatcher ..Jefferson City, Mo.
T. E. BOLSON.....Asst. Chief Dispatcher ..Jefferson City, Mo.
K. W. BURTON.....Dispatcher.....Pacific, Mo.
J. W. BRUGIONI...Dispatcher.....Jefferson City, Mo.
R. L. CALDWELL..Dispatcher.....Jefferson City, Mo.
D. B. DAVIDSON..Dispatcher.....Pacific, Mo.
J. K. HOBBS, Jr....Dispatcher.....Pacific, Mo.
E. McLEAN.....Dispatcher.....Jefferson City, Mo.
L. E. MORSE.....Dispatcher.....Jefferson City, Mo.
H. NEAL.....Dispatcher.....Jefferson City, Mo.
E.W.RICHARDSON.Dispatcher.....Jefferson City, Mo.
P. D. WORRELL....Dispatcher.....Jefferson City, Mo.

MISSOURI PACIFIC RAILROAD COMPANY

EASTERN DIVISION

TIMETABLE No. 92

Effective 12:01 a. m. Sunday, Nov. 2, 1952

CENTRAL STANDARD TIME

Superseding Timetable No. 91, effective May 13, 1951,
and all Supplements thereto.

FOR THE INFORMATION AND GOVERNMENT OF
EMPLOYES CONCERNED, WHO MUST ALSO CARRY
COPY OF SPECIAL INSTRUCTIONS No. 11, THIS
DIVISION, EFFECTIVE JUNE 15, 1952; AND
MUST ALSO CARRY COPY OF KANSAS CITY TERMINAL
DIVISION SPECIAL INSTRUCTIONS No. 7,
EFFECTIVE AUGUST 1, 1952.

The Railroad Company Reserves the Right to Vary Therefrom
as Circumstances May Require.

R. P. HART, Chief Operating Officer.

L. A. GREGORY, Assistant Chief Operating Officer and
General Superintendent Transportation.

W. H. BAILEY, Asst. General Superintendent
Transportation.

C. F. DOUGHERTY, General Manager.

R. JOHNSON, Assistant General Manager.

SPECIAL INSTRUCTIONS

The following rules are repeated from the Uniform Code of Operating Rules for emphasis:

GENERAL NOTICE (in part): SAFETY is of the FIRST importance in the discharge of duty.

RULE B: Employes must have a proper understanding and working knowledge of and obey all rules and instructions in whatever form issued, applicable to or affecting their duties. If in doubt as to their meaning, employes must apply to the proper officer for an explanation.

When properly authorized, rules may be cancelled, superseded or changed by:

- (1) General Order,
- (2) Special instructions in the timetable or in pamphlet form,
- (3) Paste in the book of rules.

RULE E (in part): Employes must render every assistance in their power in carrying out the rules and instructions. Courteous cooperation between employes is required for proper functioning under the rules and instructions.

RULE 107 (in part): Conductors and engineers must bring about cooperation between all members of the crew.

Both the conductor and engineer are responsible for the safety of the train and the observance of the rules.

Although engineers are under the direction of the conductor regarding the supervision of trains, they will not comply with any instructions which imperil the safety of the train or involve a violation of the rules.

When safety of trains and observance of rules are involved, brakemen and firemen are responsible to the extent of their ability to prevent accident or violation of rules. They will not comply with any instructions which imperil the safety of the train or involve a violation of the rules.

RULE 108: In case of doubt or uncertainty, the SAFE course MUST be taken.

RULE 101 (in part): Conductors and engineers must inform themselves of conditions, and during and after excessive rains, heavy storms, fogs, or any condition which may restrict visibility or affect condition of track, must restrict speed of their train to insure ABSOLUTE SAFETY, and if in doubt of being able to proceed safely, train must be placed in siding until it is safe to proceed.

When storms, fogs or other conditions obscure track or signals from points where they are plainly seen under normal conditions, speed must be restricted to insure seeing and complying with indications of any and all signals. REGARDLESS OF LOSS OF TIME.


RULES 2 and 3 of Rules and Instructions for Train Dispatchers:

The train dispatcher is in position to render valuable service in bringing about compliance with the rules; first, by habitually conforming to the rules in the daily performance of his own duties; second, by requiring compliance with the rules on the part of operators, trainmen and others with whom his duties bring him in daily contact; and, third, by immediately reporting any rule violation, any negligence of duty or any irregularity relating to the movement of trains and the handling and execution of train orders.

Train dispatcher must bear in mind that his more extended means of communication and consequent knowledge of conditions give him a point of view not available to any other person connected with train, engine or yard movements, and that it is his duty to impart that knowledge to others, when it will promote safety, or, without sacrificing safety, will expedite movement of trains.

NOTE WELL AND REMEMBER:

1. No officer or employe has the authority to violate a rule.
2. No officer or employe has the authority to tell anyone to violate a rule.




General Manager

**ATTENTION
TRAIN AND ENGINE CREWS**

Always keep in mind that the revenue passenger is the BUYER, and that it is your job to make every BUYER a satisfied customer. To that end, the following matters deserve your constant attention:

1. If an error or misstatement has been made somewhere along the route, put forth every effort to correct it. Nothing should be considered too trivial.
2. Ever be alert to the safety and comfort of your passengers, and freely give information and advice when requested. The aged, infirm and the young passenger traveling unaccompanied require special attention. Be helpful to them in every way possible, particularly in assisting them on and off trains, and occasionally inquire as to their comfort.
3. Protect both coach and sleeper passengers against undue noise or disturbance, particularly at night. Remember they pay to sleep.
4. The avoidance of arguments or friction with passengers is a test of your diplomacy. A calm and pleasant manner, regardless of the circumstances, is the best assurance of your success.
5. Keep posted on connecting line train service, arbitrary holds they have in effect for our trains, and advise passengers so as to avoid, as far as possible, any uneasiness on their part about missing connections, and when same is unavoidable, tell them what time the next connection is due to depart.
6. Cheerfully offer explanation of unusual delays and pass such information to other members of your crew — Brakeman, Porter, Pullman and Dining Car employes — so they too may advise passengers. Generally speaking, passengers will gladly accept a condition which they understand, but on the contrary are irritated when kept in ignorance.
7. Neatness of appearance and courtesy bespeak pride in your job, and create good-will for the railroad.
8. Being considerate of others is the key to popularity. This applies to the institution and individual alike. Many of your passengers may be riding a train for their first time. This is especially true of the younger generation. Kind and attentive treatment to make them feel at home creates additional passenger traffic.
9. Remember that people traveling on passes have a right to that privilege, and are entitled to the same courteous treatment as other passengers. A satisfied "free-transportation" passenger is always a booster.
10. On crowded trains, Missouri Pacific employes riding on passes should, and will if properly approached, cheerfully cooperate in seeing that revenue passengers are given every possible consideration.
11. Train Porter should keep coaches clean and in tidy condition at all times. Toilets particularly are the source of adverse comment. Inspect them frequently.
12. **AVOID ROUGH HANDLING OF YOUR TRAIN.** Missouri Pacific enginemen have an enviable reputation for smooth starting, running and stopping of their trains. Never lose sight of this feature, as passengers are more disposed to avoid the route that does not give them a smooth ride, than they are to exert the effort involved in registering complaints about it.
13. Of equal importance is **Rough handling results in damaged lading and delays due to damaged equipment, which creates dissatisfied customers.**
14. On-time delivery of passengers and freight at destination is what the customers pay for and expect. Your best efforts, always within the zone of safety, should be extended to keep your trains on time.



Chief Operating Officer.

ARBITRARY HOLDS — PASSENGER TRAINS

Station	Train Number	Hold for Train	Hold Until	Hold If On Time	Remarks
Pleasant Hill.....	East. Div.....20	Jop. Div.....420	3:25 a. m.	20 Min.	For connection.
" "	" " 211	" " 232	Indefinitely	For connection.
" "	" " 14	" " 232	4:55 p. m.	10 Min.	For revenue passengers.
" "	Jop. Div... 419 & 221	East. Div....19 & 210	Indefinitely	For connection.
Kansas City..... (Union Station)	Eastern Div.....12	Cent. Kans.....12	"	" "
" "	" " 12	All Connecting Lines	7:16 a. m.	15 Min.	For revenue passengers reported.
" "	" " 6	Omaha Div.....106	Indefinitely	For connection.
" "	" " 20	CRI&P.....4	For Los Angeles-St. Louis Sleeper when CRI&P arrives by 2:10 a. m.
" "	" " 210	U. P.....38	12:05 a. m.	15 Min.	For revenue passengers.
" "	Omaha Div.....119	Eastern Div.....19	1:40 a. m.	1 Hr.	For connection.
" "	" " 105	" " 5	Indefinitely	For connection.
" "	Central Kan.....11	" " 11	Indefinitely	For connection.
" "	" " 15	" " 15	9:00 p. m.	30 Min.	For revenue passengers.

EXPLANATION OF STOPS:

s—Regular stop.*f*—Stop on signal for passengers, mail, baggage and express.*a*—Stop on signal to receive or discharge revenue passengers.*b*—Stop on signal to receive revenue passengers.*c*—Stop on signal to discharge revenue passengers.

EXPLANATION OF CHARACTERS:

(B)—Radio Base Station.

D—Diesel Fuel Oil.

e—Eastward.

P—Telephone Communication only.

w—Westward.

W—Water.

Y—Ywe Track.

CS—Continuous Train Order Office.

LS—Limited Train Order Office (Hours of service specified by General Order).

TP—Telegraph or Telephone Office; not a train order office.

*—Mail Crane.

§—Track Scales.

TABLE OF SPEEDS

MILES PER HOUR	ONE MILE IN		Minutes	Seconds
	Minutes	Seconds		
5.....	12	0		
8.....	7	30		
10.....	6	0		
12.....	5	0		
15.....	4	0		
18.....	3	20		
20.....	3	0		
25.....	2	24		
30.....	2	0		
35.....	1	43		
40.....	1	30		
45.....	1	20		
49.....	1	14		
50.....	1	12		
55.....	1	5		
59.....	1	2		
60.....	1	0		
65.....	0	55		
70.....	0	51		
75.....	0	48		
79.....	0	46		

STATIONS NOT SHOWN IN TIMETABLE WILL BE SERVED BY TRAINS INDICATED BELOW:

Station	Miles from St. Louis	Train Nos.		
St. Louis Subdiv.:				
Louisa Heights.....	14.65	f36	f35
Bach Road.....	15.23	f36	f35
Osage Hills.....	15.79	f36	f35
Meramec Forest.....	20.43	f36	f35
Union Electric.....	20.76	f36	f35
Fern Glen.....	21.01	f36	f35
Mountain Ridge.....	21.40	f36	f35
Lincoln Beach.....	21.85	f36	f35
Castlewood.....	22.28	f36	f35
Cedar Bluff.....	22.74	f36	f35
Boyd.....	23.40	f36	f35
Riovale.....	24.04	f36	f35
Allenton.....	30.07	f36	f35
Sedalia Subdiv.:				
Little Blue.....	265.84	f210	f211
River Subdiv.:				
Marion.....	139.12	f94	f95
Overton.....	161.04	f94	f95

ST. LOUIS SUBDIV.—BETWEEN KIRKWOOD AND JEFFERSON CITY

3

TRAINS WESTWARD					TRAINS EASTWARD							
SECOND CLASS					SECOND CLASS							
71 Red Ball Freight	61 Red Ball Freight	79 Red Ball Freight	75 Red Ball Freight	77 Red Ball Freight	Station Numbers	Miles from St. Louis —Seventh Street	Siding Capacity in Cars	70 Red Ball Freight	66 Red Ball Freight	62 Red Ball Freight	80 Red Ball Freight	68 Red Ball Freight
Daily	Daily	Daily	Daily	Daily				Daily	Daily	Daily	Daily	Daily
9 00PM	8 30PM	7 00PM	2 00PM	1 30AM				6 30AM	10 30AM	6 00PM	3 00AM	5 30AM
9 40	9 10	7 40	2 40	2 10	13	13.48						
					13a	15.65						
					16	16.55						
						{ 18.75						
						18.77						
					18	18.96						
						22.84						
					24	23.93						
						24.08						
					29	27.91						
						36	34.84					
						35.00						
						40	39.94					
						46.57						
						{ 51.75						
						54	54.93					
						67	67.31					
							67.46					
						74	75.19	A B S	Note 2			
							75.37					
							78.91					
						80	81.08					
							81.22					
							88.19					
						88	88.59					
						92	92.90					
						93.02						
						100	100.26					
							100.40					
						112	113.10					
							113.20					
							116.79					
						117.02						
						117	117.32					
							124.33					
11 50PM	11 20PM	9 50PM	5 40PM	4 50AM	125	125.33						
Daily	Daily	Daily	Daily	Daily			108.65					

Miles from St. Louis, (PA west), shown above, are miles painted on telegraph poles, and are not actual.

Two mile post locations at Washington, Mo. are one and the same point, 51.75 is new mileage account change in line east of Washington made in January, 1931, and 54.93 is old mileage.

Two mile post locations at PA are one and the same point, 18.75 is new mileage account change in line east of PA made in November, 1945, and 18.77 is old mileage.

Note 1—Between Kirkwood and HD, Signal Indication, both Opposing and Following Movements.

Between KK Jct. and Gasconade, Signal Indication, both Opposing and Following Movements.

Between LL Jct. and Jefferson City, Signal Indication, both Opposing and Following Movements.

Note 2—Between HD and KK Jct., Signal Indication, with Current of Traffic.

Between Gasconade and LL Jct., Signal Indication, with Current of Traffic.

ST. LOUIS SUBDIV. — KIRKWOOD TO JEFFERSON CITY

Station Numbers Miles from St. Louis —Seventh Street	TIMETABLE No. 92 NOVEMBER 2, 1952	TRAIN WESTWARD							
		FIRST CLASS							
		9 Passenger Daily	5 Passenger Daily	15 Passenger Daily	11 Passenger Daily	35 Passenger Daily Ex. Saturday and Sunday	19 Passenger Daily		SECOND CLASS 91 Local Freight Daily Ex. Sunday
STATIONS									
	ST. LOUIS UNION STATION.....	11 50PM	8 50AM		1 52PM	4 00PM	4 25PM	5 02PM	
	0.74								
	ST. LOUIS 23rd St.....								9 00AM
	12.21								
13	13.48	CS.....KIRKWOOD..... 2.17	b 12 20AM	b 9 10		a 2 12	b 4 20	s 5 05	b 5 30
13a	15.65	P.....HL..... 0.90							
16	16.55	P.....BARRETT'S..... 2.20						s 5 12	
	{18.75	P.....PA..... 0.19							
	{18.77	P.....VALLEY PARK..... 3.88						s 5 17	
		P.....BY..... 1.08							
24	23.93	Note 1 P.....JEDBURG.....*						s 5 32	
		0.15							
24.08		P.....JB JCT..... 3.83							
29	27.91	TP.....EUREKA.....*						s 5 38	
		6.93							
36	34.84	TP.....PACIFIC..WY* 0.16						s 5 50PM	
		Two Main Tracks							10 30
	35.00	CS.....K TOWER..... 4.94							
40	39.94	TP.....GRAY SUMMIT..... 6.63							
		P.....HD..... 5.18	12 50	9 41		2 43	4 50		6 00
		{51.75	s 1 05	s 9 47		s 2 50	4 55		s 6 12
54	54.93	CS.....WASHINGTON....*	12.38						11 30AM
67	67.31	LS.....NEW HAVEN....*	a 1 18	9 59		3 03	5 06		s 6 30
		0.15							
	67.46	P.....NH CROSSOVER..... 7.46							
	74.92	P.....BE CROSSOVER..... 0.27							
74	75.19	TP.....BERGER.....*						s 6 41	
		0.18							
	75.37	P.....BW CROSSOVER..... 3.54							
		P.....JJ SIDING..... 2.17	1 29	10 10		3 15	5 16		6 46
80	81.08	LS.....HERMANN....*	a 1 32						s 6 54
		0.14							
	81.22	P.....HN CROSSOVER..... 6.97							
		P.....KK JCT..... 0.40							
88	88.59	CS.....GASCONADE....*	1 42	10 22		f 3 27	5 26		7 04
		4.31							1 00PM
92	92.90	LS.....MORRISON....*						s 7 10	
		0.12							
	93.02	P.....MO CROSSOVER..... 7.24							
100	100.26	LS.....CHAMOIS...Y*	1 54	10 33		a 3 41	5 37		s 7 19
		0.14							
	100.40	P.....CH CROSSOVER..... 12.70							
112	113.10	LS....BONNOT'S MILL....*							s 7 33
		0.10							
	113.20	P.....BM CROSSOVER..... 3.59							
		P.....LL JCT..... 0.23	2 10	10 47		3 57	5 50		7 38
117	117.02DRAW BRIDGE.....Osage River							
		0.30							
117	117.32	LS.....OSAGE....*				a 3 59			2 30
		7.01							
	124.33	J.C..... 1.00							
	125.33	CS.....Jefferson City...@DWY\$ Two Main Tracks	s 2 25AM	s 10 58AM		s 4 15PM	s 6 00PM		s 7 55PM
									3 00PM
	108.65	Daily	Daily		Daily	Daily	Daily Ex. Saturday and Sunday	Daily	Daily Ex. Sunday

Miles from St. Louis, (PA west), shown above, are miles painted on telegraph poles, and are not actual.

Two mile post locations at Washington, Mo. are one and the same point, 51.75 is new mileage account change in line east of Washington made in January, 1931, and 54.93 is old mileage.

Two mile post locations at PA are one and the same point, 18.75 is new mileage account change in line east of PA made in November, 1945, and 18.77 is old mileage.

Note 1.—Between Kirkwood and HD, Signal Indication, both Opposing and Following Movements.

Between KK Jct. and Gasconade, Signal Indication, both Opposing and Following Movements.

Between LL Jct. and Jefferson City, Signal Indication, both Opposing and Following Movements.

Note 2.—Between HD and KK Jct., Signal Indication, with Current of Traffic.

Between Gasconade and LL Jct., Signal Indication, with Current of Traffic.

ST. LOUIS SUBDIV.—JEFFERSON CITY TO KIRKWOOD

5

Siding Capacity in Cars	Miles from Kansas City	TIMETABLE No. 92	TRAIN EASTWARD								SECOND CLASS 90 Local Freight
			FIRST CLASS								
10 Passenger	36 Passenger		20 Passenger	12 Passenger	6 Passenger	14 Passenger					
Daily	Daily Ex. Saturday and Sunday		Daily	Daily	Daily	Daily					Daily Ex. Sunday
		STATIONS									
		ST. LOUIS UNION STATION....									
		—0.74									
		ST. LOUIS 23rd St....									
		—12.21									
Yd. 265.88		CS.....KIRKWOOD....	s 6 45	s 6 15		s 7 30	c 11 31AM	c 5 10	c 9 35		2 15
263.71		P.....HL.....									
262.81		P.....BARRETT'S....		s 5 52							
260.61		P.....PA.....									
260.42		TP....VALLEY PARK....		s 5 48							
256.54		P.....BY.....									
255.45		P.....JEDBURG....*		s 5 36							
255.30		P.....JB JCT....									
251.47		TP.....EUREKA....*		s 5 30							
244.54		TP.....PACIFIC..WY*....		5 20AM							1 30PM
		—0.16									
244.38		CS.....K TOWER....									
239.44		—4.94									
232.81		TP....GRAY SUMMIT....									
129 227.63		—6.63									
		P.....HD.....	6 01			6 55	10 56	4 34	8 50		
		—5.18				s 6 50	10 51	s 4 28	s 8 45		11 30AM
		CS.WASHINGTON....*	s 5 55								
		—12.38									
		LS.....NEW HAVEN....*	s 5 37			6 37	10 40	4 16	s 8 30		
		—0.15									
		P.....NH CROSSOVER....									
		—7.46									
		P.....BE CROSSOVER....									
		—0.27									
		TP.....BERGER....*	s 5 22								
		—0.18									
		P.....BW CROSSOVER....									
		—3.54									
125 203.65		P.....JJ SIDING....	5 15			6 25	10 29	4 05	8 15		
201.48		—2.17									
201.34		LS.....HERMANN....*	s 5 12								
194.37		P.....HN CROSSOVER....									
		—6.97									
		P.....KK JCT....									
		—9.46									
100 193.97		CS.....GASCONADE....*	s 4 59			6 14	10 17	3 54	8 00		10 00
189.66		—4.31									
189.54		LS.....MORRISON....*	s 4 52								
		—0.12									
		P.....MO CROSSOVER....									
		—7.24									
100 182.30		LS.....CHAMOIS....Y*	s 4 40			6 02	10 07	3 43	a 7 47		
182.16		—0.14									
		P.....CH CROSSOVER....									
		—12.70									
169.46		LS.....BONNOT'S MILL....*	s 4 21								
169.36		—0.10									
		P.....BM CROSSOVER....									
		—3.59									
165.77		P.....LL JCT....	4 15			5 47	9 54	3 29	7 32		
		—0.23									
165.54		—.DRAW BRIDGE....									
165.24		—0.30									
158.23		LS.....OSAGE....*	f 4 13								9 15
		—7.01									
		J.C.....									
		—1.00									
Yd. 157.23		CS Jefferson City....DWY \$	4 00AM			5 35AM	9 45AM	3 20PM	7 20PM		9 00AM
		Two Main Tracks									
		108.65	Daily	Daily Ex. Saturday and Sunday		Daily	Daily	Daily	Daily		Daily Ex. Sunday

Note 1.—Between Kirkwood and HD, Signal Indication, both Opposing and Following Movements.
 Between KK Jct. and Gasconade, Signal Indication, both Opposing and Following Movements.
 Between LL Jct. and Jefferson City, Signal Indication, both Opposing and Following Movements.

Note 2.—Between HD and KK Jct., Signal Indication, with Current of Traffic.
 Between Gasconade and LL Jct., Signal Indication, with Current of Traffic.

SEDALIA SUBDIV.—JEFFERSON CITY TO KANSAS CITY

Station Numbers	Miles from St. Louis —Seventh Street	TIMETABLE No. 92		TRAIN WESTWARD							SECOND CLASS
		NOVEMBER 2, 1952		FIRST CLASS							
		9 Passenger	5 Passenger		15 Passenger	211 Passenger	11 Passenger	19 Passenger			
		Daily	Daily		Daily	Daily	Daily	Daily		Daily	
125	125.33	Note 1 (CS. Jefferson City. @DWY 8 2.62 P.....SR JCT..... 4.46 Two Main Tracks)	2 40AM	11 00AM		4 20PM		6 05PM	8 05PM		5 00AM
....	127.95		2 45	11 03		4 24		6 08	8 09		5 22 20
132	132.41	P.....SCOTT..... 7.85	2 50	11 08		4 28		6 12	8 13		5 30
140	140.26	P.....CENTERTOWN..... 4.46	* 3 00	11 17 78		4 37		6 19	8 22		5 45 66
144	144.72	P.....McGIRK..... 5.66	* 3 15 10	11 22		4 41		6 24	8 26		5 55
150	150.38	CS.....CALIFORNIA..... 6.25	@ 3 22	a 11 28		s 4 49		6 30 14 s	8 35		6 10
156	156.63	P.....CLARKSBURG..... 6.24	* 3 28	11 37		4 55		6 36	8 41		6 20
162	162.87	LS.....TIPTON..... 5.26	@ 3 35	11 43		s 5 03		6 42	8 47		6 30
168	168.13	LS.....SYRACUSE..... 7.62	* 3 40	11 48		5 09		6 46	8 52		6 40
175	175.75	P.....OTTERVILLE..... 5.36	* 3 48	11 56AM		5 17		6 53	9 00		6 55
181	{ 181.11 181.18	LS...SMITHTON..... 6.61	* 3 54	12 02PM		5 22		6 58	9 05		7 05
....	187.70	CS...SA TOWER—M.K.T. CROSSING...	4 01	12 08		5 29		7 04	9 11		7 20 92
188	188.94	CS.....SEDALIA.....@DWY 8 6.80	s 4 20 20	s 12 15		s 5 45 14		s 7 10	s 9 25		7 25
195	195.74	P.....DRESDEN..... 5.17	* 4 30 66	12 22		5 52		7 16	9 31		7 50
200	200.91	LS.....LAMONTE..... 7.22	* 4 36	12 27		5 57		7 21	9 36		8 00
208	208.13	A B S LS.....KNOBOSTER..... 3.66	* 4 44	12 34		6 04		7 27	a 9 43		8 16 12
211	211.79	P.....MONTSERRAT..... 6.61	* 4 48	12 37		6 08		7 30	9 47		8 25
218	218.40	CS...WARRENSBURG..... 6.05	s 5 03	s 12 43		s 6 20		a 7 37	s 10 02 70		8 45 78
224	224.45	P.....CENTERVIEW..... 8.38	* 5 12	12 50		6 26		7 42	10 09		8 55
232	232.83	LS.....HOLDEN..... 4.73	* 5 20 92	12 59		s 6 38		7 49	10 17		9 10
237	237.56	P.....KINGSVILLE..... 5.52	* 5 25	1 04		6 43		7 53	10 22		9 20
242	243.08	P.....STRASBURG..... 6.06	* 5 30	1 09 6		6 48		7 58	10 27		9 30
....	249.14	P.....PE SIDING..... 0.13									
240	240.27	Note 1 CS...PLEASANT HILL...WY* 3.07	s 5 55	a 1 17		a 6 57	4 50PM	8 04	s 11 05		10 15
252	252.34	P.....AVON..... 2.75									
254	255.09	P.....GREENWOOD..... 4.78				f 4 57					
259	259.87	LS...LEE'S SUMMIT..... 5.23	* a 6 15	a 1 30		s 5 10					
265	265.10	P.....LB SIDING..... 5.73									
271	{ 270.83 271.23	P.....ELM PARK..... 2.04	6 32	1 42		7 17	5 25	8 24	11 30		11 00
273	273.27	CS...INDEPENDENCE..... 3.57	s 6 45	a 1 45		a 7 20	s 5 35	a 8 27	s 11 40PM		11 30AM
276	276.84	Note 2 CS...ROCK CREEK JCT..... 1.40									
....	278.24	KCSW JCT..... 0.77									
B 1	270.01	CS...KANSAS CITY EAST YARD...DWY 8									12 05PM
282	283.03	KANSAS CITY UNION STATION..... Two Main Tracks	7 20AM	2 10PM		7 45PM	6 15PM	9 00PM	12 15AM		
		PASSENGER.....157.23 FREIGHT.....153.21	Daily	Daily		Daily	Daily	Daily	Daily		Daily Ex. Sunday

Miles from St. Louis, shown above, are miles painted on telegraph poles, and are not actual.

Two mile post locations at Smithton, Mo. are one and the same point, 181.11 is new mileage account change in line made in December, 1943, and 181.18 is old mileage.

Two mile post locations at Elm Park, Mo. are one and the same point, 270.83 is new mileage account change in line made in April, 1947, and 271.23 is old mileage.

Note 1.—Between Jefferson City and SR Jct., Signal Indication, both Opposing and Following Movements.
Between Strasburg and Elm Park, Signal Indication, both Opposing and Following Movements.

Note 2.—Between Elm Park and Rock Creek Jct., Signal Indication, with Current of Traffic.

SEDALIA SUBDIV.—KANSAS CITY TO JEFFERSON CITY

7

Siding Capacity in Cars	Miles from Kansas City	TIMETABLE No. 92 NOVEMBER 2, 1952	TRAINS EASTWARD								SECOND CLASS	
			FIRST CLASS									
			20 Passenger	12 Passenger		6 Passenger	14 Passenger	10 Passenger	210 Passenger			
			Daily	Daily		Daily	Daily	Daily	Daily		Daily Ex. Sunday	
			STATIONS									
Yd. 157.23			Note 1 Two Main Tracks	CS... Jefferson City @ DWY \$ 2.62	s 5 30AM	s 9 40AM		s 3 15PM	s 7 10PM	s 3 45AM		9 15AM
154.61				P.... SR JCT..... 4.46	5 22 93	9 35		3 12	6 55	3 35		9 05
54 150.15			P..... SCOTT..... 7.85	5 18	9 31		3 08	6 50	3 29			8 55
70 142.30			P..... CENTER TOWN..... * 4.46	5 09	9 23		3 00	6 41	3 20			8 45
70 137.84			P..... McGIRK..... * 5.66	5 05	9 19		2 55	6 36	3 15 9			8 35
75 132.18			CS..... CALIFORNIA..... @* 5.25	a 5 00	a 9 14		a 2 49	6 30 11	s 3 10			8 25
42 125.93			P..... CLARKSBURG..... * 6.24	4 53	9 07		2 42	6 19	2 56			8 10
70 119.69			LS..... TIPTON..... @* 5.26	4 47	9 02		2 36	6 13	s 2 50			8 00
46 114.43			LS..... SYRACUSE..... * 7.62	4 42	8 57		2 30	6 08	2 41			7 50
50 106.81			P..... OTTERVILLE..... * 5.36	4 34	8 50		2 23	6 01	2 32			7 40
66 101.45			LS..... SMITHTON..... * 6.61	4 29	8 45		2 18	5 56	2 27			7 30
.... 94.84			CS.. SA TOWER—M.K.T. CROSSING..... 1.15	4 23	8 39		2 12	5 50	2 20			7 20 93
Yd. 93.69			CS..... SEDALIA..... @DWY 6.80	s 4 20 9	s 8 37		s 2 10	s 5 45 15	s 2 15			7 15
42 86.89			P..... DRESDEN..... * 5.17	4 00	8 27		1 59	5 35	1 47 79			6 45
54 81.72	A B S		LS..... LAMONTE..... * 7.22	3 55	8 22		1 54	5 30	1 42			6 35
110 74.50			LS..... KNOB NOSTER..... * 3.66	3 49	8 16 93		1 47	5 24	1 35			6 25
38 70.84			P..... MONT SERRAT..... * 6.61	3 45	8 13		1 43	5 21	1 32			6 15
46 64.23			CS..... WARRENSBURG..... * 6.05	a 3 38	a 8 07		s 1 36	s 5 15	s 1 25			6 05
46 58.18			P..... CENTERVIEW..... * 8.38	3 30	8 00		1 28	5 07	1 09			5 35
65 49.80			LS..... HOLDEN..... * 4.73	3 22 79	7 53		1 20	5 00	s 12 58			5 20 9
54 45.07			P..... KINGSVILLE..... * 5.52	3 18	7 49		1 15	4 56	12 48			4 54
70 39.55			P..... STRASBURG..... * 6.06	3 13	7 44		1 09 5	4 51	12 43			4 45
70 33.49			P..... PE SIDING..... 0.13									
Yd. 33.36			CS..... PLEASANT HILL..... WY * 3.07	s 3 05	7 38		a 1 02	a 4 45	s 12 35	s 1 00AM		4 35 79
80 30.29			P..... AVON..... 2.75									
27.54			P..... GREENWOOD..... * 4.78							f 12 43		
84 22.76			LS..... LEE'S SUMMIT..... * 5.23				a 12 50		s 12 15AM	s 12 36		
60 17.53			P..... LB SIDING..... 5.73									
11.80			P..... ELM PARK..... 2.04	2 07	7 17		12 37	4 20	11 58PM	12 19		3 35
9.76			CS..... INDEPENDENCE..... * 3.57	a 2 05	a 7 15		a 12 35	a 4 18	s 11 55	s 12 16AM		3 30
6.19			Rock Creek Jct..... 1-40									
			KCSW JCT..... 0.77									
			CS..... KANSAS CITY EAST YARD... DWY \$									3 00AM
			KANSAS CITY UNION STATION.....	1 45AM	7 01AM		12 20PM	4 00PM	11 30PM	11 50PM		
			PASSENGER..... 157.23	Daily	Daily		Daily	Daily	Daily	Daily		Daily Ex. Sunday
			FREIGHT..... 153.21									

Note 1.—Between Jefferson City and SR Jct., Signal Indication, both Opposing and Following Movements.

Between Strasburg and Elm Park, Signal Indication, both Opposing and Following Movements.

Note 2.—Between Elm Park and Rock Creek Jct., Signal Indication, with Current of Traffic.

SEDALIA SUBDIV.—JEFFERSON CITY TO KANSAS CITY

Station Numbers	Miles from St. Louis —Seventh Street	TIMETABLE No. 92 NOVEMBER 2, 1952		TRAIN WESTWARD								
				SECOND CLASS								
		Daily	Daily		Daily	Daily	Daily	Daily	Daily	Daily	Daily	
125	125.33	Note 1 CS.Jefferson City ..@DWY \$ 2.62 P.....SR JCT..... 4.46	Two Main Tracks	12 05AM 12 10AM	5 30AM 5 40AM	1 00PM 1 05PM	6 10PM 6 15PM	11 00PM 11 05	11 35PM 11 40PM
127.95												
132	132.41	P.....SCOTT 7.85								11 12		
140	140.26	P.....CENTERTOWN.....*								11 30		
144	144.72	P.....McGIRK.....*								11 37		
150	150.38	CS.....CALIFORNIA.....@ 6.25								11 44		
156	156.63	P.....CLARKSBURG.....*								11 58PM ⁷⁰		
162	162.87	LS.....TIPTON.....@ 5.26								12 10AM		
168	168.13	LS.....SYRACUSE.....*								12 23		
175	175.75	P.....OTTERVILLE.....*								12 33		
181	181.11 181.18	LS.....SMITHTON.....*								12 43		
187	187.79	CS..SA TOWER—M.K.T. CROSSING 1.15								12 55		
188	188.94	CS.....SEDALIA.....@DWY 0.80		VIA RIVER SUBDIV.						1 30		
195	195.74	P.....DRESDEN.....*								1 47 10		
200	200.91	LS.....LAMONTE.....*								2 00		
208	208.13	LS.....KNOBNOSTER.....*								2 15		
211	211.79	P.....MONTSERRAT.....*								2 25		
218	218.40	CS....WARRENSBURG.....*								2 40		
224	224.45	P.....CENTERVIEW.....*		VIA RIVER SUBDIV.						2 55		
232	232.83	LS.....HOLDEN.....*								{ 3 22 20 3 32 68		
237	237.56	P.....KINGSVILLE.....*								3 45		
242	243.08	(P....STRASBURG.....*								3 55		
249	249.14	P.....PE SIDING.....*										
249	249.27	CS.PLEASANT HILL.....WY*					11 40AM			10 00PM 4 35AM ⁹²		
252	252.34	P.....AVON.....*										
254	255.09	P....GREENWOOD.....*										
259	259.87	LS.LEE'S SUMMIT.....*										
265	265.10	P.....LB SIDING.....*										
271	270.83 271.23	P....ELM PARK.....*					12 20PM			11 12		
273	273.27	CS...INDEPENDENCE.....*					12 25			11 15PM		
276	276.84ROCK CREEK JCT.....*										
278.24		KCSW JCT.....0.77										
B 1	279.01	CS.KANSAS CITY EAST YARD.....DWY \$			5 00AM 11 30AM			2 00PM		1 00AM 1 00AM		4 30AM
		153.21		Daily	Daily		Daily	Daily	Daily	Daily	Daily	

Miles from St. Louis, shown above, are miles painted on telegraph poles, and are not actual.

Two mile post locations at Smithton, Mo. are one and the same point, 181.11 is new mileage account change in line made in December, 1943, and 181.18 is old mileage.

Two mile post locations at Elm Park, Mo. are one and the same point, 270.83 is new mileage account change in line made in April, 1947, and 271.23 is old mileage.

Note 1.—Between Jefferson City and SR Jct., Signal Indication, both Opposing and Following Movements.

Between Strasburg and Elm Park, Signal Indication, both Opposing and Following Movements.

Note 2.—Between Elm Park and Rock Creek Jct., Signal Indication, with Current of Traffic.

SEDALIA SUBDIV.—KANSAS CITY TO JEFFERSON CITY

9

Siding Capacity in Cars	Mile from Kansas City	TIMETABLE No. 92		TRAINS EASTWARD									
				SECOND CLASS									
				66	78		272	62	80	68	94	70	274
				Red Ball Freight	Red Ball Freight		Red Ball Freight	Red Ball Freight	Red Ball Freight	Red Ball Freight	Local Freight	Red Ball Freight	Red Ball Freight
		DAILY	DAILY			DAILY	DAILY	DAILY	DAILY	DAILY	DAILY EX. SUN.	DAILY	DAILY
Yd. 157.23		STATIONS	NOVEMBER 2, 1952	6 05AM	1 00PM			1 30PM	5 00PM	11 05PM	8 00PM	1 15AM	
154.61				5 59	11 45AM			1 10PM	4 50PM	10 55PM	7 50PM	12 35	
54 150.15	P.....	SCOTT.....		5 54	11 35							12 28	
70 142.30	P.....	CENTERTOWN.....	*	5 45	11 17	5						12 18	
70 137.84	P.....	MCGIRK.....	*	5 40	10 50							12 12	
75 132.18	CS.....	CALIFORNIA.....	@*	5 33	10 41							12 05AM	
42 125.93	P.....	CLARKSBURG.....	*	5 26	10 32							11 58PM ⁷⁹	
70 119.69	LS.....	TIPTON.....	⑧*	5 19	10 23							11 50	
46 114.43	LS.....	SYRACUSE.....	*	5 13	10 15							11 37	
50 106.81	P.....	OTTERVILLE.....	*	5 04	10 02							11 28	
60 101.45	LS.....	SMITHTON.....	*	4 58	9 55							11 20	
94.84	CS..	SA TOWER—M.K.T. CROSSING...		4 50	9 45							11 10	
Yd. 93.69	CS.....	SEDALIA.....	@DWY	4 45	9 40							11 00	
		6 80											
42 86.89	P.....	DRESDEN.....	*	4 30	9 23							10 33	
54 81.72	LS.....	LAMONTE.....	*	4 14	9 15							10 25	
110 74.50	LS.....	KNOBNOSTER.....	*	4 05	9 06							10 15	
38 70.84	P.....	MONTSERRAT.....	*	4 00	8 59							10 10	
46 64.23	CS...	WARRENSBURG.....	*	3 52	8 45	93						10 02	19
		6 05											
46 58.18	P.....	CENTERVIEW.....	*	3 45	8 35							9 36	
65 49.80	LS.....	HOLDEN.....	*	3 32	8 25							9 26	
54 45.07	P.....	KINGSVILLE.....	*	3 25	8 18							9 20	
70 39.55	P.....	STRASBURG.....	*	3 18	8 10							9 13	
70 33.49	P.....	PE SIDING.....											
		0 13											
Yd. 33.36	CS.....	PLEASANT HILL.....	WY*	3 10	8 00AM		9 00AM					9 05	9 30PM
		3 07											
80 30.29	P.....	AVON.....											
27.54	P.....	GREENWOOD.....	*										
84 22.76	LS.....	LEE'S SUMMIT.....	*										
60 17.53	P.....	LB SIDING.....											
11.80	P.....	ELM PARK.....		2 30			8 30					8 38	8 50
9.76	CS....	INDEPENDENCE.....	*	2 25			8 25					8 25	8 40
6.19	Note 2	ROCK CREEK JCT.....											
		1 40											
		KCSW JCT.....											
		0 77											
		CS.KANSAS CITY EAST YARD.....	DWY	2 00AM			8 00AM	9 00AM	12 30PM	6 30PM		8 00PM	8 15PM
		153.21											
				DAILY	DAILY		DAILY	DAILY	DAILY	DAILY	DAILY EX. SUN.	DAILY	DAILY

Note 1.—Between Jefferson City and SR Jct., Signal Indication, both Opposing and Following Movements.
 Between Strasburg and Elm Park, Signal Indication, both Opposing and Following Movements.

Note 2.—Between Elm Park and Rock Creek Jct., Signal Indication, with Current of Traffic.

RIVER SUBDIV.—SR JCT. TO ETON

Station Numbers	Miles from St. Louis —Seventh Street	TIMETABLE No. 92 NOVEMBER 2, 1952	TRAIN WESTWARD						
			SECOND CLASS						
			71 Red Ball Freight	77 Red Ball Freight		97 Local Freight	95 Local Freight	75 Red Ball Freight	61 Red Ball Freight
			Daily	Daily		Daily Ex. Sunday	Daily Ex. Sunday	Daily	Daily
127.95		P.....SR JCT..... 1.36	12 10AM	5 40AM			1 05PM	6 15PM	11 40PM
129.31		Note 1 P.....AA JCT..... 1.66	12 13	5 45			1 08 62	6 18	11 43
130.97		Note 2 P.....BB JCT..... 12.90	12 16	5 52			1 11	6 21	11 46PM
G 15 143.87		CS.....SANDY HOOK..... 7.32	12 33	6 10			f 1 28	6 40	12 03AM
G 22 151.19		P.....LUPUS..... 5.59	12 43	6 19			f 1 38	6 50	12 13
G 27 156.78		TP.....WOOLDRIDGE..... 7.88	12 51	6 27			f 1 46	7 00 94	12 21
G 35 164.66		P.....MERNA..... 6.19	1 01	6 39			2 00	7 15	12 31
G 41 170.85		CS.....BOONVILLE.....Y 6.35	1 09	6 48			s 2 10	7 27	12 39
177.20		Note 2 P.....CC JCT..... 3.01	1 18	6 58			2 55	7 38	12 48
180.21		P.....FF JCT..... 6.70	1 23	7 03			3 00	7 43	12 52
G 58 186.91		LS.....BLACKWATER..... 2.74	1 32	7 16			s 3 15 80	8 05	1 01
G 60 189.65		TP.....NELSON..... 5.37					f 3 20		
G 66 195.02		P.....NAPTON..... 7.15	1 43	7 29			f 3 30	8 18	1 12
G 73 202.17	A B S	P.....MS SIDING.....Y 7.49	1 52	7 45		11 10AM 62	3 40PM	8 40 68	1 21
G 80 209.66		P.....STANHOPE..... 5.57	2 02	7 55		11 20		8 52	1 31
G 86 215.23		CS.....MALTA BEND..... 9.34	2 09	8 01		11 30		9 00	1 38
G 95 224.57		LS.....WAVERLY..... 6.08	2 22	8 13 96		11 50AM		9 20	1 50
G101 230.65		P.....HODGE..... 15.03	2 32	8 30		12 01PM		9 33	1 58
245.68		Note 1 P.....GG JCT..... 1.94	2 52	8 55		12 25		9 55	2 18
G118 247.62		CS.....MYRICK.....Y 1.86							
249.48		P.....HH JCT..... 3.93	2 59	9 01		1 00		10 01	2 24
G124 253.41		TP.....WELLINGTON..... 4.59							
G129 258.00		LS.....NAPOLEON..... 7.15	3 11	9 15		1 22 80		10 15	2 36
G136 265.15		LS.....BUCKNER..... 3.52	3 22	9 27		1 40		10 27	2 47
G139 268.67		LS.....LAKE CITY..... 5.60	3 27	9 36 62		1 50		10 33	2 52
274.27		Note 2 P.....JJ JCT..... 1.96	3 37	9 46		2 01		10 42	3 02
276.23		Note 1 CS. ETON-A.T.&S.F.Jct. 7.61	3 45	10 00		2 05		10 45PM	3 10
283.84		CONGO..... 0.75							
284.59		ROCK CREEK JCT..... 1.40							
285.99		KCSW JCT..... 0.77							
B 1 286.76		CS. KANSAS CITY EAST YARD...DWY \$	5 00AM	11 30AM		2 45PM		1 00AM	4 30AM
		158.81	Daily	Daily		Daily Ex. Sunday	Daily Ex. Sunday	Daily	Daily

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.

Note 1.—Between SR Jct. and AA Jct., Signal Indication, both Opposing and Following Movements.
Between GG Jct. and HH Jct., Signal Indication, both Opposing and Following Movements.

Note 2.—Between AA Jct. and BB Jct., Signal Indication, with Current of Traffic.
Between CC Jct. and FF Jct., Signal Indication, with Current of Traffic.
Between JJ Jct. and Eton, Signal Indication, with Current of Traffic.

RIVER SUBDIV.—ETON TO SR JCT.

11

Siding Capacity in Cars	Miles from Kansas City	TIMETABLE No. 92 NOVEMBER 2, 1952	TRAINS EASTWARD							
			SECOND CLASS							
		STATIONS	Daily Ex. Sunday	96 Local Freight	62 Red Ball Freight		80 Red Ball Freight	94 Local Freight	68 Red Ball Freight	
158.81		P. SR JCT..... 1.36		1 10PM			4 50PM	7 50PM	10 55PM	
157.45		Note 1 { P. AA JCT..... 1.66		1 03 95			4 43	7 48	10 45	
155.79		Note 2 { P. BB JCT..... 12.90		1 00			4 40	7 45	10 40	
190 142.89		CS. SANDY HOOK..... 7.32		12 40			4 22	f 7 25	10 20	
40 135.57		P. LUPUS..... 5.59		12 30			4 12	f 7 10	10 10	
189 129.98		TP. WOOLDRIDGE..... 7.88		12 22			4 05	f 7 00 75	9 59	
125 122.10		P. MERNA..... 6.19		12 10			3 53	6 40	9 45	
125 115.91		CS. BOONVILLE..... Y		12 01PM			3 43	s 6 30	9 35	
109.56		Note 3 { P. CC JCT..... 3.01		11 50AM			3 32	5 50	9 23	
106.55		{ P. FF JCT..... 6.70		11 45			3 27	5 45	9 18	
130 99.85		LS. BLACKWATER..... 2.74		11 33			3 15 95	s 5 35	9 05	
97.11		TP. NELSON..... 5.37						f 5 25		
125 91.74	A B S	P. NAPTON..... 7.15		11 20			2 55	f 5 15	8 52	
125 84.59	P. MS SIDING..... Y	8 50AM	11 10 97				2 46	5 05PM	8 40 75	
	7.49									
125 77.10	P. STANHOPE..... 5.57		8 32	11 00			2 36		8 27	
203 71.53	CS. MALTA BEND..... 9.34		8 25	10 53			2 28		8 18	
125 62.19	LS. WAVERLY..... 6.08		8 13 77	10 39			2 13		8 04	
190 56.11	P. HODGE..... 15.03		7 50	10 30			2 03		7 54	
41.08	Note 1 { P. GG JCT..... 1.94		7 25	10 08			1 40		7 32	
Yd. 39.14	Note 1 { CS. MYRICK..... Y 1.86									
37.28	P. HH JCT..... 3.93		6 30	10 03			1 35		7 27	
33.35	TP. WELLINGTON..... 4.59									
125 28.76	LS. NAPOLEON..... 7.15		6 15	9 50			1 22 97		7 15	
125 21.61	LS. BUCKNER..... 3.52		6 00	9 41			1 12		7 06	
135 18.09	LS. LAKE CITY..... 5.60		5 55	9 36 77			1 07		7 01	
12.49	Note 2 { P. JJ JCT..... 1.96		5 45	9 28			12 58		6 53	
10.53	Note 2 { CS. ETON-A.T. & S. F. Jct. 7.61		5 40	9 25			12 55		6 50	
2.92	CONGO..... 0.75									
	ROCK CREEK JCT..... 1.40									
	KC SW JCT..... 0.77									
	CS. KANSAS CITY EAST YARD DWY \$		5 00AM	9 00AM			12 30PM		6 30PM	
	158.81		Daily Ex. Sunday	Daily			Daily	Daily Ex. Sunday	Daily	

Note 1.—Between SR Jct. and AA Jct., Signal Indication, both Opposing and Following Movements.
 Between GG Jct. and HH Jct., Signal Indication, both Opposing and Following Movements.

Note 2.—Between AA Jct. and BB Jct., Signal Indication, with Current of Traffic.
 Between CC Jct. and FF Jct., Signal Indication, with Current of Traffic.
 Between JJ Jct. and Eton, Signal Indication, with Current of Traffic.

**LEXINGTON SUBDIV.—BETWEEN
SEDALIA AND MYRICK**

	Miles from St. Louis —Seventh Street	TIMETABLE No. 92		Station Numbers	Siding Capacity in Cars
		NOVEMBER 2, 1952			
		STATIONS			
188.94	CS. SEDALIA ...@DWY 10.58	188	Yd.		
109.52	TP. HUGHESVILLE 5.61	LA 10		125.33	CS. Jefferson City 7.77
205.13	P. HOUSTONIA 6.51	LA 16		133.10	SCRUGGS 4.96
211.64	LS. SWEET SPRINGS 4.23	LA 22	24	138.06	LOHMAN 6.34
				144.40	TP. RUSSELLVILLE 4.84
215.87	P. EMMA 4.05	LA 26		149.24	ENON 4.03
219.92	LS. CONCORDIA 11.98	LA 30		153.27	OLEAN 5.38
231.90	LS. HIGGINSVILLE 3.70	LA 42		158.65	ELDON 0.35
235.60	PAGE CITY 8.79	LA 46		159.00	C. R. I. & P. CROSSING 2.95
244.39	P. LEXINGTON 1.76	LA 55		161.95	AURORA SPRINGS 6.30
246.15	CS. MYRICK Y	G 118	Yd.	168.25	LS. BAGNELL Y
		57.21			GA 43 Yd.

**BAGNELL SUBDIV.—BETWEEN
JEFFERSON CITY AND BAGNELL**

	Miles from St. Louis —Seventh Street	TIMETABLE No. 92		Station Numbers	Siding Capacity in Cars
		NOVEMBER 2, 1952			
		STATIONS			
		125	CS. Jefferson City 7.77	125	Yd.
		133.10	SCRUGGS 4.96	GA 8	
		138.06	LOHMAN 6.34	GA 13	
		144.40	TP. RUSSELLVILLE 4.84	GA 19	
		149.24	ENON 4.03	GA 24	
		153.27	OLEAN 5.38	GA 28	
		158.65	ELDON 0.35	GA 33	
		159.00	C. R. I. & P. CROSSING 2.95		
		161.95	AURORA SPRINGS 6.30	GA 37	
		168.25	LS. BAGNELL Y	GA 43	Yd.
			42.92		

**GLENCOE SUBDIV.—BETWEEN JB JCT.
AND GLENCOE**

	Miles from St. Louis —Seventh Street	TIMETABLE No. 92		Station Numbers	Siding Capacity in Cars
		NOVEMBER 2, 1952			
		STATIONS			
24.08	P. JB JCT 1.70				
25.78	P. YEATMAN 1.53	25	45		
27.31	P. GLENCOE 3.23	26			

**MARSHALL SUBDIV.—BETWEEN
MS SIDING AND MARSHALL**

	Siding Capacity in Cars	Miles from St. Louis —Seventh Street	TIMETABLE No. 92		Station Numbers	Miles from Kansas City
			NOVEMBER 2, 1952			
			STATIONS			
	125	202.17	P. MS SIDING	Y	G 73	88.61
	Yd.	204.08	LS. MARSHALL	1.91	GB 2	90.52
				1.91		

Miles from St. Louis, shown above, are miles painted on telegraph poles, and are not actual.

SPECIAL INSTRUCTIONS

13

1. All Eastward trains are superior to trains of the same class in the opposite direction, except:
River Subdiv: No. 95 is Superior to No. 94.

2. MAXIMUM SPEED:

The highest speed authorized for the operation of trains on main tracks, subject to LOWER speeds specified in Section 3 of these instructions, entitled "SPEED RESTRICTIONS", and lower speeds prescribed by train orders, restrictive signals and operating rules.

2-A. MAXIMUM TRAIN SPEED: (Where Maximum Engine Speed is LOWER, it will Govern).

The consist of a train includes the engine, or engines, and cars in the train. Members of the crew must know the consist of train.

The speed shown below is the highest speed authorized for the operation of trains of the specified consist:

CONSIST "A".....Any engine, or engines, with one or more, or all, cars equipped with freight car trucks.
 CONSIST "B".....Engines other than Diesel with all passenger cars of any type; or
 Diesel engines with one or more conventional type standard weight high center of gravity passenger cars in train of all passenger cars.
 CONSIST "C".....Diesel engines with streamlined—HIGH center of gravity cars (equipped with electro-pneumatic brakes, tight lock couplers and roller bearing trucks), with or without one or more streamlined—LOW center of gravity cars.
 Passenger cars MP 6330, 6331, 6332, 6333, 6334, 6335 and 6336, sleepers Shrine Tower, Beacon Tower and Temple Tower, and Diner 10242 are streamlined—HIGH center of gravity cars.
 CONSIST "D".....Diesel engines with Streamlined, light-weight—LOW center of gravity cars only.
 MP passenger cars of the 700 and 800 series, Sleepers with "Eagle" and "Cascade" prefix or "River" suffix, and Rock Island Sleepers with "Golden" prefix, are Streamlined—LOW center of gravity cars.

SUBDIVISION	MILES PER HOUR							
	Consist "A"	Consist "B"	Consist "C"			Consist "D"		
Track without slow speed signs	Track without slow speed signs	Straight track without slow speed signs	Curves without slow speed signs	Curves with slow speed signs	Straight track without slow speed signs	Curves without slow speed signs	Curves with slow speed signs	
Kirkwood:—St. Louis Terminal								
Between Grand Ave. and Tower Grove Jct..	35	45	45	45	Speed	45	45	Five miles per hour
Between Tower Grove Jct. and Kirkwood...	45	60	75	60		75	60	
Oak Hill, St. Louis Terminal.....	25	35	35	35		35	35	
Carondelet, St. Louis Terminal.....	25	25	25	25		25	25	
St. Louis.....	55	75	79	79	shown on	79	79	above speed
Sedalia.....	55	75	79	79		79	79	
Glencoe.....	15	15	15	15	slow speed	15	15	shown on
River.....	50	55	60	60		60	60	
Lexington.....	25	25	25	25		25	25	slow speed
Bagnell.....	20	20	20	20		20	20	
Marshall.....	15	15	15	15	signs	15	15	signs

2-B. MAXIMUM ENGINE SPEED: (Where Maximum Train Speed is LOWER, it will govern).

Speed shown below is the highest speed at which an engine can be operated without damage to engine or track, but does not authorize operation of engine at speed higher than maximum train speed.

MISSOURI PACIFIC LINES LOCOMOTIVES

STEAM Numbers	STEAM MPH	DIESEL Numbers	DIESEL MPH
1 to 173.....60	60	1403 to 1571	201 to 208.....65
330 to 389.....50	50	Frt. Service.....63	301 to 372.....65
402 to 485.....45	45	1701 to 1706.....55	501 to 626.....65
945.....45	45	1715 to 1719.....50	801 to 815.....30
1011 to 1028.....55	55	1721 to 1729.....63	4100 to 4101.....35
1031 to 1065.....53	53	1811.....45	4102 to 4103.....75
1103 to 1110.....55	55	2201 to 2215.....90	4104 to 4251.....65
1113 to 1120.....63	63	2348 to 2389.....55	7000 to 7021.....98
1151 to 1161.....80	80	5308 to 5316.....80	7100.....90
1205 to 1280		5322 to 5324.....90	8001 to 8036.....98
Pngr. Service.....55	55	5335 to 5344.....80	9000 to 9022.....35
1205 to 1280		6402 to 6436.....80	9102 to 9191.....35
Frt. Service.....63	63	6603 to 6628.....80	9200 to 9232.....35
1301 to 1325		9301 to 9318.....25	T&P DIESEL LOCOMOTIVES
Pngr. Service.....55	55	9421.....25	1100 to 1130.....65
1301 to 1325		9601 to 9610.....25	1500 to 1582.....65
Frt. Service.....63	63	9701 to 9783.....25	2000 to 2017.....98
1403 to 1571			MOTOR CARS:
Pngr. Service.....55	55		Gas Electric Passenger.....60

Passenger Motor
Car No. 670, with
mechanical drive .70

3. SPEED RESTRICTIONS: (Where Maximum Train or Engine Speed is LOWER, it will Govern).

Miles
Per
Hour

3-A. Engines Light Moving Forward:

Steam road engines, (light or with one car behind)..... 45

3-B. Engines Moving Backward, or Moving Forward Shoving Cars:

STEAM engines moving backward, with or without cars, or any engine moving forward shoving cars; and
 DIESEL engines moving backward without pilot on end facing direction of movement:

Subdiv.:
 St. Louis, Sedalia and River..... 25
 Lexington, Marshall and Bagnell and Glencoe..... 15

Steam engines not equipped with engine trucks must be moved tender forward in road movement.

3-C. Through Turnouts and Crossovers, and Spring Switches:

Through No. 10 lateral turnouts and crossovers, entire train	15
Through Nos. 15, 16 or 20 lateral turnouts and crossovers, entire train.....	30
Through No. 20 equilateral, Remote Control turnouts, entire train.....	50
In straightaway movement when moving points of No. 10 Spring Switch.....	15
In straightaway movement when moving points of Nos. 15, 16 or 20 Spring Switch	30
In straightaway movement when lead wheels have passed over points of Spring Switches, normal speed may be resumed).	

SPECIAL INSTRUCTIONS

3-D. Specific Locations Where Speed is Restricted:

	Miles Per Hour			
Consist	"A"	"B"	"C"	"D"

St. Louis Terminal:

23rd Street, Interlocking Limits.....	10	10
Grand Avenue, Interlocking Limits.....	10	10
Kirkwood.....	30	30
Davis Street, Interlocking Limits.....	20	20

New Haven: No. 9, Sunday only, to discharge mail.. 20

Hermann: No. 9, Sunday only, to discharge mail.. 20

Gasconade River: Bridge No. 21, Mile Post 88.30..... 30 30

Osage River: Draw Bridge No. 31, Mile Post 117.02.. 30 30

Sedalia: M.K.T. Crossing to Grand Avenue..... 40 40

California: No. 9 to dispatch mail..... 40

Marshall: All trains reduce speed to five miles per hour passing over first five street crossings east of depot. Whistle must be sounded and bell ringing. Engines switching over these crossings must observe these instructions, and in addition a member of crew will flag the crossing. (See Rule 103)

City Ordinance prohibits running of cars across and switching on street crossings unless such cars be at all times, while in motion, securely fastened to engine pushing or pulling same. This prohibits making drop of cars in switching movements.

Kansas City Terminal Railway:

Rule 835. Road engines must not exceed 40 miles an hour running forward or 20 miles an hour running backward. Switch engines must not exceed 20 miles an hour.

Rule 836. Passenger trains must not exceed 20 miles an hour and freight trains and light engines 10 miles an hour through interlocking switches and other crossovers and Railroad and Street Railway crossings, or 8 miles an hour under Union Station sheds.

LOCATIONS DESIGNATED BY MILES POST NUMBERS AND PROTECTED BY PERMANENT SLOW SPEED AND RESUME SPEED SIGNS:

Permissible Speed in Miles per hour	EASTWARD				WESTWARD			
	From		To		From		To	
	Mile Post	Pole						

Carondelet Subdiv. (St. Louis Terminal):

10	23	6	23	19	10	23	19	23	6
----	----	---	----	----	----	----	----	----	---

Oak Hill Subdiv. (St. Louis Terminal):

NORTHWARD					SOUTHWARD				
20	10	29	9	30	20	9	23	10	20

St. Louis Subdiv.:

EASTWARD					WESTWARD				
45	125	19	124	31	65	13	36	15	24
65	124	28	124	21	70	17	03	17	25
70	123	35	123	26	70	18	02	19	31
70	121	20	121	06	70	20	15	20	22
70	120	38	120	26	60	21	02	21	22
70	119	38	119	24	70	22	21	22	32
55	118	22	117	26	65	23	12	24	38
55	116	25	115	29	70	24	38	27	03
70	109	35	109	28	60	27	03	27	31
65	109	05	108	30	70	30	22	31	12
70	107	23	107	16	70	32	24	33	14
60	107	01	106	33	70	33	30	34	19
55	97	29	97	24	50	34	28	35	07
65	94	20	94	15	70	37	21	39	00
70	94	02	93	32	70	40	00	40	23
55	93	02	92	37	65	41	24	42	11
70	92	11	92	06	65	48	35	49	27
55	89	26	89	14	70	58	18	58	38
50	89	10	88	35	60	61	28	62	00
45	88	30	88	15	60	63	15	64	00
45	88	07	87	36	60	64	36	65	12
60	87	33	87	29	55	67	00	67	17
60	86	15	86	09	60	70	27	70	36
55	84	35	83	35	70	71	08	71	12
55	81	16	80	09	60	72	09	72	19
60	75	28	75	17	60	73	15	74	16
60	74	16	73	15	60	75	17	75	28
60	72	19	72	09	55	80	09	81	16
70	71	12	71	08	55	83	35	84	35
60	70	36	70	27	60	86	09	86	15
55	67	17	67	00	60	87	29	87	33
60	65	12	64	36	45	87	36	88	07
60	64	00	63	15	45	88	15	88	30
60	62	00	61	28	50	88	35	89	10
70	58	38	58	18	55	89	14	89	26
65	49	27	48	35	70	92	06	92	11
65	42	11	41	24	55	92	37	93	02
70	40	23	40	00	70	93	32	94	02
70	39	00	37	21	65	94	15	94	20
50	35	07	34	28	55	97	24	97	29
70	34	19	33	30	60	106	33	107	01
70	33	14	32	24	70	107	16	107	23
70	31	12	30	22	65	108	30	109	05
60	27	31	27	03	70	109	28	109	35
70	27	03	24	38	55	115	29	116	25
65	24	38	23	12	55	117	26	118	22
70	22	32	22	21	70	119	24	119	38
60	21	22	21	02	70	120	26	120	38
70	20	22	20	15	70	121	06	121	20
70	19	31	18	02	70	123	26	123	35
70	17	25	17	03	65	124	21	124	28
65	15	24	13	36	45	124	31	125	19

SPECIAL INSTRUCTIONS

3-F. Trains Handling Work Equipment, Derricks, Cranes, etc.:		Miles Per Hour		Miles Per Hour
Pile Drivers.....		25	American Ditchers, loaded on flat cars.....	25
Steam Shovels.....		25	Yard (clam shell) and "Burro" Cranes, loaded on flat cars.....	25
Bridge Derrick Cars (non-revolving) boom connected		30	Jordan Spreaders and Spreader-Ditchers.....	25
Bridge derrick cars may be shipped with boom either connected or disconnected. If boom is connected, derrick car must be coupled to flat car and support provided for boom; boom must be chained or cabled to car stake irons with sufficient play to allow for not less than 3 inches nor more than 6 inches lateral movement; uncoupling levers must be disconnected between derrick car and idler car; derrick cars may be handled in train with boom ahead or trailing as requested by messenger accompanying.			Jordan spreaders and spreader-ditchers must be headed in working direction; the plows' wings and braces must be secured in shipping position by the pins, bolts, chains, etc., provided for this purpose.	
Bridge Derrick-Pile Driver (combination machine)...	25		Note—Where maximum train speed is 25 miles per hour or less, speed of trains handling above work equipment must be restricted to five miles per hour less than such maximum freight train speed.	
Bridge derrick-pile driver (combination machine) may be shipped either as a derrick or as a pile driver. When shipped as a derrick, its movement shall be governed by the regulations applying to wrecking cranes. When shipped as a pile driver, its movement shall be governed by the regulations applying to pile drivers.			Wrecking Cranes (self-propelling):	
American Ditchers (self-propelling).....	25		The speed of trains handling wrecking cranes (self-propelling) shall be restricted according to maximum permissible speed of freight trains, Consist "A", thus:	
American ditchers, self-propelling, must be coupled to flat car and uncoupling levers between machine and flat car must be disconnected. Boom must be supported exclusively by its cables. Bucket must be raised to clear idler car approximately eight inches and shored firmly against boom through 4 inch by 6 inch timber with all slack taken out of hoist cable. Water tank and boiler should be drained and rear of machine must be faced toward front of train. Side rods and cranks must be removed from trucks.			Permissible Speed When Handling Self-propelled Wrecking Cranes	
Locomotive Cranes or Clam Shells.....	25		Maximum Freight Train Speed	
Locomotive cranes or clam shells must be coupled to flat car and uncoupling levers between machine and flat car must be disconnected. Boom must be disconnected from rotating portion of machine and supported entirely upon flat car. Cables need not be removed from boom, but must be left slack between machine and boom. Water tank and boiler should be drained and coal bunker should be emptied. The rear of machine must face toward front of train, except when machine is accompanied by tender for use on bridge construction work and reversal is necessary from junction point to job to place it in working position upon arrival at destination.		MPH	MPH	
		15	10	
		20	15	
		25	15	
		30	20	
		35	20	
		40	25	
		45	30	
		49	30	
		50	30	
		55	35	
Rail Unloaders.....			Rail Unloaders.....	Maximum Train Speed Consist "A"
			Rail unloaders must have boom disconnected and stored on car.	
			Scale Test Cars must be handled next to caboose..	Maximum Train Speed Consist "A"
3-G. TRAIN ORDER, FORM X, REQUIRED WHEN HANDLING RESTRICTED EQUIPMENT:				
When there is to be handled any unit of equipment mentioned in Items 3-E and 3-F, above, causing the speed of the train handling to be restricted below the maximum train speed, a Train Order, Form X, must be issued, specifying the speed restriction. Conductors must require such an order before leaving the station from which such restricted equipment is handled.				

LOCATION OF HOSPITAL, EMERGENCY STATIONS, DIVISION AND LOCAL SURGEONS

NAME	LOCATION	STREET ADDRESS OFFICE	OFFICE TELEPHONE	STREET ADDRESS RESIDENCE	RESIDENCE TELEPHONE
HOSPITAL.....					
★★Dr. W. A. Smith.....	St. Louis, Mo.....	Grand and Shaw.....	{ Grand 0500, MAin 1000—Station 730.	1332 McCutcheon.....	WEbster 75.
★Dr. D. B. Ecker, Local and Dispensary Surgeon.....	Webster Groves, Mo.....	111 West Lockwood.....	REpublic 0010.....		
★★Dr. F. G. Mays.....	Pacific, Mo.....		29.....		370.
★★Dr. J. P. Post.....	Washington, Mo.....	311 West Fourth.....	391.....	Hackberry Hill.....	124.
★★Dr. B. P. Eisenmann.....	Washington, Mo.....	414 Cedar.....	5.....	421 West Third.....	106.
★★Dr. H. Workman.....	New Haven, Mo.....	New Haven.....	101.....	New Haven.....	103.
★★Dr. C. T. Shaw, Local and Dispensary Surgeon.....	Hermann, Mo.....		345.....	1008 Washington.....	345
EMERGENCY STATION.....	Hermann, Mo.....	1008 Washington.....	345.....	1008 Washington.....	345.
★Dr. F. W. Gillham.....	Jefferson City, Mo.....				
★★Dr. W. V. McKnelly.....	Jefferson City, Mo.....	Central Missouri Trust Bldg.....	78.....	510 Jackson.....	1078.
★★Dr. K. S. Latham, Local and Dispensary Surgeon.....	California, Mo.....		65.....	1213 Elmerine.....	265.
★★Dr. J. P. Burke, Jr.....	California, Mo.....	315 South Oak.....	9.....	200 South High.....	204
★★Dr. J. F. Potts.....	Tipton, Mo.....		15—2 Rings.....	Owens and Versailles.....	15—3 Rings.
★★Dr. R. L. Fogle.....	Otterville, Mo.....		155.....	Tipton.....	157.
EMERGENCY STATION.....	Sedalia, Mo.....	Bothwell Memorial Hospital	24.....	Otterville.....	45.
★Dr. C. B. Trader, Division Surgeon.....	Sedalia, Mo.....	112 West Fourth.....	333-R.....	1717 West Third.....	369.
★Dr. D. P. Dyer, Division Surgeon.....	Sedalia, Mo.....	Third Nat. Bank Bldg.....	1773.....	524 South Grand.....	1140-R.
★Dr. J. B. Carlisle, Division Surgeon.....	Sedalia, Mo.....	314 South Ohio.....	1092.....	1019 West Sixth.....	1427
★Dr. A. L. Walter, Division Surgeon.....	Sedalia, Mo.....	120 West Fifth.....			
★Dr. D. R. Edwards, Asst. Surgeon.....	Sedalia, Mo.....	107 South Ohio.....	786.....	1619 South Moniteau.....	2620.
★Dr. A. J. Campbell, Asst. Surgeon.....	Sedalia, Mo.....	312 South Ohio.....	989.....	319 East Broadway.....	336
★Dr. W. M. Wheeler, Asst. Surgeon.....	Sedalia, Mo.....	500½ South Ohio.....	312.....	828 West Sixth.....	1050.
★Dr. W. A. Beckemeyer, Asst. Surgeon.....	Sedalia, Mo.....	120 West Fifth.....	666.....	Hotel Bothwell.....	385.
★★Dr. G. W. Grove.....	Knobnoster, Mo.....		133.....	Knobnoster.....	137.
★★Dr. C. S. Johnson, Local and Dispensary Surgeon.....	Warrensburg, Mo.....	114 East Market.....	4.....	821 South Maguire.....	695.
★★Dr. H. F. Parker, Local and Dispensary Surgeon.....	Warrensburg, Mo.....	217½ North Holden.....	155.....	118 West Gay.....	60.
★Dr. H. Harkness.....	Warrensburg, Mo.....	217½ North Holden.....	155.....	519 South Holden.....	814.
★★Dr. K. Rawlins, Local and Dispensary Surgeon.....	Holden, Mo.....	West Third.....	43.....	6th and Olive.....	42.
★★Dr. A. W. Eklund.....	Pleasant Hill, Mo.....	129 First.....	3.....	182 Pine.....	181-W.
Dr. L. V. Murray.....	Pleasant Hill, Mo.....	110 First.....	62.....	206 North Armstrong.....	288.
★★Dr. L. B. Knight.....	Lee's Summit, Mo.....	8 West Third.....	366.....	108 Madison Lane.....	266.
★★Dr. J. R. Green.....	Independence, Mo.....	First National Bank Bldg.....	1216.....	915 South Main.....	INdependence 301.
HOSPITAL.....					
★ Dr. J. E. Castles.....	Kansas City, Mo.....	{ 1000 Argyle Bldz., 12th and McGee.....	WEstport 0463. HArrison 5037 & 5038. Vlctor 6100, Station 36.....	620 West Dartmouth Road.....	Jackson 4027.
Dr. T. C. Beckett.....	Boonville, Mo.....	317½ Main.....	78.....	721 Main.....	442.
Dr. W. E. Stone.....	Boonville, Mo.....	317½ Main.....	78.....	301 Chestnut.....	898.
Dr. W. K. Nix, Local and Dispensary Surgeon.....	Marshall, Mo.....	74½ North Jefferson.....	565.....	758 South Brunswick.....	578.
★★Dr. G. A. Kelling.....	Waverly, Mo.....		WAverly 32.....		WAverly 19.
★★Dr. W. E. Koppenbrink.....	Higginsville, Mo.....	17th and Main.....	21.....	1507 Walnut.....	696.
★★Dr. J. E. Ward.....	Lexington, Mo.....	1315 Franklin.....	5.....	1004 Francis.....	456.
★Dr. E. O. Shelton.....	Eldon, Mo.....	8 South Maple.....	216.....	109 West High.....	126.
★Dr. B. H. Brasher.....	Lexington, Mo.....	1110 Main.....	9.....	8 Thirteenth.....	429.

*Medical Examiners for Examination of all Applicants.

★★Medical Examiners for Examination of Applicants not required to take color perception tests.