

SAFETY FIRST



MISSOURI PACIFIC RAILROAD COMPANY

DIVISION OFFICERS

D. E. WALKER.....Superintendent.....Palestine, Texas

M. H. CUNNINGHAM...Trainmaster,
Taylor Subdiv.....Palestine, Texas

L. H. MILLER.....Trainmaster,
All Subdivs., except
Taylor Subdiv....San Antonio, Texas

H. E. HUSSEY.....Terminal
Trainmaster.....San Antonio, Texas

G. R. JOHNSON.....Assistant Trainmaster,
All Subdivs., except
Taylor Subdiv....San Antonio, Texas

J. N. CUNNINGHAM....Assistant Trainmaster,
Taylor Subdiv.....Valley Jct., Texas

R. J. McGUYER.....Road Foreman
of Engines.....San Antonio, Texas

G. G. FRETWELL.....Division Trainmaster,
All Subdivs., except
Taylor Subdiv....San Antonio, Texas

V. E. DAVIDSON.....Division Trainmaster,
Taylor Subdiv.....Palestine, Texas

SAN ANTONIO DIVISION

TIMETABLE No. 2

Effective 12:01 a.m., Sunday, Sept. 16, 1956

CENTRAL STANDARD TIME

Superseding Timetable No. 1, effective July 22, 1956,
and all Supplements thereto.

FOR THE INFORMATION AND GOVERNMENT OF
EMPLOYES CONCERNED, WHO MUST ALSO
CARRY A COPY OF SPECIAL INSTRUCTIONS
No. 8, EFFECTIVE JANUARY 1, 1955.

The Railroad Company Reserves the Right to Vary Therefrom
as Circumstances May Require.

R. P. HART, Vice President-Operation.

L. A. GREGORY, Assistant Vice President-Operation.

M. L. SMITH, General Superintendent Transportation.

E. C. SHEFFIELD, General Manager.

V. A. GORDON, Assistant General Manager.

SPECIAL INSTRUCTIONS

The following rules are repeated from the Uniform Code of Operating Rules for emphasis:

GENERAL NOTICE (in part): SAFETY is of the FIRST importance in the discharge of duty.

RULE B: Employes must have a proper understanding and working knowledge of and obey all rules and instructions in whatever form issued, applicable to or affecting their duties. If in doubt as to their meaning, employes must apply to the proper officer for an explanation.

When properly authorized, rules may be cancelled, superseded or changed by:

- (1) General Order,
- (2) Special instructions in the timetable or in pamphlet form,
- (3) Paste in the book of rules.

RULE E (in part): Employes must render every assistance in their power in carrying out the rules and instructions. Courteous cooperation between employes is required for proper functioning under the rules and instructions.

RULE 107 (in part): Conductors and engineers must bring about cooperation between all members of the crew.

Both the conductor and engineer are responsible for the safety of the train and the observance of the rules.

Although engineers are under the direction of the conductor regarding the supervision of trains, they will not comply with any instructions which imperil the safety of the train or involve a violation of the rules.

Where safety of trains and observance of rules are involved, brakemen and firemen are responsible to the extent of their ability to prevent accident or violation of rules. They will not comply with any instructions which imperil the safety of the train or involve a violation of the rules.

RULE 108: In case of doubt or uncertainty, the SAFE course MUST be taken.

RULE 101 (in part): Conductors and engineers must inform themselves of conditions, and during and after excessive rains, heavy storms, fogs, or any condition which may restrict visibility or affect condition of track, must restrict speed of their train to insure ABSOLUTE SAFETY, and if in doubt of being able to proceed safely, train must be placed in siding until it is safe to proceed.

When storms, fogs, or other conditions obscure track or signals from points where they are plainly seen under normal conditions, speed must be restricted to insure seeing and complying with indications of any and all signals, REGARDLESS OF LOSS OF TIME:


RULES 2 and 3 of Rules and Instructions for Train Dispatchers:

The train dispatcher is in position to render valuable service in bringing about compliance with the rules; first by habitually conforming to the rules in the daily performance of his own duties; second, by requiring compliance with the rules on the part of operators, trainmen and others with whom his duties bring him in daily contact; and, third, by immediately reporting any rule violation, any negligence of duty or any irregularity relating to the movement of trains and the handling and execution of train orders.

Train dispatcher must bear in mind that his more extended means of communication and consequent knowledge of conditions give him a point of view not available to any other person connected with train, engine or yard movements, and that it is his duty to impart that knowledge to others, when it will promote safety, or without sacrificing safety, will expedite movement of trains.

NOTE WELL AND REMEMBER:

1. No officer or employe has the authority to violate a rule.
2. No officer or employe has the authority to tell anyone to violate a rule.




General Manager

**ATTENTION
TRAIN AND ENGINE CREWS**

Always keep in mind that the revenue passenger is the BUYER, and that it is your job to make every BUYER a satisfied customer. To that end, the following matters deserve your constant attention:

1. If an error or misstatement has been made somewhere along the route, put forth every effort to correct it. Nothing should be considered too trivial.
2. Ever be alert to the safety and comfort of your passengers, and freely give information and advice when requested. The aged, infirm and the young passenger traveling unaccompanied require special attention. Be helpful to them in every way possible, particularly in assisting them on and off trains, and occasionally inquire as to their comfort.
3. Protect both coach and sleeper passengers against undue noise or disturbance, particularly at night. Remember they pay to sleep.
4. The avoidance of arguments or friction with passengers is a test of your diplomacy. A calm and pleasant manner, regardless of the circumstances, is the best assurance of your success.
5. Keep posted on connecting line train service, arbitrary holds they have in effect for our trains, and advise passengers so as to avoid, as far as possible, any uneasiness on their part about missing connections, and when same is unavoidable, tell them what time the next connection is due to depart.
6. Cheerfully offer explanation of unusual delays and pass such information to other members of your crew — Brakeman, Porter, Pullman and Dining Car employes — so they too may advise passengers. Generally speaking, passengers will gladly accept a condition which they understand, but on the contrary are irritated when kept in ignorance.
7. Neatness of appearance and courtesy bespeak pride in your job, and create good-will for the Railroad.
8. Being considerate of others is the key to popularity. This applies to the institution and individual alike. Many of your passengers may be riding a train for their first time. This is especially true of the younger generation. Kind and attentive treatment to make them feel at home creates additional passenger traffic.
9. Remember that people traveling on passes have a right to that privilege, and are entitled to the same courteous treatment as other passengers. A satisfied "free-transportation" passenger is always a booster.
10. On crowded trains, Missouri Pacific employes riding on passes should, and will if properly approached, cheerfully cooperate in seeing that revenue passengers are given every possible consideration.
11. Train Porter should keep coaches clean and in tidy condition at all times. Toilets particularly are the source of adverse comment. Inspect them frequently.
12. AVOID ROUGH HANDLING OF YOUR TRAIN. Missouri Pacific enginemen have an enviable reputation for smooth starting, running and stopping of their trains. Never lose sight of this feature, as passengers are more disposed to avoid the route that does not give them a smooth ride, than they are to exert the effort involved in registering complaints about it.
13. Of equal importance is SMOOTH HANDLING OF FREIGHT TRAINS. Rough handling results in damaged lading and delays due to damaged equipment, which creates dissatisfied customers.
14. On-time delivery of passengers and freight at destination is what the customers pay for and expect. Your best efforts, always within the zone of safety, should be extended to keep your trains on time.



Vice President-Operation

ARBITRARY HOLDS — PASSENGER TRAINS

Station	Train Number	Hold for Train	Hold Until	Hold If On Time	Remarks
Palestine.....	San Antonio Div.....21	Palestine Div.....21	Indefinitely		For connection.
Palestine.....	San Antonio Div.....21	Palestine Div.....25	7:50 A.M.	30 Minutes	For connection.
Palestine.....	San Antonio Div.....37	Palestine Div.....37	Indefinitely		For connection.
San Antonio.....	San Antonio Div.....21	San Antonio Div.....21	Indefinitely		For revenue passengers.
Laredo.....	San Antonio Div.....22	N. De M.....1	10:05 A.M.	1 Hour	For connection.

EXPLANATION OF CHARACTERS:

- (B)—Radio Base Station.
D—Diesel oil.
T—Turntable.
W—Water.
Y—Wye track.
§—Track scales.
*—Mail crane.
CS—Continuous train order office.
LS—Limited train order office (hours of service specified by general order).
P—Telephone communication only.
TP—Telegraph or telephone office; not a train order office.
Register Stations are shown in full-faced type.

EXPLANATION OF STOPS:

- s—Regular stop.
f—Stop on signal for passengers, mail, baggage and express.
a—Stop on signal to receive or discharge revenue passengers.
Passenger trains will stop at any station to discharge passengers holding tickets from connecting lines.

TABLE OF SPEEDS:

MILES PER HOUR	ONE MILE IN	
	Minutes	Seconds
5.....	12	0
8.....	7	30
10.....	6	0
12.....	5	0
15.....	4	0
18.....	3	20
20.....	3	0
25.....	2	24
30.....	2	0
35.....	1	43
40.....	1	30
45.....	1	20
50.....	1	12
55.....	1	5
59.....	1	1
60.....	1	0
65.....	0	55
70.....	0	51
75.....	0	48
79.....	0	46

CRYSTAL CITY SUBDIV.—BETWEEN PLEASANTON JCT. AND CRYSTAL CITY 3

TRAINS SOUTHWARD				Station Numbers	Miles from San Antonio	TIMETABLE No. 2	TRAINS NORTHWARD			
SECOND CLASS		257	Local Freight				256	Local Freight	SECOND CLASS	
		Daily		G 33	33.7	P..... NORTH PLEASANTON Y 1.0	114.1	Yd.		
				G 32	32.7 PLEASANTON JCT..... 5.9	113.1			
				FX 39	38.6 JOURDANTON JCT..... Y 0.0	107.2			
					38.6 S. A. S. SUBDIV. CROSSING..... 10.7	107.2			
				FX 49	49.3	LS..... CHARLOTTE..... 11.8	96.5	20		
				FX 61	61.1	P..... HINDES..... 11.1	84.7	26		
				FX 72	72.2 ZELLA..... 6.6	73.6	23		
				FX 79	78.8	P..... FOWLERTON..... 12.6	67.0	30		
				FX 91	91.4	P..... LOS ANGELES..... 13.6	54.4	18		
		3 30AM	AX422	105.0	LS..... GARDENDALE Y 13.3	40.8	Yd.	3 00AM		
		4 20	FX118	118.3	P..... KX SIDING..... 8.8	27.5	44	2 10		
		4 47	FX127	127.1	LS..... BIG WELLS..... 7.4	18.7		1 37		
		5 10	FX134	134.5	P..... JN SIDING..... 8.9	11.3	92	1 15		
		5 40	FX143	143.4 RIVER..... 2.4	2.4	Yd.	12 45		
		5 50AM	FX146	145.8	LS..... CRYSTAL CITY DWY 11.6	0.0	Yd.	12 35AM		
		Daily				114.1		Daily		

UVALDE SUBDIV.—BETWEEN UVALDE JCT. AND CARRIZO SPRINGS

TRAINS SOUTHWARD				Station Numbers	Miles from San Antonio	TIMETABLE No. 2	TRAINS NORTHWARD			
SECOND CLASS		687	Local Freight				686	Local Freight	SECOND CLASS	
		Daily Except Sunday		GX187	186.6 UVALDE JCT..... Y 2.1	0.0			
				GX185	184.5	LS..... UVALDE..... 11.6	2.1	Yd.		
		2 00PM	GX173	172.9	P..... AB JCT..... Y 9.0	13.7	26	9 30AM		
		2 35	GX164	163.9	LS..... LA PRYOR..... 18.1	22.7	28	9 00		
		4 00PM	FX146	145.8	LS..... CRYSTAL CITY DWY 5.2	40.8	Yd.	8 00AM		
			FX149	149.2 WINTER HAVEN..... 7.0	46.0	6			
			FX156	156.2	LS..... CARRIZO SPRINGS.....	53.0	Yd.			
		Daily Except Sunday			53.0			Daily Except Sunday		

TAYLOR SUBDIV.—PALESTINE TO TAYLOR

Miles from Palestine	TIMETABLE No. 2 September 16, 1956	TRAINS SOUTHWARD									
		FIRST CLASS					SECOND CLASS				
		21 Passenger	121 Passenger	37 Passenger	137 Passenger		73 Red Ball Freight	81 Local Freight	65 Red Ball Freight	67 Red Ball Freight	
	STATIONS	Daily	Daily	Daily	Daily		Daily	Monday, Wednesday and Friday	Daily	Daily	
0	CS.....PALESTINE....@DWY \$	7 20AM	7 25AM	9 20PM	10 30PM	10 00AM	10 30AM	8 45PM
1.0	P.....SY JCT..... 7.5	7 22	7 27AM	9 22	10 32PM
8.5	P.....TUCKER..... 9.5	7 29	a 9 32	10 20	10 55	9 00
18.0	LS.....OAKWOOD.....*	7 40	s 9 44	10 50	11 15	9 15
23.2	P.....PEELER..... 11.5	7 46	9 56	11 00	11 30	9 25
34.7	LS.....BUFFALO.....* 9.1	7 58	s 10 10 60	11 20	11 54AM	9 45 60
43.8	LS.....JEWETT.....* 11.0	a 8 08	s 10 25	11 39AM	12 12PM 80	10 00
54.8	LS.....MARQUEZ.....*	8 19	s 10 40	12 01PM	12 33	10 15
63.0	P.....RIDGE.....* 8.2	8 29	f 10 51	12 17	12 49	10 26
68.3	P.....EASTERLY.....* 2.1	f 10 58
70.4	P.....AN SIDING..... 2.7	8 37	11 01	12 27	1 01	10 36
73.1	P.....NEW BADEN.....* 4.0	f 11 05
77.1	A B S LS.....FRANKLIN.....*	a 8 44	s 11 13	12 35	1 24	10 46
83.9	P.....ELLIOTT..... 5.7	8 51	11 20	12 49	1 45	10 55
89.6	LS...HEARNE (T&NO Crossing)...\$ 4.3	s 9 00	s 11 35	{1 05} 65 (2 05) 65	2 00 81	11 05
93.9	..PALESTINE DIV. CROSS..... 0.0
93.9	CS.....VALLEY JCT....@DWY	9 06	s 11 40 74	1 35AM	2 40PM	2 15	11 13
99.6	P.....GAUSE.....* 10.4	9 12	s 11 46PM	1 45	2 30	11 25 74
110.0	CS...MILANO (GCSF Crossing)...Y*	s 9 25	s 12 06AM	2 04	2 50	11 42
119.1	LS...ROCKDALE (T&NO Crossing).. 4.7	s 9 38	s 12 36 38	2 20	3 10	11 54PM
123.8	P....MARJORIE (RS&S Conn.)..... 8.4
132.2	LS....THORNDALE.....* 6.2	9 52	s 12 58	2 42	3 36	12 16AM 38
138.4	LS....THRALL.....* 6.3	10 00	s 1 18	2 52	3 50	12 47
144.7M-K-T CROSSING..... 0.1
144.8	CS.....TAYLOR....@DWY \$	10 10AM	1 50AM	3 05AM	4 25PM	1 10AM
	144.8	Daily	Daily	Daily	Daily		Daily	Monday, Wednesday and Friday	Daily	Daily	

TAYLOR SUBDIV.—TAYLOR TO PALESTINE

5

Station Numbers	Miles from Laredo	TIMETABLE No. 2 <small>September 16, 1956</small>	Siding Capacity in Cars	TRAINS NORTHWARD							
				FIRST CLASS				SECOND CLASS			
				138	22	122	38				
				Passenger	Passenger	Passenger	Passenger				
		STATIONS		Daily	Daily	Daily	Daily				
AX 81 412.2		CS. PALESTINE @DWY \$	Yd.	4 30AM	7 15PM	7 10PM	4 40AM	2 35PM	1 00AM	5 30AM
..... 411.2		P. SY. JCT.		4 12AM	7 05	7 00PM	4 28
AX 90 403.7		P. TUCKER.	70	6 56	a 4 18	1 45	11 15PM	4 41
AX 99 304.2		LS. OAKWOOD. *	150	6 47	s 4 02	1 30	10 40	4 21
AX105 389.0		P. PEELER.	74	6 42	3 50	1 10	10 30	4 11
AX116 377.5		LS. BUFFALO. *	62	6 30	s 3 32	12 47	{ 10 10 37 9 45 67	3 51
AX125 368.4		LS. JEWETT. *	77	a 6 21	s 3 15	12 12PM 65	9 33	3 33
AX136 357.4		LS. MARQUEZ. *	150	6 10	s 2 55	11 04AM	9 15	3 11
AX144 349.2		P. RIDGE. *	73	6 02	s 2 40	10 45	9 03	2 55
AX150 343.9		P. EASTERLY. *	2 1	s 2 30
AX152 341.8		P. AN SIDING.	75	5 56	2 25	10 31	8 51	2 41
AX154 330.1	A B S	P. NEW BADEN. *	4 0	s 2 20
AX158 335.1		LS. FRANKLIN. *	60	a 5 49	s 2 12	10 10	8 40	2 27
AX165 328.3		P. ELLIOTT.	5 7	5 42	2 01	9 40	8 27	2 15
AX171 322.6		LS. HEARNE (T&NO Crossing). \$	115	4 3	s 5 36	s 1 52	9 30	8 17	2 05
..... 318.3		.PALESTINE DIV. CROSS. 0 0	
AX175 318.3		CS. VALLEY JCT. @DWY	110	5 7	5 30	s 1 25 74	9 15AM	8 01
AX181 312.6		P. GAUSE. *	128	10 4	5 23	s 1 09	6 55	11 25 67
AX191 302.2		CS. MILANO (GCSF Crossing). Y*	132	9 1	a 5 14	s 12 47	6 35	11 05
AX201 293.1		LS. ROCKDALE (T&NO Crossing).	90	4 7	s 5 05	s 12 36 37	6 20	10 50
AX205 288.4		P. MARJORIE (RS&S Conn.).	8 4
AX214 280.0		LS. THORNDALE. *	73	6 2	4 53	s 12 16 67	6 01	10 26
AX220 273.8		LS. THRALL. *	84	6 3	4 47	s 12 01AM	5 50	10 15
..... 267.5		M-K-T CROSSING. 0 1	
AX226 267.4		CS. TAYLOR. @DWY \$	Yd.	4 40PM	11 45PM	5 35PM	10 00PM
		144.8		Daily	Daily	Daily	Daily		Tuesday, Thursday & Saturday	Daily	Daily

AUSTIN SUBDIV.—TAYLOR TO SAN ANTONIO

Miles from Palestine	TIMETABLE No. 2 September 16, 1956	TRAINS SOUTHWARD									
		FIRST CLASS					SECOND CLASS				
		37 Passenger	905 M-K-T Passenger	21 Passenger	901 M-K-T Passenger		67 Red Ball Freight	73 Red Ball Freight	87 Local Freight	65 Red Ball Freight	
STATIONS	Daily	Daily	Daily	Daily	Daily		Daily	Daily	Tuesday, Thursday & Saturday	Daily	
144.8	CS.....TAYLOR.....@DWY\$	2 00AM		10 13AM			2 30AM	4 05AM		6 10PM	
153.4	P.....HUTTO.....*	s 2 17		10 22			2 50	4 20		6 35	
161.6	LS....ROUND ROCK.....*	s 2 32		10 30			3 02	4 35		6 50	
166.0	LS..McNEIL (T&NO Crossing).....*	s 2 44		10 34			3 08	4 45		7 02	
173.8	P.....SNEED.....	2 54		10 40			3 20	5 01		7 20	
179.1	P.....AUSTIN.....	s 3 27		s 10 53			3 35	5 12		7 50 74	
	CONGRESS AVE. - AUSTIN.....		4 05AM		12 59PM						
179.6	CS..COLORADO BRIDGE.DWY\$	3 28	4 10	10 54	1 02		3 36	5 13	7 00AM	7 55	
187.3	P.....AF SIDING.....	3 42	4 19	11 03	113 902		3 55	5 34	7 24	8 40	
190.0MANCHACA.....*	s 3 45									
194.2	LS.....BUDA.....*	s 3 53	4 26	11 10	1 20		4 07	5 46	7 36	9 10	
201.0	LS.....KYLE.....*	s 4 03	4 34	11 17	1 27		4 18	5 56	7 48	9 44 38	
208.7	P.....CENTEX.....	4 12	4 44	11 25	134 60		4 33	6 09	8 01	10 19	
208.8	CS.....M-K-T JCT.....	4 13	4 45AM	11 26	1 35PM		4 34	6 10	8 02	10 20	
209.7	P.....SAN MARCOS.....*	s 4 23		s 11 30			4 37	6 13	8 45	10 25	
216.9	P.....HUNTER.....	a 4 32		11 39			4 49	6 28	8 57	10 40	
227.3	CS...NEW BRAUNFELS.....*§	s 4 46		s 11 50			5 10	6 52	9 15	11 20	
227.4M-K-T CROSSING.....										
227.8	P.....LANDA'S PARK.....Y	4 49		11 54AM			5 15	6 56	9 45	11 25	
235.0	P.....CORBYN.....	4 58		12 01PM			5 26	707 86	10 00	11 36	
236.7	P.....OGDEN.....										
241.0	P.....BRACKEN.....	f 5 05		12 07 60			5 38	7 18	10 15	11 57PM	
248.0	P.....WETMORE.....*	s 5 14		12 14			5 50	7 32	10 30	12 16AM	
249.2	LS.....LONGHORN.....Y										
254.0	P.....ADAMS.....	5 22		12 21			6 10 86	7 42	10 40	12 30	
256.3MONTE VISTA.....	s 5 26		s 12 26							
259.1	CS....SAN ANTONIO...@DTW\$	5 45AM		12 40PM			7 50AM	8 00AM	11 00AM	1 00AM	
	114.3	Daily	Daily	Daily	Daily		Daily	Daily	Tuesday, Thursday & Saturday	Daily	

AUSTIN SUBDIV.—SAN ANTONIO TO TAYLOR

7

Station Numbers	Miles from Laredo	TIMETABLE No. 2	September 16, 1956	Siding Capacity in Cars	TRAINS NORTHWARD							
					FIRST CLASS					SECOND CLASS		
					902 M-K-T Passenger	22 Passenger	38 Passenger	906 M-K-T Passenger		86 Local Freight	60 Red Ball Freight	74 Red Ball Freight
AX226	267.4	CS. TAYLOR @DWY \$	Yd.	4 36PM	11 40PM	3 35PM	9 00PM
AX235	258.8	P. HUTTO * 8.6	65	4 25	s 11 20	3 12	8 37
AX243	250.6	LS. ROUND ROCK * 8.2	87	4 17	s 11 07	2 59	8 25
AX247	246.2	LS. McNEIL (T&NO Crossing) * 4.4	96	4 13	10 56	2 52	8 17
AX253	238.4	P. SNEED 7.8	108	4 05	10 45	2 40	8 05
AX262	233.1	P. AUSTIN 5.3	86	s 3 59	s 10 35	2 30	7 50 65
		CONGRESS AVE. - AUSTIN 0.8		1 30PM	11 57PM
AX261	232.6	CS. COLORADO BRIDGE .DWY \$ 7.7	1 25	3 54	10 13	11 52	10 30AM	2 25	7 41
AX268	224.9	P. AF SIDING 2.7	95	1 13 901	3 47	10 04	11 43	10 14	2 08	7 30
AX271	222.2 MANCHACA *	s 10 00
AX276	218.0	LS. BUDA * 4.2	85	12 59	3 40	s 9 55	11 36	10 03	1 58	7 20
AX282	211.2	LS. KYLE * 6.8	79	12 52	3 34	s 9 44 65	11 29	9 18	1 48	7 11
AX289	203.5	P. CENTEX 7.7	150	12 44	3 27	9 33	11 20	9 04	1 34 901	7 00
AX290	203.4	CS. M-K-T JCT. 0.1	12 43PM	3 26	9 32	11 19PM	9 03	1 10	6 59
A B S	202.5	P. SAN MARCOS * 7.2	a 3 24	s 9 30	9 00	1 08	6 56
	195.3	P. HUNTER 10.4	92	3 17	a 9 16	8 20	12 57	6 46
	184.9	CS. NEW BRAUNFELS * \$ 0.1	46	a 3 07	s 9 02	8 05	12 42	6 28
	184.8 M-K-T CROSSING 0.4
	184.4	P. LANDA'S PARK Y 7.2	81	3 05	8 57	7 22	12 32	6 24
	177.2	P. CORBYN 1.7	82	2 58	8 50	7 07 73	12 21	6 14
	175.5	P. OGDEN 4.3
	171.2	P. BRACKEN 7.0	91	2 52	f 8 43	6 35	12 07PM 21	6 05
	164.2	P. WETMORE * 1.2	75	2 45	f 8 34	6 20	11 42AM	5 54
AX330	163.0	LS. LONGHORN Y 4.8
AX335	158.2	P. ADAMS 2.3	77	2 39	8 27	6 10 67	11 28	5 45
	155.9 MONTE VISTA 2.8	s 2 36	s 8 23
AX340	153.1	CS. SAN ANTONIO .. @DTW \$	Yd.	2 30PM	8 15PM	5 50AM	11 15AM	5 30PM
	114.3			Daily	Daily	Daily	Daily		Monday, Wednesday and Friday	Daily	Daily	

LAREDO SUBDIV.—SAN ANTONIO TO LAREDO

Station Numbers	Miles from Palestine	TIMETABLE No. 2	September 16, 1956	Sitting Capacity In Cars Two Main Tracks	TRAINS SOUTHWARD								
					FIRST CLASS			SECOND CLASS					
					21	Passenger	Daily	89	Local Freight	291	Local Freight	261	Red Ball Freight
AX340	259.1	CS.....SAN ANTONIO ..®DTW\$	0.7	Yd.	1 00PM	6 50AM	7 20AM	8 00PM	8 45PM
.....	259.8T. & N. O. CROSSING.....	0.6
.....	260.4S. P. CROSSING.....	1.8
.....	262.2S. A. U. & G. CROSSOVER.....	1.1	1 09	7 35AM	8 15PM
.....	263.3SA JCT.....	1.0	1 11 22
AX345	264.3SOUTH SAN ANTONIO ..Y\$	7.8	Yd.	1 13	7 35	9 10
AX353	272.1	P.....VON ORMY.....	2.6	57	f 1 22	8 13 60	9 32
AX356	274.7	P.....SAS JCT.....	7.4	1 26	8 27	9 38
AX363	282.1	P.....LYTLE.....	5.0	55	f 1 36	8 50	10 05
AX368	287.1	LS.....NATALIA.....*	4.4	32	f 1 42 88	9 10	10 15
AX373	291.5	LS.....DEVINE.....	8.9	55	s 1 49	9 40	10 35
AX382	300.4	P.....MOORE.....*	4.6	56	f 2 01	9 55	10 55
AX386	305.0	P.....JENSEN.....	8.0	56	2 07	10 10	11 10
AX394	313.0	LS.....PEARSALL.....	8.9	60	s 2 19	10 30	11 30
AX403	321.9	P.....DERBY.....	7.2	56	f 2 31	11 20 22	11 50PM
AX401	329.1	LS.....DILLEY.....	11.4	61	s 2 41	11 55AM 88	12 10AM
AX422	340.5	LS.....GARDENDALE.....Y	5.3	51	f 2 55	12 20PM	1 10
AX427	345.8	LS.....COTULLA.....	8.2	119	s 3 04	1 15	2 00
AX435	354.0	P.....TUNA.....	2.9	22	3 15	1 35	2 25
AX438	356.9	P.....ARTESIA WELLS.....*	0.1	f 3 19	1 40	2 35
.....	357.0A&G JCT.....	10.6	3 20	1 41	2 36
AX449	387.6	P.....ATLEE.....	6.5	75	3 32	2 01	3 10
AX455	374.1	LS.....ENCINAL.....	11.2	64	s 3 42	2 13	3 49
AX467	385.3	P.....CALLAGHAN.....	6.5	56	f 3 55	2 35	4 25 60
AX473	391.8	P.....WEBB.....	10.7	75	a 4 03	2 50	4 50
AX484	402.5	P.....ORVIL.....	5.8	75	4 16	3 10	5 30
AX490	408.3NYE.....	3.7	32	4 24	3 25	5 50
.....	412.0TEXAS MEXICAN CROSSING.....	0.2
AX494	412.2	LS.....LAREDO ..®DWY\$	Yd.	4 40PM	3 45PM	6 20AM
	153.1			Daily				Daily	Daily Except Sunday	Daily	Daily		

LAREDO SUBDIV.—LAREDO TO SAN ANTONIO

9

Station Numbers	Miles from Laredo	TIMETABLE No. 2 September 16, 1956	Siding Capacity in Cars	TRAINS NORTHWARD								
				FIRST CLASS			SECOND CLASS					
				22	Passenger		60	Red Ball Freight	260	Red Ball Freight	88	Local Freight
		STATIONS		Daily			Daily		Daily		Daily	
AX340	153.1	CS. SAN ANTONIO ..@DTW\$	Yd.	1 30PM			9 45AM		5 45AM		2 50PM	3 10PM
	152.4 T. & N. O. CROSSING...		1 18								
	151.8 S. P. CROSSING.....										
	150.0 S. A. U. & G. CROSSOVER..		1 14					4 55AM			2 50PM
	148.9 SA JCT.		1 11 21								
AX345	147.9 SOUTH SAN ANTONIO....	Y\$	Yd.	1 08		8 30			2 38		
AX353	140.1	P. VON ORMY.....		57	f 12 54		8 13 89			2 22		
AX356	137.5	P. SAS JCT.....			12 46		8 08			2 16		
AX363	130.1	P. LYITLE.....		55	s 12 35		7 54			2 01		
AX368	125.1	LS. NATALIA.....*		32	f 12 24		7 44			1 42 21		
AX373	120.7	LS. DEVINE.....		55	s 12 13PM		7 34			1 25		
	 DEVINE.....										
		8 9										
AX382	111.8	P. MOORE.....*		56	f 11 55AM		7 16			1 10		
		4 6										
AX386	107.2	P. JENSEN.....		56	11 46		7 08			1 00		
		8 0										
AX394	99.2	LS. PEARSALL.....		60	s 11 34		6 55			12 45		
		8 9										
AX403	90.3	P. DERBY.....		56	f 11 20 89		6 37			12 30PM		
		7 2										
AX410	83.1	LS. DILLEY.....		61	s 11 09		6 24			11 55AM 89		
		11 4										
AX422	71.7	LS. GARDENDALE.....	Y	51	f 10 50		6 00			11 20		
		5 3										
AX427	66.4	LS. COTULLA.....		119	s 10 34 88		5 30			10 34 22		
		8 2										
AX435	58.2	P. TUNA.....		22	10 23		5 18			9 57		
		2 9										
AX438	55.3	P. ARTESIA WELLS.....*			f 10 18		5 13			9 51		
		0 1										
	55.2 A&G JCT.....			10 17		5 12			9 50		
AX449	44.6	P. ATLEE.....		75	10 06		4 55			9 27		
		6 5										
AX455	38.1	LS. ENCINAL.....		64	s 9 56		4 45			9 14		
		11 2										
AX467	26.9	P. CALLAGHAN.....		56	f 9 41		4 25 67			8 54		
		6 5										
AX473	20.4	P. WEBB.....		75	a 9 33		4 12			8 42		
		10 7										
AX484	9.7	P. ORVIL.....		75	9 19		3 51			8 22		
		5 8										
AX490	3.9 NYE.....		32	9 13		3 40			8 12		
		3 7										
	0.2 TEXAS MEXICAN CROSSING.....										
AX494	0.0	LS. LAREDO@DWY\$	Yd.		9 05 AM		3 30AM			8 00AM		
		0 2										
	153.1			Daily			Daily		Daily		Daily	Daily Except Sunday

**10 SAN ANTONIO SOUTHERN SUBDIV.—BETWEEN
SAS JCT. AND JOURDANTON**

TRAINS SOUTH- WARD	Station Numbers	Miles from San Antonio	TIMETABLE No. 2	Miles from Jourdanton	Siding Capacity in Cars	TRAINS NORTH- WARD
			September 16, 1956			
STATIONS						
EX 5	15.8 P..... SAS JCT..... 20.4 LS..... SOMERSET.....	29.2 4.6 24.6 13				
EX 20	35.7 LS..... POTEET..... 43.5 CRYSTAL CITY SUBDIV. CROSSING.Y	15.3 7.8 1.5 1.5		9.3 34		
FX 40	45.0 LS..... JOURDANTON.....	0.0	Yd.			
				29.2		

**GEORGETOWN SUBDIV.—BETWEEN
ROUND ROCK AND GEORGETOWN**

TRAINS SOUTH- WARD	Station Numbers	Miles from Round Rock	TIMETABLE No. 2	Miles from Georgetown	Siding Capacity in Cars	TRAINS NORTH- WARD
			September 16, 1956			
STATIONS						
	AX243	0.0	LS..... ROUND ROCK..... DX 10 10.0 LS..... GEORGETOWN.....	10.0 10.0	89 Yd.	
				10.0		

**ASHERTON SUBDIV.—BETWEEN
ASHERTON AND A&G JCT.**

TRAINS SOUTH- WARD	Station Numbers	TIMETABLE No. 2	Miles from San Antonio	TRAINS NORTH- WARD
		September 16, 1956		
STATIONS				
JX 1	LS..... ASHERTON..... 11.0	129.8		
JX 12	LS..... CATARINA..... 9.0	118.8		
JX 21 LIGHT..... 11.9 A&G JCT.....	109.8 97.9		
		31.9		

**ASPHALT BELT SUBDIV.—BETWEEN
DABNEY AND AB JCT.**

TRAINS SOUTH- WARD	SECOND CLASS	Station Numbers	TIMETABLE No. 2	Miles from San Antonio	TRAINS NORTH- WARD
	687 Local Freight		September 16, 1956		
	Daily Except Sunday				
	12 30PM	HX 18	P..... DABNEY..... U. R. A. CO. CROSSING..... 2 00PM GX 173 P..... AB JCT..... Y	4.4 13.5 17.9	190.8 172.9
	Daily Except Sunday				11 30AM 9 30AM
					Daily Except Sunday

SPECIAL INSTRUCTIONS

1. Northward regular trains are superior to trains of the same class in the opposite direction.

2. MAXIMUM SPEED:

The highest speed authorized for the operation of trains on main tracks, subject to LOWER speeds specified in Section 3 of these instructions, entitled "SPEED RESTRICTIONS", and lower speeds prescribed by train orders, restrictive signals and operating rules.

2-A. MAXIMUM TRAIN SPEED: (Where Maximum Engine Speed is LOWER, it will Govern).

The consist of a train includes the engine, or engines, and cars in the train. Members of the crew must know the consist of train.

The speed shown below is the highest speed authorized for the operation of trains of the specified consist:

CONSIST "A".... Diesel engines with one or more, or all cars equipped with freight car trucks.

CONSIST "B".... Diesel engines with one or more conventional type standard weight high center of gravity passenger cars in train of all passenger cars.

CONSIST "C".... Diesel engines with streamlined—HIGH center of gravity cars (equipped with electro-pneumatic brakes, tight lock couplers and roller bearing trucks), with or without one or more streamlined—LOW center of gravity cars.

Passenger Cars MP 6330, 6331, 6332, 6333, 6334, 6335, and 6336, Sleepers Shrine Tower, Beacon Tower and Temple Tower, and Diner 10242, are streamlined—HIGH center of gravity cars.

CONSIST "D".... Diesel engines with streamlined, lightweight—LOW center of gravity cars only. MP passenger cars of the 700 and 800 series, T&P passenger cars of the 100, 200, 300, 400, and 500 series, and sleepers with "Eagle" and "Cascade" prefix or "River" suffix, are streamlined—LOW center of gravity cars.

SPECIAL INSTRUCTIONS

11

SUBDIVISION	MILES PER HOUR							
	Consist "A"		Consist "B"		Consist "C"		Consist "D"	
	Track without slow speed signs	Track without slow speed signs	Straight track without slow speed signs	Curves without slow speed signs	Curves with slow speed signs	Straight track without slow speed signs	Curves without slow speed signs	Curves with slow speed signs
Taylor Subdiv.....	50	70	79	79		79	79	
Austin Subdiv.....	50	70	79	79		79	79	
Georgetown Subdiv.....	15	15	15	15		Speed	15	15
Laredo Subdiv.:								
Between San Antonio and SA Jct.....	35	50	50	50		50	50	Miles
Between SA Jct and Laredo.....	45	59	59	59		59	59	
Crystal City Subdiv.:								Per Hour
Between North Pleasanton and MP 124.....	20	20	20	20		20	20	
Between MP 124 and River.....	30	30	30	30		30	30	Above
Between River and Crystal City.....	20	20	20	20		20	20	
Uvalde Subdiv.:								Speed
Between Uvalde Jct. and AB Jct.....	20	20	20	20		20	20	
Between AB Jct. and MP 156.....	30	30	30	30		30	30	Shown on
Between MP 156 and Carrizo Springs.....	20	20	20	20		20	20	
Asphalt Belt Subdiv.....	30	30	30	30		30	30	Slow Speed
San Antonio Southern Subdiv.....	20	20	20	20		20	20	
Asherton Subdiv.....	15	15	15	15		15	15	Signs

2-B. MAXIMUM ENGINE SPEED: (Where Maximum Train Speed is LOWER, it will govern).

Speed shown below is the highest speed at which an engine can be operated without damage to engine or track, but does not authorize operation of engine at speed higher than maximum train speed.

MISSOURI PACIFIC ENGINES

Diesel	MPH	Diesel	MPH	Diesel	MPH
201 to 208.....	65	9000 to 9022.....	35	MV-KO&G-OCAA	
301 to 392.....	65	9102 to 9191.....	35	DIESEL	
501 to 626.....	65	9200 to 9239.....	35	ENGINES	
800 to 815.....	30			751 to 756.....	65
4100 to 4101.....	35			T&P	
4102 to 4103.....	75	Motor Cars:		DIESEL	
4104 to 4371.....	65	Passenger Motor		ENGINES	
4501 to 4526.....	65	Car No. 670, with	1100 to 1130.....	65	
7000 to 7021.....	98	mechanical drive	1500 to 1582.....	65	
7100.....	90		2000 to 2017.....	85	
8001 to 8036.....	98				

3. SPEED RESTRICTIONS: (Where maximum Train or Engine speed is LOWER, it will govern).

3-A. ENGINES LIGHT MOVING FORWARD:

Blank.

3-B. ENGINES MOVING BACKWARD, OR MOVING FORWARD SHOVING CARS:

Diesel engines moving backward without pilot on end facing direction of movement or moving forward shoving cars:

Miles
Per
Hour

Subdiv.:

Taylor, Austin and Laredo..... 25
Georgetown, Crystal City, Uvalde, Asphalt Belt, San Antonio, Southern and Asherton..... 15

3-C. THROUGH TURNOUTS AND CROSSOVERS, AND SPRING SWITCHES:

All trains must observe following maximum speed through turnouts, crossovers and spring switches:

Through No. 10 turnouts and crossovers, entire train..... 15

Through Nos. 15, 16 and 20 turnouts and crossovers, entire train..... 30

In straightaway movement when moving points of No. 10 spring switches..... 15

In straightaway movement when moving points of Nos. 15, 16 and 20 spring switches..... 30

(In straightaway movement when lead wheels have passed over points of spring switches, normal speed may be resumed.)

All main track turnouts are No. 10 turnouts or less, except the following which are No. 15, 16 or 20 turnouts:

SY Jct. —Trinity Subdiv., connection

Valley Jct. —South siding switch

Rockdale —North siding switch

3-C. THROUGH TURNOUTS AND CROSSOVERS, AND SPRING SWITCHES: (Concluded)

Taylor —North switch freight route

Austin —North siding switch

MKT Jct. —MKT connection

Landa's Park—North and South siding switches

San Antonio —North switch freight route Martin Street

SA Jct. —End of two main tracks

3-D. SPECIFIC LOCATIONS WHERE SPEED IS RESTRICTED:

Miles Per Hour

Consist "A"	Consist "B"	Consist "C"	and "D"
-------------	-------------	-------------	---------

Taylor Subdiv.:

Palestine, city limits.....	30	30	
Oakwood, city limits.....	45	45	
Franklin, city limits.....	45	45	
Hearne, city limits.....	30	30	
Rockdale, city limits.....	45	45	
Thorndale, city limits.....	45	45	

Taylor:			
City limits.....	25	25	
Between M-K-T crossing and passenger station, passenger route.....	15	15	
Main Street crossing.....	8	8	

Austin Subdiv.:

Taylor, city limits.....	25	25	
Main Street crossing.....	8	8	
Austin, city limits.....	12	12	
Except between West Ave. and Congress Ave.....	6	6	
Colorado Bridge, wye tracks.....	15	15	
San Marcos, city limits.....	30	30	

New Braunfels:			
City limits.....	12	12	
San Antonio street crossing.....	6	6	

San Antonio:			
City Limits			
MP 253 pole 21 (Cementville Crossing to MP 254 pole 28 (Hermine Blvd.).....	50	60	
MP 254 pole 28 (Hermine Blvd.) to MP 256 pole 3 (Norwood Court).....	50	50	
MP 256 pole 3 (Norwood Court) to MP 257 pole 10 (Craig Place).....	40	40	
MP 257 pole 10 (Craig Place) to MP 258 pole 17 (Leal St.).....	30	30	
MP 258 pole 17 (Leal St.) to Commerce St....	20	20	

Laredo Subdiv.:

San Antonio:			
City limits			
Commerce St. to MP 259 pole 27 (Colima St.)	20	20	
MP 259 pole 27 (Colima St.) to MP 260 pole 25 (Goodwin Ave.).....	30	30	
MP 260 pole 25 (Goodwin Ave.) to MP 261 pole 25 (Taft Blvd.).....	40	40	
MP 261 pole 25 (Taft Blvd.) to MP 263.....	50	50	

SPECIAL INSTRUCTIONS

3-D. SPECIFIC LOCATIONS WHERE SPEED IS RESTRICTED (Continued):

Miles Per Hour

Devine, city limits.....	40
Cotulla, city limits.....	40
Laredo, between Texas-Mexican crossing and passenger station, passenger route.....	15
Crystal City Subdiv.: Crystal City, wye tracks.....	10
Uvalde Subdiv.: Uvalde Jct. turn out, north wye switch.....	5

LOCATIONS DESIGNATED BY MILE POST NUMBERS AND PROTECTED BY PERMANENT SLOW SPEED AND RESUME SPEED SIGNS:

Permissible Speed in Miles per hour	NORTHWARD				SOUTHWARD				
	From		To		From		To		
	Mile Post	Pole							
65	143	20	143	12	40	0	00	1	10
60	130	05	129	29	65	2	19	2	24
65	127	08	126	06	50	2	27	4	14
65	123	06	122	23	65	4	15	5	00
65	115	15	115	08	50	5	23	6	03
65	113	29	112	21	65	6	13	6	23
65	95	10	95	00	40	13	03	13	12
45	94	26	94	20	50	13	21	13	27
65	91	20	91	05	65	18	15	18	22
65	88	10	87	02	50	19	13	22	21
65	80	10	80	05	50	23	24	25	27
65	72	00	70	25	65	26	08	26	19
65	70	08	69	25	50	27	05	28	20
65	68	13	68	04	65	29	15	29	20
65	67	18	67	14	50	31	15	32	00
50	67	02	64	06	65	32	06	35	18
50	62	07	61	26	50	35	25	38	02
65	61	23	61	14	65	38	09	38	20
50	60	13	59	24	65	39	24	40	27
65	59	22	59	15	65	42	10	42	29
50	59	05	58	20	65	44	20	45	04
65	58	13	57	09	65	45	27	46	15
65	55	16	55	11	65	47	06	47	15
65	48	19	48	10	65	48	10	48	19
65	47	15	47	06	65	55	11	55	16
65	46	15	45	27	65	57	09	58	13
65	45	04	44	20	50	58	20	59	03
65	42	29	42	10	65	59	15	59	22
65	40	27	39	24	50	59	24	60	13
65	38	20	38	09	65	61	14	61	23
50	38	02	35	25	50	61	26	62	07
65	35	18	32	06	50	64	06	67	02
50	32	00	31	15	65	67	14	67	18
65	29	20	29	15	65	68	04	68	13
50	28	20	27	05	65	69	25	70	08
65	26	19	26	08	65	70	25	72	00
50	25	27	23	24	65	80	05	80	10
50	22	21	19	13	65	87	02	88	10
65	18	22	18	15	65	91	05	91	20
50	13	27	13	21	45	94	20	94	26
40	13	12	13	03	65	95	00	95	10
65	6	23	6	13	65	112	21	113	29
50	6	03	5	23	65	115	08	115	15
65	5	00	4	15	65	122	23	123	06
50	4	14	2	27	65	126	06	127	08
65	2	24	2	19	60	129	29	130	05
40	1	10	0	00	65	143	12	143	20

3-D. SPECIFIC LOCATIONS WHERE SPEED IS RESTRICTED (Concluded):

Permissible Speed in Miles per hour	NORTHWARD				SOUTHWARD				
	From		To		From		To		
	Mile Post	Pole							
65	249	09	249	04	40	146	14	146	24
65	247	16	247	12	65	147	03	147	18
65	244	05	242	27	65	160	02	160	10
65	240	14	240	08	60	161	09	161	22
65	232	02	231	29	65	166	31	167	03
65	231	06	231	03	65	167	30	168	01
65	229	10	229	05	65	169	25	169	38
40	227	33	227	24	65	174	13	174	23
50	226	02	225	26	65	176	18	178	03
65	220	01	219	24	50	178	11	181	26
65	211	04	210	30	50	182	24	184	18
50	207	06	205	11	65	190	21	190	27
65	203	02	202	09	60	191	22	191	26
50	202	00	201	24	50	201	24	202	00
60	191	26	191	22	65	202	09	203	02
65	190	27	190	21	50	205	11	207	06
50	184	18	182	24	65	210	30	211	04
50	181	26	178	11	65	219	24	220	01
65	178	03	176	18	50	225	26	226	02
65	174	23	174	13	40	227	24	227	33
65	169	38	169	25	65	229	05	229	10
65	168	01	167	30	65	231	03	231	06
65	167	03	166	31	65	231	29	232	02
60	161	22	161	09	65	240	08	240	14
65	160	10	160	02	65	242	27	244	05
65	147	18	147	03	65	247	12	247	16
40	146	24	146	14	65	249	04	249	09

Austin Subdiv.:

50	402	07	402	01	50	292	29	293	03
50	400	24	400	19	50	300	17	301	11
50	399	20	399	14	50	302	26	303	02
50	398	23	398	17	50	350	22	350	28
50	350	28	350	22	50	398	17	398	23
50	303	02	302	26	50	399	14	399	20
50	301	11	300	17	50	400	19	400	24
50	293	03	292	29	50	402	01	402	07

Laredo Subdiv.:

10	78	15	77	00	10	77	00	78	15
15	164	19	164	03	15	164	03	164	19

3-E. TRAINS HANDLING DISABLED ENGINES AND ENGINES IN TOW:

All Diesel Engines and Motor Cars dead in tow or disabled in Charge of Crew:

With trucks and traction motors in good running condition.....

Maximum Train Speed, or Maximum Engine Speed for particular engine whichever is lower (See Item 2-B)

With trucks or parts of same not in good running condition.....

As Authorized By Superintendent

SPECIAL INSTRUCTIONS

13

3-E. TRAINS HANDLING DISABLED ENGINES AND ENGINES IN TOW (Concluded):

Miles
Per
Hour

Diesel engines (road or switch) for movement dead in tow must have cut-out cock in supply line to control air reservoir closed, control air reservoir drained, and drain cocks left open; all switches opened; battery fuses removed; reverser drums and main power contactors blocked. Messenger will be provided at the discretion of Superintendent or Master Mechanic.

With flat spot $2\frac{3}{4}$ " or more in length for 36" diameter wheels used on E. M. D. passenger diesels.....

10

With flat spot 3" or more in length for 40" and 42" diameter wheels used on all road and switch diesels....

10

No restriction for flat spots shorter than above specified lengths.

3-F. TRAINS HANDLING WORK EQUIPMENT, DERRICKS, CRANES, ETC.:

Pile Drivers.....

25

Steam Shovels.....

25

Bridge Derrick Cars (non-revolving).....

30

Bridge derrick cars (non-revolving) must be coupled to flat car and support provided for boom; boom must be chained or cabled to car stake irons with sufficient play to allow for not less than 3 inches or more than 6 inches lateral movement; and uncoupling levers must be disconnected between derrick car and idler car. Derrick cars may be handled in train with boom ahead or trailing as requested by messenger accompanying.

Bridge Derrick-Pile Driver (combination machine).....

25

Bridge derrick-pile driver (combination machine) may be shipped either as a derrick or as a pile driver. When shipped as a derrick, its movement shall be governed by the regulations applying to wrecking cranes. When shipped as a pile driver, its movement shall be governed by the regulations applying to pile drivers.

American Ditchers (self-propelling).....

25

American ditchers, self-propelling, must be coupled to flat car and uncoupling levers between machine and flat car must be disconnected. Boom must be supported exclusively by its cables. Bucket must be raised to clear idler car approximately eight inches and shored firmly against boom through 4 inch by 6 inch timber with all slack taken out of hoist cable. Water tank and boiler should be drained and rear of machine must be faced toward front of train. Side rods and cranks must be removed from trucks.

Locomotive Cranes or Clam Shells.....

25

Locomotive cranes or clam shells must be coupled to flat car and uncoupling levers between machine and flat car must be disconnected. Boom must be disconnected from rotating portion of machine and supported entirely upon flat car. Cables need not be removed from boom, but must be left slack between machine and boom. Water tank and boiler should be drained and coal bunker should be emptied. The rear of machine must face toward front of train, except when machine is accompanied by tender for use on bridge construction work and reversal is necessary from junction point to job to place it in working position upon arrival at destination.

American Ditchers, loaded on flat cars.....

25

Yard (clam shell) and "Burro" Cranes, loaded on flat cars

25

Jordan Spreaders and Spreader-Ditchers.....

25

Jordan spreaders and spreader-ditchers must be headed in working direction, otherwise speed must not exceed 15 miles per hour until machine is headed in working direction at nearest point where turning facilities are available. The plows' wings and braces must be secured in shipping position by the pins, bolts, chains, etc., provided for this purpose.

3-F. TRAINS HANDLING WORK EQUIPMENT, DERRICKS, CRANES, ETC. (Concluded):

Miles
Per
Hour

25

Industrial Brownhoist Locomotive Crane.....

Industrial Brownhoist, Diesel Powered, Full Revolving Locomotive Crane should be moved with boom lowered on the racks on boom car. Boom must be disconnected from rotating portion of machine, and supported entirely upon boom car. Cables need not be removed from boom, but must be left slack between machine and boom.

Wrecking Cranes (non-self-propelling).....

25

Note—Where maximum train speed is 25 miles per hour or less, speed of trains handling above work equipment must be restricted to five miles per hour less than such maximum freight train speed.

Wrecking Cranes (self-propelling):

The speed of trains handling wrecking cranes (self-propelling) shall be restricted according to maximum permissible speed of freight trains, Consist "A", thus:

Maximum Freight Train Speed	Permissible Speed When Handling Self-Propelled Wrecking Cranes	
	MPH	MPH
15	10	
20	15	
25	15	
30	20	
35	20	
40	25	
45	30	
49	30	
50	30	

Chemical Spray Cars, when side spray booms have been removed, or raised and fastened in vertical position.....

Maximum Train Speed Consist "A"

Scale Test Cars (Except MPX 5121).....

30

Scale Test Car MPX 5121.....

Maximum Train Speed Consist "A"

Scale test cars must be handled next to caboose.

3-G. TRAIN ORDER FORM X, REQUIRED WHEN HANDLING RESTRICTED EQUIPMENT:

When there is to be handled any unit of equipment mentioned in Items 3-E and 3-F, above, causing the speed of the train handling to be restricted below the maximum train speed, a Train Order, Form X, must be issued, specifying the speed restriction. Conductors must require such an order before leaving the station from which such restricted equipment is handled.

3-H. STEAM ENGINES - MAXIMUM ENGINE SPEED AND SPEED RESTRICTIONS:

Because of 100% Dieselization of motive power on this division, this timetable does not include maximum engine speed and speed restrictions for steam engines. Manner of handling steam engines, either in service or in tow, will be governed by instructions issued by Superintendent or Trainmaster at the time of handling.

**MISSOURI PACIFIC LINES EMPLOYEES' HOSPITAL ASSOCIATION
HOSPITAL, PALESTINE, TEXAS**

DR. H. A. HAVERLAH, Chief Surgeon

DISTRICT SURGEONS

Dr. E. Doak.....Taylor, Texas
Dr. E. W. Stromberg.....Taylor, Texas
Dr. C. C. Shotts.....San Antonio, Texas
Dr. W. R. Powell.....Laredo, Texas

EYE, EAR, NOSE AND THROAT

Dr. A. D. Wages.....Palestine, Texas
Dr. J. C. Gallagher.....Hearne, Texas
Dr. Margaret Alexander.....Taylor, Texas
Dr. H. L. Hilgartner.....Austin, Texas
Dr. C. J. Boehs.....San Antonio, Texas
Dr. E. D. Dumas.....San Antonio, Texas
Dr. G. E. Penny.....Laredo, Texas

LOCAL SURGEONS

Dr. R. E. Bing.....Oakwood, Texas
Dr. A. E. Van Wey.....Buffalo, Texas
Dr. M. C. Atkins.....Jewett, Texas
Dr. R. W. Huling.....Franklin, Tex.
Dr. T. A. Searcy.....Hearne, Texas
Dr. E. M. Boyd.....Hearne, Texas
Dr. J. P. Fleming.....Hearne, Texas
Dr. H. C. Guynes.....Hearne, Texas
Dr. T. S. Barkley.....Rockdale, Texas
Dr. C. D. Johnson.....Thorndale, Texas
Dr. E. Doak.....Taylor, Texas
Dr. E. W. Stromberg.....Taylor, Texas
Dr. W. R. Swanson.....Taylor, Texas
Dr. R. C. Hermann.....Taylor, Texas
Dr. D. B. Gregg.....Round Rock, Texas
Dr. A. J. Rice.....Georgetown, Texas
Dr. H. A. Scott.....Austin, Texas
Dr. E. V. Chauvin.....Austin, Texas

Dr. T. C. McCormick.....Buda, Texas
Dr. G. Teddlie.....Kyle, Texas
Dr. R. F. Sowell.....San Marcos, Texas
Dr. M. D. Heatly.....San Marcos, Texas
Dr. M. C. Williams.....San Marcos, Texas
Dr. D. L. White.....San Marcos, Texas
Dr. H. E. Karbach.....New Braunfels, Texas
Dr. W. Sullivan.....New Braunfels, Texas
Dr. S. M. Woodard.....New Braunfels, Tex.
Dr. R. B. Krause.....New Braunfels, Tex.
Dr. C. C. Shotts.....San Antonio, Texas
Dr. D. T. McMahon.....San Antonio, Texas
Dr. J. R. Chandler.....San Antonio, Texas
Dr. T. P. Ware.....Poteet, Texas
Dr. L. E. Peters.....Devine, Texas
Dr. G. S. Woods.....Devine, Texas
Dr. E. M. Howard.....Pearsall, Texas
Dr. T. D. O'Connor.....Pearsall, Texas

Dr. J. S. Primomo.....Dilley, Texas
Dr. C. P. Myers.....Cotulla, Texas
Dr. J. D. Austin.....North Pleasanton, Texas
Dr. B. E. Pickett.....Carizzo Springs, Texas
Dr. W. L. Barnard.....Carizzo Springs, Texas
Dr. C. A. Poindexter.....Crystal City, Texas
Dr. J. C. Spencer.....Crystal City, Texas
Dr. T. B. Samsel, Jr.....Crystal City, Texas
Dr. O. King.....La Pryor, Texas
Dr. R. A. Eads.....Uvalde, Texas
Dr. H. La Forge.....Uvalde, Texas
Dr. G. H. Merritt.....Uvalde, Texas
Dr. S. H. Graham, Jr.....Laredo, Texas
Dr. W. R. Powell.....Laredo, Texas
Dr. V. L. Puig.....Laredo, Texas
Dr. P. H. Powell.....Laredo, Texas

Missouri Pacific Lines Employees Clinic located at 1503 West Houston Street, corner of Houston and Comal, San Antonio, Texas.
Hours from 8:00 A. M. to 5:00 P. M. daily except Sundays. Telephone CApitol 6-1037.