W. J. McNAMARA, Trainmaster	Ft. Worth
C. F. STANFORD, JR., Trainmaster	Brownwood
W. C. PARKS, Trainmaster	Ft. Worth
ROY GOWER, Road Foreman of Engines	Cleburne
ROY HOLLEY, Road Foreman of Engines	Brownwood
J. F. HARRISON, Chief Dispatcher	Ft. Worth
O. W. PIERCE, Assistant Chief Dispatcher	Ft. Worth
H. E. TODD, Assistant Chief Dispatcher	Ft. Worth

#### TRAIN DISPATCHERS-FT. WORTH, TEXAS

G. E. GILBY	W. M. VANDERBURG
R. F. LUTKER	W. C. SPANN, JR.
O. ARNOLD	R. A. SCHILLING
P. N. MADDOX	K. W. WRIGHT
B. E. HICKS	•
J. A. ANDERSEN	E. L. DE CANNIERE

## AVOID DAMAGE -- SWITCH CUSTOMERS CARS CAREFULLY

D. B. ASHLEY

OVERSPEED Couplings Are DAMAGING
-Here's What Happens:

#### Safe - Danger

C. S. McCORD

•	MILES	PER	HOOR	L	BAFE COUPLING BREED
5	MILES	PER	HOUR		DAMAGE BEGINS
6	MILES	PER	HOUR		21/4 TIMES AS DAMAGING AS 4 MPH
7	MILES	PER	HOUR		3 TIMES AS DAMAGING AS 4 MPH
8	MILES	PER	HOUR		4 TIMES AS DAMAGING AS 4 MPH
9	MILES	PER	HOUR		6 TIMES AS DAMAGING AS 4 MPH
10	MILES	PER	HOUR		6 TIMES AS DAMAGING AS 4 MPH

Damage to freight or car can be avoided by always keeping coupling speed within the safe range—NOT OVER 4 MILES PER HOUR—A BRISK WALK. Rule 820 (D).

Handle freight carefully and keep our customers. IT'S EVERYBODY'S JOB ON THE SANTA FE

#### SPEED TABLE (Miles per hour in minutes and seconds per mile).

		J = Z_	Miles	Miles	1 Mile in			
Per _	1_Mi	le in	Per 1 Mile in		Per		i	
Hour	Min	Sec	Hour	Min. Sec.		Hour	Min.	Sec.
6 8 10	10	0	30	2	0	49	1	13
8 (	7	30	31	1	56	50	1	12
10	6 5	0	32	1	52	51	1	10
12	5	0	33	1	49	52	1	97654321
15 [	4	0	34	1	45	53	1	7
16	3	45	35	1	42	54	1	6
17 [	3	31	36	1	40	55	1	5
18 }	3 ]	20	37	1	37	56	1	4
19	3	9	38	1	34	57	1	3
20	3		39	1	33	58	1	2
21 }	2 j	51	40	1	30	59	1	1
22	2	43	41	. 1	27	60	1	_0
23	2	36	42	1	25	65	0	55
24	2	30	43	1	23	70	O I	51
25	2	24	44	1	21	75	0	48
26	2	18	45	1	20	80	0	45
27	400000000000000000000000000000000000000	13	46	1	18	85	0	42
28	2	8 <b>4</b>	47	1	16	90	0	40
29	2	4	48	1	15	95	0	<b>3</b> 8
<u> </u>						100_	0	36

## Gulf, Colorado and Santa Fe Railway Company

# NORTHERN DIVISION

TIME TABLE No.



IN EFFECT

SUNDAY, APRIL 30, 1961

At 12:01 A. M. Central Standard Time

This Time Table is for the exclusive use and guidance of Employes.

O. H. OSBORN, Vice-President and General Manager, Galveston, Texas

B. O. BERNARD, Superintendent, Ft. Worth, Texas W. R. HENRY, Assistant General Manager, Galveston, Texas

J. W. MURPHY, Superintendent of Terminals, Galveston, Texas

## 2 First District

## Northern Division

	SOUT	HW	ARD			T					Ī		NORT	HW	ARD
- 1	First	Ci	ass	-4	-8		TIME TABLE			ago	Pos		First	Cla	155
	15		11	Capacity of Bidings to 50-ft. Cars	Ruffng Grade Ascending		No. 4 April 30, 1961	Ruling Grade Ascending	Mile Post	Communications	Tables Wyes		12		16
	Texas Chief		Техан Ехргея		E S			Ru	2 		Tura	Chicago Express			Teass Chief
	Leave Daily		Leave Daily		Ft. Per Mile	ŀ	STATIONS	Pt. Per Mile					Arrive Daily		Arrive Daily
	AM 9.45	┢	AM 2.05	Yard		-	PURCELL	5.8	517.5	c	TY	8	AM 2.40	8	PM 8.10
	9.54	f	2.13	165	.0	İ	7.3 WAYNE 7.6	52.8	510.2	В		f	2.30		5.00
ı	10.02	f	2.2112	165	42.2		PAOLI	19.0	502.6			f	2.2111		4.52
	10.09	9	2.54	216	2.1	l	PAULS VALLEY	26.4	495.5	0	Y	3	1.51	В	4.44
	10.16	5	3.05	175	18.4 42.2		WYNNEWOOD	8.1	488.1	C		8	1.43	_	4.35
	10.25	8	3.20	190	l	٠	DAVIS 8.4	82.7	478.0	· C		5	1.33	Ĺ	4.27
	10.33	5	3.30	177	81.6	T.C.S.	DOUGHERTY	52.8	469.6	_C	Y	9	1.19	_	4.19
	10.44	í	3.45	170	52.8 52.8	۲	GENE AUTRY	52.8	460.8			f	1.06		4.06
	10.58	8	4.10	120			ARDMORE 7.4	52.8	450.4	C	Y		12 46	6	3.53
- 1	11.06	f	4.18	130	52.8		OVERBROOK 0.7	52.8	448.0			1	12.22		3.44
	11.15	8	4.27	199	52.8		MARIETTA 10.0	52.8	433.0	o		5	12,12 AM		3.35
- 1	11.24	f	4.40	158	52.8		THACKERVILLE	52.8	423.0	В		Í	11.57		3.26
		1-			.0		State Line	52.8	418.3						
	11.37 AM		4.55 AM	Yard	52.8	_	NORTH YARD	02.0	411.3	g	T		11.37 PM		3.12 PM
	Arrive Daily		Arrive Daily		·		(105.9)						Leave Daily		Leave Dady
ļ	56.9	1	37.4			-	Average speed per hour						34.9	1	54.0

#### SIGNAL SYSTEM TWO IN EFFECT.

RULE 261 IN EFFECT:

Main track and sidings, Purcell to North Yard, except siding Ardmore.

Trains must get numbered Clearance Card before leaving Purcell and North Yard.

First Class trains register at North Yard by Form 903.

Nos. 11 and 12 will stop on flag at Crusher.

Train and engines will move at restricted speed between westward interlocking signal east of station and east stock track switch at M. P. 418 Purcell.

Be governed by Time Table and Rules of the A. T. & S. F. Ry, Oklahoma Division, while occupying tracks in Purcell Terminal.

In T.C.S. sidings, speed limit 30 miles per hour.

NAME	Mile Post	Capacity (50-ft. Cars)
Sand Spur	419.0 465.7 466.9 473.3 474.1 474.1 498.4	25 238 65 112 38 26 4

N	orthe	rn Di	visio	n									Seco	nd Di	strict	3
	SOUT	HWARD	_		1	Τ						Π		NORTH	VARD	<del></del>
	Firs	t Class		7 E	3,		TIME TABLE		<u>.</u>	ione	7		lass			
77	15	115	11	Capacity of Sidings in 50-ft; Cara	Ruling Grade Assending		<b>No. 4</b> April 30, 1961	Ruling Grade	Mile Post	Mile Post	Tables Wyes	12	16	116	78	
The Angels	Terns Chief	Texas Chief	Texas Express	Dig.	24	L	-2		Red A	¥	C	Tura	Chicago Express	Texas Chief	Texas Chief	The Angelo
Leave Daily	Leave Daily	Leave Daily	Leave Daily		Ft. Per Mile		STATIONS		Pt. Per Mile				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily
	AM 11.47	AM 11.55	AM 4.55	Yard	.0		NORTH YARD		84.8	411.8	C	T	PM s 11,37	PM s 3.05	PM 8 2.55	
		- PM -			.0		M-K-T Crossing		84.8	411.2						
	5 11.52 PM _		s 5.00	61	52.8		GAINESVILLE		40.6	410.7			8 11,34	8 <b>3.</b> 03	\$ 2.50	
	12.01	12.10	f 5.12	168	52.8		VALLEY VIEW 5.8 SANGER		52.8	400.8	В		111.19	2.52	2.40	
	12.08	12.17	f 5.22		52.8	oj J	SANGER		52.8	892.2	C		f 11.12	2.45	2.33	
	12.13	12.23 - PM -	5.27	170	52.8	P.	al Dalton jct.		52.8	886.8			11.08	2.41	2.28 — PM	
	12.16		f 5.32		62.6		KRÜM		52.B	888.5	0		1 11.05	2.38	— FM	
	12.21		1 5.40	168					1	877.3			11.00	2,33		
	12.27		1 5.46	180	52.8		g justin		52.8	870.6	C		1 10.54	2,27		
	12,35		1 5.57	139	52.8	[			52.8	862.0			1 10.46	2.19		
	12.42		f 6.12	E 100 W244	62.6		F.W. & D. Crossing SAGINAW C. R. I. & P. Crossing		52.8	858.9	c		f 10.38	3.12		
- PM -	12.48		6.20	88	52.8	Rule 261	F. W. Belt Crossing St. L. S. W. Crossing NORTH FORT WORTH St.L.S.F. & T.Crossing 2.8		52.8	848.8			10.28	2.06	<del></del> -	
9.20	8 12.55 1.05		s 6.30 7.00	Yard	]	'	FORT WORTH		1	846.0	0	T	10.20 8 9.00	3.00 8 1.45		AM s 5.45
			7.02 AM		21.1		T. & P. Crossing T. & P. Crossing T. & P. JCT.		0.	845.7			8.58 <b>PM</b>			
					31.6	[8]	T. & P. Crossing O.1 T. & N. O. Crossing		·.º	845.6						
					81.6	Rule	T. & N. O. Crossing T. & P. Crossing 0.6		۰۰ ا	845.5						
0.93	1.07			45	47.5		POLKS T. & N. O. Crossing		°.	844.9				1.39		5.36
9.20	1.10			120	47.5		BIRDS	YL,	_ ·°	842.6				1.35	<del></del>	<b>5</b> .30
- PM			<del></del>	<del></del>	86.9	1	St.L.S.F. & T.Crossing		10	842.2			·	<del></del>		— AM
	1.2616			167	71.2		CROWLEY		12.7	333.7			ļ —	1.2616		
	1.34			167	64.9				8.2	325.8	-c			1.18	<del></del>	
	1.41				19.5	A.B.S.	WEATHERFORD JCT.	YL	61.0	318.5			<del> </del>	1.11	····	<del></del>
	s 1.48 PM	<del></del> -		Yerd	0.		CLEBURNE	YL	80.6	817.5	С	TY		1.10 PM		
				<del></del> -	<del></del>	'								<del></del>		

(93.8)

Average speed per hour

SIGNAL SYSTEM TWO IN EFFECT.

62.5

Except Fort Worth (T. & P.) Interlocking, which is SIGNAL SYSTEM ONE.

RULE 261 IN EFFECT:

Arrive Delly

Main track and sidings North Yard to Saginaw, except siding Gainesville.

In T.C.S. sidings, speed limit 30 miles per hour.

41.2

Trains must get numbered Clearance Card before leaving Cleburne and North Yard and No. 12 before leaving Fort Worth.

Nos. 11 and 12 and Dublin District trains only register at Fort Worth.

#### First class trains register at North Yard by Form 903.

Between southward signals Fort Worth (17th St. Yard) and signals north end Fort Worth (17th St. Yard) there is no superiority of trains. Trains or engines within these limits must proceed at restricted speed; between these points main track may be used not protecting against regular and extra trains and engines.

Between signal 3172 and signal 3177, Cleburne, there is no superiority of trains. Trains or engines within these limits must proceed

at restricted speed; between these points main track may be used not protecting against regular and extra trains and engines.

48.9

18.6

Rule 261 in effect main track and siding, except sidings Polks, North Fort Worth and Saginaw, between first signal south of St. L. S. F. & T. Crossing and first northward signal Dublin Dist. Birds and southward signal Fort Worth (17th Street Yard) and between signals north end Fort Worth (17th Street Yard) to signal north of FW&D crossing Saginaw. Trains or engines must not foul nor enter main track through hand-throw switches within these limits until authority to do so has been obtained from control station and switches are properly lined.

Speed limit in siding Birds 30 miles per hour.

Be governed by Time Table and Rules of the T&P Railway Company between Dallas and T&P Jct., Fort Worth.

Be governed by Operating Rules of Fort Worth Union Passenger Station Company while using Passenger station tracks at Fort Worth.

NAME	Mile Post	Capacity (50-ft. Cars)
Danci	328.3	27

## 4 Dublin District

## Northern Division

	SOUT												IWARD	
	75		77	Capacity of Sidings in 50-ft. Cars	Mile Post	Buling Grade Ascending		TIME TABLE No. 4	Ruling Grade	Communications	Tables and Wyes	78	76	
	California Special		The Angelo	Cap.	Müe	Rulin		April 30, 1961	Rulin	Сошт	Turn T	The Angelo	California Special	
			Leave Daily			Ft. Per Mile		STATIONS	Ft. Per Mile			Arrive Daily		
		-	PM 9.20	Yard			197	FORT WORTH		c	т	AM s 5.45		
Į		1	9.30	117	.0		e 2	BIRDS YL				5.30		
			9.33		0.9	.0 0.88	Rule	BELT JCT. YL	64.4 58.1			5.28		
		f	9.42	140	8.4	66.0	lί	PRIMROSE	66.5	В		f 5.18		
l		f	10.04	140	21.8	66.0	$  \  $	CRESSON	66.5	C	Y	s 5.01		
ı		<u> </u>	10.17	140	30.7	66.0		WAPLES	66.0			4.38		
ļ		9	10.28		86.5	66.0		GRANBURY	52.8	C		s 4.28		
	<del></del>	f	10.43	140	46.4	58.6		TOLAR	66.0	В		8 4.07		
1	·	_	10.55		55.1	88.0		BLUFFDALE	.0	В		s 3.52		
			11.05	140	62.5	66.0		IMMERMERE	44.9	В		3.40		
		8	11.19	140	72.3		S.	STEPHENVILLE	66.0	C		s 3.20		
		5	11.48	163	86.1	.0	T.Ç.S.	13.8 DUBLIN 0.1	81.6	c		s 2.48		
		- -	- AM 12.08		86.2	52.8		M-K-T Crossing	66.0					
	<del></del>	-1		149	95.3	66.0		PROCTOR 12.8	42.2	<u> </u>	<u> </u>	1 2.28		
		9	12.25	140	108.1	66.0		COMANCHE	46.5	CB		s 2.03	<del></del>	
j		- -	12.55	140	121.6	66.0	$  \  $	BLANKET	66.0			1.36		
	— AM —	-	1.05	147	128.0	.0		DELAWARE 7.1	63.4		<u> </u>	1.26	AM	
	1.22	- -	1.15 78	112	135.1			RICKER			<u> </u>	1.15 77	12.54	
	s 1.35 AM	S	1.25 AM	Yard	348.4			BROWNWOOD YL		_c_	TY	1.00 AM	12.45 AM	
	Arrive Daily		Arrive Daily					(134.9)	!			Leave Daily	Leave Daily	
Į	18.5	-	36.0				<u> </u>	Average speed per hour				31.4	28.6	1 _

#### SIGNAL SYSTEM TWO IN EFFECT.

RULE 261 IN EFFECT:

Main track and sidings from Home Signal located 1491 feet north of Passenger Station Brownwood to Southward controlled signal M.P. 3 plus 3680 feet.

In T.C.S. sidings, speed limit 30 miles per hour.

Trains must get numbered Clearance Card before leaving Fort Worth and Brownwood. Dublin District trains must, in addition, get Second District numbered Clearance Card before leaving Fort Worth.

Between Northward signal on Dublin District, Birds and Northward automatic signal No. 12, located M.P. 1 plus 500 feet, South of Belt Jct., there is no superiority of trains. Trains or engines within these limits must proceed at restricted speed; between these points main track may be used not protecting against regular and extra trains or engines.

Rule 261 in effect main track and siding, except siding Polks, between first signal south of St. L. S. F. & T. crossing and first northward signal Dublin Dist. Birds and southward signal Ft. Worth (17th Street Yard). Trains or engines must not foul or enter main track thru hand throw switches within the limits until authority to do so has been obtained from control station and switches are properly lined.

Speed limit in siding Birds 30 miles per hour.

#### TRACKS NOT SHOWN ON FACE OF TIME TABLE

NAME	Mile Post	Capacity (50 ft. cars)
Boss Centex	15.0 110.8	9 9

## Northern Division

SOUT	HWARD		1		1		· · · · · ·		-	NORTH	IWARD
First	Class	202	# :	eg ar		TIME TABLE	22	윷	P P		Class
77	75	Capacity of Bidings in 50-ft. Cars	Mile Post	Ruling Grade Ascending		No. 4	Ruling Grade Ascending	Communications	Tables Wyes	76	78
The	California	ਹੈੜ੍ਹ	🛱	A di		April 30, 1961			Ten		
Angelo	Special	±6			_			රී	2	California Special	The Angelo
Leave Daily	Leave Daily			Ft. Per Mile		STATIONS	Ft. Per Mile			Arrive Deily	Arrive Daily
A M 2.30	AM 2.00	Yard	848.4	82.0		BRGWNWOOD YL		С	Т¥	AM 12.25	AM 8 12.05 — AM
2.45	2.08	81	358.5	66.0	1	GRAVITY	38.8	В		12.05	11.48
2.55	2.14	142	857.9	66.0	1	BANGS	64.9	С		11.59	s 11.38
3.07	2.21	135	364.2	64.9	1	OBREGON	64.9	В		11.52	11.27
8 3.21	2.27	78	369.7	66.0		SANTA ANNA	20.5	С		11.46	s 11.18
3.29 —AM	2.32	109	873.5	64.9		SAN ANGELO JCT.	62.3	C	Y	11.41	11.09 PM
-AM	s 2.37	110	878.3	60.0		COLEMAN	50.6	C	<u> </u>	s 11.35	
	2.47	81	882.8	81.7	System	HAMRICK	10.5			11.26	
	2.58	110	391.0	81.7		SILVER VALLEY	28.8	В		11.17	
	s 3.05	108	896.5	31.7	징	NOVICE	31.7	С		8 11.10	
	3.13	62	403.0	81.7	E .	GOLDSBORO	81.7			11.02	
	8 3.21	82	409.5	81.7	F	LAWN	81.7	C		10.55	
	t 3.29	104	415.4	81.7	Automatic	TUSCOLA	12.7			110.46	
<del></del>			416.0	15.8	*	A. & S. Crossing	.0				
	3.35	80	420.8	81.7		BUFFALO GAP	81.7			10.39	
	■ 3.45	135	426.6	31.7		AIEM	81.7	C.	Y	s 10.32	
<del></del>	3.52	81	432.0	31.7		COZART	81.7			10.19	
	3.58	81	488.3	81.7		BLAIR	81.7			10.13	·
	4.03	125	448.8	81.7 81.7		TOLAND	21.1	В		10.08	
	4.08	80	448.4	•		HERNDON	81.7 81.7			10.03	
	4.14	180	454.5	31.7		TECIFIC				9.57	
	\$ 4.25 AM	Yard	459.6	81.7	-	SWEETWATER YL	81.7	٥	TY	9.50 PM	
			2.1	52.8		NORTH JCT. YL	10.5				
			2.9	52.8	Г	SOUTH JCT. YL	10.5				
Arrive Daily	Arrive Daily					(114.5)				Leave Daily	Leave Daily
25.5	44.5			~		Average speed per hour				44.3	26.9

SIGNAL SYSTEM TWO IN EF-FECT.

#### RULE 261 IN EFFECT:

Between Orient Jct., on Slaton Division, and M. P. 455.6 Sweetwater District; between M. P. 455.6 Sweetwater District and North Jet., and on south leg of wye.

Trains must get numbered Clearance Card before leaving Brownwood and Sweetwater.

Between southward home signal located MP 348 plus 4960 feet and the northward home signal 1491 feet north of passenger station, Brown-wood, there is no superiority of trains. Trains or engines within these limits must proceed at restricted speed; between these points main track may be used not protecting against regular and extra trains and engines.

#### TRACKS NOT SHOWN ON FACE OF TIME TABLE

NAME	Mile Post	Capacity (50 ft. cars)
Grimes	445.8	11
Tesco	450.1	23

## San Angelo District

	OUTHWARD irst Class 77	Capsetty of Stdings in 60-ft. Dern	Mile Post	Ruling Grade Ascending	TIME TABLE No. 4 April 30, 1961	Ruling Grade Ascending	Communications	Tables at	First Class 78
_	Angelo	- <b>a</b> ž			April 50, 1501		త	Tura	Angelo
L	Leave Daily			Ft. Per Mile	STATIONS	Pt. Per Mile			As <del>rive</del> Daily
	AM 3.29	58	.0	65.5	SAN ANGELO JCT.	68.4	C	Y	PM 11.09
1	3.52	49	11.4	66.0	VALERA	66.0	В		10.49
В	4.15	100	20.9	65.5	TALPA	66.0			s 10.33
	4.25	53	28.7	62.8	BENOIT 7.8	68.0			10.17
			36.5	02.5	A. & S. Crossing	60.0			
s	4.47	28	86.9	52.8	BALLINGER	52.8	C		s 10.00
	4.50	51	88.8	34.8	CATO	26.4			9.53
8	5.07	51	45.6	52.8	ROWENA	51.7	C	i	5 9.43
9	<b>5.2</b> 5	49	54.2	52.8	MILES	52.8	C		9.28
	5.40	58	63.1	52.8	HARRIET	52.8			9.14
	5.55		70.7	81.7	ALVEY JCT. YL	0.		Y	9.03
s	AM 6.10	Yard			SAN ANGELO YL		C	TY	<b>PM</b> 8.50
	Arrive Daily				(72.9)				Leave Daily
1	26.9				Average speed per bour				30.5

#### SIGNAL SYSTEM TWO IN EFFECT.

Trains originating San Angelo must get numbered Clearance Card from G. C. & S. F. Dispatcher.

Extra trains will not register at Alvey Jct.

Be governed by Time Table and Rules of the P. & S. F. Ry., between Alvey Jct., and San Angelo.

## 6 Dallas District

## Northern Division

SOUTH- WARD						•	<b>.</b>	NORTH- WARD
First Class	ంక్ల	2 h	TIME TABLE		<b>1</b>	tion.	pur s	First Class
115	Capacity of Sidings in 50-ft. Cars	Buling Grade Ascending	No. 4	Ruling Grade Ascending	Mile Post	Communications	Tables Wyes	116
Texas Chief	Sign	Br.	Aprîl 30, 1961	Br.		Com	Tur	Texas Chief
Leave Daily		Ft. Per Mile	STATIONS	Ft. Per Mile				Arrive Daily
12,23	170	42.2	DALTON JCT.	52.8	111.2			2.28
s 12.33		1	DENTON	42.3	104.7	c		s 2.20
12.36	80	10.6	MINCHIN		102.4	В_		2.17
1.06	75	52.8	COWLEY	52.8	75.3	В		1.47
1.12		52.8	RICHARDSON	66.0	70.8			1.42
		15.8	T. & N. O. Crossing	.0	70.1			
a 1.20		63.4	WHITE ROCK	62.8	63.7			s 1.35
1.31118	112	31.7	ZACHA JCT.	10.4	62.6	В		1.31115
		.0	REINHARDT	40.1	60.3			
		52.8	T. & P. Crossing	53.8	53.7		i	<u>-</u> -
		.0	T. & N. O. Crossing	.0	53.8		<del>                                     </del>	
1.45	Yard	.0	EAST DALLAS YL	10.5	53.2	C	T	1.18
		.0	T. & N. O.Crossing	88.0	52.5			
		.0	St. L. S. W. Crossing	63.3	51.9		_	-
1.50		.0	SANTA FE JCT. YL	22.2			_	1.15
S 1.56			St. L. S. W. Crossing  SANTA FE JCT. YL  SANTA ST. J. J.  DALLAS U.D.  1.9  DALLAS U.D.			C		1.10
PM—			SANTA FE JUT. IL		51.8			
<u> </u>		.0	wi M.K.T Crossing	22.2	51.7		Y	
		23.0	TERMINAL JCT. YL	.0	51.6			
	42	37.0	OAK CLIFF YL	•0	49.6		<del>                                     </del>	
	38	67.0	HALE YL	.0	45.7			
	34	66.0	DUNCANVILLE	70.2	40.1			
	19	77.6	CEDAR HILL	68.6	34.6			
	<del></del>	67.5	T. & N. O. Crossing	71.0	27.3		<del>-</del>	
	47	49.6	MIDLOTHIAN	.0	26.9			<del></del>
	37	46.9	VENUS	52.8	19.6			
	34	76.5	ALVARADO	71.2	12.7	В		
	<del></del>	26.4	M-K-T Crossing	67.5	11.4			
	Yard	74.4	CLEBURNE YL	66.0	 	c	TY	
Arrive Daily			(111.2)					Leave Daily
40.9			Average speed pet hour					48.8

FOR INFORMATION ONLY AND NOT TO BE USED FOR TRAIN MOVEMENT

Trains 11 and 12 operate via T.& P. Railway between T. & P. Jct. (Ft. Worth) and Dallas on following schedules:

11		12
Leave Daily	STATIONS	Arrive Daily
<b>AM</b> 7.00	FORT WORTH	<b>PM</b> 9.00
7.02	T. & P. JCT.	8.58
7.45 AW	DALLAS	8.15 <b>PW</b>
Arrive Daily	(31.0)	Leave Daily

#### SIGNAL SYSTEM TWO IN EFFECT.

#### RULE 261 IN EFFECT:

Between Zacha Jct. and northward controlled signal M.P. 53.7 East Dallas, and from southward home signal at T&NO Crossing M.P. 52.5 East Dallas to cantilever north end siding Hale.

Speed limit 20 miles per hour through siding Zacha Jct.

Trains originating at Dallas Union Station must get numbered Clearance Card before leaving.

Trains must get numbered Clearance Card before leaving Cleburne and East Dallas.

First Class trains register at East Dallas by Form 903.

Between northward controlled signal M.P. 53.7 East Dallas and southward home signal at T&NO Crossing M.P. 52.5, East Dallas, there is no superiority of trains. Trains or engines within these limits must proceed at restricted speed; between these points main tracks may be used not protecting against regular and extra trains or engines.

Be governed by Operating Rules of The Union Terminal Company while using Union Terminal tracks at Dallas.

Trains 115 and 116 operate via Dallas Union Terminal between Santa Fe Jct. and Dallas U.D.

NAME	Mile Post	Capacity (50-ft. Cars)
Ward	24.7	A 18 B 13
Storage	24.3	19
Gasco	39.0	3
Maglab	43.4	15
Casa Linda Lead.	61.7	No. 3 - 71
	***************************************	No. 5 - 92
White Rock Industrial Lead	63.7	122
Adleta Spur	66.4	55
Richardson Team Track	70.3	15

## Paris District

S	IAWHTUC	RD			NORT	HWA	RD
Capacity of Sidings in 50-ft.	Mile Post	April 30, 1961			Ruling Grade Ascending	Communications	Turn Tables and Wyes
		Ft. Per Mile	STATIONS		Ft. Per Mile		
Yard	151.1 150.3	.0	PARIS 0.8 T. & P. Crossing	YL	21.1	c	Т
33	138.5	52.8 52.8	ROXTON 5.5 BEN FRANKLIN		62.8 52.8	С	
	127.6 121.6	53.0 52.8	PECAN GAP 6.0  LADONIA		8.7 52.8	C	
81	113.3 104.4	.0	WOLFE CITY  8.9  M.KT Crossing	YL	12.6 52.8	С	
34	104.3 96.8	.0 52.8	0.1 CELESTE 7.5 MERIT		14.2 52.8		
	91.1	.0	5.7 L. & A. Crossing L. & A. Jet.		57.0 3.7		
84	91.0	52.8	FARMERSVILLE	YL	52.8		
84	84.3	53.4	COPEVILLE 8.5 WYLIE		53.4		
34 34	75.8 71.6	52.8 51.2	SACHSE		52.8 52.8		
	66.8	40.6	M-K-T Crossing		.0		
89	66.4	48.5	GARLAND	YL	53.8	С	
112	62.6	20.0	ZACHA JCT.				
			(88,5)				

Northern Division

#### SIGNAL SYSTEM TWO IN EFFECT:

Trains must get numbered clearance card before leaving Paris and East Dallas.

Paris District trains must, in addition, get Dallas District numbered clearance card before leaving East Dallas.

No switch lights between Merit and Paris.

#### TRACKS BETWEEN STATIONS

NAME	Mile Post	Capacity (50-ft. Cars)
Team Track	63.0	19
Circle Concrete	63.0	No. 1 - 4 No. 2 - 1
Team Track	64.9	6
Inter-Continental Spur.	67.4	39

## Pauls Valley District

SOUT	HWARD	Ī		-	I				NORT	HWARD
Secon	d Class	ا پ	8	TIME TABLE	TIME TABLE		200	<b>1</b>		d Class
301	85	Capacity of Stdings in 50-ft.	Ruling Grade Ascending	No. 4	Ruling Grade Ascending	Mile Post	Communications	Turn Tables	86	302
Mixed	Mixed	2.5	Rul	April 80, 1961	Region	X	S	ם	Mixed	Mixed
Leave Tue. Thur. Sat.	Leave Mon. Wed. Fri.		Ft. Per Mile	STATIONS	Ft. Per Mile				Arrive Mon. Wed. Fri.	Arrive Mon Wed. Fri.
PM 1.45			20.0	SHAWNEE YL		132.0	C			PM s 10.00
2.00			30.6	TECUMSEH	81.6	136.4				1 9.45
2.25		81	31.6	10.5 MACOMB	15.8	146.9				s 9.20
2.35			31.6	TRIBBEY	81.6	150.9				1 9.10
3.00		77	31.6	WANETTE	26.4	162.3				8.45
	PM		.0	ADA JCT.	.20.4	169.0			— PM —	
3.20 8.25	8.30	80		BYARS		169.3			s 8.05	8 8.25 3.25
8.42	8.42	83	.0	BOUDINOT	31.7	174.7			7.50	3.09
8.47	8.47		0.	civit	10.5	176.8			7.45	3.05
9.05 PM	s 9.05 PM	216	21.1	PAULS VALLEY YL	22.1		c	Y	7.30 PM	2,50 PM
Arrive Tue. Thur. Sat.	Arrive Mon. Wed. Fri.			(52.2)					Leave Mon. Wed. Fri.	Leave Mon. Wed. Fri.
20.1	25.7	1		Average speed per hour	\			1	30.0	22.9

#### SIGNAL SYSTEM TWO IN EFFECT:

Trains must get numbered Clearance Card before leaving Shawnee and Pauls Valley.

Extra trains will not register at Byars.

Between south switch of siding Byars and Ada Jct. there is no superiority of trains. Trains or engines within these limits must proceed at restricted speed; between these points main track may be used not protecting against regular and extra trains or engines.

Be governed by Time Table and Rules of the A. T. & S. F. Ry., Oklahoma Division, while occupying tracks in Shawnee Terminal.

## 8 Lindsay District

#### Northern Division

SC	UTHWARD								NORTHWARD
Se	cond Class	ين ا		욕	TIME TABLE	- <del></del>	8	뎔	Second Class
	303	Capacity of Sidings in 50-ft. Cars	Mile Post	Ruling Grado Ascending	No. 4 April 30, 1961	Ruling Grade Ascending	Communications	Tables	304
	Mixed Leave	Sign Digital	# # ·	_ æ ¯	5		Mixed		
	Leave Tues. Thur. Sat.	<del></del>		Ft. Per Mile	STATIONS	Ft. Per Mile			Arrive Tues. Ther. Sat.
_	PM 2.15			31.6	PAULS VALLEY YL	31.6	С	Y	PM s 7.30
6	3.30	25	12.1	10.5	PAULS VALLEY YL  12.6  MAYSVILLE YL  11.3	.0	C		s 6.30
s	4.10 PM	Yard	28.4	10.0	LINDSAY YL		c	¥	5,00 PM
	Arrive Tues. Thur. Sat.				(23.9)				Leave Tues. Thur. Sat.
	17.5				Average speed per hour			<u> </u>	15.0

#### SIGNAL SYSTEM TWO IN EFFECT:

No. 803 is superior to No. 304.

Trains must get numbered Clearance Card before leaving Pauls Valley.

No switch lights Lindsay District.

#### TRACKS BETWEEN STATIONS

NAME	Mile Post	Capacity (50-ft, Cars)
White Bead	5.9	13
Neill	18.3	13

### Ada District

	OUTHWARD			_			<b>1</b>	pur	NORTHWARD Second Class
	85	Capacity of Bidings in 50-ft.	Mile Post	Ruling Grade Ascending	TIME TABLE No. 4	Bullog Grade Ascending	Communication	Tables at Wyes	86
	Mixed	Cep Biding	II.	Ruli	April 30, 1961	Bull	Comm	Tur	Mixed
	Leav <sup>p</sup> Oaily Ex. Sun.			Ft. Per Mile	STATIONS	Pt.Per Mile			Arriva Daily Ex. Sun.
	PM 3.25	80	66.7		BYARS 0.3	9.5			PM 8 8.25
Г	3,27		66.4	.0 79.2	ADA JCT.	31.6			8.22
	3.56	80	58.1	81.6	STRATFORD	31.6			s 7.53
f	4.19	17	51.4	69.7	VANOSS	81.7			i 7.30
8	5.10 PM	Yard	38.8	00.7	ADA YL		c	T	6.40 PM
	Arrive Daily Ex. Sun.				(27.9)				Leave Daily Ex. Sun.
$\Box$	15.9				Average speed per hour				15.9

Between south switch of siding Byars and Ada Jct. there is no superiority of trains. Trains or engines within these limits must proceed at restricted speed; between these points main track may be used not protecting against regular and extra trains or engines.

Ada District trains and engines will use O. C. A. & A. Ry., yard tracks at Ada between Townsend and Stockton Avenues and at point of connection within 150 feet of O. C. A. & A. Ry., main track in vicinity of American Glass Casket Company, keeping out of the way of O. C. A. & A. Ry., trains and engines and will be governed by Time Table and Rules of the O. C. A. & A. Ry.

At Ada, O. C. A. & A. Ry., trains or engines will use Ada District main and yard tracks at point of connection between Townsend and Stockton Avenues, south of station, and Oklahoma Portland Cement Company plant prepared to stop short of train, obstruction or switch not properly lined, but not exceeding twenty (20) miles per hour and will be governed by G. C. & S. F. Ry., Time Table and Rules. Ada District trains or engines must operate within the above limits prepared to stop short of train, obstruction or switch not properly lined, but not exceeding twenty (20) miles per hour looking out for O. C. A. & A. Ry., trains or engines.

No. 85 is superior to No. 86.

No switch lights Ada District.

so	AWHTUC	RD		NORT	ORTHWARD		
Capacity of Sidings in 80-ft.	Mile Post	Ruling Grade According	TIME TABLE No. 4 April 30, 1961	Buling Grade	Communications	Turn Tables and Wyes	
		Ft. Per Mile	STATIONS	Ft. Per Mile			
Yard	0.0	52.8	CLEBURNE YL 1.0 WEATHERFORD JCT.YL	56.4	С	TY	
17 96	10.3	55.4	GODLEY  8.1  CRESSON YL	84.8	c	Y	
			(19.4)				

#### SIGNAL SYSTEM TWO IN EFFECT.

Trains must get numbered Clearance Card before leaving Cleburne.

No switch lights Cresson District.

**Ringling District** 

	HWARD	Ţ							NORTH	
Secon	d Class	چ ا	يد	\$ ■ TIME TABLE		<b>-∄</b>		7	Second	Class
315	311	Capacity of Sidings in 50-ft.	e Post	Ruling Grade Assending	No. 4	Ruling Grade Ascending	Communications	Turn Tables	310	314
Mixed	Mixed	Sign	M/D.	April 30, 1961	Reli	8	Turn	Mixed	Mized	
Leave Daily Ex. Sun.	Leave Daily Ex. Sun.			Ft. Per Mile	STATIONS	Pt. Per Mile			Arrive Daily Ex. Suz.	Arriva Daily Ex. Sun.
	8.00	Yard			ARDMORE YL	<b>50.0</b>	С	Y	PM 8 12.55	
	1 8.34	38	9.6	52.8	LONE GROVE	52.8			t 12.22	
	9.10	43	19.3	52.8	WILSON	52.8	0		11.46	434
9.26	9.26	13	24.3	52.8	COBALT JCT.	52.8		T	11.30	AM 10.30
s 9.47 — AM —		26	5.5	52.8	HEALDTON YL	52.8	C	Y		10,10
AM	10.30	13	24.8	52.8	COBALT JCT.	52.8		Y		AM
	s 10,50	Yard	29.4	52.8	RINGLING YL	52.8	C.	Y	11.10 AM	
Arrive Daily Ex. Sun.	Arrive Daily Ex. Sun.				(30,0)				Leave Daily Ex. Sun.	Leave Daily Ex. Sun.
15.7	16.7				Average speed per hour				16.8	16.5

#### SIGNAL SYSTEM TWO IN EFFECT.

Trains must get numbered Clearance Card before leaving Ardmore.

No. 311 is superior to No. 310.

No. 315 is superior to No. 314.

No switch lights Ringling District.

TRACKS BETWEEN	DIAIL	<del></del>
NAME	Mile Post	Capacity (50-ft. Cars)
Prairie Hewitt Texas Co. Gas Spurs	25.7 18.0	11 9
(between Healdtonand Cobalt Jct.)	3.8 4.2	12 10

## 10 Northern Division

## Special Rules

- 1. Except as otherwise provided, all northward trains are superior to southward trains of the same class.
- Rule 320(B) should read: On two or more tracks, or on any track where Rule 261 is in effect; stop, then proceed at once at restricted speed.

Cl	RESSON DISTRICT	
Cresson	Dublin District	
RI	NGLING DISTRICT	
Cobalt Jct.	Ringling District	

#### 10. SPEED RESTRICTIONS.

#### (A) MAXIMUM AUTHORIZED SPEED FOR TRAINS.

	MILES PER HOUR		
LOCATION	Pass- enger	Freight And Mixed	
FIRST DISTRICT	79	60	
SECOND DISTRICT	i		
Gainesville-Saginaw	90	60	
Saginaw-Birds	79	60	
Birds-Cleburne	90	60	
DALLAS DISTRICT	İ	<del>                                     </del>	
Cleburne-East Dallas	50	40	
East Dallas-Zacha Jct.	59	40	
Zacha JctDalton Jct.	59	1 49	
DUBLIN DISTRICT	<del>                                     </del>	<del> </del>	
Brownwood-Ricker	79	60	
Ricker-Proctor	65	50	
Proctor-Birds	59	45	
SWEETWATER DISTRICT	79	1 60	
SAN ANGELO DISTRICT	10 	1 00	
San Angelo Jct. to Alvey Jct.	50	35	
PARIS DISTRICT	1 00	1 00	
Zacha JctFarmersville	1 55	85	
Farmersville-Paris	45	1 80 1 80	
PAULS VALLEY DISTRICT	40	1 00	
Shawnee-Ada Jct.	05		
Ada JctPauls Valley	35	35	
	50	40	
LINDSAY DISTRICT	25	25	
ADA DISTRICT CRESSON DISTRICT	25	25	
	30	30	
RINGLING DISTRICT	20	20	
FIRST DISTRICT		<u> </u>	
2 Curves, M.P. 410.4 to 412.1	60	35	
Curve, M.P. 416.3 to 416.5	65	55	
12 Curves, M.P. 416.9 to 422.3	55	50	
Ardmore, main track and siding, M.P. 449.7 to 451.0	25	25	
3 Curves, M.P. 451.6 to 452.7	60	40	
11 Curves, M.P. 453.2 to 459.3	55	45	
Curve, M.P. 459.6 to 460.3	50	40	
Curve, M.P. 462.0 to 462.6	60	50	
9 Curves, M.P. 462.8 to 466.2	40	35	
2 Curves, M.P. 466.2 to 467.5	60	45	
2 Curves, M.P. 471.1 to 472.5	70	55	
4 Curves, M.P. 473.7 to 475.1	55	60	
2 Curves, M.P. 475.3 to 476.3	70	55	
2 Curves, M.P. 503.3 to 504.5	65	55	
5 Curves, M.P. 504.5 to 506.7	50	45	
2 Curves, M.P. 507.3 to 508.8	70	50	
Curve, M.P. 510.9 to 511.2	70	55	
4 Curves, M.P. 513.2 to 515.4	60	50	
SECOND DISTRICT			
2 Curves, M.P. 317.2 to 318.7	50	80	
Curve, M.P. 325.8 to 325.9	80	55	

9. JUNCTION SWITCHE	S. Rule 98(C).
LOCATION	NORMAL POSITION
F	IRST DISTRICT
Ardmore	First District
SE	COND DISTRICT
Weatherford Jct.	Second District
DU	BLIN DISTRICT
Cresson	Dublin District
SWEE	TWATER DISTRICT
San Angelo Jct.	Sweetwater District
North Jct.	Sweetwater District
South Jct.	Sweetwater District
	ANGELO DISTRICT
Alvey Jct.	Sayard District
	ARIS DISTRICT
L & A Jet.	L & A
PAULS	VALLEY DISTRICT
Ada Jct.	Pauls Valley Dist.

	MILES PER HOUR		
LOCATION	Pass- enger	Freight And Mixed	
SECOND DISTRICT (Cont'd)	<u>'</u> 		
Curve, M.P. 327.2 to 327.5	70	55	
Curve, M.P. 329.1 to 329.3	70	55	
Curve, M.P. 334.7 to 335.1	80	55	
Curve, M.P. 340.4 to 341.2	80	55	
Curve, M.P. 342.5 to 342.7	65	40	
Curve, M.P. 344.2 to 344.5	50	30	
Track, M.P. 345.4 to 346.6	10	10	
3 Curves, M.P. 346.8 to 347.9	50	35_	
2 Curves, M.P. 349.6 to 351.0	70	50	
2 Curves, M.P. 382.4 to 383.3	75	60   50	
Curve, M.P. 389.3 to 389.7	60   70	55	
Curve, M.P. 398.8 to 399.1 2 Curves, M.P. 410.4 to 412.1	60	35	
2 Curves, M.F. 410.4 W 412.1		60	
DALLAS DISTRICT	1 10	<u> </u>	
Curve, M.P. 0.0 to 0.3	10	1 10 _	
Curve, M.P. 1.8 to 1.9	45	35	
Curve, M.P. 4.6 to 5.0	1 40	35   35	
4 Curves, M.P. 7.0 to 7.6 2 Curves, M.P. 9.1 to 10.3	40	1 35	
2 Curves, M.P. 11.0 to 11.3	1 40	1 35	
2 Curves, M.P. 12.3 to 13.4	35	1 25	
Approaching Interlocking T. & N. O.	1	<del> </del>	
Crossing (M.P. 27.3)		<u> </u>	
M.P. 26.9 to 27.2—Northward	30_	15	
M.P. 28.1 to 27.4—Southward	50	30	
Curve, M.P. 32.3 to 32.4	40	35	
2 Curves, M.P. 36.5 to 36.8	40	35	
2 Curves, M.P. 38.7 to 39.9	45	35	
6 Curves, M.P. 41.7 to 42.9	40	35	
Curve, M.P. 43.5 to 43.9 M.P. 48 to 50	25	1 25	
Curve, M. P. 51.0 to 51.1	40	1 30	
3 Curves, M.P. 61.9 to 62.9	40	30	
Curve, M.P. 70.1 to 70.8	55	40	
Curve, M. P. 110.3 to 111.2	40	40	
	[	<u> </u>	
DUBLIN DISTRICT 2 Curves, and 3 Turnouts, M.P. 0.0 to 0.9	1 10	1 10	
8 Curves, M.P. 25.0 to 28.5	40	35	
8 Curves, M.P. 29.4 to 30.0	35	30	
Curve, M.P. 34.7 to 35.1	40	30	
2 Curves and Stroud's Creek Bridge, M.P. 39.0 to 39.5	30	i 30	
11 Curves, M.P. 39.7 to 44.1	35	30	
Curve, M.P. 45.6 to 45.8	1 40	35	
7 Curves, M.P. 48.3 to 50.5	35	30	
Curve, M.P. 52.3 to 52.9	40	35	
Curve and Paluxy Creek Bridge, M.P. 53.6 to 53.8	30	30	
3 Curves, M.P. 55.3 to 55.8	40	35	
3 Curves and Paluxy Creek Bridge, M.P. 56.4 to 57.4	30	30	
10 Curves, M.P. 60.3 to 66.2	40	35	
2 Curves and Bosque River Bridge, M.P. 71.0 to 71.9	30	30	
Curve, M.P. 72.4 to 72.6	55_	35	
5 Curves, M.P. 75.1 to 76.8	40	35	
19 Curves, M.P. 79.6 to 86.2 Curve, M.P. 86.7 to 86.9	55	40	
7 Curves, M.P. 89.0 to 91.8	40	35	
8 Curves, M.P. 95.9 to 98.4	40	35	
3 Curves, M.P. 98.6 to 99.8	50	1 40	

LOGAMION	MILES PER HOUR		
LOCATION	Pass-	Freight	
*	enger	And Mixed	
4 Curves, M.P. 101.1 to 102.4	50	40	
9 Curves, M.P. 111.1 to 114.0	50	40	
4 Curves, M.P. 114.1 to 115.1	40	40	
Curve, M.P. 118.1 to 118.4	60	45	
13 Curves, M.P. 122.0 to 126.9	40	40	
3 Curves and Pecan Bayou Bridge	l 10	<u>**</u> .	
M.P. 345.2 to 345.9	35	25	
2 Curves, M.P. 347.7 to 348.2	30	30	
Entrance Brownwood Yard M.P. 348.2 to 349	20	20	
SWEETWATER DISTRICT	] [		
Entrance Brownwood Yard M.P. 348.2 to 349	20	20	
4 Curves, M.P. 350.8 to 353.2—Southward	40	80	
Northward	40	25	
Curve, M.P. 358.9 to 359.1	65	50	
Curve, M.P. 362.3 to 362.7	55	40	
Curve, M.P. 366.8 to 367.0	65	50	
Curve, M.P. 369.4 to 369.6	70	55	
Curve, M.P. 371.2 to 371.5	70	55	
3 Curves, M.P. 380.2 to 381.9	60	45	
2 Curves, M.P. 383.4 to 383.8	60	50	
Curve, M.P. 386.3 to 386.6	55	40	
Curve, M.P. 391.3 to 391.7	60	45	
Curve, M.P. 395.2 to 395.7	70	55	
2 Curves, M.P. 397.6 to 398.3	50	45	
Curve, M.P. 399.6 to 400.1	60	45	
Curve, M.P. 410.7 to 410.9	55	40	
Curve, M.P. 411.0 to 411.3	70	55	
2 Curves, M.P. 455.7 to 457.1	60	45	
Curve, M.P. 458.0 to 458.3	55	40	
Curve, M.P. 460.4 to 460.6	60	50	
SAN ANGELO DISTRICT	<u> </u>		
Curve, M.P. 0.0 to 0.3	35	30	
Curve, M.P. 8.7 to 9.2	40	35	
Curve, M.P. 10.5 to 10.7	40	25	
4 Curves, M.P. 13.1 to 14.0	45	35	
Curve and Colorado River, Bridge, M.P. 37.4 to 37.7	30	20	
PARIS DISTRICT	1	1	
Curve, M.P. 62.6 to 62.7	1 40	30	
Track, M.P. 113.4 to 113.6 Wolfe City	15	1 15	
2 Curves, M.P. 121.4 to 122.0 Track M.P. 143.7 to 150.4	30	25	
	45	30	
PAULS VALLEY DISTRICT	1	<u> </u>	
3 Curves, M.P. 151.9 to 152.9	35	30	
Curve, M. P. 168.6 to 168.9	35	25	
Curve, M.P. 176.5 to 176.8	50	35	
Curve, M.P. 182.8 to 183.0	10	1 10	
LINDSAY DISTRICT	<u> </u>	<u> </u>	
Washita River Bridge, M.P. 21.7 to 21.8: Diesels, all classes, single or multiple units (Class 600, 602, 800, 900, 2100 and 2600	15	15	
single head only) 3 ply chord bridges 3.6, 8.6, 10.7, 21.5 and 23.7: Diesels, all classes, single or multiple units			
(600, 602, 800, 900, 2100 and 2600 single head only)	10	10	
<del></del>	!	!	
CRESSON DISTRICT	<u>L</u>	<u> </u>	

#### (B) MAXIMUM SPEED OF ENGINES AND MOTOR CARS.

	MILES PER HOUR			
DIESEL AND GAS-ELECTRIC			Backing Or When Controlled	
	Forward	Light Forward	From Rear Unit	Dead-In- Train
11-90, 300-314	100	80	45	90
325-344	80	80	45	80
100-289, 401-430	65	65	45	60
600-611	65	65	45	60
99, 700-751, 2099, 2100-2162, 2650-2893, 3000-3019	65	65	45	60
450, 451	30	30	30	20
460-468	35	35	35	20
500-564, 625-633, 1500-1587, 2200-2299, 2301-2304, 2310-2391, 2394-2399, 2403-2441, 2600-2606	45	45	45	45
650-653	40	40	40	30
800-849, 900-979, 1100-1124	75	75	45	60
RDC 191, 192 (Coupled)	80	80	70	70
RDC 191, 192 (Single Unit)	80	80	50	70
M115, 118, 119, 122, 126, 186	65	65	25	60
M160	70	65	25	70
M190	80	65	25	75

Other lines' engines operating over Northern Division will not exceed maximum speed prescribed in this table for engines of the same type.

(C) DEAD ENGINES.

Engines must not be handled dead in train without special instructions.

(D) MOVEMENTS OVER SUBMERGED TRACKS. (Rule 817). Equipment listed below must not be moved through water above top of rail greater than the depths and not in excess of the speeds shown:

Types of Equipment	Maximum Depth Above Topof Rail (Inches)	Speed in	Maximum Speed Under Own Power (M.P.H.)
Diesel Engines:			
450-451	2	5	5 _
11-15, 80-87, 600-611, 800-849, 2099-2162	3	5	Б
51-78, 90, 650-653, 2301-2302, 2310-2321, 2600-2606, 3000-3019	4	5	5
460-468	41/2	5	5
16-48, 99, 101-844, 407-430 500-564, 625-633, 700-751, 900-979, 1100-1124, 1500-1537, 2200-2299, 2303-2304, 2322-2399, 2403-2441, 2650-2893	5	5	5
Diesel-Electric and Gas-Electric Motor Cars	3	5	5
Passenger Cars:			ī
Roller Bearings	8	5	0
Friction Bearings	12	5	0

#### (E) DERRICKS, CRANES, ETC.

Trains handling derricks, cranes, clam shells, ditchers, spreaders (except spreaders with wings folded and fastened) and similar machinery moving on their own running gear must not exceed speeds indicated:

DISTRICT		AT 199452 AT 199453
First, Second and Sweetwater	30 20 train except	45 20 on author-

#### (F) TURNOUTS AND CROSSOVERS.

In heading in or out over the following turnouts and crossovers, trains or engines must not exceed indicated speed. On all other main track turnouts and crossovers not listed herein, trains or engines must not exceed fifteen (15) miles per hour. On all other turnouts and crossovers, trains or engines must not exceed speed of ten (10) miles per

I — Interlocking

STATION '	ΓYΙ	PE LOCATION	MILES PER HOUR
		FIRST DISTRICT	
Purcell	I	South end tail track south end yards	30
Wayne	I	Both ends siding	30
Paoli	I	Both ends siding	30
Pauls Valley	I	South leg wye Lindsay District	15
	Î	Both ends siding Three intermediate crossovers	30
W	<u> I</u>		30 30
Wynnewood _ Davis	- <u>i</u> -	Both ends siding  Both ends siding	30
Davis Dougherty	- <u>†</u>	Both ends siding	30
Gene Autry	- <del>i</del>	Both ends siding	80
Ardmore	Ť	Both ends siding	25
Overbrook	- <u>i</u> -	Both ends siding	80
Marietta	Ī	Both ends siding	30
Thackerville	Ť	Both ends siding	30
North Yard	Ī	North end tail track north end yards	30
HOIM Taru	Î	Crossover main track to tail track	30
·		SECOND DISTRICT	
Gainesville	1	South end siding	15
Valley View	Ī	Both ends siding	30
Dalton Jct.	ī	Both ends siding	30
	Ī	Both ends pocket track	30
. <u></u>	I	Turnout to Dallas District	40
Ponder	I	Both ends siding	80
Justin	I	Both ends siding	30
Haslet	_I	Both ends siding	80_
Saginaw	I	Both ends east and west sidings	30
No. Ft. Worth	I	Both ends siding	30
Polks	Ţ	North end siding South end siding	80 15
Birds	- <u>Ī</u>	Both ends siding	30
<u> </u>	<u>I</u>	Dublin District Junction switch	15 30
Crowley	S	Both ends siding	80
Joshua	8	Both ends siding	80
Cleburne	S	North end tail track north end of yard	80_
T) . 11 .		DALLAS DISTRICT	10
Dallas	I	Terminal Junction South end two tracks	30
	Ī	Santa Fe Jct.	10
	Ī	North end two tracks, T. & N. O. Crossing	30
Zacha Jet.	Ī	Both ends siding	30
	Î	Turnout to Paris District	30
		DUBLIN DISTRICT	
Birds	I	South connecting track switch	15
Belt Jct.	S	North wye switch	15
Primrose	Ι	Both ends siding	30
Cresson	Ι	Both ends siding and Cresson Dist. Connection	30
Waples	I	Both ends siding	30
Tolar	Ī	Both ends siding	30
Immermere	Ī	Both ends siding	30
Stephenville	Ť	Both ends siding	30
Dublin	Ī	Both ends siding	30
Proctor Proctor	Ť	Both ends siding	30
	_		
Comanche	I	Both ends siding	30

STATION	TYPE	LOCATION	MILES PER HOUR
	DUBI	LIN DISTRICT (Cont'd)	<u> </u>
Delaware	I	Both ends siding	30
Ricker	I	Both ends siding	30
	I	Both ends pocket track	30
	I	Lampasas District connection	40
Brownwood	I	North end tail track new yard	30
	SWE	ETWATER DISTRICT	. 1
Gravity	S	Both ends siding	30
Bangs	S	Both ends siding	30
Obregon	S	Both ends siding	30
Santa Anna	S	Both ends siding	30
San Angelo Jo	et. S	Both ends siding	30
	S	San Angelo District connection	30
Coleman	S	Both ends siding	30
Hamrick	S	Both ends siding	30
Silver Valley	S	Both ends siding	30
Novice	S	Both ends siding	30
Goldsboro	S	Both ends siding	30
Lawn	S	Both ends siding	30
Tuscola	S	Both ends siding	30
Buffalo Gap	S	Both ends siding	30
View	S	Both ends siding	30
Cozart	S	Both ends siding	30
Blair	S	Both ends siding	30
Toland	S	Both ends siding	30
Herndon	_ <u>s</u> _	Both ends siding	30
Tecific	S	Both ends siding	30
Sweetwater	<u> </u>	North end Passenger yard,	<u> </u>
	_	Track No. 1	30
	I	South end Passenger yard,	
	s	Track No. 1 Orient Jct.	15 15

#### (H) MOST RESTRICTIVE SPEED GOVERNING.

Where there is a difference in speed restrictions for trains, engines, track conditions or turnouts, the most restrictive speed will govern.

11. YARD LIMITS: Following stations have yard limits. (Rule 93.)

Pauls Valley (on Lindsay and Pauls Valley Districts only.)

Ardmore (on Ringling District.)
Birds (from yard limit board south of Birds on Second District, and south of Belt Jct. on Dublin District, to northward home signal south end Birds).

Brownwood (from end T.C.S., northward home signal 1491 feet north of Passenger Station, Brownwood, Dublin District, to yard limit board south of Brownwood on Sweetwater District). Dallas (including Hale and East Dallas).

Cleburne (including Weatherford Jct.).

Garland Wolfe City Farmersville Paris

Ada Lindsay

Maysville Cresson (Cres-Ringling son Dist. only)
Healdton Sweetwater
Shawnee Alvey Jct.

12. OVERHEAD AND SIDE OBSTRUCTIONS. (Rule 761.)

Mile Post   Name			
	FIRST AND SECOND DISTRICTS		
318.1	Viaduct, Cleburne yard		
318,8	Viaduct, Cleburne, Boone St.		
320.9	Viaduct, Highway		
339.9	Viaduct, Highway		
344.1	Viaduct, Ft. Worth, S. Main St.		
344.3	Viaduct, Ft. Worth, Allen Ave.		
345.1	Viaduct, Ft. Worth, Hattie St.		
348.13	Viaduct, Highway		
348.5	Trinity River		
349.39	Viaduct, Highway		

Mile Post	Name
350.9	Viaduct, Highway
381.6	Viaduct, Highway
388.6	Viaduct, Highway
411.85 413.1	Viaduct, Highway Viaduct, Highway
418.3	Red River
450.8	Viaduct, Ardmore, 5th Ave.
451.1	Viaduct, Ardmore, SL-SF Ry.
452.1	Viaduct, Highway
465.7	Crusher Spur
<b>466.4</b>	Carter Bros. Spur
474.1	Rayford Spurs
476.1	Viaduct, Highway
	DALLAS DISTRICT
12.3	Viaduct, Alvarado, Highway
19.94	Viaduct, Venus, I-G.N. Ry. Viaduct, Highway
32.64	Viaduct, Highway
35.7	Viaduct, Highway
43.6 48.65	Viaduct, Highway
	Viaduct, Highway
49.5 51.1	Viaduct, Marsalis Ave. Trinity River
51.7	Signal Bridge
52.9	Viaduct, Dallas, Oakland St.
57.05	White Rock Creek
66.7	Viaduct, Skillman Road
66.83	Viaduct, Forest Lane Road
76.6	Viaduct, Highway
83.3	Viaduct, Highway
85.7	Viaduct, Government Road
	DUBLIN DISTRICT
3.0	Viaduct, Highway
39.2	Strouds Creek
<b>53.6</b>	Paluxy Creek
56.4	South Paluxy Creek
70.48	Viaduct, Highway
71.3	Bosque River
98.0	Leon River
106.9	Viaduct, Highway
344.9 345.3	Viaduct, Highway Pecan Bayou
	SWEETWATER DISTRICT
970.7	
370.7 417.8	Viaduct, Highway
	Viaduct, Highway   Viaduct, Highway
426.5 449.3 <b>4</b>	Viaduct, Highway
3.02	Viaduct, Highway
	SAN ANGELO DISTRICT
37.6	Colorado River
	PARIS DISTRICT
91.3	Viaduct, Farmersville, Highway
	PAULS VALLEY DISTRICT
176.0	Viaduct, Highway
169.5	Viaduct, Highway
166.2	Canadian River
164.8	Viaduct, Highway
137.29	Viaduct, Highway
132.7	Viaduct, O. C. A. & A. Ry.
132.6	Viaduct, C. R. I. & P. Ry.
	LINDSAY DISTRICT
21.7	Washita River
	HALE CEMENT LINE
3.54	Overhead Gas Main
3.56	Viaduct, Highway
4.68	Viaduct, Highway
4.71	Viaduct, Highway
5.5	Viaduct, Highway
<u>7.2</u>	Viaduct, Highway
Emplo pit cattle	yes must inform themselves as to location of surface and guards and use due care to avoid injury therefrom.

13. It is dangerous to have flame lights of any kind near oil tanks, oil cars, oil pipe lines, oil pumps, oil vats, or any receptacle used in handling or storing oil. Employes are particularly enjoined against having flame lights near openings where oil is exposed.

#### 14. BULLETIN BOOKS ARE LOCATED AT:

Cleburne Ardmore Shawnee San Angelo Fort Worth Purcell Pauls Valley Dallas East Dallas Paris

#### 15. STANDARD CLOCKS ARE LOCATED AT:

Cleburne (Yard Office, Passenger Station and Roundhouse)
Fort Worth (Yard Office and Dispatcher's Office)
North Yard (Yard Office and Roundhouse)
Ardmore
Pauls Valley
Purcell (Passenger Station and Roundhouse)
Shawnee
Dallas (Passenger Station)
East Dallas
Paris
Brownwood (Passenger Station, Roundhouse and Yard Office)
San Angelo.
Sweetwater (Yard Office, Round House and Passenger Station).

#### 16. STANDARD THERMOMETERS ARE LOCATED AT:

Cleburne Ardmore Purcell Coleman
Fort Worth Dougherty Brownwood East Dallas
North Yard Sweetwater San Angelo Paris
Ballinger

#### 17. RAILROAD CROSSINGS AT GRADE.

NORTH YARD—M-K-T. 0.1 mile south of station. Interlocking. SAGINAW—F.W.& D. Interlocking.

SAGINAW-C.R.I.& P. Interlocking.

NORTH FORT WORTH .- F.W. Belt. Interlocking.

NORTH FORT WORTH-St.L.S.W. Interlocking.

NORTH FORT WORTH—St.L.S.F.& T. Interlocking

FORT WORTH-T.& N.O. 0.3 mile south of station. Interlocking.

FORT WORTH—T.& P. Six crossings, 0.3 mile, 0.4 mile and 0.5 mile south of station. Interlocking.

FORT WORTH—T.& N.O. 0.5 mile south of station. Interlocking. POLKS—T.& N.O. Interlocking.

BIRDS—St.L.S.F.& T. 0.4 mile south of station. Interlocking.

ALVARADO-M-K-T. 1.3 mile south of station. Interlocking.

MIDLOTHIAN—T.& N.O. 0.4 mile north of station. Interlocking. Maximum speed 15 M.P.H. Speed applies only to head end of train.

DALLAS-M-K-T. Two crossings, 0.1 mile south of Santa Fe Jct.

Interlocking.

DALLAS—St.L.S.W. 0.1 mile north of Santa Fe Jct. Interlocking.

DALLAS—T.& N.O. 0.8 mile north of Santa Fe Jct. Interlocking.

EAST DALLAS—T.& N.O. 0.1 mile north of station. Crossing rate. Approach prepared to stop. When gate is set for movement, proped over crossing at not exceeding 6 M.P.H. without first having made

gate. Approach prepared to stop. When gate is set for movement, proceed over crossing at not exceeding 6 M.P.H. without first having made full stop. If gate is set against movement, STOP, and if no movements observed approaching on conflicting route, gate may be set for movement over crossing. If gate is inoperative or light not displayed, STOP, and route must be known to be clear before proceeding.

EAST DALLAS—T.& P. Two crossings 0.4 mile north of station. Interlocking.

BETWEEN WHITE ROCK & RICHARDSON—M.P. 70.1 T.&N.O. Interlocking.

GARLAND—M-K-T. 0.4 mile north of station. Interlocking. Maximum speed 20 M.P.H. Speed applies only to head end of train.

FARMERSVILLE—L.& A. 0.1 mile north of station Crossing Gate, STOP, See Rules 98, A, B, C & D.

CELESTE-M-K-T. 0.1 mile north of station. Interlocking.

PARIS—T.& P. 0.8 miles south of station. Interlocking. Maximum speed 20 M.P.H. Speed applies only to head end of train.

TUSCOLA—A.&S. 0.6 mile south of station. Cabin Interlocking. If Home Signal in stop position and cause is not apparent crew member must go to cabin and be governed by instructions contained therein. Maximum speed, Passenger 50 M.P.H. Freight and Mixed 40 M.P.H.

BALLINGER—A.&S. 0.4 mile north of station. Cabin Interlocking. If Home Signal in stop position and cause is not apparent crew member must go to cabin and be governed by instructions contained therein. Maximum speed 20 M.P.H.

DUBLIN—M-K-T. 0.1 mile south of station. Interlocking. Maximum speed 20 M.P.H. Speed applies only to head end of train.

- 19. SIGNAL—WEATHERFORD JCT.: Rule 321(E) applies at the signal governing movements from Cresson Dist. to Second Dist.

SIGNAL — SAN ANGELO JCT.: Rule 321(E) applies at the signal governing movements from San Angelo Dist. to Sweetwater Dist.

#### 20. TRAIN SIGNALS: (Rule 19).

The St. L. & S. F. Ry., St. L. S. F. & T. Ry., and L. & A. Ry., markers will display green instead of yellow indications and such green indications will have same meaning as yellow.

#### 21. STATUTORY REGULATIONS.

IN TEXAS a railroad company has a right to eject from its trains any passenger who refuses upon demand to produce a proper ticket or other transportation, or pay his fare to his destination, and he may be expelled at any point on the line of the road whether at a station or otherwise, with this limitation: In case a person is, by reason of any infirmity, unable to travel or find his way from the point where he is put off to a dwelling house or town, or the weather so inclement as to render it unsafe or inhuman to eject a person at a point other than a station, then such person should be ejected from the train at a station where suitable accommodation can be procured for his safety and comfort.

IN OKLAHOMA, A passenger can only be ejected at any usual stopping place or any dwelling-house.

A passenger refusing to pay his fare can only be put off the cars at any usual stopping place the conductor shall elect.

Drunken or disorderly persons, or others whose conduct and appearance is such as is calculated to operate as a serious annoyance to other passengers or is disgusting, or a passenger who is guilty of gross misconduct, either by insulting or assaulting other passengers or train employes, who uses vile or profane language in the car, or who threatens to assault other passengers or train employes, may lawfully be expelled from the train at any place, provided the place is not such as to cause want or injury; this may be done whether fare has been paid or not.

In addition to complying with the law requiring blowing of whistle and ringing of bell at crossings of public roads or streets, when anyone in an automobile or other vehicle, riding, or walking, is approaching a crossing and apparently does not intend to stop, an additional alarm should be given by whistle, brakes set in emergency, and everything possible done to prevent an accident.

Where the engineer cannot at the same time blow the whistle and set the brakes, and it is apparent that the train or engine cannot be stopped before reaching the crossing, and other party has still time to stop before reaching the crossing, additional alarm by whistle should be first given and then brakes immediately set.

W. B. SARGENT GEO. E. WATKINS MRS. MOLLIE W. ARMSTRONG	
ARS. MOLLIE W. ARMSTRONG	
THE PARTY OF THE P	Brownwood
ARCHIE OWINGS (Assistant)	Brown wood
ERNIE W. STROBÈL	Brownwood
. J. C. HOLLAND	
., M. SANFORD	San Angelo
PAUL TERRELL	Sweetwater
BERNARD L. GORDON	Shawnee
EON R. WYATT	Purcel
M. B. SMITH	Pauls Valles
OON A. DRAKE	Healdtor
N. S. ABRAMS	Ardmore
R. C. BROWNING	Gainesville
	———— Gamesville
STANLEY RIGGS	
W. E. ALTFATHER ROBERT MONTGOMERY	Dallar
ODERI MONIGOMERI	Dalia

#### LOCAL SURGEONS

Dr. G. P. BAIN, Chief Physician

Drs. BRINDLEY and SPEED, Chief Surgeons

Dr. EVERETT R. VEIRS, Chief Oculist

Dr. W. C. McCURDY	Purcell
Dr. W. T. STONE	
Dr. C. C. YOUNG	Shawnea
Dr. S. A. McKEEL	Ada
Dr. OLLIE McBRIDE	Ada
Dr. RAY H. LINDSEY	Pania Valley
Dr. R. E. SPENCE	Paula Valley
Dr. D. M. EGGENBERG	Davis
Dr. W. H. SMITH	Lindsay
Dr. M. E. ROBERSON	
Dr. W. J. GRAY	Marietta
Dr. DON J. WILSON	Marietta
Dr. J. M. GORDON	Ardmore
Dr. THORNTON KELL	Ardmore
Dr. ROGER REID	Ardmore
Dr. RAY B. GRAYBILL	Ardmore
Dr. E. SAIKIN	
Dr. D. M. BROWN	Gainesvill <b>e</b>
Dr. R. W. COCHNOUR	Justin
Dr. H. M. BURGESS	
Dr. W. S. MILLER, JR.	
Dr. CONRAD KINARD	
Dr. JAMES D. THOMAS	
Dr. J. H. JONES	Denton

Dr. HAL V. NORGAARD	Denton
Dr. CARL M. AUSTIN	Ft Worth
Dr. M. H. CRABB	Ft. Worth
Dr. H. K. KIBBIE	Ft Warth
Dr. E. I. CLARK	Clabura
Dr. GATES R. BARKER	Cleburne
Dr. P. L. ALLEN Dr. H. EARL TAYLOR	Weatherford
Dr. H. EARL TAYLOR	— Dallas
Dr. SIDNEY GALT	Dalles
Dr. C. L. TUBB	Dollos
Dr. O. J. WADDELL _	Dollag
Dr. J. W. LANIUS Dr. PAUL W. MATHEWS	Dallas
Dr. PAUL W. MATHEWS	Dallas
Dr. W. T. GREEN Dr. E. R. RICHARDSON	Dallas
Dr. E. R. RICHARDSON	Dallas
Dr. A. W. Shannun	Palled
Dr. FRANK O'SEAY	Dalles
Dr. J. S. TERRY	Dallas
Dr. GERALD J. KOCHEVAR	Midlethian
Dr. RICHARD B, HARTIN	Garland
Dr. JACK L. WEBB	Farmersville
Dr. T. H. ALLISON	Farmersville
Dr. WM. De G. HAYDEN	Paris
Dr. C. A. KUNATH	San Angelo
Dr. G. L. NESRSTA	Sen Angelo
Dr. CHAS, F. BAILEY	Ballinger
Dr. A. H. FORTNER	Sweetwater
Dr. J. K. RICHARDSON	Sweetwater
Dr. R. H. TULL	Ahilene
Dr. J. C. SNOW	Abijene
Dr. J. C. YOUNG	Coleman
Dr. C. M. HENNER	Santa Anna
Dr. J. R. REHNGREN	Nanta Anna
Dr. J. B. STEPHENS	Bange
Dr. ERNEST F. CADENHEAD	Brown wood
Dr. P. M. WHEELIS	Brownwood
Dr. NED SNYDER Dr. ROGERS K. COLEMAN	Brown wood
Dr. ROGERS K. COLEMAN	Brownwood
Dr. O. N. MAYO	Brown wood
Dr. P. T. McGOWAN	Brownwood
Dr. F. D. SPENCER	Brownwood
Dr. SEALE T. CUTBIRTH	Brownwood
Dr. GENE R. LINDLEY	Brownwood
Dr. J. C. TERRELL	Stephenville
Dr. L. K. ORY	Comanche
Dr. JOE PATE	Dublin

#### EYE, EAR, NOSE AND THROAT SPECIALISTS

Dr. W. R. MOTE	Ardmore
Dr. CHAS, K. MILLS	Gainesville
Dr. WEBB WALKER	Ft. Worth
Dr. J. E. MITCHELL	Ft. Worth
Dr. J. W. PICKENS	
Dr. F. H. NEWTON	Dallas
Dr. DAVID S. STAYER	Dallas
Dr. T. E. HUNT	Paris
Dr. CHASE S. THOMPSON	San Angelo
Dr. VIRGINIA BOYD	Abilene
Dr. S. BRASWELL LOCKER	Brown wood
Dr. VANCE TERRELL	

## CONDITIONAL STOPS SHOWN BELOW WILL BE MADE ONLY FOR REVENUE PASSENGERS The term "beyond" refers to regular, flag or conditional stops authorized herein.

Temple Temple Temple

TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM
15	Marietta, Okla. McGregor, Texas. Mykawa, Pearland, Algoa, Arcadia, Alta Loma and Hitchcock.	Fort Worth, Dallas and beyond. Houston and beyond.	Oklahoma City and beyond. Oklahoma City and beyond. Stations beyond Houston.
16	Marietta, Okla. McGregor, Texas. Algoa, Pearland and Mykawa, Hitchcock, Alta Loma, Arcadia.	Oklahoma City and beyond. Oklahoma City and beyond. Stations beyond Houston.	Houston and beyond. Fort Worth and beyond.
65	Rogers, Cameron, Milano, Somerville, Bellville, Sealy and Wallis.		Brownwood and beyond.
66	Wallis, Sealy, Bellville, Somerville, Milano and Rogers.	Brownwood and beyond.	
75	Belton. Bangs and Santa Anna.	West of Brownwood. West of Coleman.	Houston and beyond.
76	Santa Anna and Bangs. Belton	Houston and beyond.	West of Coleman. West of Brownwood.

Attendants accompanying livestock or other shipments may be carried on the train handling shipment of which they are in charge, when provided with proper transportation.



# SANTA FERST



Every employe should report promptly to his Superintendent, Trainmaster or some member of Safety Committee or other proper person, every unsafe condition or practice.

(See Rules E and F)

