SURGEONS AND PHYSICIANS

HoustonChief Surgeon
HoustonAsst. Chief Surgeon
HoustonDermatologist
HoustonAllergist
HoustonGenito-uringry Disease
HoustonEye
HoustonInternist
HoustonOrthopedist
Houston Eye, Ear, Nose & Throat
HoustonX-ray
HoustonLocal Surgeon
HoustonLocal Surgeon
HoustonLocal Surgeon
Fort WorthLocal Surgeon
Fort WorthDR. R. J. WHITELocal Surgeon
DallasLocal Surgeon
DalfasConsulting Surgeon
WaxahachieDR. T. G. ESTESLocal Surgeon
WaxahachieDR. B. C. WALLACELocal Surgeon
WaxahachieDR. M. E. HASTINGSLocal Surgeon
Bardwell Local Surgeon
(Ennis, Texas)
CorsicanaLocal Surgeon
CorsicanaLocal Surgeon
CorsicanaLocal Surgeon
TeagueDivision Surgeon
TeagueDivision Surgeon
TeagueLocal Surgeon
MexiaLocal Surgeon
BuffaloLocal Surgeon
NormangeeLocal Surgeon
North ZulchDR. J. E. REED, JRLocal Surgeon (Madisonville, Texas)
Tomball
Tomball
GalvestonDR. JOHN McGIVNEYLocal Surgeon

OFFICIAL HOSPITALS

Place	Name	Telephone
Fort Worth, 1402 S. Main	St. Joseph's	ED 6-9381
Teague, 1014 N. 4th	City Hospital	79
Houston, 1910 Crawford	St. Joseph's	CA 8-0511
EMERGI	NCY HOSPITALS	
Dallas, 3500 Gaston	Baylor	TA 4-5411
Dalles, 3121 Bryan	St. Paul	ТА 3-4141

Whenever any person, other than a trespasser, sustains injuries on Company property requiring immediate medical attention, the nearest Company surgeon should be summoned by the officer or employe of highest rank present.

In case of emergency when the attendance of the Company Surgeon cannot be had at once, the most available surgical aid should be called to serve until the Company Surgeon arrives. No Important surgical operation should be made previous to the arrival of the Company Surgeon, except such as may be required for the Immediate safety of the patient.

In case of <u>injury to trespassers</u>, a physician—the Company Surgeon when available—should be summoned only in case the injury renders the patient incapable of seeking medical attention himself. An injured trespasser should not, except in emergency, be removed from the county in which the injury occurs, but arrangements should be made to turn the patient over to the county authorities in case he cannot provide for his own care after emergency service has been rendered.

DR. A. PHILO HOWARD Chief Surgeon Houston, Texas

M. G. MONAGHAN General Manager Fort Worth P. F. THOMAS Superintendent Teague

P. R. JOHNSON Supt. of Transportation Fort Worth

Fort Worth and Denver Railway Co. Chicago, Rock Island & Pacific Railroad





TIME TABLE

JOINT TEXAS DIVISION

(FW & D Ry Operating)

No.



EFFECTIVE AT 12:01 A. M. CENTRAL STANDARD TIME

SUNDAY, OCTOBER 25, 1959

DESTROY ALL TIME TABLES OF PREVIOUS DATE

This Time Table is for the exclusive use and guidance of the employes concerned, who must carry in addition thereto the Book of Rules of the Operating Department.

M-K-T Jct. and Teague — Subdivision No. 1 JOINT TEXAS DIVISION TIME TABLE No. 5 EFFECTIVE OCTOBER 25, 1959

J.	SOUTH	WARD		, ,	, ,		'	Capa		1	 	NORTH	/WARD_	
SECONF	D CLASS	FIRST	CLASS	1	, ,	1	! !	1		1	FIRST	CLASS	SECOND	CLASS
75	79	3	17	Offics Open Week Daye	, ,		STATIONS			Office Open	4	18	76	98
Freight	Freight	Sam Houston Zephyr	Twin Star Rocket	Except Saturdays	Signe	Mile Post Location	J	Sidings	Other Tracks	Saturday and Sunday	Sam Houston Zephyr	Twin Star Rocket	Freight	Freight
Dally	Dally	Daily	Dally	I	<i>উ</i>	<u> </u>	! 	ळ	<u></u> 5	i	Daily	Daily	Daliy	Daily
PM	PM	РМ 5.00	ь AM ь 9.55				DALLAS TO	· _			PM 412.47	PM 4 8.50	AM	PM
650	ı 12.50					301.3	CADIZ ST. JCT. TO						4.00	4.5
Trains	between	Dallas a	and Endot	are governed k	y rules	and tir	metable of U. T. Co.				· <u>·</u>			
• • • • • •	<u> </u>	: 7	1 1		<u></u>	299.8	ENDOT		$\overline{\Box}$	1				
Trains	between	Endot ar	ad M-K-T	Jct. are govern	ed by ru	Jes ar	nd timetable of M-K-T R.R.				<u></u>			
7.50	1.58	5.35	10.29	[]		271.6	MKT JCT.			Ī	12.07	8.11	3.06	3.4
8 ¹⁸ 8 ⁰ 9	2.01	5.38	*10-31	Continuous	RY Yd	270.9	WAXAHACHIE TO	90	148	Continuous	12.05 PM	⁷⁵ 8 8 09	3.01	3.4
	· · · · ·	<u> </u>	[<u> </u>	<u> </u>	270.4	TNO CROSSING		 		-		i	
8.27	2.19	5.50	10.42	9:00 s.m1:00 p.m. 2:00 p.m6:00 p.m.	V .	258.7	11.7 BARDWELL TO	110	81	Closed	11.54	7.57	241	3.1
8.34	2.26	554	10.46	No Office		253.4	ONION CREEK P	42	17	No Office	11.49	7.52	2.33	3.0
8.42		5.59	10.51	No Office	<u> </u>	248.4	EMHOUSE P	51	22	No Office	11.44	7.48	2.25	2.5
851	98 2.43	6.05	10.57	1	Yd	241.6	NORTH CORSICANA P	125	<u> </u>	1	11.36	7.40	2.13	79 2.4
8.54			s 11·O1		Yd.	239.9	CORSICANA P	45	346		8 11.34	· 7.39	2.10	2.
				Continuous		239.7	SSW CROSSING (Interlocked) TO			Continuous				
9.06	2.58	6.17	11.09	No Office		231.5	NAVARRO P	50	13	No Office	11.23	7.28	1.58	2.
9.19	3.11	6.24	11.16	9:00 a.m12 Noon 1:00 p.m6:00 p.m.	'	222.4	STREETMAN TO	78	39	Closed	1 1·1 6	7.21	1.45	1.5
9.21				No Office	Ĺ'	214.7	KIRVIN P	51	16	No Office	11.07	7.15		1.
10.00 PM	3.45 PM	4 6.39 PM	11.32	Continuous	FRTW Y Yd.	204.3	TEAGUE TO 97.8	Yard	Yard	Continuous	10.57	1 7.06 PM	L 1.15	ь <u>1</u> . РМ
3:10 30,6	2:55 33_2	1:39 59.1	1:37 59.0			- J	SCHEDULE TIME AVERAGE MILES PER HOUR	· '		,	1:50 53.2	1:44 56.3	2;45 35,2	3:2 29:1

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

Automatic Block System in effect between Waxahachie and Teague, Rules 350

Between M-K-T Jct. and North Siding Switch Waxahachie trains have no time table superiority, trains and engines must run at restricted speed.

At Taugue, between North fort Worth Main switch opposite Freight House and signal N 203.8, trains have no time table superiority. Trains and engines must run at restricted speed.

When first-class trains meet at Teague, the train taking siding will use the old Fort Worth main track, which is the first track west of main track at passenger depot.

Form Y orders are authorized.

JOINT TEXAS DIVISION

Teague and Belt Jct.—Subdivision No. 2 TIME TABLE No. 5 EFFEC

EFFECTIVE OCTOBER 25, 1959

	SOUTH	IWARD	.*				•	ŧ	Сар	city			NORTI	IWARD	
SECOND	CLASS	FIRST	CLASS									FIRST	CLASS	SECOND	CLASS
79	75	3	17	Office Open Week Days Except			STATIONS			S)	Office Open Saturday and	4	18	98	76
Freight	Freight	Sam Houeton Zephyr	Twin Star Rocket	Saturdaya 	Signa	Mile Post Location			Sidinge	Other Tracks	Sunday	Sam Houston Zephyr	Twin Star Rocket	Freight	Freight
Dally	Daily	Dally	Daily		v.	₹	, the second		<u> </u>			Dally	Daily	Daily	Daily
PM 4.55	ь 12.01	PM - 6.41	^{ΔΜ} 11.34	Continuous	FRTW Y Yd.	204.3	TEAGUE	то	Yard	Yard	Continuous	^{AM} 4 10.55	PM 4 7.04	^{AM} 411.20	PM ▲11.10
5.14	12.20	16 6.54	11.45	No Office		193,2	DONIE 8.6	P	53	15	No Office	10.45	³ 6.54	10.55	10.43
5.25	1231	7.01	11.52	6:45 amII:45 am. 12:45 pm3:45 pm.		184.6	NEWBY 16.1	то	125	24	Closed	10.38	6.47	1043	10.31
5.49	12.56	7.16	PM 1207	No Office		168.5	FLYNN 	P	125	17	No Office	1023	6.32	1023	1007
6.01	1.08	7.23	1214	9:00 am12:00 n. 1:00 pm6:00 pm.		159.6	NORMANGEE	то	48	26	Closed	10.16	6.25	1002	9.55
18 6-19	1.20	s 7.31	12.20	7:00 am,-3:00 pm, 5:30 pm,-1:30 am,	1	151.8	7.8	то	110	21	7:00 am,-3:00 pm. 5:30 pm,-1:30 am,	s10.08	⁷⁹ 6 1 9	9.51	9.44
6.33	1.34	7.41	12.29	No Office		141.4	10.4 10LA 10.9	P	42	8	No Office	958	6.11	9.37	9.30
6.47	1.49	7.49	12.37	9:00 pm12:00 mn. 1:00 am6:00 am.		130.5	SINGLETON 	то	125	26	Closed	9.50	6.03	9.23	9.16
6.55	1.59	7.54	12.42	No Office		125.3	SHIRO 6,3	P	57	32	No Office	9.45	5.59	9.14	9.07
7.03	2.07	7.59	12.47	6:00 am10:30 am. 11:30 am3:00 pm.		119.0	RICHARDS	F	41	22	Closed	9.40	5.54	9.05	8.58
7.19	2.25	8.09	12.57		26	105.7	DOBBIN	P .	51	18		9.30	5.44	8.47	8.40
				No Office		105.6	GCSF CROSSING (Auto Inter	1)			No Office				
7.31	2.37	76 8 2 0	1.08	No Office		97.2	KAREN	P	125	10	No Office	9.22	5.36	8.34	3 8.20
7.38	2 44	8.25	1.13	No Office		91.7	VENTURA	P	59	10	No Office	9.17	5.31	8.26	8.06
76 7.58	254	8.30	1 19	8:30 am4:30 pm. 8:00 pm4:00 am.	Y	84.8	TOMBALL	то	96	163	18:00 pm4:00 am.	9 12	5.25	8.17	⁷⁹ 7.58
8.12	3.03	8.35	1 24	No Office		78.4	LOUETTA	P	. 63	- 8	No Office	9.07	5.20	8.08	7.50
8.23	3.12	8.40	1.29	No Office		71.4	CASEY 6.5	P	110	50	No Office	9.02	5.15	7.59	7.41
8.33	3.22	8.45	1.35	No Office	1.5	64.9	ROSSLYN	P	: 67	- 8	No Office	856	5.10	7.50	7.33
8.50	3.42	8 58	1.48	Continuous	RY Yd.	57.4	7.5 BELT JCT.	то	, .	1	Continuous	844	4.58	7.35	7.19
Trains	between	Belt June	ction, Hou	uston Union Stat	ion, and	New	South Yard, Houston, are gove	rned	by ru	lës an	d timetable of	HB&T Ry.		7	·
		л 9.25 РМ	2.15 PM	Continuous	Yard	:	Houston Union Station	то	Yard	Yard	Continuous	1 8.30			
11.59 PM	5.00 AM PM 4.30			Continuous	Yard		New So. Yd. Houstan	то	Yard	Yard	Continuous			6.45 A12.01	ь 6.30 РМ
Trains	between	New Sout	h Yard, I	Houston, and Ga	lveston o	re gov	erned by rules and timetable	of GC	C&SF I	ly.	· · · · ·		<u> </u>	<u> </u>	·
	4 6.30 PM			6:00 am2:00 pm. 4:00 pm12:15 am.	Yard		GALVESTON FRT. YD. 206.6	то	Yard	Yard	6:00 am2:00 pm. 4:00 pm12:15 am.			10.00 PM	
7:04 22.3	4:59 31.7	2:44 55.6	2:41 56.6				SCHEDULE TIME AVERAGE MILES PER HOUR		F 1			2:25 62.9	2:19 65.6	4:35 34.4	4;40 33,8

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTH-WARD.

Automatic Block System in effect between MP 60.6 to Teague, Rules 350 to 356.

At Teague, between North Fort Worth Main switch opposite Freight House and signal N 203.8, trains have no time table superiority. Trains and engines must run at restricted speed.

When first class trains meet at Teague, the train taking siding will use the old Fort Worth main track, which is the first track west of main track at passenger depot.

Train Order Office, Galveston Freight Yard, located 59th Street.

Form Y orders are authorized.

Teague and Mexia—Subdivision No. 3 JOINT TEXAS DIVISION TIME TABLE No. 5 EFFECTIVE OCTOBER 25, 1959

SOUTHWARD						Can	acity of		NORTH	WARD		
			Office Open Week Days Except Saturday	Signe	Mile Post Location	STATIONS	Sldings	Other Tracks	Office Open Saturday and Sunday			
 			8:00 a.m5:00 p.m.	Y Yd.	A217.9	MEXIA TO	Yard	52	Closed			
			No Office		A216.4	TNO CROSSING See Footnote			No Office			
			Continuous	FRTW Y Yd.	204.3	TEAGUE TO	Yard	Yard	Continuous			

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD. RULE 11 OF SPECIAL INSTRUCTIONS IN EFFECT.

T&NO Crossing at MP A-216.4, Subdivision No. 3, is protected by cabin type interlocking. Instructions for operating posted in cabin.

SPEED RESTRICTIONS

LOCATION	Passenger Trains M.P.H.	Freight Trains M.P.H.	Engines running forward light or with only one car	Freight Train Speed
ALL SUBDIVISIONS	Reduced	Reduced	Diesel switch engines, Series 345 to 350 must not be operated on main tracks in ABS territory, or to foreign line connections or through interlocking plants unless coupled with one or more cars.	· ;
All crossovers and turnouts, not otherwise specified.	Speed 10	Speed 10	When diesel engines moving dead in train are set out with doors locked and hand brakes not accessible, a	
MAXIMUM ENGINE SPEEDS			freight car, with operative hand brakes securely ap- plied must be coupled to the Dlesel and prompt report made to the dispatcher.	
345 to 377, inclusive		25		
500 to 528, Inclusive	;	30	Trains Handling Scale Test Car RI 95384	40
529 to 599; 700 to 707, inclusive	4	50	Trains handling CBQ, C&S or FWD Scale Test Car	25
716 to 749; 752 to 838; 1000 to 1016, inclusive	:	50	Indias manaring Case, Cas or PWD scale jest Car	25
145 to 160; 450 to 474, inclusive	.	65	Motor cars without cars approaching interlocking signals	10
38 to 127; 402, 404 to 411; 430 to 411, 425 to 429, inclusive, 675B, 676B, 677B	,	70	and within interlocking limits	10
1200 and 1300 Series	7	70	Train handling steam derrick, pile driver, spreader car with wings secured, locomotive crane, burro and cater	
400 and 401; 485 to 499; 621 to 623, inclusive	. 7	19	pillar crane, on own wheels, unless otherwise advised by car inspector or officer	25
403; 601 to 606; 625 to 656, inclusive; 675A, 676A, 750, 751	7	79	Above machines moving on own wheels should be han-	
9002 and 9003	4	55	dled on rear of train ahead of caboose and boom must be turned to trailing position at first point where can be done unless otherwise authorized.	
9012	4	10	20 Wolfe Gillott Giller Wild Boldgilles	
Other Motor Cars	6	50	These instructions will not apply to wrecking derricks with boom trailing when trained behind engine in wreck	
CB&Q 100 Series	•	55	train service, in such case speed restrictions will be as follows:	
FWD 700 Series	6	55	10110#3:	
FWD & C&5 800 Series	6	55	SUBDIVISION 1, 2	30
E 5, 7 & 8 Series	. 7	79	SUBDIVISION 3	15
Road freight or passenger diesels, other than road switchers, backing up			Ditcher, or other types of spreaders handled in trains in through movements, must have wings in trailing position when practical, while movement being made.	
When this being done except in switching movements o when shoving cars a member of the crew must be it the leading end of the unit within reach of the communicating signal or emergency valve.	nl		Air rail loaders must not be moved in through trains with boom up. When moved in through trains the booms must be disconnected, taken down and securely fastened to the floor of the car.	÷ .
Trains and engines making movement against current o traffic on two main tracks over facing point switches		30	Where speeds on any Subdivision or part thereof are lower than the above, THE LOWER SPEED WILL GOVERN.	

NOINT TEXAS DIVISION

TIME TABLE No. 5

EFFECTIVE OCTOBER 25, 1959

SPEED RESTRICTIONS (Concluded)

LOCATION	Passenger Trains MPH	Freight Trains MPH
SUBDIVISION No. 1 (except as shown below)	79	50
MP 204-0 to MP 205-11	40	40
MP 220-7 to MP 220-25	65	
MP 220-25 to MP 224-32	75	
MP 239-0 to MP 240-11	. 45	45
MP 239-25 S.S.W. Crossing	. 20	20
MP 240-11 to MP 240-18	40	30
MP 240-18 to MP 241-11	45	45
MP 244-7 to MP 244-19	60	40
MP 252-5 to MP 252-18	65	1.114
MP 261-4 to MP 261-16	70	
MP 261-16 to MP 263-0	75	
MP 263-0 to MP 263-9	. 65	40
MP 269-25 to MP 270-28	30	30

Between North Siding Switch Waxahachie and M-K-T Jct. Restricted Speed.

LOCATION	Passenger Trains MPH	Freight Trains MPH
SUBDIVISION No. 2 (except as shown below)	79	50
MP 57-14 to MP 65-0	. 45	45
MP 65-0 to MP 67-0	. 60	
MP 91-0 to MP 102-0 (except as shown below)	75	.,
MP 92-21 to MP 92-34	60	. 40
MP 94-5 to MP 94-14	70	
MP 95-30 to MP 96-3	70	
MP 97-9 to MP 97-16	. 70	
MP 99-0 to MP 99-11	. 70	
MP 100-24 to MP 100-34	70	
MP 102-0 to MP 107-0 (except as shown below)	60	40
MP 102-34 to MP 103-4	. 50	35
MP 107-0 to MP 129-0 (except as shown below)	75	
MP 124-1 to MP 124-11	70	
MP 126-19 to MP 126-34	60	40
MP 174-11 to MP 180-25 (except as shown below)	75	,
MP 175-27 to MP 176-13	. 50	35
MP 180-25 to MP 182-10	. 50	35
MP 182-10 to MP 199-25 (except as shown below)	75	
MP 183-13 to MP 183-25	70	
MP 186-4 to MP 186-15	70	,
MP 194-30 to MP 195-7	70	
MP 198-5 to MP 198-15	70	***************************************
MP 199-7 to MP 199-17	70	4-5,4-1,

SPECIAL INSTRUCTIONS GOVERNING ROCKET AND ZEPHYR PASSENGER TRAINS

Distinctive roadway signs indicate maximum speeds permitted.

A sign with crystal reflex letter "Z" indicates zone territory and the maximum speed is indicated by numerals thereon, which will govern until the next zone sign is reached.

Where the movement is from a lower to a higher speed zone, the zone sign is located at point where speed may be increased. Where movement is from a higher to a lower speed zone, the zone sign is located approximately 4000 feet from the point where the lower speed becomes effective.

Where speed restrictions are required on curves within a zone, a sign with amber letter "C" and numerals thereon, located approximately 4000 feet from point of curve, will indicate maximum speed permissible for that particular curve, after which zone speed may be resumed.

When using drawbridges, railroad crossings or moving thru towns or citles where speed is governed by ordinance, must not exceed speed designated for other passenger trains unless otherwise specified, and approaching train order signal displaying stop indication must sound four blasts of the whistle and must not exceed 60 MPH passing stations at which train orders or clearances are to be received.

SPEED OF TRAINS:

Miles per	Time p	er Mile	Miles per	Time per Mile			
Hour	Minutes	Seconds	Hour	Minutes	Seconds		
5	12	0	50	1	12		
10	6	0	55	1 .	5		
15	4	0	60	1	0		
20	3,	0	65	ó	55		
25	2	24	70	0	51		
30	2	0	75	0	48		
35	1	43	80	0	45		
40	1	30	\ \	, i			
45	1	20	1				

SPECIAL INSTRUCTIONS

Asst. General Supt. Motive Power	C. A. Moody, Childress
Road Foreman and Asst. Trainmaster	R. E. Visney, Fort Worth
Chief Dispatcher	H. H. Hudson, Tongue

TRAIN DISPATCHERS: TEAGUE

G. R. Mulcahy T. E. Stover

M. H. Scarborough

J. W. Wood

D. G. Stice

1. The following equipment must not be towed or operated under own power through water in excess of the maximum height of water above rail shown below, unless otherwise instructed by officer at location of high water. When towed or operated under own power through water of losser depth than that shown below, a speed of three miles per hour must not be exceeded.

Water Above Rail

· · · · · · · · · · · · · · · · · · ·		
Diesel engines and motor cars	3	inches
RDC cars 9002-9003	5	inches
Lightweight passenger cars	7	inches
Conventional passenger cars	12	inches

- Cadiz Street Junction Is the initial station for FW&D and Rock Island trains, other than first class.
- 2a. Waxahachie is Initial station for southward trains.
- 2b. Belt Jct. is initial station for northward second-class and extra trains.

Cadlz Street Junction. Second-class and extra trains. Dallas-Union Terminal Station-First-class trains. Houston-Union Station—Trains originating and terminating. Houston-New South Yard—Trains originating and terminating. 3a. All through trains will register by Form 1643 at Waxahachie.

3b. Second-class and extra trains will register by Form 1643 at Belt Jct.

4. Bulletin Board and General Order Books are located at:Passenger Station and Yard Office and Enginehouse Galveston......Yard Office and Freight Depot

4a. Conductors and Enginemen are not required to consult Bulletin Boards and General Order Books at intermediate stations on a subdivision.

4b. Conductors and Enginemen running over more than one division must consult Bulletin Board and General Order Book at the initial station on each division, except where they have consulted the Bulletin Board and General Order Book of such division at the initial station of run.

5. Standard Clocks are located at:

Dailas	
Waxahachie	
Teague	

- 6. "f" Flag stop to receive or discharge traffic. "g" Conditional stops for revenue passengers only.
 - "s" Regular stop.
- 7. When trains not included in lineups are cleared, between 6:30 am and 6:30 pm, conductors and enginemen must be notified, by train order, that track car operators and maintenance men have no advice of their move-

When track cars are operated during night hours, when possible, all trains and engines entering the territory in which such cars are being operated will be notified by train order.

Operation of highway crossing signals, and automatic gates is such that when an engine or cars move towards crossing on main track, the cross-ing signal will operate, and after crossing has been passed the operation of

signal will stop. Therefore, if a reverse movement by such engine or cars is made over the crossing without such movement having been started from outside of the signal starting circuits, which vary in length from 2,000 feet to 3,500 feet beyond the crossing, the signals or automatic gate will not operate, and before such reversed movement is made over the crossing it must be protected by a member of the crew on ground at crossing unless it is known that the signal or gate is operating for the movement involved.

- 9. The emergency air brake valve located in all passenger, baggage and express cars and in cabooses of freight trains must not be used unless absolutely necessary. If an emergency arises where the train must be stopped as quickly as possible to avoid danger to life or property, open the emerg-ency air brake valve wide and leave it open until the train stops.
- If it is necessary to stop a train due to inability to transmit signal to the engineman, open the valve carefully and after the brakes begin to apply, gradually increase the exhaust until it is sufficient to keep brakes applied to the stop.

Conductors and trainmen must familiarize themselves with the location of emergency air brake valves in their train.

- 10. Air brakes must be used on occupied passenger carrying equipment when switching.
- 11. Following rule in effect on Subdivision where so specified in footnotes of time table. Freight trains and mixed trains will be notified of following Extras by the Train Dispatcher, who will issue train orders to all concerned as follows:
- "C & E . . . after (time) protect against Extra . . . " Preceding trains receiving this order will, after the specified time while occupying the main track at station, protect according to Rule 99.

In the absence of this order, freight trains and mixed trains may occupy the main track between STATION SIGNS protecting against schedule trains only, and following extra trains must approach all stations prepared to stop at the STATION SIGN and thereafter proceed as the way is seen or known to be clear.

All employes are hereby notified that it is dangerous to stand erect upon cars, especially cars of extraordinary height, while passing over, through, or under the following named bridges or viaducts:

SUBDIVISION:		WIND OF CURRENT
SOBDIA ISTOM:	MP	KIND OF STRUCTURE
7	240.57	TNO Overhead Bridge
1	251.36	Overhead Highway Bridge
1	271.05	Overhead Highway Bridge
2	88.30	I-GN Overhead Bridge
2	131.00	Overhead Highway Bridge
2	175.00	Overhead Highway Bridge
2	183.38	I-GN Overhead Bridge
. 2	183.42	Overhead Highway Bridge
3	A218.04	Overhead Highway Bridge

13. Industrial tracks between stations are located at:

Sub. Div.	MP	Name	Car Capacity
2	62.5	Oak Forest	27
2	66.39	*Mabry	12
2	68.31	†Housh Drilling Co. Spur	5
2	68.4	†Fortune	11
2	68.6	†Carbon Spur	19
2	69.5	Hudson	44
2	74.8	Deco	52
2	81.5	†Orr	30
2	94.9	†Mostyn	. 13
2	111.7	† Dacus,	11 -
2	183.3	†Koch	. 12
3	A-214.0	Holden	263
3	A-215,5	†Coffield	54
	† Connected	at Southend.	

SPECIAL INSTRUCTIONS (Concluded)

- 14. Speedometers on road engines in main line service must be checked, by observing time between mile post twice on each trip. The location, speed and any variation must be shown on work report.
- 15. At stations where telephones are located, conductor should communicate with train dispatcher within fifteen minutes after arrival unless expected train is heard, or seen, approaching, but will not be required to handle train orders except in emergency. At stations where office is closed, conductors must call operator to office when delay has reached thirty minutes in excess of time expected, in case the expected train is not seen, or heard genrousehing.
 - 16. The following letters in "station" and "sign" column indicate:

W-Water station

R—Train register station

T-Turntable

Y-Wye

Yd.—Station where Yard Limit signs are maintained

TO-Train Order Office

- 17. RULES OF THE UNIFORM CODE OF OPERATING RULES ARE MODIFIED AS FOLLOWS:
- Rule 3. (Last paragraph) When practicable, conductors or engine fore-men, and engineers will also compare time with each other, and with other members of their crew before commencing each day's work or trip.
- Rule 12(i). (Last paragraph) When backing or shoving a train, engine or cars, except where movement is being controlled by an employee operating the back-up hose or pipo, the disappearance from view of the employee or light by which the signals are given, or failure to keep in contact, by radio when instructions are given by radio, must be construed as a stop signal.
- Rule 12(1). When signals given by hand, flag or lamp cannot be plainly seen due to distance signal is to be conveyed, adverse weather or other conditions, 5 minute green or yellow fusees may be used for giving hand signals prescribed by this rule.
- Rule 20. All sections except the last will display two green lights by day and two green lights by night in the places provided for that purpose on
- Extra trains will display two white lights by day and two white lights by night in the places provided for that purpose on the front of the engine.
- Rule 26. (Second paragraph) When emergency work is to be done under or about cars in a train and a blue signal is not availble, the engineer and other members of the crew on the engine will be notified and protection must be given those engaged in making the repairs.
- Rule 34(a). (First paragraph) Engineers and other members of crew in cab of engine, must keep a constant and vigilant lookout for signals or any condition that may affect the movement of their train or engine.
- (First paragraph) All members of crew after carefully reading train orders, must keep them in mind and assist in their observance, call attention of conductor or engineer immediately to any apparent fallure to observe train orders, or to clear the time of superior trains, or to comply with rules and instructions.

Rule 107(6). (Second paggraph) When safety of trains and observance of rules or train orders are involved, all members of crew are responsible to extent of their ability to prevent accidents or violation of rules. They will not comply with any instructions which imperil the safety of the train or involve α violation of the rules.

Rule 107(6). (Third paragraph) When the conductor or engineer fails to take action to stop the train, and an emergency requires, all members of the crew must take immediate action to stop the train.

- (Third paragraph) Engineers and other members of the crew on the engine must frequently look back and rear trainmen must frequently look ahead, especially when moving around curves, and approaching and passing stations, to observe signals and to note condition of train.
- Rule 201. (First paragraph) For movements requiring their use, train orders will be issued by authority and over the signature of the Superintendent and will contain only information or instructions essential to such
- Rule 209. (Second paragraph) All train orders may be typewritten. If a typewriter is used the latters must be CAPITALIZED. The time, complete, and the last name of the operator must be in his own handwriting.
- Rule 215. (First paragraph) Conductors, engineers and other members of the crew must read train orders and clearances, check the correctness thereof, see that the orders and clearances are addressed to their train, and that the order numbers shown on clearance corresponds with the numbers of the orders received.
- Rule 215. (Second paragraph) Engineers must show train orders and clearances to other members of crew on engine, using the extra copy furnished engineer for this purpose. Conductors, when practicable, will show train orders and clearances to trainmen, except rear trainmen, who must be provided with a copy.
- Rule 215. (Fourth paragraph) If necessary other members of the crew must ask the conductor or engineer for train orders and clearances.
- 18. The following form of precautionary train order will be Issued upon request of foreman in charge of work, or machine operator:

"7:01 am until 4:01 pm approach MP _at restricted speed account dragline working with boom swinging across track."

This form of train order supplements, without modifying, any of the flagging rules, or Form X train orders now authorized in the Uniform Code of the Operating Rules, or those authorized in Rule 60, in Rules and Instructions for Train Dispatchers.

A copy of this train order, also of all restricted speed orders, which are issued as precautionary orders to protect roadside machines (which in their work, at times, foul the main track, or tracks) will be delivered to foreman in charge of work, or to machine operators, as information.