

LIST OF SURGEONS—HOSPITAL DEPARTMENT

Fort Worth.....	DR. R. J. WHITE.....	Chief Surgeon
Fort Worth.....	DR. TED LACE.....	Assist. Chief Surgeon
Fort Worth.....	DR. N. L. DUNN.....	Local Surgeon
Fort Worth.....	DR. FRANK SANDERS.....	Local Surgeon
Fort Worth.....	DR. FRANK SCHOONOVER.....	Local Urologist
Fort Worth.....	DR. J. W. SHOEMAKER.....	Local Surgeon
Fort Worth.....	DR. T. C. TERRELL.....	Local Surgeon
Fort Worth.....	DR. THOMAS B. BOND.....	Local Roentgenologist
Fort Worth.....	DR. WEBB WALKER.....	Division Oculist
Fort Worth.....	DR. GATLIN MITCHELL.....	Local Oculist
Fort Worth.....	DR. PORTER BROWN.....	Local Dermatologist
Dallas.....	DR. OZRO T. WOODS.....	Local Surgeon
Dallas.....	DR. J. O. S. HOLT.....	Local Surgeon
Dallas.....	DR. J. L. DAWSON.....	Local Surgeon
Alvord.....	DR. D. C. RILEY.....	Local Surgeon
Henrietta.....	DR. ALBERT GREER.....	Local Surgeon
Wichita Falls.....	DR. O. B. KIEL.....	Division Surgeon
Wichita Falls.....	DR. W. L. PARKER.....	Local Surgeon
Wichita Falls.....	DR. P. K. SMITH.....	Local Surgeon
Wichita Falls.....	DR. J. B. NAIL.....	Local Oculist
Wichita Falls.....	DR. A. F. LEACH.....	Local Surgeon
Wichita Falls.....	DR. W. E. CRUMP.....	Local Surgeon
Wichita Falls.....	DR. J. H. ARRINGTON.....	Local Oculist
Iowa Park.....	DR. GORDON CLARK.....	Local Surgeon
Electra.....	DR. W. H. OGDEN.....	Local Surgeon
Vernon.....	DR. A. L. BORCHARDT.....	Local Surgeon
Chillicothe.....	DR. R. E. SITTA.....	Local Surgeon
Quanah.....	DR. T. D. FRIZZELL.....	Local Surgeon
Quanah.....	DR. R. R. McDANIEL.....	Local Surgeon
Childress.....	DR. J. H. JERNIGAN.....	Division Surgeon
Childress.....	DR. G. C. FOX.....	Local Surgeon
Childress.....	DR. F. A. WHITE.....	Local Surgeon
Estelline.....	DR. P. L. VARDY.....	Local Surgeon
Memphis.....	DR. R. E. CLARK.....	Local Surgeon
Memphis.....	DR. O. R. GOODALL.....	Local Surgeon
Clarendon.....	DR. B. L. JENKINS.....	Local Surgeon
Clarendon.....	DR. T. H. ELLIS.....	Local Surgeon
Claude.....	DR. W. A. CARROLL.....	Local Surgeon
Amarillo.....	DR. DON S. MARSALIS.....	Division Surgeon
Amarillo.....	DR. J. H. ROBBERSON.....	Local Surgeon
Amarillo.....	DR. J. J. CRUME.....	Local Oculist
Amarillo.....	DR. F. J. CRUMLEY.....	Local Oculist
Plainview.....	DR. J. L. GUEST.....	Local Surgeon
Plainview.....	DR. D. P. JONES.....	Local Surgeon
Lubbock.....	DR. SAM DUNN.....	Local Surgeon
Dimmitt.....	DR. MAYES MILLER.....	Local Surgeon
Lockney.....	DR. N. E. GREER.....	Local Surgeon
Silverton.....	DR. O. T. BUNDY.....	Local Surgeon
Wellington.....	DR. E. W. JONES.....	Local Surgeon
Shamrock.....	DR. J. W. GOOCH.....	Local Surgeon
Pampa.....	DR. WALTER PURVIANCE.....	Local Surgeon

PERSONAL INJURIES

If practicable, injured persons should be placed under the care of the nearest Local Surgeon. In case of death from accident, leave body in charge of a public officer or a company agent. When an accident occurs to a trespasser he should be turned over to the county authorities. When a person is killed outright the body must not be removed from the county in which the accident occurred.

C. D. PECKENPAUGH,
Vice President and General Manager, Fort Worth

Wichita Falls Division

W. O. FRAME,
Superintendent, Wichita Falls

Amarillo Division

J. W. MODE,
Superintendent, Amarillo

J. L. CORBITT,
Superintendent of Transportation, Fort Worth

Fort Worth & Denver City Railway Company

TIME TABLE

OF THE
WICHITA FALLS AND AMARILLO
DIVISIONS

No. 16

EFFECTIVE AT 12:01 A. M.
CENTRAL STANDARD TIME
EXCEPT MOUNTAIN STANDARD TIME
TEXLINE TO SIXELA

Sunday, February 9, 1947
DESTROY ALL TIME TABLES OF PREVIOUS DATE

This Time Table is for the exclusive use and guidance of the employes concerned, who must carry in addition thereto the book of rules of the operating department.

Sixela and Texline Sub-Division

AMARILLO DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

SOUTHWARD			Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Sixela	Capacity of		Office Open Sundays	NORTHWARD		
FIRST CLASS		Daily Passenger						Daily Passenger	Siding		Other Tracks	FIRST CLASS	
1	7											8	2
P.M. L 8:35	A.M. L 5:47	No Office	Yd.	454.0SIXELA.....	0.0			No Office	A.M. A 11:48	A.M. A 12:10		
A 8:37	A 5:50	Continuous	RKB WCT Yd.	452.7TEXLINE.....	1.3	Yard	Yard	Continuous	L 11:45	L 12:08		
Daily 0.02 39.0	Daily 0.03 28.0				1.3					Daily 0.03 26.0	Daily 0.02 39.0		
						SCHEDULE TIME.....							
						AVERAGE MILES AN HOUR.....							

MOUNTAIN STANDARD TIME.

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

No train order signal at Sixela and Texline; Conductors and Enginemen of north-

ward trains must have Clearance Form A before leaving Texline. Clearance Form A not required at Sixela.

Yard limit board north of Sixela is located one mile north of north switch of Texline yard. Texline yard terminal extends to Sixela.

Texline and Amarillo Sub-Division

AMARILLO DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

SOUTHWARD			Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Texline	Capacity of		Office Open Sundays	NORTHWARD		
FIRST CLASS		Daily Passenger						Daily Passenger	Siding		Other Tracks	FIRST CLASS	
1	7											8	2
P.M. L 9:42	A.M. L 7:00	Continuous	RKB WCT Yd.	452.7TEXLINE.....	0.0	Yard	Yard	Continuous	P.M. A 12:35	A.M. A 1:03		
9:49	7:09	No Office	F	446.6CORLENA.....	6.2	82	6	No Office	12:24	12:54		
9:54	7:16	No Office	FW	441.4PERICO.....	11.3	82	20	No Office	f 12:14	12:47		
10:05	7:29	No Office	F	430.7WARE.....	22.0	84	17	No Office	11:58	12:36		
		No Office		417.4C. R. I. & P. CROSSING (Interlocked). 0.2	35.3			No Office				
s 10:23	s 7:45 8:00	Continuous	WCY Yd.	417.2DALHART.....	35.5	81	297	Continuous	s 11:40 s 11:25	s 12:21		
10:28	8:07	No Office	F	412.7TWIST.....	40.0	51	6	No Office	11:18	12:08 A.M.		
10:38	8:20	No Office	F	402.9HARTLEY.....	49.8	82	37	No Office	s 11:03	11:58		
10:45	8:29	No Office	F	395.0DUNCAN.....	56.8	50	6	No Office	10:52	11:50		
f 10:54	s 8:45	Continuous	W	387.9CHANNING.....	64.8	84	75	Continuous	s 10:39	f 11:40		
11:00	8:53	No Office	F	382.3MURDO.....	70.4	77	8	No Office	10:25	11:30		
11:08	f 9:02	No Office	FW	376.4MAGENTA.....	76.3	54	19	No Office	f 10:15	11:21		
11:14	s 9:08	8:00 a.m. to 4:00 p.m. 5:00 p.m. to 1:00 a.m.	Y	372.3TASCOSA.....	80.4	72	135	8:00 a.m. to 4:00 p.m. 5:00 p.m. to 1:00 a.m.	s 10:09	11:14		
11:22	9:18	No Office	F	365.1ADY.....	87.6	71	57	No Office	9:59	11:05		
11:30	9:29	No Office	F	358.2BODEN.....	94.5	81	5	No Office	9:49	10:58		
11:37	9:39	No Office	F	352.1FITZ.....	100.6	72	9	No Office	9:39	10:50		
11:44	9:46	No Office	FW	347.1GENTRY.....	105.6	48	4	No Office	9:32	10:43		
11:50	9:52	No Office	F	342.3CLIFFSIDE.....	110.4	52	6	No Office	9:25	10:36		
A.M. A 12:01	A.M. A 10:05	Continuous	WBTO CRK Yd.	335.7AMARILLO.....	117.0	Yard	Yard	Continuous	L 9:15 A.M. Daily	L 10:25 P.M. Daily		
Daily 2.19 50.5	Daily 3.06 37.9				117.0					Daily 3.20 35.1	Daily 2.38 44.4		
						SCHEDULE TIME.....							
						AVERAGE MILES AN HOUR.....							

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

No train order signal at Texline and Amarillo; Conductors and Enginemen must have Clearance Form A.

Nos. 1 and 2 will stop at Channing to discharge revenue passengers or pick up revenue passengers for points where these trains are scheduled to stop.

Amarillo and Childress Sub-Division

AMARILLO DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

SOUTHWARD			Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Amarillo	Capacity of		Office Open Sundays	NORTHWARD		
FIRST CLASS								Stidings	Other Tracks		FIRST CLASS		
Daily Passenger	Daily Ex. Sunday Passenger	Daily Passenger									Daily Passenger	Daily Passenger	Daily Ex. Sunday Passenger
1	101	7									8	2	102
A.M. 12.21		A.M. 10.30	Continuous	CRK BTOW Yd.	335.7 AMARILLO	0.0	Yard	Yard	Continuous	A 8.55	A 10.05	
12.23		10.32	No Office	334.7 ^{1.0} P. & S. F. CROSSING (Interlocked)	1.0			No Office	8.52	10.02	
12.30		10.39	No Office	F	326.9 ^{3.8} PULLMAN	6.8	72	18	No Office	8.39	9.54	
12.38		f 10.49	No Office	FW	321.1 ^{7.3} WASHBURN	14.6	71	25	No Office	f 8.28	9.45	
12.45		10.58	No Office	F	314.4 ^{6.7} KASOTA	21.3	55	6	No Office	8.18	9.38	
s 12.52		s 11.08	7:15 a.m. to 3:15 p.m. 6:30 p.m. to 2:30 a.m.	307.9 ^{6.5} CLAUDE	27.8	82	97	7:15 a.m. to 3:15 p.m. 6:30 p.m. to 2:30 a.m.	s 8.08	s 9.31	
12.58		11.16	No Office	F	302.5 ^{5.4} MALDEN	33.2	60	9	No Office	7.56	9.24	
1.05		f 11.24	No Office	FW	296.5 ^{6.0} GOODNIGHT	39.2	71	16	No Office	f 7.45	9.17	
1.14		f 11.35	No Office	F	288.0 ^{8.5} ASHTOLA	47.7	71	54	No Office	f 7.31	9.08	
a 1.25		s 11.50	Continuous	W	277.9 ^{10.1} CLARENDON	57.8	72	124	Continuous	s 7.06	s 8.56	
1.33		P.M. f 12.01	No Office	F	270.9 ^{7.0} LELIA LAKE	64.8	72	25	No Office	f 6.56	8.48	
1.40		s 12.11	6:00 a.m. to 2:00 p.m.	263.9 ^{8.5} HEDLEY	71.8	71	39	6:00 a.m. to 2:00 p.m.	s 6.44	8.41	
1.47		f 12.19	No Office	FW	258.1 ^{3.8} GILES	77.6	46	3	No Office	f 6.30	8.33	
s 1.56		s 12.33	10:30 a.m. to 2:30 a.m.	W Yd.	250.8 ^{7.3} MEMPHIS	84.9	51	205	10:30 a.m. to 2:30 a.m.	s 6.15	s 8.23	
2.08		f 12.47	No Office	F	239.7 ^{11.1} NEWLIN	96.0	71	16	No Office	f 5.51	8.09	
2.11	P.M. f 12.25	12.51	No Office	F Y Yd.	237.0 ^{2.7} PLAINS JCT.	98.7			No Office	5.46	8.06	P.M. A 8.22
2.12	s 12.26	f 12.52	Continuous	Yd.	236.7 ^{0.3} ESTELLINE	99.0	50	91	Continuous	f 5.45	8.05	s 8.21
2.21	f 12.39	f 1.04	No Office	F	228.0 ^{8.7} CAREY	107.7	71	24	No Office	f 5.32	7.56	f 8.09
		1.14	No Office	F Yd.	222.2 ^{5.8} NORTH CHILDRESS	113.5			No Office	5.24	7.49	8.00
2.30	12.54	1.29	No Office	Yd.	220.4 ^{1.8} ROACH	115.3			No Office			
A 2.31	A 12.55	A 1.30	Continuous	CRKB WYTO Yd.	220.2 ^{0.2} CHILDRESS	115.5	Yard	Yard	Continuous	L 5.20	L 7.45	L 7.55
Daily	Daily Ex. Sunday	Daily				115.5					Daily	Daily	Daily Ex. Sunday
2.10 53.3	0.30 33.6	3.00 38.5			 SCHEDULE TIME					3.35 32.2	2.20 49.5	0.27 37.3
					 AVERAGE MILES AN HOUR							

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

No train order signal at Amarillo and Childress; Conductors and Enginemen must have Clearance Form A.

Plains Jct. and Lubbock Sub-division trains must register at Estelline; Conductors and Enginemen must have Clearance Form A.

Oil and water crane located on main line opposite round house, Amarillo.

At Denver Northern Jct., near M.P. 222, trains are governed by automatic block system protecting the F. W. & D. N. and parallel main track.

Spring switch located at north end of parallel track, Childress.

All trains and engines must move at restricted speed between Childress passenger station and south end of freight yard.

Local extra leaves Amarillo 8:00 a. m. for Childress, Monday, Wednesday and Friday.

Local extra leaves Childress 8:00 a. m. for Amarillo, Tuesday, Thursday and Saturday.

Childress and Wichita Falls Sub-Division

WICHITA FALLS DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

SOUTHWARD			Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Childress	Capacity of		Office Open Sundays	NORTHWARD						
FIRST CLASS		Daily Passenger						Daily Passenger	Daily Passenger		Daily Passenger	Sldings	Other Tracks	FIRST CLASS		Daily Passenger	Daily Passenger
7	1													8	2		
	P.M. 1:40	A.M. 2:35	Continuous	GWYT RKOB Yd.	220.2 CHILDRESS	0.0	Yard	Yard	Continuous	A 5:05	A 7:35					
	1:53	2:45	8:30 a.m. to 5:30 p.m.	211.3 KIRKLAND	8.9	72	38	Closed	4:50	7:24					
	2:01	2:51	No Office	F	205.0 HERG	15.2	71	11	No Office	4:41	7:18					
	2:08	2:56	No Office	F	200.5 GOODLETT	19.7	72	38	No Office	4:34	7:13					
			No Office	196.9 Q. A. & P. CROSSING (Auto. Interl.) ..	23.3	No Office							
	2:14	3:01	No Office	F	196.7 ACME	23.5	58		No Office	4:28	7:09					
	2:27	3:09	Continuous	WY Yd.	191.8 QUANAH	28.4	71	193	Continuous	4:21	7:03					
			No Office	191.6 Q. A. & P. CROSSING (Interlocked) ..	28.6	No Office							
	2:36	3:16	No Office	F	185.6 EVANS	34.6	71	10	No Office	4:04	6:53					
			No Office	179.0 P. & S. F. CROSSING (Auto. Interl.) ..	41.2	No Office							
	2:49	3:23	9:30 a.m. to 6:30 p.m.	W Y Yd.	178.8 CHILLICOTHE	41.4	73	132	9:30 a.m. to 6:30 p.m.	3:52	6:45					
	2:59	3:31	No Office	F	171.4 TOLBERT	48.8	72	6	No Office	3:31	6:36					
	3:15	3:40	Continuous	W O Yd.	163.3 VERNON	56.9	84	236	Continuous	3:15	6:27					
			No Office	163.1 St. L. S. F. & T. Crossing (Auto. Interl.) ..	57.1	No Office							
	3:26	3:50	No Office	155.0 OKLAUNION	65.2	71	46	No Office	2:49	6:16					
	3:37	3:57	No Office	F	147.8 HARROLD	72.4	73	38	No Office	2:38	6:09					
	3:52	4:05	1:30 a.m. to 9:30 a.m. 10:30 a.m. to 6:30 p.m.	W Yd.	140.3 ELECTRA	79.9	72	283	1:30 a.m. to 4:30 a.m. 3:15 p.m. to 6:15 p.m.	2:29	6:02					
	3:58	4:10	No Office	F	135.8 FOWLKES	84.4	71		No Office	2:19	5:56					
	4:05	4:15	No Office	F	130.7 TOMBURNETT	89.5	72	13	No Office	2:13	5:51					
	4:13	4:21	9:00 a.m. to 6:00 p.m.	W	124.8 IOWA PARK	95.4	72	54	Closed	2:07	5:45					
	4:22	4:28	No Office	F Yd.	117.7 SUNSHINE YARD	102.5	Yard	285	No Office	1:57	5:37					
	4:25	4:30	No Office	F Yd.	116.1 ORIENT	104.1	No Office	1:55	5:35					
	4:27	4:32	No Office	Yd.	115.0 W. F. & N. W. JCT.	105.2	No Office	1:52	5:33					
	A 4:30 P.M.	A 4:35 A.M.	Continuous	CRKB WTOY Yd.	114.0 WICHITA FALLS	106.2	Yard	Yard	Continuous	L 1:49 A.M.	L 5:30 P.M.					
	Daily	Daily				106.2					Daily	Daily					
	2.50	2.00									3.16	2.05					
	37.5	63.0									32.5	51.0					

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

No train order signal at Wichita Falls and Childress. Conductors and Engineers must have Clearance Form A.

Double track between Seventh Street, Wichita Falls, and Orient.

Spring switch located at north end of double track, Orient.

Yard limits of Wichita Falls and Sunshine Yard are continuous between M.P. 112 and M.P. 119. All trains and engines must move at restricted speed between W. F. & N. W. Jct. and M. P. 113.

Trains or engines passing over North Beverly Drive Crossing Wichita Falls, M.P. 116.91 on Sunshine Yard lead must flag the crossing in either direction as the signal will not operate except when engines or cars are upon highway crossing.

Iowa Park water tank, M.P. 126.5.

Local extra leaves Childress 7:30 a.m. for Wichita Falls, daily except Sunday.

Local extra leaves Wichita Falls 7:30 a.m. for Childress, daily except Sunday.

No. 1 will stop on flag at Chillicothe to discharge revenue passengers and to pick up revenue passengers for points where No. 1 is scheduled to stop.

Wichita Falls and Fort Worth Sub-Division

WICHITA FALLS DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

SOUTHWARD				NORTHWARD							
FIRST CLASS		Office Open Week Days	Signs	Distance from Fort Worth (T. & P. Jct.)	STATIONS	Distance from Wichita Falls	Capacity of		Office Open Sundays	FIRST CLASS	
Daily Passenger	Daily Passenger						Sidelings	Other Tracks		Daily Passenger	Daily Passenger
7	1								2	8	
P.M. L 4:50	A.M. L 4:42	Continuous	CWYTRKOB Yd.	114.0 WICHITA FALLS.....	0.0	Yard	Yard	Continuous	A 5:20	A 1:29
4:59	4:51	No Office	F	108.5 RAYMOND.....	5.5	80	8	No Office	5:12	1:18
5:09	4:54	No Office	F	105.4 JOLLY.....	8.6	56	13	No Office	5:09	1:14
		No Office		98.0 M-K-T CROSSING (Grade).....	18.0			No Office		
s 5:25	f 5:05	11:30 p.m. to 7:30 a.m. 10:00 a.m. to 6:00 p.m.	W	95.7 HENRIETTA.....	18.3	55	68	11:30 p.m. to 7:30 a.m. 3:00 p.m. to 6:00 p.m.	s 4:59	s 1:01
5:33	5:11	No Office	F	89.6 DICKWORSHAM.....	24.4	55		No Office	4:52	12:49
5:39	5:16	No Office	F	84.4 KOLA.....	20.6	48	7	No Office	4:47	12:43
s 5:45	5:21	9:30 a.m. to 6:30 p.m.	W	79.4 BELLEVUE.....	34.6	71	19	Closed	4:42	s 12:37
5:51	5:26	No Office	F	74.6 ELSER.....	39.4	72	2	No Office	4:37	12:29
		No Office		69.2 C. R. I. & P. Crossing (Interlocked).....	44.8			No Office		
s 6:03	s 5:34	7:30 a.m. to 10:00 p.m. 10:45 p.m. to 6:45 a.m.	W	68.4 BOWIE.....	45.6	49	65	7:30 a.m. to 10:00 p.m. 10:45 p.m. to 6:45 a.m.	s 4:31	s 12:22
f 6:10	5:39	No Office	F	63.3 FRUITLAND.....	50.7	56	4	No Office	4:24	f 12:10
f 6:15	5:43	No Office	F	59.6 SUNSET.....	54.4	55	7	No Office	4:20	f 12:05 A.M.
s 6:27	5:51	9:30 a.m. to 6:30 p.m.		51.7 ALVORD.....	62.3	71	20	Closed	4:12	s 11:54
6:35	5:57	No Office	F	48.1 COWEN.....	67.9	57	3	No Office	4:06	11:46
s 6:46	s 6:05	8:30 a.m. to 4:30 p.m. 11:00 p.m. to 7:00 a.m.		40.2 DECATUR.....	73.8	82	59	8:30 a.m. to 4:30 p.m. 11:00 p.m. to 7:00 a.m.	s 4:00	s 11:39
6:53	6:10	No Office	F	34.8 HERMAN.....	79.2	56	7	No Office	3:53	11:29
7:02	6:15	No Office	F	30.0 HOGSETT.....	84.0	73		No Office	3:49	11:20
f 7:09	6:20	No Office	FY	25.4 RHOME.....	88.6	86	61	No Office	3:44	f 11:14
7:17	6:27	No Office	F	18.7 AVONDALE.....	95.4	71		No Office	3:37	11:05
7:22	6:31	No Office	F	14.8 HICKS.....	99.2	56	4	No Office	3:34	11:00
7:28	6:36	Continuous		9.3 SAGINAW—G. C. & S. F. Crossing (Interlocked).....	104.7	88	2	Continuous	3:28	10:54
7:33	6:40	No Office	FW Yd.	5.8 NORTH YARD.....	108.2	61	477	No Office	3:24	10:50
7:37	6:44	No Office		3.2 St. L. S. W. Crossing—Jct. (Interlocked).....	110.8			No Office	3:20	10:45
		No Office		3.1 Ft. Worth Belt—C.R.I. & P. Crossing (Interlocked).....	110.9			No Office		
		No Office	Yd.	2.9 NORTH FORT WORTH.....	111.1		80	No Office		
7:39	6:47	No Office	F Yd.	2.5 RIO.....	111.5			No Office	3:18	10:43
		No Office		2.1 MILE POST 2.....	111.9			No Office	3:17	10:42
7:43	6:50	No Office	F Yd.	0.9 HAMPTON.....	113.1			No Office	3:15	10:40
		Continuous	CWTR KOB Yd.	0.5 NINTH STREET.....	113.5	Yard	Yard	Continuous		
A 7:47 P.M.	A 6:53 A.M.	No Office	Yd.	0.0 T. & P. JCT.....	114.0			No Office	L 3:13 P.M.	L 10:38 P.M.

Trains between T. & P. Jct. and Fort Worth are governed by rules and time table of T. & P. Ry.

s 7:55 8:15	s 7:00 7:20	RK FORT WORTH.....	3:10	10:30
				2:50	10:05

Trains between Fort Worth and Dallas are governed by rules and time tables of T. & P. Ry., C. R. I. & P. Ry. and U. T. Co.

A 9:10 P.M. Daily	A 8:25 A.M. Daily DALLAS.....	L 2:00 P.M. Daily	L 9:15 P.M. Daily
2.57 38.8	2.11 52.2 SCHEDULE TIME.....	2.07 53.9	2.51 40.0
	 AVERAGE MILES AN HOUR.....		

Footnotes on Page 6.

WICHITA FALLS AND FORT WORTH SUB-DIVISION FOOTNOTES

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

Automatic Block System in effect between Henrietta and Hampton.

No train order signal at Fort Worth, Ninth Street and Wichita Falls; Conductors and Enginemen must have Clearance Form A.

Double track between Rio and Hampton.

Spring switch located at south end of double track at Hampton.

Spring switch located at north end of double track, Rio.

The normal position of switch at Rio will be for southward trains; at Hampton for northward trains on northward track and for F. W. & D. C. trains on southward track.

Spring switch derail located on tail track at Hampton. Normal position for southward trains.

Yard limits of Fort Worth and North Fort Worth and North Yard are continuous between T. & P. Jct. and yard limit board near M.P. 8. All trains and engines must move at restricted speed between T. & P. Jct. and Hampton.

Yard limits of Wichita Falls and Sunshine Yard are continuous between M.P. 112 and M.P. 119. All trains and engines must move at restricted speed between M. P. 113 and W. F. & N. W. Jct.

Eina water tank, M.P. 31.8; Brushy water tank, M.P. 54.0.

Passengers leaving or boarding No. 2 at Henrietta will do so at point where train makes stop for M-K-T Crossing and not at depot.

No. 1 will stop on flag at Henrietta to discharge revenue passengers and to pick up revenue passengers for points where No. 1 is scheduled to stop.

Childress and Pampa Sub-Division

SOUTHWARD			Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Pampa	Capacity of		Office Open Sundays	NORTHWARD	
SECOND CLASS		Daily Ex. Sunday MIXED						Siding	Other Tracks		SECOND CLASS	
			91									
		P.M. l 5.30	9:00 a.m. to 6:00 p.m.	WGYRK Yd.	N 331.3	PAMPA	0.0	Yard	180	Closed		A.M. A 6.30
		f 5.45	No Office	F	N 328.1	ELFCO	3.2			No Office		f 6.15
		s 6.20	No Office	FW	N 318.1	LEFORS	13.2	49	34	No Office		s 5.45
			No Office		N 315.6	WESCO	15.7		2	No Office		
		f 7.05	No Office	F	N 305.8	DENWORTH	25.5	9		No Office		f 4.55
		s 7.25	No Office	F	N 300.0	BELCO	31.3	13	18	No Office		s 4.30
		s 7.50	No Office	F	N 291.9	MAGIC CITY	39.4	40	16	No Office		s 4.05
		s 8.35	8:00 a.m. to 5:00 p.m.	W	N 279.1	SHAMROCK	52.2	48	40	Closed		s 3.25
			No Office		N 279.0	C. R. I. & P. Crossing (Auto. Interl.)	52.3			No Office		
		f 9.02	No Office	F	N 268.8	SAMNORWOOD	64.5	50	16	No Office		f 2.30
			No Office		N 252.1	M-K-T CROSSING (Grade)	70.2			No Office		
		s 9.55	8:00 a.m. to 5:00 p.m.	W	N 252.0	WELLINGTON	70.3	63	27	Closed		s 1.55
		f 10.20	No Office	F	N 244.9	NEW LOCO	86.4	49		No Office		f 1.05
		f 10.50	No Office	F	N 234.0	SMITHDALE	97.3	26		No Office		f 12.35
		f 11.00	No Office	F	N 230.6	ABINGTON	100.7	46		No Office		f 12.20
			No Office	F Y Yd.	N 221.9	DENVER NORTHERN JCT.	109.4			No Office		A.M.
		A 11.30 P.M.	Continuous	CRKB WYTO Yd.	220.2	CHILDRESS	111.1	Yard	Yard	Continuous		L 11.45 P.M.
		Daily Except Sunday										Daily Except Saturday
		8.00 18.5				SCHEDULE TIME						6.45 18.5
						AVERAGE MILES AN HOUR						

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD.

Rule 907 is in effect.

No train order signal at Childress and Pampa; Conductors and Enginemen must have Clearance Form A.

At Denver Northern Jct., near M.P. 222, trains are governed by automatic block system protecting the F. W. & D. N. and parallel main track.

Normal position of gate at M-K-T crossing is against F. W. & D. C. trains.

Plains Junction and Lubbock Sub-Division

AMARILLO DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

EASTWARD			Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Lubbock	Capacity of		Office Open Sundays	WESTWARD		
FIRST CLASS								Daily Ex. Sunday Passenger	102		101	Siding	Other Tracks
		A.M. L 8:05	6:30 a.m. to 2:30 p.m. 5:30 p.m. to 1:30 a.m.	CWY RKYd.	L 360.4LUBBOCK.....	0.0			Yard			
			No Office		L 358.5	1.9 P. & S. F. Crossing "E" (Auto. Interl.)	1.9			No Office			
			No Office		L 350.2	8.3 P. & S. F. CROSSING "D" (Grade)	10.2			No Office			
		f 8:22	No Office	F	L 350.0	0.5 KITALOU	10.7	50	185	No Office	f 12:36		
		f 8:36	No Office	F	L 340.3	9.1 BECTON	19.8	17		No Office	f 12:23		
			8:00 a.m. to 5:00 p.m.	W	L 332.7	7.9 PETERSBURG	27.7	50	40	Closed	s 12:12 A.M.		
		f 9:04	No Office	F	L 323.4	9.0 BARWISE	36.7	15	27	No Office	f 11:58		
			No Office		L 314.0	9.7 P. & S. F. CROSSING "C" (Grade)	46.4			No Office			
		s 9:22	No Office		L 313.0	1.0 LOCKNEY	47.4	50	8	No Office	s 11:40		
		s 9:35 10:37	7:15 a.m. to 3:15 p.m. 9:30 p.m. to 5:30 a.m.	CWYO RKYd.	P 306.4	6.6 STERLEY	54.0	Yard	231	9:30 p.m. to 5:30 a.m.	s 11:27 10:25		
		f 10:45	No Office	F	P 301.6	4.8 SOUTH PLAINS	58.8	11	27	No Office	f 10:15		
		f 10:55	No Office	F	P 294.9	8.7 JOHN FARRIS	65.5	49	12	No Office	f 10:02		
		f 11:12	No Office	WF	P 285.2	9.7 EDGIN	75.2	50	18	No Office	f 9:42		
		s 11:23	8:00 a.m. to 5:00 p.m.		P 279.3	5.9 QUITAQUE	81.8	50	66	Closed	s 9:34		
		s 11:39	8:00 a.m. to 5:00 p.m.		P 268.9	10.4 TURKEY	91.5	58	72	Closed	s 9:16		
		f 11:55	No Office	F	P 258.7	10.2 TAMPICO	101.7	53	15	No Office	f 8:57		
		P.M. f 12:11	No Office	F	P 247.2	11.6 PARNELL	113.2	49	10	No Office	f 8:39		
		A 12:25 P.M.	No Office	YYd. F	P 237.0	10.2 PLAINS JCT.	123.4			No Office	L 8:22 P.M.		

Trains between Plains Jct. and Estelline are governed by time table of Amarillo and Childress Sub-division.

		A 12:26 P.M.		RYd.	236.7ESTELLINE.....	123.7	68	91		L 8:21 P.M.		
		Daily Ex. Sunday				123.7					Daily Ex. Sunday		
		3.18 37.4				SCHEDULE TIME					3.31 35.1		
						AVERAGE MILES AN HOUR							

TRAINS WESTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS EASTWARD.

Rule 907 in effect

No train order signal at Sterley and Lubbock; Conductors and Enginemen must have Clearance Form A.

Westward trains must have Clearance Form A before leaving Estelline.

Conductors or Enginemen of trains from Plains Jct. and Lubbock Sub-division must obtain permission from train dispatcher by telephone at Plains Jct. before entering upon Amarillo and Childress Sub-division.

Normal position of gates at P. & S. F. Crossing "D" and P. & S. F. Crossing "C" is against F. W. & D. C. trains.

Parnell water tank, M.P. P-242.1.

Local extra leaves Childress 11:30 p.m. for Estelline and Lubbock daily.

Local extra leaves Lubbock 7:00 p.m. for Estelline and Childress daily.

Silverton and Dimmitt Sub-Division

AMARILLO DIVISION

TIME TABLE No. 16

EFFECTIVE FEBRUARY 9, 1947

EASTWARD				Office Open Week Days	Signs	Distance from Fort Worth	STATIONS	Distance from Dimmitt	Siding	Capacity of Other Tracks	Office Open Sundays	WESTWARD							
SECOND CLASS		FIRST CLASS										Daily Ex. Sunday Passenger	Daily Ex. Sunday Passenger	Monday Wednes'd'y Friday Mixed	Tuesday Thursday Saturday Mixed	FIRST CLASS		SECOND CLASS	
Tuesday Thursday Saturday Mixed	Monday Wednesday Friday Mixed	Daily Ex. Sunday Passenger	Daily Ex. Sunday Passenger													Daily Ex. Sunday Passenger	Daily Ex. Sunday Passenger	Monday Wednes'd'y Friday Mixed	Tuesday Thursday Saturday Mixed
402	376	204	202									203	201	375	401				
	P.M. L 12.20			8:00 a.m. to 5:00 p.m.	WY RBYd.	P 387.6 DIMMITT	0.0	Yard	88	Closed			A.M. A 11.20					
	a 1.05			8:00 a.m. to 5:00 p.m.	W	P 351.6 HART	16.0	52	72	Closed			s 10.35					
	f 1.45			No Office	F	P 337.6 EDMONSON	30.0	46	28	No Office			f 9.50					
	s 2.30 3.30	P.M. 10.56	A.M. 10.06	7:00 a.m. to 4:00 p.m.	WYR KBYd.	P 324.3 PLAINVIEW	43.3	Yard	378	Closed	A.M. A 10.04	P.M. A 10.54	s 9.15 8.15					
				No Office		P 323.7	P. & S. F. Crossing "B" (Auto. Interl.)	43.9			No Office								
				No Office		P 321.7	P. & S. F. Crossing "A" (Grade)	45.9			No Office								
	f 3.53	f 11.13	f 10.23	No Office	F	P 314.0 CEREAL	63.6	50	16	No Office	f 9.47	f 10.37	f 7.50					
A.M. L 11.15	A 4.15 P.M.	A 11.27 P.M.	A 10.37 A.M.	7:15 a.m. to 3:15 p.m. 9:30 p.m. to 5:30 a.m.	CWYO RKYd.	P 306.4 STERLEY	61.2	Yard	231	9:30 p.m. to 5:30 a.m.	L 9.35 A.M.	L 10.25 P.M.	L 7.30 A.M.	P.M. A 2.15				
f 11.50				No Office		S 316.8 WHITELEY	71.6			No Office				f 1.40				
A 12.15 P.M.				8:00 a.m. to 5:00 p.m.	WY RBYd.	S 325.6 SILVERTON	80.4	Yard	63	Closed				L 1.15 P.M.				
						80.4													
Tuesday Thursday Saturday	Monday Wednesday Friday	Daily Ex. Sunday	Daily Ex. Sunday			 SCHEDULE TIME					Daily Ex. Sunday	Daily Ex. Sunday	Monday Wednesday Friday	Tuesday Thursday Saturday				
1.00 19.2	3.65 15.8	0.31 34.6	0.31 34.6			 AVERAGE SPEED AN HOUR					0.29 37.0	0.29 37.0	3.60 16.0	1.00 19.2				

TRAINS WESTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS EASTWARD, EXCEPT No. 402 is superior to No. 401.

Rule No. 907 in effect.
No train order signal at Silverton, Sterley, Plainview and Dimmitt; Conductors and Enginemen must have Clearance Form A, except No. 204 at Plainview.

Normal position of gate at P. & S. F. crossing "A" is against F. W. & D. C. trains.
Local extra leaves Sterley 7:30 a.m. for Plainview, Tuesday, Thursday and Saturday.

Local extra leaves Plainview 9:30 a.m. for Sterley, Tuesday, Thursday and Saturday.

LIST OF ADDITIONAL SIDINGS AND SPURS

Capacity of Trucks	Distance from Fort Worth	STATIONS
6	18.92	* HICKS TEXAS AVIATION SCHOOL SPUR
....	187.93	* PAULINE
90	224.14	† CHILDRESS AIR PORT
10	238.4	† RED RIVER SAND SPUR
124	338.1	† AMERICAN SMELTING & REFINING COMPANY
18	369.4	* TASCOSA STOCK PENS
52	380.4	JUDE SIDING
14	P 286-76	† GRAVEL SPUR
15	P 328.06	* WASSON
9	P 331-42	* REINKEN SPUR
12	P 344-82	* GRISHAM SPUR
26	N 237-61	† ROCK SPUR
9	N 259-41	† LILLY SPUR
5	N 328-1	† ELFCO

*Spur connected at north or east end.
†Spur connected at south or west end.

TIME FREIGHT TRAINS (Information Only)

SOUTHWARD DAILY		Stations	NORTHWARD—DAILY	
75	73		76	72
L 8:25 p. m.	L 7:10 a. m.	Texline	A 11:00 a. m.	A 11:45 p. m.
A 12:45 a. m.	A 11:30 a. m.	Amarillo	L 5:45 a. m.	L 6:15 p. m.
L 2:00 a. m.	L 12:30 p. m.	Childress	A 4:45 a. m.	A 5:15 p. m.
A 6:15 a. m.	A 4:30 p. m.	Wichita Falls ..	L 11:30 p. m.	L 11:45 a. m.
L 7:00 a. m.	L 5:15 p. m.	Fort Worth	A 10:30 p. m.	A 10:45 a. m.
A 10:40 a. m.	A 8:45 p. m.		L 5:40 p. m.	L 5:30 a. m.
L 11:30 a. m.	L 9:35 p. m.		A 4:20 p. m.	A 4:30 a. m.
A 4:00 p. m.	A 2:00 a. m.		L 11:30 a. m.	L 11:30 p. m.

SPEED OF TRAINS:

Miles Per Hour	Time Per Mile		Miles Per Hour	Time Per Mile	
	Minutes	Seconds		Minutes	Seconds
5	12	0	45	1	20
10	6	0	50	1	12
15	4	0	55	1	5
20	3	0	60	0	0
25	2	24	65	0	55
30	2	0	70	0	51
35	1	43	75	0	48
40	1	30			

SPECIAL INSTRUCTIONS

Master Mechanic.....J. L. Roach, Childress
 Trainmaster, Wichita Falls Division.....H. E. Moyer, Wichita Falls
 Trainmaster, Amarillo Division.....M. G. Monaghan, Amarillo
 Trainmaster.....J. M. Aydelott, Childress
 Road Foreman and Asst. Trainmaster.....J. H. Harmon, Amarillo
 Asst. Trainmaster, North and South Plains
 Districts, Amarillo Division.....W. S. Pigford, Childress
 Chief Train Dispatcher.....O. R. Bodeen, Childress
 Chief Train Dispatcher.....C. E. Brown, Wichita Falls

TRAIN DISPATCHERS

F. T. Henderson	M. A. Davis	W. J. Hamilton
R. Grubbs	G. A. Shaw	J. H. Lowder
	F. R. Brady	

1. Between Fort Worth and Sixela, Second Class and Extra Trains and yard engines must clear the time of No. 1 and No. 2 not less than ten minutes.

2. Rule 91 of Rules of The Operating Department is modified to read: "Unless some form of block signals is used, trains in the same direction must keep at least 10 minutes apart, except in closing up at stations."

3. When under Rule 951, operators are instructed to handle switches for a train they must be available immediately to do so. They will maintain a position where they may be seen by the conductor and will advise him of their intention to handle switches for his train. After so advising the conductor, the operator will be responsible for the return of switches to normal position after train has passed.

4. USE OF TRACK. Where there are two sidings for meeting or passing trains, the right hand track must be used unless otherwise provided.

There is no superiority of trains on parallel track, Childress.

Northward trains leaving Childress yard on parallel track and southward trains from Childress and Pampa Sub-division entering parallel track at Denver Northern Junction, will be governed by signal indication.

All trains on parallel track will move as prescribed by Rule 908.

M-K-T, W. F. & S., Wichita Valley, Q. A. & P., Joint Texas Division and St. L. S. W. trains and engines while on tracks of Fort Worth and Denver City Railway will be governed by rules and time-table of Fort Worth and Denver City Railway.

5. Trains must be identified at meeting or waiting points.

6. ADVANCING TRAINS. When a train is to be advanced as prescribed by Rule 925, the engineman will, in acknowledgment of the signal, sound two long blasts of the whistle as provided in Rule 14 (b).

7. Conductors must report by wire, storms or conditions that may render track unsafe and will tie up their trains when in their judgment it is unsafe to proceed.

8. Under Rule 103, when cars are pushed by an engine over public crossings at a grade, not protected by a watchman or gates, a member of the crew must protect the crossing, unless the movement is made under Rule 1012.

Should train or enginemen observe that highway crossing signals or gates are not operating properly, the fact should be reported promptly by wire to the Superintendent and Chief Dispatcher.

9. SPRING SWITCHES are designated by a round target bearing the letter "S" Facing point movements over spring switches are protected by automatic

home signal. When signal indicates "Stop", trains may proceed on hand signal after switch has been examined and points found to fit properly. Trains trailing through switch may do so without opening or closing it. When sand or snow is blowing the switch points must be cleared before trailing move is made through switch. When trailing through switch and train is stopped before movement is complete, backward movement must not be made until switch is set and secured in proper position. When switch is opened by hand it must be closed by hand. Sand must not be used over spring switches. Drop switch will not be made over spring switches unless specifically authorized.

Emploees handling spring switch hand throw levers must keep body in clear of lever until it has reached the center position when releasing the latch on hand throw lever.

10. Enginemen must not permit ash pans or front end of engines to be cleaned on the tracks and switches over which movements are governed by signal indication, except at points designated by the Superintendent. Sand must not be used, ash pans cleaned, water allowed to run or blow-off cocks opened over movable parts of controlled switches or between the signals which govern the movements, in either direction, over these switches.

Sand must not be used, ash pans cleaned, water allowed to run or blow-off cocks opened over movable parts or between route signals which govern the movements through an interlocking.

11. Train or portion of train must not be left within home interlocking limits when it can be avoided.

12. When occupied outfit cars are set out of a train at a station, or on a track between stations, or when moved from one track to another at a station, the conductor must notify the Chief Train Dispatcher from the first available point of communication as to the track on which the occupied outfit cars are left.

Under Rule 93, trains handling occupied company service cars, or carrying caretakers, must be protected as prescribed by Rule 99.

Under Rule 908, trains will be notified of occupied company service cars when such cars occupy sidings or station tracks used as sidings.

13. Derricks, pile drivers, steam shovels, clam shells and other than work trains, upon their own wheels, leads must be lowered and securely fastened, booms disconnected, boom end and leads trailing, and boom loaded so as to be entirely free of swinging features. They must be inspected for safe side and top clearance, and should be separated from the engine by at least two cars when practicable. Company service steam wrecking derricks having specifically designed idler cars are excepted.

Derricks, steam shovels, ditchers, drag lines, rail loaders and other similar equipment loaded on flat cars or other open-top cars with booms connected and handled in trains must have booms trailing and securely fastened. Cars loaded with such equipment, when picked up at intermediate stations or junctions and not properly turned, must be turned at first point where facilities are available to effect trailing position of booms.

Speaders to be handled in trains other than work trains must have all movable parts properly secured and when practicable must be turned in the direction in which they are normally operated.

14. Train orders addressed to motor trains handling trailer, and two car branch line steam passenger trains handling blind end baggage cars must be delivered by operator to baggageman in addition to conductor and engineman.

15. Modifying the first paragraph of Rule 959: The standard flagging equipment for locomotives will be one red flag, one white lantern, one red lantern, four fuseses, six torpedoes. The lanterns to be lighted and ready for immediate use after dark. The fuseses and torpedoes to be carried in a rack provided for that purpose.

On motor operated trains, flagging equipment will be carried in the baggage compartment instead of in the motor room.

This modifies the second paragraph of Rule 919 so far as it applies to flagging equipment on locomotives, and that part of the tenth paragraph of Rule 920, reading "Normal supply for engines, three fuseses and six torpedoes."

SPECIAL INSTRUCTIONS—Concluded

In freight and mixed train service the front brakeman is responsible with the engineman for knowing that in the cab of the locomotive there is the prescribed flagging equipment.

Rule 919 is modified to permit the use of a white electric lantern; the red lantern must be oil burning.

Flagman must, in addition, have at all times a white oil burning lantern in good order and ready for immediate use. It is not necessary that white oil burning lantern be lighted except when in service.

16. Rule 916 of Rules of The Operating Department is abolished.

17. Rule 914 of the book of rules of Operating Department is modified to read as follows:

A yellow signal on the right of the track indicates that the track one mile distant is safe for a speed of but 10 miles an hour, unless otherwise directed by train order. Where the one mile requirement will place the yellow signal between the switches of a siding, the signal will be carried back in advance of the siding switch.

A green signal on the right of the track signifies that the slow track has been passed, and the usual speed may be resumed. Enginemen must maintain slow speed until proceed signal is received from rear end.

Under Rule 914, on trains equipped with communicating signal system, the proceed signal will be given by one short sound of the communicating signal.

18. Grade signals changed from the aspects and instructions shown on pages 88 and 89 of Rules of The Operating Department by replacing the yellow roundels in semaphores with red roundels, the blades red and white instead of yellow and black, and in color light signals one yellow roundel changed to red. Trains may pass grade signal displaying restrictive indication at ten miles an hour instead of five, and be governed by Rules 509-A or 509-B.

19. Switches, frogs and guard rails are not always blocked.

20. When switching occupied passenger equipment, air brakes must be used, vestibule curtains and electric connectors disconnected.

21. High or wide loads which are moving in train with restrictions on account of limited overhead or side clearance must be handled next to engine when practicable.

22. Under no circumstances should the speed of troop trains exceed:

(a) the maximum allowable speed shown in the time table for steam passenger trains of conventional equipment when troop trains consist of ALL PASSENGER CARS, and

(b) the allowable maximum speed as shown in time table for freight trains when the troop train has freight cars mingled with the passenger equipment or troop trains consisting of all passenger equipment except caboose will not exceed forty-five miles per hour at any point regardless of whether they are handled by freight or passenger engine.

Also, in handling troop trains, meeting points with all opposing trains must be established by a positive meet train order. Since Burlington Rule 318-B is not in effect on our line it should be understood that the positive block is to be maintained behind troop trains, except that when a train is passed by a troop train at a non-communicating station (except in automatic block signal territory) the train passed must wait ten minutes and then proceed at restricted speed to next available point of communication.

23. Conductors in all classes of service will when practicable personally contact and compare time with their engineers before trains leave initial terminals on the sub-division.

24. The last sentence of Operating Rule 1029 is construed to mean that such persons are to be considered "Out of danger" only when they are out of and away from cars before switching is done.

25. When it is necessary for track cars to be operated during night hours, the track car operator must, when practicable, obtain an accurate line up, and where it can be done, all trains and engines entering the territory in which the cars are being operated will be notified of such track cars. When so notified, enginemen will keep a sharp lookout for track cars and use the whistle freely.

26. Rule 1047 in Book of Rules of the Operating Department is modified as follows: "Assist passengers, especially women, children and infirm persons, in entering and leaving cars, or in passing from one car to another, giving special attention to their safety. Direct them on which side to leave the train, and see that platform gates and vestibule doors are opened and closed, as convenience and safety require. Do not leave the gates or car platforms until train has cleared the station platform. While the train is waiting at a station, remain at the car steps unless relieved by the conductor or train porter or when required to assume flagging duties. Use step boxes where necessary."

27. Rule 1314 of Rules of the Operating Department is revised to read as follows:

On Passenger trains, at points where only the engine or train crew is changed, but no angle cock turned, the incoming engineman must apply the train brakes with a fifteen pound brake pipe reduction immediately after stopping and without waiting for a signal; the outgoing engineman will release the brakes upon the proper release signal. Car inspector must see that the brakes are applied on the rear car, then signal the engineman to release with the communicating signal from the rear car; after the brakes on the rear car are seen to be released, he will signal the engineman with one blast of the communicating signal.

28. The headlight of diesel and gas-electric engines must be burned dim during daylight hours when in road service.

29. Necessary precautions must be taken by ALL EMPLOYEES TO PROTECT THEMSELVES FROM INJURY on account of structures at following locations:

- MP 1.06 Belknap Street, highway overpass.
- Bridge 2.71, Trinity River.
- Bridge 114.73, Big Wichita River.
- MP 115.20, Scott Street, Wichita Falls, highway overpass.
- MP 155.58, highway overpass.
- MP 165.40, highway overpass.
- MP 174.64, highway overpass.
- MP 278.60, highway overpass.
- C. R. 1. & P. Overhead Crossing, between MP 336 and MP 337.
- Tunnels between Gravel and Johnfarris.
- Highway Overhead Crossings between Plains Jct. and MP P-238 and between MP L-339 and MP L-340.
- Highway Overhead Crossings between MP N-222 and N-223, MP N-280 and MP N-281, MP N-316 and MP N-317, MP N-325 and MP N-326.

30. RAILROAD CROSSINGS:

Protected by Standard Interlocking:
Fort Worth, North Fort Worth, Saginaw, Bowle, Quanah, Amarillo, and Dalhart.

Protected by Automatic Interlocking:
Vernon, Chillicothe, Acme, Lubbock, Plainview and Shamrock.

Protected by manual thrown gates, normal position; set across F. W. & D. C. tracks:

MP L-314.0 Lookney, MP L-350.2 Kitalou, MP P-321.7 east of Plainview and MP N-252.0 Wellington.

Not protected by Standard Interlocking or any other signal device:
Henrietta; all trains must come to a full stop and know that track is clear before crossing.

31. The night signals to be used under Rule 906 are modified as follows:
Hot Journals--Stop signal, followed by lamp swung in small vertical circle.

Brakes sticking--Stop signal, followed by lamp in sliding movement out from body.

SPEED RESTRICTIONS

SPECIAL INSTRUCTIONS GOVERNING THE MAXIMUM SPEEDS OF ZEPHYR TYPE MOTOR TRAINS

Distinctive roadway signals have been adopted to indicate maximum speeds of Zephyr type motor trains.

A triangle type signal with reflex letter "Z" thereon indicates zone territory where maximum speed is indicated by the numerals thereon and will govern until the next zone signal is reached.

Where speed restrictions are required on curves within a zone, a banjo type signal with reflex letter "C" and numerals thereon will indicate maximum speed permissible for that particular curve, after which zone speed may be resumed.

The triangle and banjo type signals will be located approximately one mile from point of curve, or point where zone speed changes.

SPEED RESTRICTIONS FOR ZEPHYR TYPE MOTOR TRAINS ARE AS FOLLOWS:

Southward M.P.H. Zone Other	Condition	M. P. Location	Northward M.P.H. Zone Other
40 ..		Fort Worth to 5.50	40 ..
.. 18	*City limits	Fort Worth	.. 18
.. 10	*Spring switch end of double track	Hampton	.. 25
.. 25	*Spring switch end of double track	Rio	.. 15
.. 15	*Between Rio and St. L. S. W. Crossing		.. 15
65 ..		5.50 to 113	65 ..
.. 55	Curve	31.00	.. 55
.. 60	Curve	43.55	.. 60
.. 55	Curve	46.33	.. 55
.. 20	*City limits	Alvord	.. 20
.. 60	Curve	69.88	.. 60
.. 20	*City limits	Henrietta	.. 20
20 ..		113 to W. F. & N. W. Jet.	20 ..
.. 8	*Seventh Street	Wichita Falls	.. 8
30 ..		W. F. & N. W. Jet. to 116.10	30 ..
65 ..		116.10 to 220.00	65 ..
.. 25	*Spring switch end of double track	Orient	.. 25
.. 25	Facing point movement		.. 15
.. 18	*City limits	Iowa Park	.. 18

Southward M.P.H. Zone Other	Condition	M. P. Location	Northward M.P.H. Zone Other
.. 15	*St.L.S.F. & T. Crossing	163.10	.. 15
.. 60	Curve	Pease River bridge and curve 166.37	.. 60
.. 20	*City limits	Chillicothe	.. 20
.. 20	*Between home signals, P. & S. F. Crossing	179.00	.. 20
.. 20	*Q. A. & P. Crossing	191.60	.. 20
.. 20	*Between home signals, Q. A. & P. Crossing	196.90	.. 20
40 ..		220.00 to 221.40	40 ..
65 ..		221.40 to 333.65	65 ..
	*Spring switch, north end of parallel track	Childress	
.. 25	Facing point movement	
.. ..	Trailing movement through switch		.. 10
.. 55	*Red River bridge	238.08	.. 55
.. 20	*City limits	Memphis	.. 20
.. 60	Curve	255.60	.. 60
.. 60	Curve	259.65	.. 60
.. 40	*P. & S. F. Crossing	334.70	.. 40
40 ..		333.65 to 336.00	40 ..
.. 15	*Between passenger depot and Tyler Street	Amarillo	.. 15
55 ..		336.00 to 349.70	55 ..
.. 50	Curve	339.22	.. 50
65 ..		349.70 to 379.00	65 ..
.. 55	Curve	359.80	.. 55
.. 50	Curve	361.00	.. 50
.. 45	Curve	367.54	.. 45
55 ..		379.00 to 381.00	55 ..
65 ..		381.00 to 452.00	65 ..
.. 60	Curve	384.48	.. 60
.. 15	*City limits	Dalhart	.. 15
.. 20	*C. R. I. & P. Crossing	417.60	.. 20
40 ..	*	452.00 to Sixela	40 ..

*No Roadway signals.

When using any turnout or cross-over not otherwise specified, will not exceed speed designated for other trains.

Following zone and curve posts are located less than distance specified in modified Rule 914.

For northward Zephyr type motor trains zone post located on east side of main track near T&P Junction Fort Worth.

For southward Zephyr type motor trains zone post located on west side of main track 600 feet south of MP 220, Childress.

SPEED RESTRICTIONS—Concluded

1. When a distant signal is displaying a restricting indication, trains must reduce speed at once and move at restricted speed until the indication of the next governing signal can be determined.

Clear indication of block signals does not modify the requirements of Rule 93.

When running against the current of traffic, all trains and engines must move within yard limits at restricted speed.

2. Enginemen handling light engines or engines with caboose must approach all hazardous road crossings where the view is obscured prepared to stop and must run at restricted speed approaching and on curves and where view is obscured between 6:30 a.m. and 6:30 p.m. and use extreme care to avoid striking motor cars.

Light engines may operate at maximum speed authorized for freight trains, except must not exceed 35 miles an hour.

Passenger trains handled by single-engine-truck freight engines must not exceed maximum speed authorized for freight trains unless otherwise provided in subdivision speed restrictions or by train order.

Passenger trains handling freight equipment must not exceed maximum speed authorized for freight trains unless otherwise provided.

Gas-Electric motor cars running backward must not exceed a speed of 10 miles an hour above the speed authorized for engines running backward on that sub-division.

3. Diesel-electric power units running light must not exceed 50 miles an hour.

4. When Zephyr train equipment is handled over a subdivision not equipped with wayside zone and curve posts, and for which no special speeds have been authorized, train will operate on speed restrictions applying to other passenger trains unless modified by train order.

5. Zephyr train equipment handled by steam engines and steam trains operating on Zephyr train schedules will be governed by speed restrictions applying to other passenger trains, unless modified by train order.

6. To prevent damage to traction motors, when handling electrically operated power units dead in train maximum speed must not exceed:

Gas-electric motor cars.....60 M. P. H.
 Diesel-electric power units.....75 M. P. H.
 Diesel-electric switch engines.....40 M. P. H.

Where subdivision maximum speeds are less, they will govern.

Diesel and Gas-electric motor trains and engines must not pass through water if the water is more than three inches above top of rail and when passing through water speed must not exceed 3 miles an hour to prevent damage to traction motors.

LOCATION	Passenger Trains M. P. H.	Freight Trains M. P. H.
ALL SUB-DIVISIONS		
On sidings, unless otherwise specified.....	15	15
Through crossovers and turnouts, unless otherwise specified.....	10	10
Trailing moves through spring switches, unless otherwise specified.....	15	15
Short scale test car (must be handled just ahead of way car with air hose coupled):		
Main Lines.....	..	25
Branch Lines.....	..	20
Clamshells.....	..	20
Pile drivers and similar equipment.....	..	25
Steam wrecking derricks:		
On straight track.....	..	30
On curves.....	..	25
(See Special Instructions 13.)		
Engines under steam disconnected on one side with main rod down:		
Main Lines.....	25	25
Branch Lines.....	20	20
Loaded coke racks and loaded or empty short ore cars, air dumps A-18, A-19, A-100 and A-101 loaded or empty (must be handled in rear of train).....	..	25
WICHITA FALLS AND FORT WORTH SUB-DIVISION		
Maximum speed.....	55	35
Time freight, stock and oil trains.....	..	45
Through city limits, Fort Worth.....	18	18
Spring switch, end of double track, Hampton:		
Facing point movement.....	25	25
Trailing movement through switch.....	10	10
Spring switch, end of double track, Rio:		
Facing point movement.....	25	25
Trailing movement through switch.....	15	10
Between Rio and St. L. S. W. Crossing-Jct.....	15	10
Around curve, M.P. 4.00.....	40	25
Around curve, M.P. 5.50.....	40	20
Around curves, M.P. 31.00 and M.P. 46.33.....	50	35
Through city limits, Alford and Henrletta.....	20	20
Through city limits, Wichita Falls.....	15	15
Seventh Street, Wichita Falls.....	8	8
Engines running backward.....	20	20

LOCATION	Passenger Trains M. P. H.	Freight Trains M. P. H.
CHILDRESS AND WICHITA FALLS SUB-DIVISION		
Maximum speed.....	55	35
Time freight, stock and oil trains.....	..	45
Through city limits, Wichita Falls.....	15	15
Seventh Street, Wichita Falls.....	8	8
Spring switch, end of double track, Orient:		
Facing point movement.....	25	25
Trailing movement through switch.....	15	10
Through city limits, Iowa Park.....	15	15
St. L. S. F. & T. Crossing, M.P. 163.10.....	15	15
Through city limits, Chillicothe.....	20	20
Between home signals, P. & S. F. Crossing, M.P. 179.00.....	20	20
Q. A. & P. Crossing, M.P. 191.60.....	20	20
Between home signals, Q. A. & P. Crossing, M.P. 196.90.....	20	20
Engines running backward.....	20	20
AMARILLO AND CHILDRESS SUB-DIVISION		
Maximum speed.....	55	35
Time freight, stock and oil trains.....	..	45
Through freight yard, Childress.....	15	15
Spring switch, north end of parallel track, Childress:		
Facing point movement.....	25	25
Trailing movement through switch.....	10	10
Red River bridge 238.08.....	50	35
Through city limits, Memphis.....	20	20
Around curve, M.P. 257.50.....	50	35
P. & S. F. Crossing, M.P. 334.70.....	40	20
Engines running backward.....	20	20
TEXLINE AND AMARILLO SUB-DIVISION		
Maximum speed.....	55	35
Time freight, stock and oil trains.....	..	45
Between Amarillo passenger depot and Tyler Street.....	15	15
Around curves, M.P. 337.11, M.P. 339.21, M.P. 340.61, M.P. 345.47, M.P. 345.99, M.P. 349.73, M.P. 369.86, M.P. 360.95 and M.P. 367.43.....	50	35
Around curve, M.P. 367.64.....	40	25
Around curves, M.P. 373.66, M.P. 376.98, M.P. 377.82, M.P. 379.16, M.P. 381.04, M.P. 381.87 and M.P. 384.68.....	50	35
Through city limits, Dalhart.....	15	15
Engines running backward.....	20	20
SIXELA AND TEXLINE SUB-DIVISION		
Maximum speed.....	40	20
Engines running backward.....	20	20
CHILDRESS AND PAMPA SUB-DIVISION		
Maximum speed.....	35	25
Red River bridge N-232.26, Buck Creek bridge N-242.68, Salt Fork bridge N-262.20 and Elm Creek bridge N-272.23.....	25	20
Between home signals, C. R. I. & P. Crossing, M.P. N-279.00.....	20	20
McClelland Creek bridge N-302.79 and North Fork bridge N-312.92.....	25	20
Engines running backward.....	20	20
PLAINS JUNCTION AND LUBBOCK SUB-DIVISION		
Maximum speed:		
On straight track.....	45	30
Around curves.....	35	25
Through tunnels, M.P. P-288.70 and M.P. P-289.63.....	25	15
Between home signals, P. & S. F. Crossing "E", M.P. L-358.50.....	20	20
Engines running backward.....	20	20
SILVERTON AND DIMMITT SUB-DIVISION		
Maximum speed:		
Silverton to Sterley.....	25	25
Sterley to Plainview.....	45	30
Plainview to Dimmitt.....	25	25
Between home signals, P. & S. F. Crossing "B", M.P. P-323.70.....	20	20
Engines running backward:		
Silverton to Sterley.....	10	10
Sterley to Plainview.....	20	20
Plainview to Dimmitt.....	10	10