



**SANTA FE  
SAFETY FIRST**



Every employe should promptly report any unsafe condition or  
practice to his supervisor.

**TRAINMASTERS**

- D. L. REYNOLDS ..... Brownwood, Texas
- R. P. BENSON ..... Fort Worth, Texas
- B. LEVIN ..... Fort Worth, Texas

**ROAD FOREMAN OF ENGINES—TRAINMASTER  
(AMTRAK OPERATIONS)**

- A. C. RICKETTS ..... Fort Worth, Texas

**ASSISTANT TRAINMASTERS**

- B. F. ROGERS ..... Fort Worth, Texas
- J. L. GOERING ..... Fort Worth, Texas
- W. J. CUMMINGS ..... Dallas, Texas
- C. F. COX ..... Dallas, Texas
- C. R. SAUNDERS ..... Cleburne, Texas

**DIVISION RULES EXAMINER**

- G. A. HARVILLE ..... Fort Worth, Texas

**SUPERVISORS OF AIR BRAKES—  
GENERAL ROAD FOREMEN OF ENGINES**

- E. E. REYNOLDS ..... Amarillo, Texas
- R. E. KING ..... Amarillo, Texas

**ROAD FOREMEN OF ENGINES**

- F. J. SMITH ..... Fort Worth, Texas
- P. R. PIERCE ..... Brownwood, Texas

**SAFETY SUPERVISOR**

- O. D. HAMILTON ..... Fort Worth, Texas

**CHIEF DISPATCHER**

- D. B. ASHLEY ..... Fort Worth, Texas

**ASSISTANT CHIEF DISPATCHERS**

- C. P. PIERCE, JR. .... Fort Worth, Texas
- O. A. LEWIS ..... Fort Worth, Texas
- J. C. RUSSELL ..... Fort Worth, Texas

**DISPATCHERS — FORT WORTH, TEX.**

- |                   |                |
|-------------------|----------------|
| R. A. SCHILLING   | F. W. ULLMAN   |
| J. D. BLANKENSHIP | R. T. SHAVER   |
| A. W. LATHAM      | E. S. FIELDS   |
| D. E. MURDOCK     | J. E. WEAVER   |
| A. G. COPPINGER   | J. G. WILLIAMS |
| J. L. THOMAS      |                |

**AVOID DAMAGE—SWITCH CUSTOMERS' CARS  
CAREFULLY**

**OVERSPEED COUPLINGS ARE DAMAGING**

Damage to freight or car can be avoided by always keeping  
coupling speed within the safe range—NOT OVER 4  
MILES PER HOUR—A BRISK WALK. Rule 112(C).

**HANDLE FREIGHT CAREFULLY AND KEEP OUR  
CUSTOMERS**

**IT'S EVERYBODY'S JOB ON THE SANTA FE**

**The Atchison, Topeka and Santa Fe  
Railway Company**

**WESTERN LINES**

**NORTHERN DIVISION**

**TIME TABLE No.**

**3**

**IN EFFECT**

**Sunday, October 26, 1975**

**At 12:01 A. M.**

**Central Standard Time**

**This Time Table is for the exclusive use and  
guidance of employes.**

**J. R. FITZGERALD,  
General Manager,  
Amarillo, Texas.**

**F. A. BEAUCHAMP,  
Asst. General Manager,  
Amarillo, Texas.**

**J. W. TIEHEN,  
Superintendent,  
Fort Worth, Texas.**

WESTWARD			TIME TABLE No. 3 October 26, 1975	EASTWARD			
First Class	Capacity of Siding in Feet	Ruling Grade Ascending		Ruling Grade Ascending	Mile Foot	Communications Turn Tables and Wyes	First Class
15							16
Leave Daily AM		Feet Per Mile	STATIONS	Feet Per Mile			Arrive Daily PM
9.31			PURCELL		517.5	CR	5.18
	8250	.0	7.3	5.3	510.2	B	
	8250	42.2	WAYNE	52.8	502.6		
		2.1	7.6				
			PAOLI	19.0			
			7.0				
9.55	10800	18.4	PAULS VALLEY	26.4	495.6	Y CR	4.46
	8750	42.2	7.5		488.1	CR	
	9500	31.6	WYNNEWOOD	3.1	478.0	C	
			10.1				
			DAVIS	32.7			
			8.4				
	8850	52.8	DOUGHERTY	52.8	469.6	Y CR	
	8550	52.8	9.3		460.3		
			GENE ATRY	52.8			
			9.9				
10.48	6000	52.8	ARDMORE	52.8	450.4	Y CR	3.55
	6500		7.4		443.0		
			OVERBROOK				
	9950	52.8	9.9	52.8	433.1	CR	
			MARIETTA	52.8			
			10.0				
	7900	52.8	THACKERVILLE	52.8	423.1		
			11.8				
11.28			GAINESVILLE		411.3	T CR	3.11
AM							PM
Arrive Daily			(106.2)				Leave Daily
54.5			Average speed per hour				50.2

TCS IN EFFECT: On main track and sidings between Gainesville and Purcell.

Trains must get clearance card before leaving Purcell and Gainesville.

At Gainesville, First Class trains must register by Form 903.

Booth phone located at Washita River, M.P. 464.3.

**1. SPEED REGULATIONS**

**(A) MAXIMUM AUTHORIZED SPEED**

Location	MPH	
	Psg.	Fr.
First District	79	60*

\*Maximum authorized speed for freight trains 70 MPH provided:

- (1) Train does not exceed 5,000 tons.
- (2) Train does not exceed 90 cars.
- (3) Train does not average more than 75 tons per car.
- (4) Locomotive can control speed to 70 MPH without use of air brakes.

**EXCEPTION.**

Maximum authorized speed for freight trains when averaging 85 tons or over per car, or total consist exceeds 5,000 tons ..... 45 MPH

**(B) SPEED RESTRICTIONS - TRACK, CURVES & BRIDGES**

Location	MPH
2 Curves, M.P. 410.4 to 412.1	60
2 Curves, M.P. 414.6 to 416.1	60
4 Curves, M.P. 416.3 to 417.5	55
3 Curves and Red River Bridge, M.P. 417.7 to 419.1	35
6 Curves, M.P. 419.9 to 422.3	50
Ardmore, main track and siding, M.P. 449.7 to 451.0	25
3 Curves, M.P. 451.6 to 452.7	60
4 Curves, M.P. 453.2 to 454.6	50
7 Curves, M.P. 455.2 to 459.3	55
Curve, M.P. 459.6 to 460.3	50
Curve, M.P. 462.0 to 462.6	60
10 Curves, M.P. 462.8 to 466.4	35
Curve, M.P. 467.3 to 467.5	50
2 Curves, M.P. 471.1 to 472.5	65
4 Curves, M.P. 473.7 to 475.1	50
2 Curves, M.P. 475.3 to 476.3	60
2 Curves, M.P. 494.0 to 494.5	60
2 Curves, M.P. 503.3 to 504.5	65
5 Curves, M.P. 504.5 to 506.7	50
2 Curves, M.P. 507.3 to 508.8	65
Curve, M.P. 510.9 to 511.2	65
4 Curves, M.P. 513.2 to 515.4	55

**(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS**

Maximum speed permitted through turnout of other than main track switches, 10 MPH; each end siding Ardmore, 25 MPH; each end other sidings, 30 MPH; other main track switches, except those listed below, 15 MPH. Switches at each end sidings between Gainesville and Purcell are interlocked.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

- "I"—Interlocking
- "S"—Spring

Station	Type	Location	MPH
Purcell	I	West end west tail track	30
	I	Crossover east end of yard	30
	S	East end east tail track	30
Pauls Valley	I	West leg wye Lindsay District	15
	I	Three crossovers	30
Gainesville	I	East end tail track east end yard	30
	I	Crossover main track to tail track	30

**(D) SPEED RESTRICTIONS - STREET CROSSINGS**

Restriction applies only while head end of train is passing crossings in cities or towns named:

		MPH	
		Psg.	Fr.
Pauls Valley	M.P. 494.5 to 496.1	30	30
Wynnewood	M.P. 486.7 to 488.7	50	50
Davis	M.P. 477.2 to 478.1	50	50
Marietta	M.P. 432.8 to 433.3	50	50
Gainesville	M.P. 409.5 to 412.0		15

**2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)**

M.P. 411.8	Viaduct, highway
M.P. 413.1	Viaduct, highway
M.P. 418.3	Bridge, Red River
M.P. 426.1	Viaduct, highway
M.P. 450.8	Viaduct, 5th Ave.
M.P. 451.1	Viaduct, SL-SF Ry.
M.P. 452.1	Viaduct, highway
M.P. 476.1	Viaduct, highway

**3. TRACKS BETWEEN STATIONS**

Name	Mile Post	Car Capacity in Feet
Ardmore Air Park	461.1	6,550
Crusher	465.7	11,050
Dolese storage tracks	466.9	3,100
Rayford storage tracks	473.3	5,600

**TRACK SIDE WARNING DEVICE**

Location	Type	Signals or indicators affected
M.P. 422.7	Dragging equipment	Rotating white light located at: M.P. 422.7 and M.P. 421.1
Bridge 467.5	High Water	Eastward-Block Signal 4662 Westward-Controlled signals at west end siding Dougherty

When HIGH WATER DETECTOR is actuated, signals will display most restrictive indication. Trains receiving verbal permission to pass controlled signals in stop position and trains passing stop and proceed Block Signal 4662 must stop and make inspection of bridge and track to be sure safe before passing over, unless otherwise instructed by train dispatcher. Report must be made to dispatcher by first means of communication.

When DRAGGING EQUIPMENT DETECTOR indicator light is illuminated an immediate stop must be made, thorough inspection made of both sides of train, track inspected and control station notified.

WESTWARD				TIME TABLE No. 3 October 26, 1975	EASTWARD				
First Class		Capacity of Siding in Feet	Ruling Grade Ascending		Ruling Grade Ascending	Mile Post	Communications Turn Tables and Wyes	First Class	
15	21							16	22
Leave Daily AM	Leave Mon. Thur. Sat.		Feet Per Mile	STATIONS	Feet Per Mile		Arrive Daily PM	Arrive Sun. Tue. Fri.	
11.28			.0	<b>GAINESVILLE</b> 0.6	34.3	411.3	T CR	3.11	
\$11.31				<b>GAINESVILLE P. D.</b> 9.9	40.6	410.7		\$ 3.10	
		8400	52.8	<b>VALLEY VIEW</b> 8.6	52.8	400.8	B		
			52.8	<b>SANGER</b> 5.4	52.8	392.2	CR		
11.55		8500	52.8	<b>DALTON JCT.</b> 3.3	52.8	386.8		2.37	
			52.8	<b>KRUM</b> 6.2	52.8	383.5			
		8100	52.8	<b>PONDER</b> 6.7	52.8	377.3			
		6500	52.8	<b>JUSTIN</b> 8.6	52.8	370.6	C		
		8950	52.8	<b>HASLET</b> 8.1	52.8	362.0			
PM				<b>F.W. &amp; D. Crossing</b>					
12.27		\$ 11000 N12200	.0	<b>SAGINAW</b> C.R.I. & P. Crossing	52.8	353.9	C	2.02	
		4400		<b>F.W. Belt Crossing</b> St. L.S.W. Crossing					
	Via T. & P.			<b>NORTH FORT WORTH</b> S.L.-S.F. Crossing	52.8	348.8	C		Via T. & P.
	AM		52.8	<b>FORT WORTH</b> 0.3	52.8	346.0	T CR	\$ 1.50	PM 8.45
\$12.50	\$ 8.05		21.1	<b>S. P. Crossing</b>	.0	345.7		\$ 1.35	\$ 8.15
1.05	8.35		31.6	<b>T. &amp; P. Crossing</b>	.0	345.6			
			31.6	<b>T. &amp; P. Crossing</b>	.0	345.5			
		1850	47.5	<b>T. &amp; P. Crossing</b>	.0	344.9			
1.13	8.43	6000	47.5	<b>POLKS</b> 2.1	.0	342.8		1.28	7.57
			36.9	<b>BIRDS YL</b> 0.6	.0	342.2			
			71.2	<b>S.L.-S.F. Crossing</b> 8.5	12.7				
1.21	8.52	7950	64.9	<b>CROWLEY</b> 8.4	8.2	333.7		1.21	7.50
1.28	8.59	8350	19.5	<b>JOSHUA</b> 7.8	61.0	325.3		1.09	7.43
\$ 1.43	\$ 9.15			<b>CLEBURNE YL</b>		317.5	TY CR	12.59	7.35
PM	AM							PM	PM
Arrive Daily	Arrive Mon. Thur. Sat.			(93.8)				Leave Daily	Leave Sun. Tue. Fri.
41.7	42.7			Average speed per hour				42.6	42.7

**TCS IN EFFECT:** On main track and sidings between Birds and Gainesville, except between westward controlled signals, west end Fort Worth 17th Street Yard and eastward controlled signals at east end Freight Main, M.P. 346.8, and on sidings North Fort Worth and Saginaw.

Trains must get clearance card before leaving Cleburne, Fort Worth and Gainesville.

At Gainesville, First Class trains must register by Form 903.

At Cleburne, Trains No. 21 and No. 22 must register by Form 903.

At Fort Worth, interlocking signal at west end passenger yard is a two-unit colorlight signal. Top unit governs westward movements to Santa Fe track; bottom unit governs movements to the Southern Pacific track.

**RULE 94 IN EFFECT:** At Cleburne, between Signals 3172 and 3177; at Fort Worth, between westward controlled signals, west end 17th Street Yard, and eastward controlled signals, east end Freight Main, M.P. 346.8.

# NORTHERN DIVISION

## 1. SPEED REGULATIONS

### (A) MAXIMUM AUTHORIZED SPEED

Between:	MPH	
	Psg.	Frt.
Cleburne and Saginaw	79	60*
Saginaw and Gainesville P.D.	90	60*
Gainesville P.D. and Gainesville	79	60*

\*Maximum authorized speed for freight trains 70 MPH provided:

- (1) Train does not exceed 5,000 tons.
- (2) Train does not exceed 90 cars.
- (3) Train does not average more than 75 tons per car
- (4) Locomotive can control speed to 70 MPH without use of air brakes.

### EXCEPTION

Maximum authorized speed for freight trains when averaging 85 tons or over per car, or total consist exceeds 5,000 tons ..... 45 MPH

### (B) SPEED RESTRICTIONS - CURVES, TRACK & RR CROSSINGS

Location	MPH	
	Psg.	Frt.
2 Curves, M.P. 317.2 to 318.7	50	50
Curve, M.P. 327.2 to 327.5	65	65
Curve, M.P. 329.1 to 329.3	65	65
RR Crossing, M.P. 342.2 Interlocking	50	30
Curve, M.P. 342.5 to 342.7	40	40
5 Curves, M.P. 344.2 to 345.4	20	20
Track, M.P. 345.4 to 346.6	10	10
RR Crossings, M.P. 345.5 to 345.7 Interlocking	10	10
3 Curves, M.P. 346.8 to 347.9	50	50
RR Crossings, M.P. 348.5 to 348.9 Interlocking	50	30
2 Curves, M.P. 349.6 to 351.0	65	65
RR Crossings, M.P. 353.8 Interlocking	40	40
Curve, M.P. 370.2 to 370.4	70	70
2 Curves, M.P. 382.4 to 383.3	75	75
Curve, M.P. 389.3 to 389.7	55	55
Curve, M.P. 398.8 to 399.1	65	65
2 Curves, M.P. 410.4 to 412.1	60	60

### (C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS

Maximum speed permitted through turnout of other than main track switches, 10 MPH; each end sidings between Cleburne and Gainesville, except sidings Saginaw, North Fort Worth, Polks and Birds, 30 MPH; other main track switches except those listed below, 15 MPH. Switches at each end of sidings Birds to Gainesville are interlocked.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

- "I"—Interlocking  
 "S"—Spring

Station	Type	Location	MPH
Gainesville P.D.	I	West end tail track	15
Dalton Jct.	I	Both ends pocket track	30
	I	Dallas District Junction	40
Saginaw	I	Both ends of North and South sidings	15
North Fort Worth	I	Both ends siding	15
Fort Worth	I	East end Freight Main	15
Polks	I	Both ends siding	15
Birds	I	Both ends siding	15
	I	Dublin Dist. Junction	10
Crowley	S	Both ends siding	30
Joshua	S	Both ends siding	30
Cleburne	S	East end tail track east end of yard	30

## (D) SPEED RESTRICTIONS - STREET CROSSINGS

Restriction applies only while head end of train is passing crossings in cities or towns named:

		MPH	
		Psg.	Frt.
Cleburne	M.P. 317.0 to 319.0	18	18
Fort Worth	M.P. 337.6 (Sycamore School Road)	40	40
	M.P. 340.9 (Gambrell St.)	40	40
	M.P. 342.1 to 343.5	50	30
	M.P. 343.5 to 347.0	20	20
North Fort Worth	M.P. 347.0 to 349.9	50	30
Saginaw	M.P. 349.9 to 352.2	60	30
Sanger	M.P. 352.2 to 354.7	40	40
Gainesville	M.P. 391.9 to 392.5	50	50
	M.P. 409.5 to 412.0		15

## 2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)

M.P. 318.1	Viaduct
M.P. 318.8	Viaduct, Boone St.
M.P. 320.9	Viaduct, highway
M.P. 339.9	Viaduct, highway
M.P. 344.1	Viaduct, S. Main St.
M.P. 344.3	Viaduct, Allen Ave.
M.P. 345.1	Viaduct, Hattie St.
M.P. 346.7	Viaduct, Weatherford-Belknap Sts.
M.P. 348.1	Viaduct, highway
M.P. 348.5	Bridge, Trinity River
M.P. 349.4	Viaduct, highway
M.P. 350.9	Viaduct, highway
M.P. 352.6	Viaduct, highway
M.P. 358.7	Viaduct, highway
M.P. 381.6	Viaduct, highway
M.P. 388.6	Viaduct, highway

## 3. TRACKS BETWEEN STATIONS

Name	Mile Post	Track Capacity in Feet
Danci	328.3	1,350
Southwest Wood Products	336.2	350

## TRACK SIDE WARNING DEVICE

Location	Type	Signals or indicators affected
M.P. 351.4	Dragging equipment	Rotating white light located at: M.P. 351.4 and M.P. 349.9

When DRAGGING EQUIPMENT DETECTOR indicator light is illuminated an immediate stop must be made, thorough inspection made of both side of train or cut of cars being handled, track inspected and control station notified.

WESTWARD			TIME TABLE No. 3 October 26, 1975	EASTWARD		
Capacity of Siding in Feet ↓	Rating Grade Ascending	Feet Per Mile		Rating Grade Ascending	Mile Post	Communications Turn Tables and Wyes ↑
			<b>STATIONS</b>	Feet Per Mile		
			<b>FORT WORTH</b>			
			3.4	.0	346.0	T CR
6000	47.5		<b>BIRDS</b>		342.8	
	.0		0.9	64.4		
			<b>BELT JCT.</b>		0.9	
7000	66.0		7.5	58.1		
	66.0		<b>PRIMROSE</b>		8.4	B
			13.6	66.5		
7000			<b>CRESSON</b>		22.0	Y
	66.0		8.7	66.5		
7000			<b>WAPLES</b>		30.7	B
	66.0		5.8	66.0		
			<b>GRANBURY</b>		36.5	C
	66.0		9.9	52.8		
7000			<b>TOLAR</b>		46.4	B
	58.6		8.7	66.0		
			<b>BLUFFDALE</b>		55.1	B
	66.0		7.4	.0		
7000			<b>IMMERMERE</b>		62.5	B
	66.0		9.8	44.9		
7000			<b>STEPHENVILLE</b>		72.3	CR
	66.0		13.8	66.0		
8150			<b>DUBLIN</b>		86.1	C
	.0		0.1	31.6		
			<b>T.C. Crossing</b>		86.2	
	52.3		9.1	66.0		
7450			<b>PROCTOR</b>		95.3	
	66.0		12.8	42.2		
7000			<b>COMANCHE</b>		108.1	CR
	66.0		13.6	46.5		
7000			<b>BLANKET</b>		121.7	B
	66.0		6.3	66.0		
7350			<b>DELAWARE</b>		128.0	
	.0		7.1	63.4		
5600			<b>RICKER</b>		344.4	
	.0		4.0	.0		
			<b>BROWNWOOD</b> YL		348.4	TY CR
			(141.8)			

TCS IN EFFECT: On main track and sidings between Birds and eastward controlled signal M.P. 348.1, Brownwood.

Trains must get clearance card before leaving Fort Worth and Brownwood.

Between Fort Worth and Birds, Second District time table rules will govern.

Location of switches not electrically locked on Dublin District (Special Rule 4, page 16)

LOCATION	MILE POST	INDUSTRY SERVED
De Cardova Spur	42.3	Texas Power & Light Co.
Stephenville	71.9	Stephenville Compress Co.
Stephenville	72.1	Texaco Oil Co. - Nix Hdwe. Co.
Dublin	86.1	T.C. Interchange
Dublin	86.5	Dublin Warehouse Co.
Comanche	108.1	Turkey Dressing Plant City Warehouse & Supply Texas Highway Department
Comanche	109.4	Moorman Mfg. Co.
Centex	110.8	Central Texas Fertilizer Co.
Blanket	121.5	Team Track

TRACK SIDE WARNING DEVICE

Location	Type	Signals or Indicators Affected
Bridge 64.1	High Water	Eastward-Block Signal 652 Westward-Controlled signals west end siding Immemere
Bridge 80.6	High Water	Eastward-Controlled signals east end siding Dublin Westward-Controlled signals west end siding Stephenville

When HIGH WATER DETECTOR is actuated, signals will display most restrictive indication. Trains receiving verbal permission to pass controlled signals in stop position and trains passing stop and proceed Block Signal 652 must stop and make inspection of bridge and track to be sure safe before passing over, unless otherwise instructed by train dispatcher. Report must be made to dispatcher by first means of communication.

**1. SPEED REGULATIONS**

**(A) MAXIMUM AUTHORIZED SPEED**

Between:	
M.P. 0.9 and M.P. 1.7	20 MPH
M.P. 1.7 and M.P. 5.1	40 MPH
M.P. 5.1 and Brownwood	50 MPH*

**\*EXCEPTION**

Maximum authorized speed for freight trains when averaging 85 tons or over per car, or total consist exceeds 5,000 tons ..... 45 MPH

**(B) SPEED REGULATIONS - CURVES, BRIDGES & RR CROSSINGS**

Location	MPH
2 Curves, M.P. 0.0 to 0.9	10
3 Curves, M.P. 5.5 to 6.6	45
Curve, M.P. 21.3 to 21.7	45
8 Curves, M.P. 25.0 to 28.5	40
3 Curves, M.P. 29.4 to 30.0	30
Curve, M.P. 34.7 to 35.1	40
2 Curves, M.P. 39.0 to 39.5	30
Stroud's Creek Bridge, M.P. 39.2	20
4 Curves, M.P. 39.7 to 41.0	40
5 Curves, M.P. 41.0 to 43.4	30
2 Curves, M.P. 43.5 to 44.1	45
Curve, M.P. 45.6 to 45.8	40
Curve, M.P. 48.3 to 48.6	40
6 Curves, M.P. 48.9 to 50.5	30
Curve, M.P. 52.3 to 52.9	35
Curve and Paluxy Creek Bridge, M.P. 53.6 to 53.8	40
6 Curves and South Paluxy Creek Bridge, M.P. 55.3 to 57.4	40
10 Curves, M.P. 60.3 to 66.2	40
2 Curves and Bosque River Bridge, M.P. 71.0 to 71.9	30
Curve, M.P. 72.4 to 72.6	30
Curve, M.P. 73.4 to 73.6	45
Curve, M.P. 75.1 to 75.3	45
4 Curves, M.P. 75.6 to 76.8	40
Curve, M.P. 79.1 to 79.4	45
17 Curves, M.P. 79.6 to 85.5	40
2 Curves, M.P. 85.7 to 86.2	35
RR Crossing, M.P. 86.2 Auto. Interlocking	30
Curve, M.P. 86.7 to 86.9	45
7 Curves, M.P. 89.0 to 91.8	40
8 Curves, M.P. 95.9 to 98.4	35
3 Curves, M.P. 98.6 to 99.8	40
Curve, M.P. 100.3 to 100.4	45
4 Curves, M.P. 101.1 to 102.4	40
9 Curves, M.P. 111.1 to 114.0	40
4 Curves, M.P. 114.1 to 115.1	40
Curve, M.P. 118.1 to 118.4	45
13 Curves, M.P. 122.0 to 126.9	40
Curve, M.P. 134.5 to 134.6	40
4 Curves and Pecan Bayou Bridge, M.P. 345.2 to 346.3	25
2 Curves, M.P. 347.7 to 348.2	30

**(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS**

Maximum speed permitted through turnout of other than main track switches, 10 MPH; each end sidings between Birds and Brownwood, except sidings Birds and Cresson 30 MPH; other main track switches, except those listed below, 15 MPH. Switches at each end of sidings Birds to Brownwood are interlocked.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

"I"—Interlocking  
"S"—Spring

Station	Type	Location	MPH
Birds	I	Both ends siding	15
	I	Dublin District Junction	10
Belt Jct.	S	East wye switch	10
Cresson	I	Both ends siding	20
	I	Cresson District Junction	30
Ricker	I	Both ends pocket track	30
	I	Lampasas District Junction	40
Brownwood	I	East end tail track	20
	S	West end outbound lead	10
	I	West end yard lead M.P. 349	15

**(D) SPEED RESTRICTIONS - STREET CROSSINGS**

Restriction applies only while head end of train is passing crossings in cities or towns named:

Brownwood	M.P. 347.9 to 349.4	18 MPH
Comanche	M.P. 107.2 to 109.3	20 MPH
Dublin	M.P. 85.0 to 86.8	30 MPH
Granbury	M.P. 35.5 to 37.7	30 MPH

**2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)**

M.P. 3.0	Viaduct, highway
M.P. 39.2	Bridge, Strouds Creek
M.P. 53.6	Bridge, Paluxy Creek
M.P. 56.4	Bridge, South Paluxy Creek
M.P. 70.5	Viaduct, highway
M.P. 71.3	Bridge, Bosque River
M.P. 73.4	Viaduct, highway
M.P. 98.0	Bridge, Leon River
M.P. 106.9	Viaduct, highway
M.P. 344.9	Viaduct, highway
M.P. 345.3	Bridge, Pecan Bayou

**3. TRACKS BETWEEN STATIONS**

Name	Mile Post	Track Capacity in Feet
DeCardova Spur	42.3	1,490
Moorman Mfg. Co.	109.4	1,330
Centex	110.8	500

WESTWARD			TIME TABLE No. 3 October 26, 1975	EASTWARD		
↓	Capacity of Siding in Feet	Ruling Grade Ascending		Ruling Grade Ascending	Mile Post	Communications Turn Tables and Wyes
		Feet Per Mile	Feet Per Mile			
	8500	42.2	DALTON JCT. 6.5	52.8	111.2	
		10.6	DENTON 2.3	42.2	104.7	C
	3850	52.8	MINCHIN 27.1	52.8	102.4	B
	3550	52.8	COWLEY 5.0	66.0	75.3	B
		15.8	RICHARDSON 0.2	.0	70.3	
		63.4	S. P. Crossing 6.4	52.8	70.1	
		31.7	WHITE ROCK YL 1.1	10.4	63.7	
	5600	.0	ZACHA JCT. 2.3	40.1	62.6	BR
		52.8	REINHARDT 6.6	53.8	60.3	
		.0	T. & P. Crossing 0.4	.0	53.7	
		.0	S. P. Crossing 0.1	10.5	53.3	
		.0	DALLAS YL	53.2		T CR
		.0	S. P. Crossing 0.7	38.0	52.5	
		.0	St. L. S. W. Crossing 0.6	63.3	51.9	
		.0	SANTA FE JCT. 0.1	22.2	51.8	Y
		.0	M-K-T Crossing 0.1	22.2	51.7	
		23.0	TERMINAL JCT. 0.1	.0	51.6	Y
	2100	37.0	OAK CLIFF 2.0	.0	49.6	
	1800	67.0	HALE YL 3.9	.0	45.7	
	1700	66.0	DUNCANVILLE YL 5.6	70.2	40.1	
	950	77.6	CEDAR HILL 5.3	68.6	34.6	
		67.5	S. P. Crossing 7.3	71.0	27.3	
	2350	49.6	MIDLOTHIAN YL 0.4	.0	26.9	CR
	1850	46.9	VENUS 7.3	52.8	19.6	
	1700	76.5	ALVARADO 5.9	71.2	12.7	B
		26.4	M-K-T Crossing 1.3	67.5	11.4	
		74.4	CLEBURNE YL 11.4	66.0	0.0	TY CR
			(11.2)			

TCS IN EFFECT: On main track between east end siding Hale and westward controlled signal at Southern Pacific crossing, M.P. 52.5; on main track between eastward controlled signals, M.P. 53.7, and Zacha Jct. and on siding Zacha Jct.

At Dallas, TCS in effect on Southern Pacific main track between M.P. 51.7 and 52.7.

Signals on the industrial lead and connecting tracks between the Southern Pacific connection at Santa Fe Jct. and west end Dallas yard at Good-Latimer Expressway, M.P. 52.6, govern movements over interlocked switches only. Movements on the industrial lead are governed by Rule 127.

Trains must get clearance card before leaving Dallas.

At Cleburne, Second District time table rules will govern.

Booth phones located at M.P. 80.5, and M.P. 91.0



**1. SPEED REGULATIONS**

**(A) MAXIMUM AUTHORIZED SPEED**

Between:	
Cleburne and Dallas	35 MPH
Dallas and White Rock and Dalton Jct.	30 MPH
	49 MPH*

**\*EXCEPTION**

Maximum authorized speed for freight trains when averaging 85 tons or over per car, or total consist exceeds 5,000 tons . . . . . 45 MPH

**(B) SPEED RESTRICTIONS - CURVES & RR CROSSINGS**

Location	MPH
Curve, M.P. 0.0 to 0.3	10
RR Crossing, M.P. 11.4 Auto. Interlocking	35
2 Curves, M.P. 12.3 to 13.4	25
RR Crossing, M.P. 27.3 Auto. Interlocking	30
Approaching interlocking Southern Pacific crossing, M.P. 27.3	
M.P. 26.9 to 27.3—Eastward	15
M.P. 28.1 to 27.3—Westward	30
6 Curves, M.P. 48.1 to 49.8	25
RR Crossings, M.P. 51.7 to 52.5 Interlocking	30
RR Crossing, M.P. 53.3 Gate*	6
RR Crossing, M.P. 53.7 Auto. Interlocking**	30
RR Crossing, M.P. 70.1 Auto. Interlocking	20
Curve, M.P. 70.1 to 70.8	40
Curve, M.P. 110.3 to 111.2	40

\*Gate normally lined against Southern Pacific. Approach crossing prepared to stop. If crossing clear and gate properly lined, proceed without stopping at speed not exceeding 6 MPH until engine over crossing.

\*\*At Texas Pacific Crossing, M.P. 53.7, if controlled signal governing movement over crossing is in stop position, communicate with control station. If authorized to pass stop signal, before proceeding a member of crew must go to control box at crossing and follow instructions therein.

**(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS**

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, except those listed below, 15 MPH.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

"I"—Interlocking

"S"—Spring

Station	Type	Location	MPH
Hale	S	East end siding	15
Oak Cliff	S	Both ends siding	15
Dallas	I	Terminal Junction	10
	I	Santa Fe Jct.	10
Zacha Jct.	I	Both ends siding	20
	I	Paris District Junction	30

**(D) SPEED RESTRICTIONS—STREET CROSSINGS**

Restriction applies only while head end of train is passing crossings in cities or towns named:

Cleburne	M.P. 0.0 to 1.4	18 MPH
Midlothian	M.P. 26.2 to 27.7	25 MPH
Duncanville	M.P. 37.5 to 41.6	20 MPH
Dallas	M.P. 41.6 to 53.2	30 MPH
Oak Cliff	M.P. 49.6 (Ewing Ave.)	10 MPH
Richardson	M.P. 68.4 to 73.5	20 MPH

**2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)**

M.P. 11.6	Viaduct, highway
M.P. 12.0	Viaduct, highway
M.P. 12.3	Viaduct, highway
M.P. 19.9	Viaduct, M.P. Ry.
M.P. 32.6	Viaduct, highway
M.P. 35.7	Viaduct, highway
M.P. 43.6	Viaduct, highway
M.P. 48.6	Viaduct, highway
M.P. 48.7	Viaduct, Zangs Blvd.
M.P. 49.5	Viaduct, Marsalis Ave.
M.P. 51.1	Bridge, Trinity River
M.P. 51.7	Signal bridge
M.P. 52.9	Viaduct, Oakland St.
M.P. 53.3	Viaduct, highway
M.P. 55.8	Viaduct, Brookside Dr.
M.P. 56.6	Viaduct, highway
M.P. 57.0	Bridge, White Rock Creek
M.P. 63.1	Viaduct, highway
M.P. 66.7	Viaduct, Skillman Road
M.P. 66.8	Viaduct, Forest Lane Road
M.P. 76.6	Viaduct, highway
M.P. 83.3	Viaduct, highway
M.P. 85.7	Viaduct, Government Road
M.P. 103.8	Viaduct, highway
M.P. 104.1	Viaduct, highway

**HALE CEMENT LINE**

M.P. 3.5	Overhead Gas Main
M.P. 3.6	Viaduct, highway
M.P. 4.6	Viaduct, highway
M.P. 4.7	Viaduct, highway
M.P. 5.5	Viaduct, highway
M.P. 7.2	Viaduct, highway

**3. TRACKS BETWEEN STATIONS**

Name	Mile Post	Track Capacity in Feet
Chaparral Steel Co. . . . .	23.2	12,200
Storage . . . . .	24.3	950
Ward . . . . .	24.7	3,050
Gasco . . . . .	39.0	150
Hale Cement Line (8.9 Miles) . . . . .	45.8	
Casa Linda lead . . . . .	61.7	3,500
Casa Linda freight facilities . . . . .	61.7	2,350
Casa Linda TOFC facilities . . . . .	61.7	16,600
White Rock industrial lead . . . . .	63.7	15,000
Gaylord Container . . . . .	64.3	1,860
Hesse Envelope . . . . .	65.4	1,500
Dal-Gar . . . . .	66.4	2,750
Buell Lumber . . . . .	67.1	1,530
Arapaho Team Track . . . . .	70.2	600
Vent-A-Hood . . . . .	70.4	1,500
Lewisville Team Track . . . . .	90.8	500

WESTWARD			TIME TABLE No. 3 October 26, 1975	EASTWARD		
↓	Capacity of Siding in Feet	Ruling Grade Ascending		Ruling Grade Ascending	Mile Post	Communications Turn Tables and Wyes
		Feet Per Mile	Feet Per Mile			
			<b>STATIONS</b>			
			<b>BROWNWOOD</b> YL			TY CR
		66.0	9.5	64.9	348.4	
	7100	64.9	<b>BANGS</b>	64.9	357.9	
	6750	66.0	6.3		364.2	B
	3650	64.9	<b>OBREGON</b>	20.5	369.7	
			5.5			
			<b>SANTA ANNA</b>	62.3		
			3.8			
		66.0	<b>SAN ANGELO JCT.</b>	50.6	373.5	Y B
	9190		4.8			
		31.7	<b>COLEMAN</b>		378.3	CR
	5500		12.7	23.8		B
		31.7	<b>SILVER VALLEY</b>	31.7	391.0	
	5400		5.5			
	4100	31.7	<b>NOVICE</b>	31.7	396.5	B
	4100	31.7	6.4		402.9	
	5200	31.7	<b>GOLDSBORO</b>	31.7	409.5	
		15.8	6.6			
		31.7	<b>LAWN</b>	12.7	415.4	B
		31.7	5.9			
		31.7	<b>TUSCOLA</b>	.0	416.0	
		31.7	0.6			
	4000	31.7	<b>A. &amp; S. Crossing</b>	31.7	420.3	
		31.7	4.3			
		31.7	<b>BUFFALO GAP</b>	31.7		
		31.7	6.3			
	6750	31.7	<b>VIEW</b>	31.7	426.6	B
	4050	31.7	5.4		432.0	
		31.7	<b>COZART</b>	31.7		
		31.7	11.3			
	6250	31.7	<b>TOLAND</b>	31.7	443.3	B
		31.7	5.1			
	3900	31.7	<b>HERNDON</b>	31.7	448.4	
	6500	31.7	6.1		454.5	
		31.7	<b>TECIFIC</b>	31.7		
			5.1			
			<b>SWEETWATER</b>		459.6	TY CR
			(111.2)			

TCS IN EFFECT: On main track between Orient Jct., on Plains Division, and M.P. 454.2, Sweetwater District, and on siding Tecific.

Trains must get clearance card before leaving Sweetwater.

At San Angelo Jct., San Angelo District Junction switch normally lined for Sweetwater District.

**1. SPEED REGULATIONS**

**(A) MAXIMUM AUTHORIZED SPEED**

Sweetwater District	60 MPH
---------------------	--------

**EXCEPTION**

Maximum authorized speed for freight trains when averaging 85 tons or over per car, or total consist exceeds 5,000 tons ..... 45 MPH

**(B) SPEED RESTRICTIONS - CURVES & RR CROSSING**

	MPH
Curve, M.P. 349.8 to 350.1	35
4 Curves, M.P. 350.8 to 353.2	30
Curve, M.P. 362.3 to 362.7	50
2 Curves, M.P. 369.4 to 370.8	30
3 Curves, M.P. 380.2 to 381.9	45
2 Curves, M.P. 383.4 to 383.8	50
Curve, M.P. 386.3 to 386.6	40
Curve, M.P. 391.3 to 391.7	45
Curve, M.P. 395.2 to 395.7	55
2 Curves, M.P. 397.6 to 398.3	45
Curve, M.P. 399.6 to 400.1	45
2 Curves, M.P. 410.7 to 411.3	50
RR Crossing, M.P. 416.0 Manual Interlocking	60
2 Curves, M.P. 455.7 to 457.1	45
Curve, M.P. 458.0 to 458.3	40
Curve, M.P. 460.4 to 460.6	50

**(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS**

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, except those listed below, 15 MPH.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

"I"—Interlocking  
"S"—Spring

Station	Type	Location	MPH
Brownwood	I	West end yard lead M.P. 349	15
	S	West end outbound lead	10
	I	East end tail track	20
Bangs	S	Both ends siding	30
Obregon	S	Both ends siding	30
Santa Anna	S	Both ends siding	30
San Angelo Jct.	S	San Angelo District Junction	30

**(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS—(Cont'd)**

Station	Type	Location	MPH
Coleman	S	Both ends siding	30
Silver Valley	S	Both ends siding	30
Novice	S	Both ends siding	30
Goldsboro	S	Both ends siding	30
Lawn	S	Both ends siding	30
Tuscola	S	Both ends siding	30
Buffalo Gap	S	Both ends siding	30
View	S	Both ends siding	30
Cozart	S	Both ends siding	30
Toland	S	Both ends siding	30
Herndon	S	Both ends siding	30
Tecific	I	Both ends siding	30
	I	Turnout from siding to T.&P.	30
Sweetwater	I	Both ends Track No. 1	20
	I	East and west legs of wye	15
	I	Orient Jct.	15

**(D) SPEED RESTRICTIONS—STREET CROSSINGS**

Restriction applies only while head end of train is passing crossings in cities or towns named:

Brownwood	M.P. 347.9 to 349.4	18 MPH
Santa Anna	M.P. 369.0 to 370.6	30 MPH
Coleman	M.P. 378.2 to 379.6	30 MPH
Sweetwater	M.P. 1.3, Sweetwater Yard, to M.P. 641.6, Sayard Dist.	18 MPH

**2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)**

M.P. 370.7	Viaduct, highway
M.P. 375.5	Viaduct, highway
M.P. 378.0	Viaduct, highway
M.P. 417.8	Viaduct, highway
M.P. 426.5	Viaduct, highway
M.P. 449.3	Viaduct, highway
M.P. 3.0	Viaducts, highway and T&P Ry.

**3. TRACKS BETWEEN STATIONS**

Name	Mile Post	Track Capacity in Feet
Grimes	445.8	550
Tesco	460.1	1,150

WESTWARD		TIME TABLE No. 3 October 26, 1975	EASTWARD		
Capacity of Siding in Feet	Rating Grade Ascending		Rating Grade Ascending	Mile Post	Communications Turn Tables and Wyes
	Feet Per Mile	STATIONS	Feet Per Mile		
2650	65.5	SAN ANGELO JCT. YL 20.9	60.0	.0	BY
5000	65.5	TALPA 16.0	66.0	20.9	
1400	52.8	BALLINGER YL 8.7	26.4	36.9	C
2550	52.8	ROWENA 8.6	51.7	45.6	
2450	52.8	MILES 8.9	52.8	54.2	
2650	52.8	HARRIET 8.4	52.8	63.1	
		SAN ANGELO YL		69.6	Y CR
		(69.6)			

At San Angelo Jct., Sweetwater District Junction switch normally lined for Sweetwater District.

At San Angelo, switches on east and west legs of wye, Northern Division Junction, San Angelo District, normally lined for Plains Division, Fort Stockton District.

1. SPEED REGULATIONS

(A) MAXIMUM AUTHORIZED SPEED

San Angelo District 30 MPH

(B) SPEED RESTRICTIONS - CURVES & BRIDGES

Location	MPH
Curve, M.P. 10.5 to 10.7	25
Curve and Colorado River Bridge, M.P. 37.4 to 37.7	20

(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, 15 MPH.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

(D) SPEED RESTRICTIONS - STREET CROSSINGS

Restriction applies only while head end of train is passing crossings in cities or towns named:

Ballinger M.P. 36.4 to 37.6 18 MPH

2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)

M.P. 36.1 Viaduct, highway  
M.P. 37.6 Bridge, Colorado River

3. TRACKS BETWEEN STATIONS

Name	Mile Post	Track Capacity in Feet
Spur Track No. 2 .....	11.3	600

**PARIS DISTRICT**

WESTWARD		TIME TABLE No. 3 October 26, 1975	EASTWARD		
Capacity of Siding in Feet	Ruling Grade Ascending		Ruling Grade Ascending	Mile Post	Communications Turn Tables and Wyes
		<b>STATIONS</b>			
		<b>PARIS</b> YL		151.1	C
	.0	0.8	21.1	150.3	
1650		T. & P. Crossing			
	52.8	11.8	62.8	150.3	
		<b>ROXTON</b>		138.5	
	52.8	5.5	52.8	138.5	
		<b>BEN FRANKLIN</b>		138.0	
	53.0	5.4	3.7	138.0	
		<b>PECAN GAP</b>		127.6	
	52.8	6.0	52.8	127.6	
1550		<b>LADONIA</b>		121.6	
	52.8	8.3	12.6	121.6	
		<b>WOLFE CITY</b> YL		118.3	C
	.0	8.9	52.8	118.3	
1700		M-K-T Crossing		104.4	
	.0	0.1	14.2	104.4	
		<b>CELESTE</b>		104.3	
	52.8	13.2	57.0	104.3	
		L. & A. Jct.		91.1	
	.0	0.1	3.7	91.1	
1700		<b>FARMERSVILLE</b> YL		91.0	CR
	52.8	6.7	52.8	91.0	
1700		<b>COPEVILLE</b>		84.3	
	53.4	8.5	53.4	84.3	
1700		<b>WYLIE</b>		75.8	
	52.8	4.2	52.8	75.8	
1700		<b>SACHSE</b>		71.6	
	51.2	4.8	52.8	71.6	
		M-K-T Crossing		66.8	
	40.6	0.4	.0	66.8	
1950		<b>GARLAND</b> YL		66.4	CR
	48.5	3.8	53.3	66.4	
5600		<b>ZACHA JCT.</b>		62.6	BR
		(88.5)			

At Zacha Jct., Dallas District time table rules will govern.  
At Farmersville, L&A Jct. switch normally lined for L&A.

**1. SPEED REGULATIONS**

**(A) MAXIMUM AUTHORIZED SPEED**

Between:

Zacha Jct. and Farmersville	30 MPH
Farmersville and Paris	20 MPH

**(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS**

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, 15 MPH.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

**(D) SPEED RESTRICTIONS - STREET CROSSINGS**

Restriction applies only while head end of train is passing crossings in cities or towns named:

Wolfe City	M.P. 113.4 to 113.6	15 MPH
------------	---------------------	--------

**(E) SPEED RESTRICTIONS - RAILROAD CROSSINGS AT GRADE**

Station	M.P.	Type	MPH
*Garland	66.8	Automatic Interlocking	20
Celeste	104.4	Automatic Interlocking	20
*Paris	150.3	Gate, normally lined against T. & P. Rule 98(B)	6

\*Speed applies only to head end of train.

**2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)**

M.P. 62.8	Viaduct, highway
M.P. 83.8	Viaduct, highway

**3. TRACKS BETWEEN STATIONS**

Name	Mile Post	Track Capacity in Feet
Team track	63.0	950
Texas Industries	63.0	250
Team track	64.9	300
Inter-Continental, 5 tracks	67.4	4,550

CRESSON DISTRICT

WESTWARD		TIME TABLE No. 3 October 26, 1975	EASTWARD			
Capacity of Siding in Feet	Rolling Grade Ascending		Rolling Grade Ascending	Mile Post	Communications Turn Tables and Wyes	
		Feet Per Mile				STATIONS
			<b>CLEBURNE</b> YL	56.4	317.5	
	52.8		11.3 GODLEY	56.4	10.3	
850	55.4		8.1 CRESSON	34.8	18.4	Y
7000			(19.4)			

At Cleburne, Second District time table rules will govern.  
At Cresson, Dublin District time table rules will govern.

1. SPEED REGULATIONS

(A) MAXIMUM AUTHORIZED SPEED

Cresson District 30 MPH

(B) SPEED RESTRICTIONS - CURVES & BRIDGES

Curve, M.P. 0.0. to 0.1 10 MPH

(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, 15 MPH.  
Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

RINGLING DISTRICT

WESTWARD		TIME TABLE No. 3 October 26, 1975	EASTWARD			
Capacity of Siding in Feet	Rolling Grade Ascending		Rolling Grade Ascending	Mile Post	Communications Turn Tables and Wyes	
		Feet Per Mile				STATIONS
			<b>ARDMORE</b> YL		450.4	Y CR
	52.8		10.2 LONE GROVE	52.8	9.6	
1900	52.8		9.7 WILSON	52.8	19.3	
	52.8		5.0 COBALT JCT.	52.8	24.3	Y
650	52.8		3.5 HEALDTON	52.8	5.5	C
1300	52.8		5.5 COBALT JCT.	52.8	24.3	Y
650	52.8		5.1 RINGLING	52.8	29.4	C

(30.0)

TRAINS AND ENGINES WILL BE GOVERNED BY RULE 93 ON RINGLING DISTRICT.

Trains and engines originating Ardmore must secure a clearance card before leaving.

At Ardmore, First District time table rules will govern.

At Cobalt Jct., wye switches will be left lined and locked as last used.

1. SPEED REGULATIONS

(A) MAXIMUM AUTHORIZED SPEED

Ringling District 20 MPH

(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, 15 MPH.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

(D) SPEED RESTRICTIONS - STREET CROSSINGS

Restriction applies only while head end of train is passing crossings in cities or towns named:

Healdton M.P. 5.6 10 MPH

2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)

M.P. 3.2 Viaduct, highway

3. TRACKS BETWEEN STATIONS

Name	Mile Post	Track Capacity in Feet
Uniroyal .....	3.7	9,500

LINDSAY DISTRICT

WESTWARD ↓		TIME TABLE No. 3 October 26, 1975	EASTWARD ↑		
Capacity of Siding in Feet	Ruling Grade Ascending		Ruling Grade Ascending	Mile Post	Communications Turn Tables and Wyes
	Feet Per Mile	STATIONS	Feet Per Mile		
10800		<b>PAULS VALLEY</b> YL		495.6	CR
1250	31.6	-12.6 MAYSVILLE YL	31.6	12.1	
	10.5	-11.3 LINDSAY YL	.0	23.4	Y
		(23.9)			

TRAINS AND ENGINES WILL BE GOVERNED BY RULE 93 ON LINDSAY DISTRICT.

Trains and engines originating Pauls Valley must secure a clearance card before leaving.

At Pauls Valley, First District time table rules apply.

1. SPEED REGULATIONS

(A) MAXIMUM AUTHORIZED SPEED

Lindsay District 25 MPH

(B) SPEED RESTRICTIONS - CURVES & BRIDGES

Washita River Bridge, M.P. 21.7 to 21.8 10 MPH

(C) SPEED RESTRICTIONS - SWITCHES AND AUXILIARY TRACKS

Maximum speed permitted through turnout of other than main track switches, 10 MPH; main track switches, 15 MPH.

Trains and engines using auxiliary tracks must not exceed maximum turnout speed for that track.

2. OVERHEAD AND SIDE OBSTRUCTIONS (Rule 759)

M.P. 21.7 Bridge, Washita River

3. TRACKS BETWEEN STATIONS

Name	Mile Post	Track Capacity in Feet
Wacker Warehouse	1.2	700

4. Within Traffic Control System limits, where maximum authorized speed exceeds 20 MPH, a train or engine must not clear the main track through a hand-operated switch not electrically locked for any purpose. Not applicable Hale to Santa Fe Jct., Dallas District; M.P. 346.8 to Saginaw, Second District.

5. MAXIMUM SPEED OF ENGINES

	Forward or dead in train MPH	When not controlled from leading unit MPH
AMTRAK 100-539 5687-5714, 5930-5948*	90**	45
1150, 1160 1215-1241 1418-1441 1500-1537 2322, 2393	45	45
ALL OTHER CLASSES	70	45

Forward speed applies when lead unit of train is controlling and is in backing position. EXCEPTION: When such unit is car body type, maximum authorized speed 45 MPH.

\*Units 5931, 5935 and 5938 restricted to 70 MPH until gear ratio changed to 59:18.

\*\*Engines without cars must not exceed 70 MPH.

6. MAXIMUM DEPTH OF WATER THROUGH WHICH ENGINES MAY BE OPERATED AND MAXIMUM SPEED IN SUCH OPERATION.

	Maximum Depth Above Top of Rail Inches	Maximum Speed MPH
All Classes	4	5

7. Derricks, cranes, pile drivers, spreaders and similar machinery moving on its own running gear must not be moved in trains except on authority of Trainmaster, and trains or engines handling such equipment must not exceed speeds indicated below:

District	Wrecking Derricks MPH	Pile Drivers AT-199454 AT-199455 AT-199457 AT-199458 AT-199459 Locomotive Crane AT-199720 and Jordan Spreaders MPH	Other Machines including Pile Drivers AT-199452 AT-199453 AT-199456 MPH
First, Second and Sweetwater	40	45	30
Other Districts	20	20	20

Locomotive crane AT 199720 and pile drivers must be handled in trains next to engine.

All foreign line scale test cars must be handled in train immediately ahead of caboose at speed not exceeding 50 MPH.

8. YARD LIMITS—Following districts and stations have yard limits: (Rule 93)

Ardmore—Ringling District only.  
Ballinger  
Birds—Second District in ABS only.  
Brownwood  
Cleburne  
Cresson, Cresson Dist. only  
Dallas  
Farmersville  
Garland—Zacha Jct.  
Hale—Duncanville, inclusive  
Midlothian  
Paris  
Pauls Valley—Lindsay District only.  
San Angelo  
San Angelo Jct., San Angelo District only  
Sweetwater, Sayard District, Plains Division only  
White Rock—Zacha Jct.  
Wolfe City

9. BULLETIN BOOKS ARE LOCATED:

Ardmore	Dallas	Midlothian	Saginaw
Arkansas City	Fort Worth	Paris	San Angelo
Brownwood	Gainesville	Pauls Valley	Sweetwater
Cleburne	Greenville	Purcell	Zacha Jct.

10. STANDARD CLOCKS ARE LOCATED:

Ardmore	Dallas	Gainesville	Sweetwater
Brownwood	Fort Worth	Purcell	Saginaw
Cleburne		San Angelo	Zacha Jct.

11. JOINT TRACK FACILITIES:

Farmersville-Dallas. L&A trains use AT&SF tracks between Farmersville and Dallas and are governed by AT&SF Time Table and Instructions; Kansas City Southern Ry. Co. Operating Rules and General Orders.

Tacific-Sweetwater. T&P trains use AT&SF tracks between Tacific and Sweetwater and are governed by AT&SF Time Table, Missouri Pacific System Time Table and Uniform Code of Operating Rules.

SPEED TABLE — FOR INFORMATION ONLY

Time Per Mile Min. Sec.	Miles Per Hour	Time Per Mile Min. Sec.	Miles Per Hour	Time Per Mile Min. Sec.	Miles Per Hour
36	100	58	62.1	1 40	36.0
37	97.3	59	61.0	1 42	35.3
38	94.7	1	60.0	1 44	34.6
39	92.3	1 02	58.0	1 46	34.0
40	90.0	1 04	56.2	1 48	33.3
41	87.8	1 06	54.5	1 50	32.7
42	85.7	1 08	52.9	1 52	32.1
43	83.7	1 10	51.4	1 54	31.6
44	81.8	1 12	50.0	1 56	31.0
45	80.0	1 14	48.6	1 58	30.5
46	78.3	1 16	47.4	2	30.0
47	76.6	1 18	46.1	2 05	28.8
48	75.0	1 20	45.0	2 10	27.7
49	73.5	1 22	43.9	2 15	26.7
50	72.0	1 24	42.9	2 30	24.0
51	70.6	1 26	41.9	2 46	21.8
52	69.2	1 28	40.9	3	20.0
53	67.9	1 30	40.0	3 30	17.1
54	66.6	1 32	39.1	4	15.0
55	65.5	1 34	38.3	5	12.0
56	64.2	1 36	37.5	6	10.0
57	63.2	1 38	36.8	12	5.0



R. W. WELLS, General Watch Inspector . . . . . Topeka, Kansas

**SURGEONS OF THE SANTA FE EMPLOYES' HOSPITAL ASSOCIATION**

DR. T. SPEED, Medical Director . . . . . Temple  
 DR. D. J. LYNCH, Medical Director . . . . . Temple


**LOCAL SURGEONS**

DR. J. G. ROLLINS	Purcell
DR. W. C. MCCURDY	Purcell
DR. W. T. STONE	Purcell
DR. GEORGE N. BECKLOFF	Stratford
DR. OLLIE MCBRIDE	Ada
DR. RAY H. LINDSEY	Pauls Valley
DR. R. E. SPENCE	Pauls Valley
DR. JAMES H. LINDSEY	Pauls Valley
DR. HENRY G. RYAN	Lindsay
DR. E. M. EGGENBERG	Davis
DR. M. E. ROBERSON	Wynnewood
DR. DON J. WILSON	Marietta
DR. J. M. GORDON	Ardmore
DR. THORNTON KELL	Ardmore
DR. DAVID D. ROSE	Ardmore
DR. ROGER REID	Ardmore
DR. TOM C. SPARKS	Ardmore
DR. F. D. MANNERBERG	Ardmore
DR. CLIFFORD LORENTZEN	Ardmore
DR. JOHN H. VEAZEY	Ardmore
DR. W. S. GAUTHIER	Ardmore
DR. E. SAIKIN	Gainesville
DR. JAMES R. COLE	Gainesville
DR. C. F. LUSK	Gainesville
DR. D. E. COLE	Justin
DR. E. R. FOSTER	Justin
DR. H. M. BURGESS	Denton
DR. W. S. MILLER, JR.	Denton
DR. CONRAD KINARD	Denton
DR. JAMES D. THOMAS	Denton
DR. J. H. JONES	Denton
DR. HAL V. NORGAARD	Denton
DR. A. E. GUTHRIE, JR.	Hurst
DR. CARL M. AUSTIN	Ft. Worth
DR. M. H. CRABB	Ft. Worth
DR. E. N. WALSH (Dermatology)	Ft. Worth
DR. S. G. JOHNSON	Cleburne
DR. SIDNEY GALT	Dallas
DR. O. J. WADDELL	Dallas
DR. E. R. RICHARDSON	Dallas
DR. FRANK O. SEAY	Dallas
DR. C. M. PRESTON	Dallas
DR. T. L. LAUDERDALE	Dallas
DR. SHELTON BLAIR (Dermatology)	Dallas



DR. DON BLANTON	Dallas
DR. J. WM. LANTIUS	Dallas
DR. D. R. BALABAN	Dallas
DR. J. WALTER LANIUS	Dallas
DR. ROBERT HENDERSON	Dallas
DR. CARL HIGHGENBOTEN	Dallas
DR. FANK G. GARFIAS	Dallas
DR. J. WILLIAM JONES	Dallas
DR. T. M. TRIMBLE	Wylie
DR. JACK W. RICE	Mesquite
DR. BERNARD MYCOSKIE	Arlington
DR. ROBERT W. BRONTLINGER	Arlington
DR. ROY E. BOHL	Midlothian
DR. JACK L. WEBB	Farmersville
DR. W. LACY SMITH	San Angelo
DR. W. H. BRAUNS	San Angelo
DR. T. R. HUNTER, JR.	San Angelo
DR. M. D. KNIGHT	San Angelo
DR. R. A. MORSE	San Angelo
DR. W. L. SMITH	San Angelo
DR. S. H. GAINER	San Angelo
DR. A. G. DIETRICH	San Angelo
DR. JAMES A. GRISWOLD	Ballinger
DR. T. D. YOUNG	Sweetwater
DR. J. K. RICHARDSON	Sweetwater
DR. R. H. TULL	Abilene
DR. J. C. SNOW	Abilene
DR. MORRIS D. MANN	Coleman
DR. J. B. STEPHENS	Bangs
DR. P. M. WHEELIS	Brownwood
DR. NED SNYDER	Brownwood
DR. ROBERTS K. COLEMAN	Brownwood
DR. T. D. SPENCER	Brownwood
DR. SEALE T. CUTBIRTH	Brownwood
DR. HARRY N. THOMAS	Brownwood
DR. ALLAN J. SPENCE	Brownwood
DR. W. S. WISE	Brownwood
DR. L. W. LANG	Stephenville
DR. J. C. TERRELL	Dublin
DR. JOB PATE	Dublin
DR. BEN H. BRADLEY	Dublin

**EYE, EAR, NOSE AND THROAT SPECIALISTS**



DR. W. R. MOTE	Ardmore
DR. CHAS. K. MILLS	Gainesville
DR. R. H. WEEKS	Ft. Worth
DR. WILLIAM SKOKAN	Ft. Worth
DR. J. W. PICKENS	Cleburne
DR. DAVID STAYER	Dallas
DR. BERT C. BRYAN	Dallas
DR. C. F. ENGLEKING	San Angelo
DR. D. W. HAYTER	San Angelo
DR. VIRGINIA BOYD	Abilene
DR. S. BRASWELL LOCKER	Brownwood
DR. H. B. ALLEN, JR.	Brownwood
DR. VANCE TERRELL	Stephenville
DR. T. E. HUNT	Paris





PURCELL TO GAINESVILLE  
FIRST DISTRICT





GAINESVILLE TO CLEBURNE  
SECOND DISTRICT




BIRDS TO RICKE  
DUBLIN DISTRICT



SWEETWATER TO BROWNWOOD  
SWEETWATER DISTRICT



District	Page
First .....	2
Second .....	4
Dublin .....	6
Dallas .....	8
Sweetwater .....	10
San Angelo .....	12
Paris .....	13
Cresson .....	14
Ringling .....	14
Lindsay .....	15



# NORTHERN DIVISION