	e e
W. A. J. CARTER, Trainmaster	Temple
W. A. J. CARTER, Trainmaster R. E. KNAPP. Trainmaster S. A. WORSHAM, Chief Dispatcher T. W. GOULSBY. Assistant Chief Dispatcher G. E. KEITH, Assistant Chief Dispatcher	Temple
T. W. GOOLSBY, Assistant Chief Dispatcher	Temple
G. E. KEITH, Assistant Chief Dispatcher	Temple
TRAIN DISPATCHERS-TEMPLE.	THE ASI
G. F. BISHOP H. C. DeGRUMMOND M. T. NEY W. H. WEAVER O. ARNOLD G. W. SHUFORD J. A. HUNT J. C. MORLAN	E. K. ADRIAN
M. T. NEY W. H. WEAVER O. ARNOLD G. W. SHUFORD J. A. HUNT J. C. MORLAN	F. E. WILLS
J. A. HUNT J. C. MORLAN	
	
. I STEPONET S LTL. I T	
A. J. STROBEL, General Watch Inspector	Topeka, Kansas
LOCAL WATCH INSPECTORS-SOUTHE	RN DIVISION
E. P. HALTOM H. C. QUINN JEO. E. WATKINS D. D. BLACKMAN L. S. JAMES P. L. MALONF B. L. MALONF MRS. MOLLIE ARMSTRONG M. L. LEFFEL L. J. C. HOLLAND PAUL TERRELL W. T. DUNLAP W. H. FROEBEL	Ft. Worth
H. C. QUINN	Cleburne
EO, E. WATKINS	Cleburne
L S. JAMES	Temple
W. BISCHOFF	Temple
WRS. MOLLIE ARMSTRONG	Brownwood
M. L. LEFFEL	San Angelo
I. J. C. HOLLAND	Successive ter
W. T. DUNLAP	Somerville
W. H. FROEBEL	Beilville
	· · ·
armanolia on	*
SURGEONS OF THE G. C. & S. F. HOSPITAL ASS	OCTATION
THE G. C. & S. F. HOSTIRD ASSO	OCIATION
Dr. JOHN R. WINSTON, Chief Physician Drs. SCOTT, SHERWOOD & BRINDLEY, Chief Sur Dr. EVERETT R. VEHRS, Chief Oculist	reons Temple
Dr. EVERETT R. VEIRS, Chief Oculist	TempleTemple
LOCAL SURGEONS	
or, L. H. REEVES.	Ft. Worth
DE H. K. KIRKIE	Et Worth
Dr. T. F. YATER	Cleburne
Dr. LEE YATER	Cleburne
LOCAL SURGEONS Dr. L. H. REEVES Dr. JOHN T. TUCKER Dr. H. K. KIBBIE Dr. T. F. YATER Dr. C. F. YATER Dr. O. T. SMYTH, JR. Dr. LEE YATER Dr. J. T. ARCHER, JR. Dr. J. T. ARCHER, JR. Dr. V. D. GOODALL Dr. S. L. WITCHER Dr. W. J. COMPTON Dr. J. HONG Dr. W. J. COMPTON Dr. E. R. MCCAULEY Dr. E. R. MCCAULEY Dr. E. R. MCCAULEY Dr. WINDELL P. WARD Dr. DAVID EANES Dr. F. T. Mein'ilre Dr. C. A. KUNATH Dr. J. B. MakNIGHT Dr. W. B. HALLEY Dr. C. A. ROSEBROUGH Dr. C. A. ROSEBROUGH Dr. A. H. FORTNER Dr. C. A. ROSEBROUGH Dr. A. H. FORTNER Dr. C. A. ROSEBROUGH Dr. A. H. FORTNER Dr. W. R. SNOW	Cleburne
Dr. J. T. ARCHER, JR.	
Dr. C. C. CATE	Morgan
Dr. S. L. WITCHER	Ciifton
Dr. A. M. LONG	Valley Mills
Dr. W. J. COMPTON	Crawford
Dr. E. P. BRANNON	McGregor
Dr. E. R. McCAULEY	Moody
Dr. DAVID EANES	Temple
Dr. F. T. McINTIRE	San Angelo
Dr. C. A. KUNATH	San Angelo
Dr. W. B. HALLEY	Ballinger
Dr. CHAS. F, BAILEY	Ballinger
Dr. A. H. FORTNER	Sweetwater
or. W. R. SNOW	Abilene
Or. R. H. TULL	Abilene
Or. R. R. LOVELADY	Santa Anna
Or. J. B. STEPHENS	Bangs
Dr. E. F. CADENHEAD	Brownwood
Dr. HOMER B. ALLEN	Brownwood
Jr. A O CRAGWALL	Goldthwaite
or. OLIVER BUSH	Menarc
Pr. MAURICE HYMAN	Menarc
Dr. T. F. BRYAN	Comanche
Dr. R. C. FELTS	San Sabe
Or. F. W. FARLEY	San Sabe
Dr. J. G. McCALL	Brady
Dr. W. D. FOWLER	Eder
Dr. RUSH McMILLIN	Lampasas
or. F. PAUL BUROW	Killeen
Or JOE A. FOWLER	Killeen
	Belton
Or, T. L. DENSON	Cameron
Dr. C. G. SWIFT.	
Dr. T. L. DENSON. Dr. C. G. SWIFT. Dr. T. S. ROACH. Dr. G. V. PAZDRAL	Caldwell
Dr. T. L. DENSON Dr. C. G. SWIFT. Dr. T. S. ROACH Dr. G. V. PAZDRAL Dr. W. A. KNOLLE	Caldwell Somerville Brenham
Dr. T. L. DENSON Dr. C. G. SWIFT. Dr. T. S. ROACH Dr. G. V. PAZDRAL Dr. W. A. KNOLLE Dr. O. E. STECK	Caldwell Somerville Brenham Bellville
eie, ear, nose and throat spi	Caldwell Somerville Brenham Beliville
AT LOCAL POINTS	ECIALISIS
AT LOCAL POINTS	ECIALISIS
	ECIALISIS

Gulf, Colorado and Santa Fe Railway Company

SOUTHERN DIVISION

TIME TABLE No.

IN EFFECT

Sunday December 5, 1948

At 12:01 A. M. Central Standard Time

This Time Table is for the exclusive use and guidance of Employes.

R. B. BALL, Vice-President and General Manager, Galveston, Texas

J. P. COWLEY. Assistant General Manager, Galveston, Texas

A. B. CLEMENTS, Superintendent, Temple, Texas

First District

	IWARD						_			Ciase	
5	15	Capacity of Biduas in 50-ft, Cara	Ruling Grede Ascending	TIME TABLE No. A 153	Ruling Grade Ascending	Distance from Galveston	Communications	Fuel, Water, Turn Tables and Wives	6	16	
The Ranger	Texas Chief	Caps Sidungs	Ruling	December 5, 1948	Ruling Asco	Distar Galv	София	Fuel Turn T	The Ranger	Texas Chief	
Leave Daily	Leave Daily		Ft. Par Mile	STATIONS	Ft. Per Mile	Miles			Arrive Daily	Arrive Daily	
PM 11.60	PM 1 45	Yard		CLEBURNE YL		317.3	C	F W	AM 3 \$.55	PM 9 1.14	
11.56 — AM —	1.49	110	48.0	PONETTA	53.3	313.5		 	5.47	1.09	1
_ AM 12.01	1.53	111	44.3	RIO VISTA	52.8	309.3			5.41	1.05	
12.09	1.59	111	52.8	BLUM BLUM	66.0	302.9	C		1 5.30	12.59	1
12.19	2.08	71	66.0	KOPPERL	66.0	294.8		W	1 5.19	12.51	1
12.32	2.15	59	63.8	M-K-T Crossing MORGAN	66.0	287.6	С		5.10	12.44	
12.43	2.22	69	47.5	MERIDIAN	66.0	280.2	С		s 4.58	12.37	1
12.49	2.27	70	66.0	MERIDIAN BOSQUE	73.9	275.3		_	4.48	12.32	1
12.59	2,33	73	66.0	ਰੂ CLIFTON	36.9	269.9	С	W	5 4.41	12.26	1
1.06	2.38	71			58.1	264.4			4.29	12.20	1
1.16	2.44	61	47.5	VALLEY MILLS MANHATTAN ORANGE DE CONTROL D	66.0	258.8	C		s 4.22	12.15	1
1.23	2.49	73	66.0	MANHATTAN	65.4	254.4			4.13	12.10	1
1.30	2.53	67	1	CKAWFUKD	66.0	249.8			1 4.07	12.06_]
1.45	3.00	113	66.0	St. L. S. W. Crossing McGREGOR YL	64.4	243.1	c	w y	s 3.56	11.59	
1.51	3.04	73	42.2	BAGGETTS	66.0	238.7			3.46	11.54	1
2.01	3.10	63	47.5	MOODY	31.1	233.1	С		s 3.39	11.48]
2.11	3.18	68	66.0	PENDLETON	66.0	225.1			f 3.28	11.40]
2.20	3.23		66.0	BELCO YL	66.5	220.0			3.20	11.35]
2 25 AM	s 3.27 PM	Yard	66.0	TEMPLE YL	00.0	217.8	C	F W	3 15 AM	11.32 AM	
Arrive Daily	Arrive Daily			(99.5)		·			Leave Daily	Leave Daily	
38 5	58 5	l		Average speed per hour					37 2	58 5	1

Signal System One in effect.

 $\ensuremath{\mathsf{Trains}}$ must secure numbered Clearance Card at Temple and Cleburne.

Nos. 15 and 16 register by Form 903 at Temple.

Between First Street, Second District, and stop and proceed signal 2189 located 640 feet north of Viaduct, First District, and 25th Street, Lampasas District, Temple, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding ten (10) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Between Weatherford Jct., Second District, Northern Division, and south end Bridge 316-C, south of wye switch, First District, Southern Division, Cleburne, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between those points main track may be used not protecting against regular and extra trains and engines.

NAME	Mile Post	Capacity (50-ft. Cars)
Lone Star Gas Co	267.8	4

	SOUTHWARD				· · · · · · · · · · · · · · · · · · ·					NORTHWARD First Class		
15	65	5	Capacity of Sidings in 50-ft, Carr	Ruling Grade Ascending	TIME TABLE No. A 153	Ruling Grade Ascending	Distance from Galveston	Communications	Water, ables and yes	6	16	66
Texas Chief	The Texan	The Ranger	Capa Sidings	Ruling	December 5, 1948	Ruling	Distan	Соппи	Fuel, Water, Turn Tables and Wyes	The Ranger	Texas Chief	California Special
Leave Daily	Leave Daily	Leave Daily		Ft. Per Mile	STATIONS	Ft. Per Mile	Miles			Arrive Daily	Arrive Daily	Arrive Daily
PM 3.29	PM 2.00	AM 2.40	Yard		TEMPLE YL 3	40.5	217.8		FWTY	AM s 8.00	AM s 11.30	PM s 1.35
				.0	M-K-T Crossing O.9 KNOWD JCT. YL	42.7	217.1					
3.32	2.03	2.43		.0	M-K-T Crossing O 9 KNOWD JCT. YL	66.0	216.2			2.54	11.27	1.26
3.36	f 2.09	2.486	74	28.5	HEIDENHEIMER	54.4	212.0			2.485	11.23	f 1.19
3.40	2.13	2.52	76	54.5 42.2	FINKS	64.4	207.8			2.41	11.19	1.11
3.43	s 2.21	2.56	98	58.6	ROGERS	63.3	204.4	С		2.37	11.16	s 1.06
3.46	2.26	2.59	76	32.0	BOWERS 4.2	21.1	201.2			2.33	11.13	12.58
3.50	t 2.33 /	3.04-	75	42.2	BUCKHOLTS	59.1	197.0			2.29	11.09	t 12.54
3.53	2.37	3.07	76	42.2	PETTIBONE 5.5	60.2	193.6			2.25	11.06	12.50
				.0	T. & N. O. Crossing	13.2	188.1					
3.59	s 2.49	s 3.15	147	42.2	CAMERON 6,6	52.8	187.7	_c	W	s 2.16	11.00	s 12.41
4.06	2.57	3.23	78	42.2	HOYTE 3,2	34.8	181.1			2.02	10.54	12.28
4.09	3.01	3.26	82	1 1	ARION	81.6	177.9			1.59	10.51	12.24
4.13	s 3.05	s 3.30	68	43.3	MILANO YL		174.1	c	Y	s 1.54	10.47	s 12.20
4.18	3.13	3,41	78	42.2	I-G-N Crossing 4.8 ELEVATION CHRIESMAN	52.8	169.3		_	1.36	10.42	12.00
4,22	t 3.19	3.46	81			66.0	164.5			1.31	10.38	11.59
4.29	s 3.35	s 3.58	101	39.6	CALDWELL	66.0	157.6	C	W	s 1.23	10.31	s 11.50
4.35	3.43	4.05	76	42.2	CALDWELL CALDWELL DAVIDSON 6.8 DAVIDSON	66.0	151.0			1.09	10.25	11.38
4.41	t 3.52	4.12	72		, PIONP	65.4	144.7	c		1.01	10.19	f_11.3:
4.45	s 4.02	s 4.26	Yard	13.2	SOMERVILLE YL	52.8	141.3		F W	s 12.55	10.15	s 11.2
4.48	4.07	4.31	78	42.2	QUARRY	37.0	137.6			12.45	10.11	11.14
4.50	f 4.11	4.33		42.2	GAY HILL	.0	135.6			12.43	10.09	f 11.1
4,53	4.16	4.37	76	42.2	LANDES	52.8	132.9			12.40	10.06	11.00
4.59	4.23	4.44	66	42.2	NORTHEND	86.0	127.0			12.33	10.00	10.59
	- 	·	71	42.2	BRENHAM YL T. & N. O. Crossing	.0	126.0	C	WY	s 12.29	9,58	s 10.5
5.01	s 4.30 4.38	5 4.55 5.02	78	68.6	PHILLIPSBURG	66.0	120.2	—		12.22	9.52	10.4
5.07	4 43	5.07	64	67.0	4.0 KENNEY	64.9	116.2		<u> </u>	12.17	9.49	1 10.4
5.10	4.49	5.13	78	66.2	DANT	66.0	110.3		 	12.10	9.43	10.3
5.16 5.18	- 	s 5.15	34	23.3	BELLVILLE YL	42.2	107.6			s 12.06	9.40	s 10.30
5.21 PM	s 5.04	s 5.30		.0	1.4	66.0	106.2	С	FWT	12.01	9.38 AM	10.25 AM
PM	PM	AM	Yard		BELLVILLE YARD YL	 -	100.2	Ť	<u> </u>			
Arrive Daily	Arrive Daily	Arrive Daily			(111.6)					Leave Daily	Leave Daily	Leave Daily
59.7	36.4	39.4	<u> </u>		Average speed per hour	<u> </u>			 	37.3	59.7	35.2

Signal system One in effect.

Rule 261 in effect between Knowd Jct. and southward control signals just north of First Street, Temple.

Trains must secure numbered Clearance Card at Temple and Bellville Yard.

First class trains register by Form 903 at Bellville Yard.

Nos. 15 and 16 register by Form 903 at Temple.

Between First Street, Second District, and stop and proceed signal 2189 located 640 feet north of Viaduct, First District, and 25th Street, Lampasas District, Temple, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding ten (10) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Between stop and proceed signal 1063, located immediately north of tail track switch, and stop and proceed signal 1052, located immediately south of south lead main track switch, Bellville Yard, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Lampasas District

	SOUTI	HWARD							_		HWARD
	First	Class	r of 60-ft.	rade ng	TIME TABLE	ade ng	E 8	ations	ter, s and	First	Class
	75	73	Capacity of Sidings in 50-ft. Cars	Ruling Grade Ascending	No. A 153 December 5, 1948	Ruling Grade Ascending	Distance from Galveston	Communications	Fuel, Water, Turn Tables and Wyes	76	74
	California Special	Motor	±ã	, Hi				- 	T.	The Texan	Motor
	Leave Daily	Leave Daily		Ft. Per Mile	STATIONS	Ft. Per Mile	Miles			Arrive Daily	Arrive Daily
	PM 1.50	AM 4.10	Yard	0.0	TEMPLE YL 5.1	66.0	217.8	С	F W T Y	PM g 1.40	AM s 1.30
	1.58	4.18	81	47.5	MIDWAY 3.1	70.2	222.9			1.28	1.15
	2.05	s 4.30	88	37.0	BELTON 3.8	72.8	226.0	c	Y	1.21	s 1.08
	2.11	4.35	84	61.6	GERRON 5.5	0.0	229.8			1.15	12.56
	2.18	f 4.44	77	57.0	NOLANVILLE 7.8	0.0	235.3			1.09	f 12.48
s	2.30	s 5.04	74	68.6	KILLEEN YL	66.5	243.1	C	₩	s 12.59	s 12.38
				00.0	CAMP HOOD YL	00.0	246.7		Y		
Ĺ	2.36	5.12	53	70.7	NICHOLLS YL	66.5	247.7			12.50	12.24
	2.44	s 5.24	77	69.6		68.6	253.8	C		12.42	s 12.14
	2.51	5.31	83	0.0	GOTCHER 3.2	47.5	259.5			12.33	12.01
Г	2.56	f 5.38	83	18.5	l'I terret rest est	10.5	262.7			12.29	1 11.55
				l	LAMPASAS RIVER 3.0 SHORTALL		264.7		w		
	3.03	5.46	83	49.6	SHORTALL	32.7	267.7			12.22	11.45
		5.54	86	66.5	RADIO JCT. YL	0.0	278.3		Y	12.13	11.35
		s 6.12		10.5	LAMPASAS YL	54.4	274.3	C			s 11.30
	3.11	6.16	86		RADIO JCT. YL	!	273.3		Y		11.17
	3.18	6.24	83	68.6	REVISION	0.0	277.3			12.09	11.12
	3,26	6.34	83	69.7	ogles	0.0	283.2		-	12.01 — PM	11.02
s	3.45	s 6.54	Yard	71.2	LOMETA YL	68.6	291.3		F W	— РМ — s 11.51	s 10.50
	3.51	7.00	83	65.5	80X	63.4	296.1			11,38	10.38
	3.56	7.06	90	66.0	ANTELOPE GAP	66.0	299.6			11.32	10.32
F	4.04	7.14	83	66.0	CASTOR	65.4	805.8		_	11.24	10.22
	4.13	s 7.29	75	66.0	GOLDTHWAITE	66.0	313.0	c	 -	11.16	s 10.11
	4.19	7,36	82	66.0	BOZAR BOZAR	66.0	818.1		w	11.09	9.58
	4.26	s 7.45	77	66.0	MULLEN 5.2	67.0	323.8			11.01	1 9.50
	4.34	7.55	54	66.0	VILLA	66.0	329.9			10,54	9.40
	4.43	s 8.05	77	66.0	ZEPHYR	66.0	335.8	c		10.47	f 9.32
	4.51	8.15	83	66.0	RICKER	66.0	341.9	В		10.40	9.20
В	5.05 PM	s 8.30 AM	Yard	21.1	BROWNWOOD YL	66.0	348.0	σ	F W	10.30 AM	9.10 PM
	Arrive Daily	Arrive Daily		·	(132.2) -					Leave Daily	Leave Daily
	40.6	31.8			Average speed per hour					40.6	30.5

Signal System One in effect: Temple to M. P. 344.4.

Signal System Two in effect: M. P. 344.4 to Brownwood.

Trains must secure numbered Clearance Card at Temple and Brownwood.

Automatic Block System: M. P. 218.3 to M. P. 220.0 M. P. 227.2 to M. P. 228.6 M. P. 344.4 to M. P. 348.0

Between First Street, Second District, and stop and proceed signal 2189 located 640 feet north of Viaduct, First District, and 25th Street, Lampasas District, Temple, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding ten (10) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Between south storage track switches 5 poles south M.P. 350, Sweetwater District, and south end Pecan Bayou Bridge 345-B, Lampasas District, Brownwood, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

San Saba District

Southern Division

	SOUTH	IWARD		1		,		l	П	NORTH	IWARD
	Second Class	First Class	ي خ	 g	.2	TIME TABLE	<u>ء</u>	ago.	_ B	First Class	Second Class
	53	81	Capacity of Sidings in 50-ft, Cars	Distance from Lometa	Ruling Grade Ascending	No. A 153 December 5, 1948	Ruling Grade Ascending	Communications	Fuel, Water, Turn Tables and Wyes	82	54
	Mixed	Motor	C. F	<u>i</u> a	P. B.	December 0, 1940	Ban .	Coll.	Furn	Motor	Mixed
	Leave Tues. Thur, Sun.	Leave Daily		Miles	Ft. Per Mile	STATIONS	Ft. Per Mile			Arrive Daily	Arrive Mon. Wed. Fri.
	AM 9.00		Yard	.0	29.6	LOMETA YL	31.7	С	FW TY		PM s 6.40
	9.33		34	11.0	31.7	CHADWICK	26.4			-	1 6.07
S	18:47		50	24.9	51.2	SAN SABA YL	14.9	С	w		5.22 s 5.11
S	11.10		80	32.8	47.5	ALGERITA	26.4				s 4.45
s	11,40 - PM		83	39.6	31.7	RICHLAND SPRINGS	.0	С	W		s 4.22
s	12.01		28	46.1	31.7	HALL 3.7	29.0				s 4.00
f	12.14		13	49.8	39.9	SELLMAN 6.8	26.4				f 3.48
Ī	12.38	AM	83	56.6	31.7	SATUIT 5.5	31.7		!	РМ	t 3.27
	12.58	6.26		62.1	31.7	PAUL JCT. YL	31.7			6.38	3.12
s	$\frac{1.15}{2.00}$	s 6.38 6.43	43	66.1	36.9	BRADY YL	5.3	C	WY	6.26 s 6.21	3.00 s 1.48
ſ	2.12	f 6.51	33	69.8	39.6	NIBLOCK 6.7	39.6			1 6.12	f 1.36
S	2.33	s 7.05	31	76.5	39.6	WHITELAND 0.4	36.0	C		s 5.57	s 1.15
	2.35	7.07 — AM —		76.9	39.6	HOMER JCT.	36.9			5.54 — PM —	1,13
В	2.54	AM	33	82.1	19.0	MELVIN	.0				s 12.55
f	3.20		27	90.2	31.7	WELVIEW	.0				1 12.24
	3.45 PM		Yard	98.0	31.,	EDEN YL		С	FWY		12.01 PM
	Arrive Tues. Thur, Sun.	Arrive Daily				(98.0)				Leave Daily	Leave Mon, Wed. Fri.
	17.7	24.6				Average speed per hour				22.8	18.6

Trains must secure numbered Clearance Card at Lometa and Eden.

Nos. 53 and 54 will stop on flag at Pasche, M. P. 88.4.

No switch lights San Saba District.

Between Homer Jct., and passenger station, Whiteland, and between Paul Jct., and passenger station, Brady, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

NAME	Mile Post	Capacity (50-ft. Cars)
San Saba Stock Yards	26.0 88.4	13

Sweetwater District

				IWARD Class			 			
45	145	91	95	79	75	73	77	Grade	TIME TABLE	ty of 20-12.
Motor P. & S. F.	Motor P. & S. F.	The Texan P. & S. F.	West Texas Express P. & S. F.	Motor	California Special	Motor	The Angelo	Ruling Grade Ascending	No. A 153 December 5, 1948	Capacity of Sidings in 50-ft.
Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Ft. Per Mile	STATIONS	
			·	•	PM 5.15	AM 8.50	AM 4.50		BROWNWOOD YL	Ya
			[5.17	8.52	4.52	22.7	HULL JCT. YL	╢
					5.26	9.00	5.00	66.0	GRAVITY	В
					s 5.35	s 9.08	s 5.09	66.0	BANGS	7
					5.43	9.18	5.17	64.9	OBREGON	8
					s 5.53	s 9,26	s 5.26	66.0	SANTA ANNA	7
				— РМ — 7,25	6.00	9.3676	5.31 — AM	64.9	SAN ANGELO JCT.	10
				s 7.35 — PM —	s 6.13	s 9.45 — AM		66.0	COLEMAN YL	1:
				— PM —	6.20	— AM —		31.7	HAMRICK	8
-					f 6.30			31.7	SILVER VALLEY	11
					f 6.38			31.7 System	NOVICE	10
					6.46] 01., 4	. GOLDSBORO	8
					s 6.56			1 120.≺	LAWN	8
					s 7,05			31.7	TUSCOLA	8
								31.7 pitsucotne	A. & S. Crossing	
					s 7.20	,		31.7	A. & S. Crossing 4.4 BUFFALO GAP	8
					s 7.32			31.7	VIEW	8
					7.39			31.7	COZART	8
					f 7.46			1 1	BLAIR	8
					7.51			31.7	TOLAND	8
					7.57			31.7	HERNDON 6.1	8
					8.04			31.7	TECIFIC 5.8	8
PM 8.10		AM 7.06	AM 12.22		8.14					Ya
8.18		7.11	12.27		8.20			52.8	P. & S. F. JCT. YL	:
8.20 PM	AM 7.30	s 7.15	s 12.30 AM		s 8.25			52.8 52.8 —	SWEETWATER YL	Ya
	7,31				-			32.6	SOUTH JCT. YL	
Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrivo Daily		(114.6)	
15.6	6.0	16.6	22.2	28.8	36.2	32.6	36.7	<u> </u>	Average speed per hour	-

Signal System Two in effect.

Rule 261 in effect between Orient Jct., on Slaton Division, and north switch P. & S. F. Jct.; between north switch P. & S. F. Jct. and North Jct., and on south leg of wye.

Trains must secure numbered Clearance Card at Brownwood.

First class trains except No. 94 must secure numbered Clearance Card at Sweetwater. No. 94 and all other trains except first class must secure numbered Clearance Card at P. & S. F. Jct.

First class trains register by Form 903 at P. & S. F. Jct.

No. 91 will back from north P. & S. F. Jct. switch to passenger station, Sweetwater.

No. 75 will back from south P. & S. F. Jct. switch to passenger station, Sweetwater.

No. 77 will back from Hull Jct. to Brownwood.

Between south storage track switches 5 poles south M. P. 350, Sweetwater District, and south end Pecan Bayou Bridge 345-B, Lampassas District, Brownwood, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

								NORTH				
rom	Communications	TIME TABLE	rade	Fuel, Water, Turn Tables and Wyes	70	74	70	First		40	1.40	00
Distance from Galveston	nune	No. A 153	Ruling Grade Ascending	Table 8	76	74	78	80	94	46	146	92
Diet	Com	December 5, 1948		Tur	The Texan	Motor	The Angelo	Motor	Kansas City Express P. & S. F.	Motor P. & S. F.	Motor P. & S. F.	California Special P. & S. F.
Miles		STATIONS	Ft. Per Mile		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily
348.0	С	BROWNWOOD YL		F W	AM s 10.20	PM s 8.55	AM s 12.25					
348.8		HULL JCT. YL	33.8		10 15	8.50;	12.22		<u> </u>			
353.1	В	GRAVITY 4.5	64.9		10.08	8.40	12.14					
357.6	C	BANGS 	64.9		s 10.01	s 8.30	s 12.08					
363.9		OBREGON 5.5	20.5		9.51	8.15	11.59					
369.4	С	SANTA ANNA	62.3		s 9 . 44	s 8.05	s 11.52	AM				
373.1	C	SAN ANGELO JCT.	50.6	WY	9.3673	7.55	11.44 — PM —	10.05				
377.9	С	COLEMAN YL	10.5	WY	s 9.30	7.37 PM		-9.47				
382.5		HAMRICK	23.8		9.17	- · · · ·						
390.7			31.7		9.08							
396.3		SILVER VALLEY 5.6 NOVICE 6.4	31.7		1 9.01		<u> </u>		ļ			
402.7		∠ GOLDSBORO	31.7		8,53							
409.2			12.7	W	s 8.45]					
415.1	С	TUSCOLA	.0		s 8.36							
415.7		A. & S. Crossing	31.7				<u></u>					
420.1		BUFFALO GAP	31.7	FW	s 8.28		<u> </u>					
426.3	С	VIEW 5.5	81.7	Y	s 8.11							
431.8		COŽART 6.2	31.7		8.03						<u> </u>	
438.0	C	BLAIR 5.0	21.1		f 7.56							
443.0		TOLAND	31.7		7,51							
448.1		HERNDON	31.7		7.45							
454.2		TECIFIC	91 7		7.38							
460.0	С	7.8 5.8 P. AS.F. JCT. YL E. NORTH JCT. YL	31.1	FW	7.31				AM 5.20	AM 7.53		PM 8.43
461.8		NORTH JCT. YL	10.5		7.27	_			5.17	7.48		8.37
462.5	С	SWEETWATER YL			7.25 AM				5,15 AM	7.45 AM	PM s 8.00	8.35 PM
462.6		SOUTH JCT. YL	10.5								7.59 PM	
		(114.6)			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
		Average speed per hour			39.2	28.5	36.7	16.0	30.0	18.7	6.0	16.7

Nos. 80 and 74 must secure numbered Clearance Card at Coleman.

No. 73 is superior to No. 80.

No. 79 is superior to No. 74.

No. 75 is superior to No. 74.

No. 78 will back from Brownwood to Hull Jct.

Nos. 73, 74, 75 and 76 register by Form 903 at San Angelo Jct.

Extra trains will not register at Coleman or San Angelo Jct.

NAME	Mile Post	Capacity (50-ft. Cars)
Tesco	449.9	23

San Angelo District

	SOUTHWARD	· ·			`	<u> </u>				_	NORTHWAR	D
	First Class	_	بن بن	a tr	-5 m	TIME TABLE	- P	iona	end		First Class	
	73	77	Capacity of Sidings in 50-ft, Cars	Distance from San Angelo Jot.	Ruling Grade Ascending	No. A 153 December 5, 1948	Ruling Grade Ascending	Communications	Fuel, Water, Turn Tables and Wyes	78	74	
	Motor	The Angelo	Side Side	Dia	Ru A	December 0, 1940	Ru	Com	Furn	The - Angelo	Motor	
	Leave Daily	Leave Daily		Miles	Ft. Per Mile	STATIONS	Ft. Per Mile			Arrive Daily	Arrive Daily	
	AM 10.05	AM 5.31	53	.0		SAN ANGELO JCT.		c.	WY	PM 11.44	PM 7.25	
	10.15	5.40	53	6.1	65.5	OVERALL	63.4			11.34	7.15	
		s 5.48	49	11.4	66.5	VALERA	42.2	C	_	s 11,26	s 7.05	
_	s 10.41	s 6.03	49	20.9	66.0	TALPA	66.0	C		s 11.12	s 6,50	
	10.55	6.14	53	28.7	65.5	BENOIT	66.0		ļ	11.00	6.35	
				36.5	62.8	A. & S. Crossing	66.0					
	s 11.11	s 6.27	28	36.9	=0.0	BALLINGER YL	50.0	С	w	s 10.48	s 6.23	,
	11.14	6.30	51	38.3	52.8	CATO	52.8	-		10,41	6.16	
	s 11.30	s 6.41	51	45.6	34.8 52.8	ROWENA	26.4	С		s 10.30	s 6.03	
	s 11.44	6.54	49	54.2	52.8	MILES	51.7	С		s 10.17	s 5.48	
	11.57 PM	7.06	53	63.1		HARRIET	52.8			10.04	5.35	
	12.10	7,20		70.7	52.8	ALVEY JCT. YL	52.8		Y	9.55	5.25	
	PM 12.20	AM 7.30 — AM —	Yard		31.7	SAN ANGELO YL		a	F W	PM 9_45	PM 5.15	
	— PM —	— AM —		70.7	31.7	ALVEY JCT. YL	.0	1	Y	— РМ —	— РМ —	
-			45	77.7	31.7	PULLIAM	0.	i				
			45	81.9	87.7	TURNERDALE	.0				 -	
			45	87.8	27.4	CARLSBAD YL	.0	c	ļ,			
			40	94.4	31.7 31.7	WATER VALLEY	9.5		w			
_				103.9	31.7	BROOME	31.7					
			Yard	114.6	31.7	STERLING CITY YL	20.0	С	WY			
	Arrive Daily	Arrive Daily				(114.6)				Leave Daily	Leave Daily	
	32.4	36.5		—— -		Average speed per hour			<u> </u>	36.5	33.6	

Signal System One in effect: Ballinger—Interlocking.

Trains must secure numbered Clearance Card at Sterling City.
Trains originating San Angelo must secure numbered Clearance
Card from G. C. & S. F. Dispatcher.

Extra trains will not register at San Angelo Jct. or Alvey Jct. San Angelo District trains and engines using the P. & S. F. Ry. Co., tracks between Alvey Jct., and San Angelo, will be governed by Time Table and Rules of the P. & S. F. Ry. Co.

No switch lights between Pulliam and Sterling City.

NAME .	Mile Post	Capacity (50-ft. Cars)
Ballinger Sand Pit	40.0	29

SOUTHWAR			Ī						<u> </u>	NORTH First	
First Class	s	ا بد			TIME TABLE			2	曺	- First	1855
	77	cetty of in 50-1	irds	Ruling Grade Ascending	No. A 153		Ruling Grade Ascending	Communications	Water ables a	78	
	The Angelo	Capacity of Sidings in 50-ft. Cars	Distance from Birds	Ruling Asoc	December 5, 1948		Rulia	Commu	Fuel, Water, Turn Tables and Wyes	The Angelo	
	Leave Daily		Miles	Ft. Per Mile	STATIONS	_	Ft. Per Mile			Arrive Daily	
	PM 11.00	Yard			FORT WORTH	YL		c ·		AM 6.15 — AM —	
	PM	117		_	BIRDS	YL				6.00	
1	1.14		0.9	.0	P-{ BELT JCT.	YL	64.4			5.55	
t 1	1,25	63	8.4	66.0	PRIMROSE		58.1			1 5.45	
	1.33	20	12.0	47.5	PLOVER		64.4			1 5.37	
1	1.44	61	17.4	66.5	WINSCOTT		.0		·	5.25	
s	11.56	43	21.8	64.4	CRESSON	YL	66.5	C	Y	s 5.15	•
₁	AM	51	26.1	66.0	CHAPIN		66.5			5.02	
	2.12	19	30.7	.0	WAPLES		66.0			4.52	
	2.26	57	36.5	66.0	GRANBURY	YL	66:0	C	w	s 4.42	
	2.44	61	46.4	66.0	TOLAR		52.8	C		s 4.22	
s	1.02	47	55.1	58.6	BLUFFDALE		66.0			s 4.06	
f	1.17	60	62.5	66.0	7.4 IMMERMERE		.0			f 3.54	
	1,30	53	68.8	66.0	JACKWELL		26.4			3.42	
s	1.36	23	72.3	66.0	STEPHENVILLE	YL	44.9	C	W	s 3.35	
	2.01	 55	80.9	66.0	HARBIN		66.0			f 3.15	
3	2.20	54	86.1	66.0	5.2 ————————————————————————————————————	YL	15.8 31.6	C	WT	3.02	
			86.2	.0	M-K-T Crossing		66.0			 	
f	2.4078	61	95.3	52.3	PROCTOR		42.2			1 2.4077	
<u>r</u>	2.55	57	100.6	66.0	HASSE		.0			t 2.17	
s	3.07	60	108.2	48.6	COMANCHE	YL	.0	С	W	s 2.00	
	3.30	63	115.5	66.0	WATSON		46.5			1,36	
f	3.43	57	121.7	66.0	BLANKET		46.0			f 1.20	
	4.00	63	130.2	66.0	DELAWARE		66.0			1.05	
	4,20		138.0	23.2	HULL JCT.	YL	22.7			12.50	
s	·4.30 AM	Yard	138.8	.0	BROWNWOOD	ΥL	<i></i> (С	F W T Y	12.45 AM	
	Arrive Daily				(138.8)					Leave Daily	
	25.2	-			Average speed per hour		 -		1	25.2	

Signal System One in Effect: Birds to M.P. 2.1

Trains must secure numbered Clearance Card at Fort Worth and Brownwood.

No. 77 will back from Hull Jct. to Brownwood.

No. 78 will back from Brownwood to Hull Jet.

Between Belt Jct., and Birds, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Between M. P. 17, Weatherford District, and M. P. 23, Dublin District, and between M. P. 21 and M. P. 23, Dublin District, Cresson, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Dublin District trains will use Northern Division tracks between Dublin District connection, at south end of Birds, and Fort Worth, and will be governed by Time Table and Rules of Northern Division.

Between south storage track switches 5 poles south M. P. 350, Sweetwater District, and south end Pecan Bayou Bridge 345-B, Lampasas District, Brownwood, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

TRACKS NOT SHOWN ON FACE OF TIME TABLE

NA	AME	Mile Post	Capacity (50-ft. Cars)
BossJabcoTabor Pens		15.0 33.9 135.1	9 38 14

Menard District

THWA		1								HWARD Class	-
	81	Capacity of Eidings in 50-ft, Cars	Ruling Grade Ascending	TIME TABLE No. A 153	Ruling Grade Ascending	Distance from Birds	Communications	Fuel, Water, Turn Tables and Wyes	82	- Class	
	Motor	Cape Sidings	Rulio Asc	December 5, 1948	Rulin Asce	Distar B	Commu	Fuel, Turb T	Motor		
	Leave Daily		Ft. Per Mile	STATIONS	Ft. Per Mile	Miles			Arrive Daily		
	AM 4.45	Yard	52.8	BROWNWOOD YL	41.2	137.4	C	F W T Y	PM s 8.25		-
 f	5.04	41	.0	DALZELL 6.7	41.2	145.4			f 8.01		
s	5.19	45	34.3	BROOKESMITH	34.3	152.1			s 7.47		
s	5.33	26	50.7	WINCHELL 4.5	39.6	158.2			s 7.33		
 s	5.43	32	52.8	MERCURY	52.8	162.7		W	s 7.22		
f	5.55	32	52.8	PLACID 7.6 ———	29.0	169.2			f 7.07	-	
s	6.12	70	26.4	ROCHELLE 5.9	52.8	176.8			s 6.52		
	6.26 AM		31.7	PAUL JCT. YL	31.7	182.7			6.38 PM		
	Via		••••	BRADY YL	31.7	186.7			Via		
1	Via San Saba District		ŀ	NIBLOCK 6.7		190.4			San Saba		
_	DIBITIO		39.6	WHITELAND 0.4	36.9	197.1			District		
	AM 7.07		39.6	HOMER JCT.	15.8	197.5			PM 5.54		
 _ f	7.25	53	39.6	LIGHTNER 7.0	39.6	204.7			t 5.39		
 f	7.43	50	39.6	CALLAN 4.3	39.6	211.7		W	f 5.24		
 f	7.53	52	39.6	SCALP CREEK	39.6	216.0			1 5.15		•
	8,10 AM	Yard	30.0	MENARD YL		223.4	. C	FWY	5.00		
 -	Arrive Daily			(86.0)					Leave Daily		
	26.1			Average speed per hour					26.5		

Trains must secure numbered Clearance Card at Brownwood and Menard.

Between south storage track switches 5 poles south M. P. 350, Sweetwater District, and south end Pecan Bayou Bridge 345-B, Lampases District, Brownwood, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Between Homer Jct., and passenger station, Whiteland, and between Paul Jct., and passenger station, Brady, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

Between yard limit board, Menard District, and passenger station, Brownwood, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding fifteen (15) miles per hour; between these points main track may be used not protecting against regular and extra trains and engines.

NAME	Mile Post	Capacity (50-ft. Cars)
Morco	202.3	8

							1	SOUTH	WARD							
Freight Train Terminals	25	37	39	21	171	TDF	GCF	435	85	31	71	437	CTX	47	97	втх
and Junctions	Way Freight	Fast Freight	Fast Freight	Way Freight	Way Freight	Tex-Denver to Calif, Freight	Gulf California Freight	Way Freight	Way Freight P. & S. F. No. 71	West Texas Fast Freight	Fast Freight	Way Freight	California Texas Freight P. & S. F.	Way Freight	Way Freight	Californ Texas Freight P. & S.
STATIONS	Leave Tues., Thur.; Sat.	Leave Daily	Leave Daily	Leave Mon., Wed., Fri.	Leave Mon.; Wed.; Fri.	Leave Daily	Leave Daily	Leave Mon.; Wed.; Sat.	Leave Daily	Leave Daily	Leave Daily	Leave Mon. Wed. Fri.	Leave Daily	Leave Daily Ex. Sun.	Leave Mon., Wed., Sat.	Leave Daily
FORT WORTH									·		PM 8.10	-		AM 7.00		
BIRDS											8.25			7.15		
CLEBURNE	- AM - 5.30	- PM - 9.00	— AM — 8.00						_							
CRESSON								i			9.25		_			
TEMPLE	1.25 PM	11.55 AM 12.15	11.45 PM 2.00	AM 4.00	AM 7.00	PM 6.00	AM 3.15		••						-	
					3.00	AM 1.00	8.15	AM		AM	AM	AM		5.30 PM	АМ	
BROWNWOOD			<u></u>		PM	3.00	9.40	9.30		3.15	2.20	10.00		PM	5.15	
SAN ANGELO JCT.			<u> </u>					11.00 — PM —		4.15			<u> </u>			
ALVEY JCT.	<u> </u>							4.15		6.50						
SAN ANGELO								4.30		7.00 — AM —						
STERLING CITY								8.00 — PM —								
MENARD															10.15 — AM —	
P. & S. F. JCT.						6.15 — AM —	3.30 - PM -		12.30 PM			5.30 — PM —	10.00 — PM —			8.00 PM
SOMERVILLE			5.00 5.20			— AM —	— FM —									101
BELLVILLE YARD		4.00 AM	6.50 PM	1.00 PM											-	
	Arrive Tues.; Thur.;	Arrive Daily	Arrive Daily	Arrive Mon., Wed.,	Arrive Mon., Wed.,	Arrive Daily	Arrive Daily	Arrive Mon.; Wed.;	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Mon. Wed. Fri.	Arrive Daily	Arrive Daily Ex. Sun.	Arrive Mon., Wed., Sat.	Arrive Daily
	Rat.		<u> </u>	Fri	Fri			NORTH	WARD	<u> </u>		FR.		Ex. Sun.	CSAG.	<u> </u>
Freight Train	38	40	26	22	СТХ	172	72	GCF	32	TDF	436	48	98	438	втх	
Terminals and Junctions	ļ 							Gulf						<u> </u>		<u> </u>
	Fast Freight	Fast Freight	Way Freight	Way Freight	California Texas Freight	Way Freight	Fast Freight	California Freight P. & S. F.	Fast Freight	Tex-Denver to Calif. Freight	Way Freight	California Fast Freight	Way Freight	Way Freight	California Texas Freight	
STATIONS	Arrive Daily	Arrive Daily	Arrive Mon., Wed., Fri.	Arrive Tues., Thur., Sat.	Arrive Daily	Arrive Tues., Thur., Eat.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Tues.; Thur.; Sun.	Arrive Daily Ex. Sun.	Arrive Sun.; Tues.; Thur.	Arrive - Tues., Thur., Sat.	Arrive Daily	
FORT WORTH							AM 5.00					PM 2.00				
BIRDS		*					4.45					1.45 PM				
CLEBURNE	- PM 7.30	- AM - 5.25	- PM - 2.00	_								rm -				
CRESSON							3.15									
TEMPLE	3.30 1.45 — PM —	2.25 1.30 — AM —	6.00 AM	PM 2.10	PM 12.45	PM 3.00	AM								AM 10.45	
BROWNWOOD		- AIN -			6.45 5.15	7.00 AM	9.45 8.00		PM 9.60		РМ 11.45	6.00 AM	PM 8.15	PM 2.00	4.45 3.15	
SAN ANGELO JCT.					- AM -		-	<u> </u>	8.00	[10.30			·	— AM -	l
ALVEY JCT.						 .			4.45		5.15					
SAN ANGELO		<u>-</u>						<u> </u>	4.30		5.00			 -		
STERLING CITY									— PM —		1.00					
MENARD	 	<u> </u>			<u> </u>	-					- PM -	 ;	2.15			
·· ·	<u> </u>				11.45		1 00	6.00		7.00			— РМ —	7.00	9.45	
P. & S. F. JCT.	10.00				- PM -	 -	_ PM -	- PM -		- MA -				- AM -	- PM -	<u> </u>
SOMERVILLE	9.20											 -		<u>'</u>		<u> </u>
BELLVILLE YARD	8.00 AM	10.10 PM		5.20 AM												
	Leave Daily	Leave Daily	Leave Mon., Wed.,	Leave Tues., Thur,	Leave Daily	Leave Tues.; Thur.;	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Tues.; Thur.;	Leave Daily	Leave Sun., Tues.,	Leave Tues., Thur.	Leave Daily	

 Except as otherwise provided, all northward trains are superior to southward trains of the same class.

3.——

4.---

5.----

0.—

7. NORMAL POSITION OF JUNCTION SWITCHES. (Rule 98).

JUNCTION	M.P.	JUNCTION WITH	Switch Normally Lined For Movement
	LA	MPASAS DISTRICT	
Radio Jct.	273.3	Main Spur to Lampasas	Lampasas District
	SWE	ETWATER DISTRICT	
Hull Jet.	348.8	Dublin District	Sweetwater Dist.
San Angelo Jct.	373.1	San Angelo District	Sweetwater Dist.
	SAN	ANGELO DISTRICT	
Alvey Jct.	70.7	P. & S. F. Ry.	San Angelo Dist.
	SAI	N SABA DISTRICT	
Paul Jct.	62.1	Menard District	Menard District
Homer Jct.	76.9	Menard District	Menard District
		DUBLIN DISTRICT	
Cresson	21.8	Weatherford District	Dublin District
Birds	.0	Second District Northern Division	Second District Northern Div.

8. SPEED RESTRICTIONS.

(A) MAXIMUM AUTHORIZED SPEED FOR TRAINS.

(A) MAXIMUM AUTHO		MILES PI		
<u>.</u>			sk noo	r
	_Light	_ All	_	Freight
LOCATION	Engines	Engines	Pass-	And
	For-	Back-	enger	Mixed
DIDOM DIOMDIOM	ward	ward		-
FIRST DISTRICT	40	20	80_	55
SECOND DISTRICT	40	20	80	55
LAMPASAS DISTRICT				
Temple to Camp Hood	40	20	50	1 40
Camp Hood to Radio Jet.	40	20	60	1 45
Radio Jct. to Goldthwaite	40	20	50	40
Goldthwaite to Mullen	40	20	60	45
				<u> </u>
Mullen to Brownwood	40	20	50	40
SWEETWATER DISTRICT				<u> </u>
Brownwood to M.P. 424	40	20	60	45
M.P. 424 to P.&S.F. Jct	40	20	75	55
				<u> </u>
SAN ANGELO DISTRICT	90			0.5
San Angelo Jct. to Alvey Jct	30	15	50	35
Alvey Jct. to Sterling City	20	12	25	20
DUBLIN DISTRICT	40	20	55	40
SAN SABA DISTRICT	20	12	25	20
MENARD DISTRICT	20	15	35	25
				<u> </u>
SECOND DISTRIC	T			
2 Curves and Track, M.P. 112.1 to			70	50
3 Curves, M.P. 115.1 to 116.6			70	50
Curve, M.P. 118.8 to 119.0			70	50
4 Curves, M.P. 122.5 to 125.0			70	50
2 Curves, M.P. 125.5 to 126.2			40	30
2 Curves, M.P. 126.2 to 127.8		i	70	50
2 Curves, M.P. 129.6 to 130.7			$\frac{-10}{70}$	50
2 Curves, M.P. 133.5 to 134.4			60	45
2 Curves, M.P. 138.2 to 139.8			70	55
				<u>: </u>
2 Curves, M.P. 140.8 to 140.9			40	40
North Siding Switch, Somerville,	M.P., 141.	6	25	20
3 Curves, M.P. 156.6 to 157.6			55	45
3 Curves, M.P. 169.1 to 170.7			60	50
3 Curves, M.P. 174.1 to 175.6			65	50
Curve and Little River Bridge, M	P. 184.6	to 185.5	55	35
2 Curves, M.P. 187.3 to 188.4			65	50
Curve, M.P. 194.8 to 195.3			70	55
2 Curves, M.P. 197.4 to 198.5			70	55
			70	50
8 Curves M.P 205.9 to 207.6				
			30	30
7 Curves, M.P. 217.6 to 218.8				·
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRIC	Г		30	·
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRICT 7 Curves, M.P. 217.6 to 218.8	Г		30	30
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRICTORY 7 Curves, M.P. 217.6 to 218.8 2 Curves, M.P. 251.4 to 253.3	Γ		30	30
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRICTORY 7 Curves, M.P. 217.6 to 218.8	Г		30	30
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRICT 7 Curves, M.P. 217.6 to 218.8 2 Curves, M.P. 251.4 to 253.3 6 Curves, M.P. 257.4 to 260.5 3 Curves, M.P. 263.7 to 264.9	Г		30 70	30
7 Curves, M.P. 217.6 to 218.8	re, M.P. 2	271,2	30 70 50 70	30 30 30 55 45 55
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRICT 7 Curves, M.P. 217.6 to 218.8 2 Curves, M.P. 251.4 to 253.3 6 Curves, M.P. 257.4 to 260.5 3 Curves, M.P. 263.7 to 264.9 2 Curves and Bosque River Bridg to 271.7	re, M.P. 2	271.2	30 70 50 70	30 30 55 45 55
7 Curves, M.P. 217.6 to 218.8 FIRST DISTRICT 7 Curves, M.P. 217.6 to 218.8 2 Curves, M.P. 251.4 to 253.3 6 Curves, M.P. 257.4 to 260.5 3 Curves, M.P. 263.7 to 264.9 2 Curves and Bosque River Bridge	re, M.P. 2	271,2	30 70 50 70	30 30 30 55 45 55

8. SPEED RESTRICTIONS. (Cont'd)	MTT.	LES
		HOUR
LOCATION -	Pass- enger	Freight And Mixed
FIRST DISTRICT (Cont'd)		
2 Curves and Brazos River Bridge, M.P. 297.0	F.0	10
to 297.7	50	40
4 Curves, M.P. 299.8 to 302.4 3 Curves, M.P. 304.3 to 306.7	$\frac{1}{1} \frac{70}{70}$. 55 55
LAMPASAS DISTRICT	10	1 30
2 Curves, M.P. 221.7 to 222.3	40	40
Curve and Leon River Bridge, M.P. 224.4 to 225.1		1 40
—Southward	55	40
—Northward	55	40
3 Curves and Track, M.P. 226.2 to 228.1	50	40
Curve,, M.P. 246.3 to 246.5—Northward	60 50	45
4 Curves, M.P. 248.3 to 249.8	45	40
Curve, M.P. 262.5 to 263.1	55	40
Lampasas River Bridge, M.P. 264.9 to 265.0	55	40
8 Curves, M.P. 266.4 to 272.1	55	40
3 Curves, M.P. 272.1 to 274.1	50	35
Curve, M.P. 283.8 to 284.3	55	40
Curve, M.P. 298.6 to 299.1	55	40
2 Curves, M.P. 302.3 to 303.7	55	40
3 Curves, M.P. 310.1 to 311.8	55	40
Curve, M.P. 321.4 to 321.8	60	45
5 Curves, M.P. 328.0 to 332.0	.55	40
3 Curves and Pecan Bayou Bridge, M.P. 345.2 to M.P. 346.0	35	25
SWEETWATER DISTRICT		+
Entrance Brownwood Yard, M.P. 348.8 to 350.2 —Northward	25	15
4 Curves MP 3508 to 3532—Southward	40	30
-Northward	$\tilde{40}$	25
Curve, M.P.362.3 to 362.7	55	40
3 Curves, M.P. 380.2 to 381.9—Northward	60	45
2 Curves, M.P. 383.4 to 383.9	50	35
Curve, M.P. 386.3 to 386.5	55	40
Curve, M.P. 391.3 to 391.7	60 45	45
4 Curves, M.P. 397.6 to 400.0	55	40
2 Curves, M.P. 455.7 to 457.1	60	45
Curve, M.P. 457.9 to 458.3	55	40
SAN ANGELO DISTRICT		Ì
6 Curves, M.P. 8.8 to 10.7	40	25
6 Curves, M.P. 12.8 to 14.0	40	25
Curve and Colorado River Bridge, M.P. 37.4 to 37.7	30	.20
DUBLIN DISTRICT		
C M.D. 0.7 t- 0.0	25	25
Curve, M.P. 0.7 to 0.9	40	35
2 Curves, M.P. 10.8 to 11.9	40	10
2 Curves, M.P. 10.8 to 11.9	10	1 05
2 Curves, M.P. 10.8 to 11.9	40	35
2 Curves, M.P. 10.8 to 11.9	40	35
2 Curves, M.P. 10.8 to 11.9 Track, M.P. 21.3 to 22.0 Curve, M.P. 24.9 to 25.3 3 Curves, M.P. 26.4 to 27.8 3 Curves, M.P. 29.3 to 30.0	40	35
2 Curves, M.P. 10.8 to 11.9 Track, M.P. 21.3 to 22.0 Curve, M.P. 24.9 to 25.3 3 Curves, M.P. 26.4 to 27.8 3 Curves, M.P. 29.3 to 30.0 Curve and Brazos River Bridge, M.P. 34.7 to 35.4	40 40 35 40	35 30 30
2 Curves, M.P. 10.8 to 11.9 Track, M.P. 21.3 to 22.0 Curve, M.P. 24.9 to 25.3 3 Curves, M.P. 26.4 to 27.8 3 Curves, M.P. 29.3 to 30.0 Curve and Brazos River Bridge, M.P. 34.7 to 35.4	40 40 35	35

		LES HOUR
LOCATION	Pass-	Freight And
	enger	Mixed
Curve, M.P. 52.3 to 52.9	40	35 ,
Curve and Paluxy Creek Bridge, M.P. 53.6 to 53.8	40	30
6 Curves and Paluxy Creek Bridge, M.P. 55.2		
to 57.3	40	35
10 Curves, M.P. 60.3 to 66.2	40	35
2 Curves and Bosque River Bridge, M.P. 71.0 to 71.8	35	30
6 Curves, M.P. 74.5 to 76.8	40	35
18 Curves, M.P. 79.6 to 85.8	40	35
6 Curves, M.P. 89.3 to 91.8	40	35
7 Curves, M.P. 95.8 to 97.7	40	35
5 Curves, and Leon River Bridge, M.P. 97.7 to 99.7	35	30
Curve, M.P. 101.0 to 101.2	40	35
14 Curves, M.P. 111.2 to 115.1	40	35
24 Curves, M.P. 122.0 to 131.5	40	30
5 Curves and Pecan Bayou Bridge, M.P. 134.4		
to 137.5	40	35

 (B) MAXIMUM SPEED THROUGH INTERLOCKINGS.

 MILES PER HOUR

 LOCATION
 Freight And enger Mixed

 SWEETWATER DISTRICT
 |

 Tuscola, A. & S. Crossing M.P. 415.7
 50 | 40

 SAN ANGELO DISTRICT
 |

 Ballinger, A. & S. Crossing M.P. 36.5
 20 | 20

(C) MAXIMUM SPEED FOR ENGINES.

	MILE	S PER H	OUR
Ī	With	Light	All
CLASS OR ENGINE NUMBER	Train	Engines	Engines
	or	For-	Back-
	Cars	ward	ward
542	80	40	20
640-649-664	35	35	20
729-759-769	35	35	20
900	35	30	20
1014-1050-1100	60	40	20
1226-1270-1290-1337-1480-1550	80	40	20_
1600	35	30	20
1800	55	35	20
1900-1950	45	35	20
3010-3020	35	30	20
3100-3129	45	35	20
3160	55	35	20
3400-3450-3500	80	40	20
3700-3750	70	40	20
3751-3775	80	40	20
3800-3900	50	35	20
4000	55	35	20
Gas Elec, Motors M-120-150	55	55	20
Diesels 1-31 incl., 50-58 incl.,		10	0.0
70-73 incl., and 158-168 incl	80	40	20
Diesels 100-157 incl. and 169-185 incl	65	40	20
Diesels (Yard)	30	30	30
Switch, no truck	20	20	20
Other Classes	30	30	20

Other lines' engines operating over the Southern Division will not exceed the maximum speed prescribed in this table for engines of the same type.

8. SPEED RESTRICTIONS. (Cont'd)

(D) MOVEMENTS OVER SUBMERGED TRACKS. (Rule 817).

Equipment listed below must not be moved through water above top of rail greater than the depths and not in excess of the speeds

Types	Maximum Depth	Maximum Speed	Maximum Speed
of	Above	in	Under
Equipment	Top of Rail (Inches)	Tow (M.P.H.)	Own Power (M.P.H.)
	(Inches)	(141.F.11.)	(M.F.H.)
Diesel Engines			
-Passenger	3	5	5
-Freight	8 5 2 5	5 5 5	5
-44 Ton Yard	2	5	5
—Other Yard	5	5	5
Diesel-Electric and Gas-Electric			İ
Motor Cars	3	. 5	5
Steam Engines			
-Roller Bearing	9	5	5
Passenger Cars	1		
—Roller Bearing	8	5	
Friction Bearing	12	5	

(E) PASSENGER TRAINS HANDLING DINING CARS.

Enginemen of trains in which are dining or cafe cars will, during meal hours, regulate speed and manipulate air, rounding curves and making station stops, so that train will move smoothly, without jar, and train conductors must observe that this is done.

(F) MAXIMUM SPEED OF TRAINS HANDLING DEAD ENGINES.

	M.P.H.
With side rods in position	20
With side rods removed and all drivers on rail	15
With one pair wheels suspended	10
Gas or DieselElectric Motor Cars.	60
Passenger Diesels	80
Freight Diesels	65
Yard Diesels	30

(G) MAXIMUM SPEED FOR TRAINS HANDLING:

Steam Derrick

Steam Shovel

Steam Ditcher

Brown Hoist

Clam Shell

Pile Driver

Spreader (except with wings folded and fastened)

Other similar machines moving on own running gear.

Such equipment must not be moved in any train except on authority of Trainmaster.

DISTRICT	М.Р.Н.
FIRST	24
SECOND	24
LAMPASAS	24
SWEETWATER	24
SAN ANGELO	
San Angelo Jct. to Alvey Jct.	20
Alvey Jct. to Sterling City	15
DUBLIN	20
SAN SABA	15
MENARD	15

(H) SPRING SWITCHES, TURNOUTS AND CROSSOVERS. On sidings or other tracks equipped with spring switches, where dwarf or high signals are used to govern movement to main track, if such dwarf or high signal or main track signal is in stop position, instructions how to proceed will be found posted in box painted white. After instructions have been complied with, train may proceed as re-

quired by Rule 509(a). In heading in or out over the following turnouts and crossovers, trains or engines must not exceed indicated speed. On other turnouts and crossovers not listed herein, trains or engines must not exceed

ten (10) miles per hour. I — Interlocking

S — Spring R — Rigid

<u> </u>			MILES PI	ER HOUR
STATION	\mathbf{TYP}	E LOCATION -	Passenger	
	FIRS	ST DISTRICT		
Ponetta	S	Both ends siding	25	20
Rio Vista	S	Both ends siding	25	20
Blum	s	Both ends siding	25	20
Kopperl	S	South end siding	10	10
Morgan	I	Both ends siding	25	20
Meridian	S	North end siding	25	20
Clifton	R	Both ends siding	25	20
Valley Mills	s_	Both ends siding	10	10
Manhattan	S	Both ends siding	10	10
Crawford		Both ends siding	10	10
McGregor	I	Both ends siding	25	20
Moody	S	Both ends siding	10	10
Pendleton	S	Both ends siding	10	10
		ND DISTRICT	 i	
Knowd Jct.	I	Switch at end of two tracks	40	30
Heidenheimer	S	Both ends siding	10	10
Rogers	S	North end siding	25	20
Rogers	S	South end siding	10	10
Buckholts	S	Both ends siding	10	10
Pettibone	s_	Both ends siding	10	10
Cameron	I	Both ends siding	25	20
Hoyte	S	South end siding	25	20
Milano	Ī	Both ends siding	25	20
Chriesman	S	Both ends siding	25	20
Caldwell	<u>_</u>	Both ends siding	25	20
Davidson	S	North end siding	25	20
Somerville	Ī	Both ends siding	25	20
Landes	S	North end siding	25	20
Northend	Ŝ	North end siding	25	20
Brenham	Ī	North end siding	10	10
Brenham	Ī	South end siding	25	20
Phillipsburg		Both ends siding	25	20
Kenney	S	Both ends siding	25	20
Dant	S	North end siding	25	20
		SAS DISTRICT		
Copperas Cov		Both ends siding	10	10
Kempner		North end siding	10	10
Radio Jct.		Both ends siding	10	10
Mullen	s_		10	10
Brownwood	$-\tilde{\bar{\mathbf{R}}}$	North end tail track		
		new yard	25	20
SWI	CETW	ATER DISTRICT		
Hull Jet.	S	Both Wye switches con-		
		necting Dublin and Sweetwater Districts	10	10
Gravity	S	Both ends siding	10	10
Bangs	<u>S</u>	Both ends siding	10	10
Obregon	S	Both ends siding	10	10
Santa Anna	<u>S</u>	Both ends siding	10	- 10
Canta IIIIIa		Dom chas stating	10	

8.	SPEED	RESTRICTION	s. (Conta)
		-	

			MILES PI	ER HOUR
STATION 7	ΥP	Passenger	Freight	
	4	D DIGERDICE (C. 111)		
		ER DISTRICT (Cont'd)		
San Angelo Jct.			10	10
San Angelo Jct.	S	Switch connecting San		
	•	Angelo and Sweet-	25	20
	~	water Districts		
Coleman	S	Both ends siding	10	10
Hamrick	S	Both ends siding	10	10
Silver Valley	ន	Both ends siding	10	10
Novice_	S	Both ends siding	10	10
Goldsboro	S	Both ends siding	10	10
Lawn	S	Both ends siding	10	10
Tuscola	S	Both ends siding	10	10
Buffalo Gap	S	Both ends siding	10	10
View	ន	Both ends siding	25	20
Cozart	S	Both ends siding	25	20
Blair	S	Both ends siding	25	20
Toland	S	Both ends siding	25	20
Herndon	S	Both ends siding		20
Tecific	S	Both ends siding	25	20
P.&S.F. Jct.	S	North end storage track	25	20
Sweetwater	S	South lead switch		- -
		to main track	10	10
Sweetwater	S	Connection hole track	J	J
		to main track	· 10	10
North Jct.	S	North Jct. switch	10	10

(I) SPEED THROUGH CORPORATE LIMITS.

While running through the corporate limits of cities and towns named below, trains must not exceed speed shown, and the engine bell must be kept ringing within such limits:

_ •	и.Р.н.
Brenham, Ballinger	6
Brady	8
Coleman	
Sweetwater	12
Dublin	. 15
Cleburne, Clifton, Moody, Temple, Brownwood	. 18
Crawford, McGregor, Rogers, Cameron, Belton, Killeen,	
Comanche	. 20

(J) MOST RESTRICTIVE SPEED GOVERNING.

Where there is a difference in speed restrictions for trains, engines, track conditions or turnouts, the most restrictive speed will govern.

SPEED TABLE (Miles per hour in minutes and seconds per mile).

Miles Per	1 Mi	le in	Miles Per	1 Mi	le in	Miles Per	1 M i	le in
Hour	Min.	Sec.	Hour	Min.	Sec.	Hour	Min.	Sec.
6	10	0	30	2	0.	49	1	13
6 8	7	30	31	1	56	50	1	12
10	6 5	0	32	1	52	51	1	10
12	5	0	33	1	49	52	1	9
15	4	0	34	1	45	53	1	7
16	3	45	35	1	42	54	1	6 5
17	3	31	36	1	40	55	1	5
18	3	20	37	1	37	56	1	4
19	3	9	38	1	34	57	1	4 3 2 1
20	3	0	39	1	33	58	1	2
21	2	51	40	1	30	59	1	
22	2	43	41	1	27	60	1	0
23	2	36	42	1	25	65	0	55
24	2	30	43	1	23	70	0	51
25	2	24	44	1	21	75	0	48
26	2	18	45	1	20	80	0	45
27	2	13	46	1	18	85	0	42
28	4 ๑ ๑ ๑ ๑ ๓ ๓ ๗ ๗ ๗ ๗ ๗ ๗ ๗ ๗ ๗	8	47	1	16	90	0	40
29	2	8 4	48	1 '	15	95	0	38
]				100	0	36

9. YARD LIMITS: Following stations have yard limits. (Rule 93).

McGregor Temple (including Knowd Jct. and Belco) Milano Somerville Brenham Bellville (yard limits extend from yard limit board north of Bellville to yard limit board south of Bellville Yard). Killeen (yard limits extend from yard limit board north of Killeen to yard limit board

south of Nicholls). Lampasas Radio Jct. Lometa

Brady (yard limits extend from yard limit board south of Brady to yard limit board north of Paul Jct. on Menard and San Saba Districts).

Brownwood (including Hull Jct.) Coleman Sweetwater (including P. & S. F. Jct.) Ballinger

Granbury Stephenville Alvey Jct. Carlsbad Dublin Sterling City Comanche Belt Jct. Menard Cresson

10. LIST OF OVERHEAD AND SIDE OBSTRUCTIONS WHICH MAY BE DANGEROUS. (Rule 761).

Between Mile Posts	Bridge Number	Name
FIRST AN	D SECOND	DISTRICTS
128 and 129	128C	Viaduct
130 and 131	130C	Viaduct
174 and 175	174B	Viaduet
185 and 186	185A	Little River
218 and 219	218F.	Viaduct
236 and 237	236aA	Viaduet
262 and 263	262aA	Viaduct
290 and 291	290A	Viaduct
297 and 298	297A	Brazos River

LAMPASAS AND SAN ANGELO DISTRICTS

225 and 226	225A	Leon River
226 and 227	226A	Belton Viaduct
264 and 265	264A	Lampasas River
276 and 277	$276\mathbf{Ea}$	Viaduct
344 and 345	344C	Viaduct
345 and 346	345B	Pecan Bayou
37 and 38	37K	Colorado River

SWEETWATER DISTRICT

					_
417 and	418	417B	ł	Viaduct	

SAN SABA DISTRICT

2 and 13 and	314	2Ca 13C	Viaduct Colorado River
29 and	30	29A	San Saba River

DUBLIN DISTRICT

11	and	12	11C	Mustang Creek
			39B	Stroud's Creek
53	and	54	53D	Paluxy Creek
56	and	57	56A	South Paluxy Creek
71	and	72	71C	Bosque River
98	and	99	98A	Leon River
134	and	135	134D	Viaduct
135	and	136	135C	Pecan Bayou
		137	136E	Viaduct

MENARD DISTRICT

151 and 152 158 and 159	151A 158B	Clear Creek Colorado River	
160 and 161	160B	Viaduct	
220 and 221	220B	Viaduct	

Employes must inform themselves as to location of surface and pit cattle guards and use due care to avoid injury therefrom.

11. It is dangerous to have flame lights of any kind near oil tanks, oil cars, oil pipe lines, oil pumps, oil vats, or any receptacle used in handling or storing oil. Employes are particularly enjoined against having flame lights near openings where oil is exposed.

12. BULLETIN BOOKS ARE LOCATED AT:

Bellville Yard	Lometa	Sterling City	Ft. Worth
Temple	Brownwood	San Angelo	Menard
Cleburne	Sweetwater		

13. STANDARD CLOCKS ARE LOCATED AT:

Bellville Yard.

Somerville.

Temple (Yard Office and Passenger Station). Cleburne (Yard Office and Passenger Station).

Lometa.

Brownwood.

San Angelo.

Sweetwater (Yard Office and Passenger Station).

Fort Worth (Yard Office).

Menard.

14. STANDARD THERMOMETERS ARE LOCATED AT:

ham
nan
Angelo
rd

15. RAILROAD CROSSINGS AND INTERLOCKINGS.

LOCATION	М. Р.	FACILITY	NAME
	•	FIRST DISTRICT	-
Morgan	287.6	M-K-T Crossing	Interlocking
Morgan	287.9	North end siding	Interlocking
Morgan	287.2	South end siding	Interlocking
Morgan	287.5	North end house track	Interlocking
McGregor	243.1	St. L. S. W. Crossing	Interlocking
McGregor	243.1	Compress track	Interlocking
McGregor	243.1	North end siding	Interlocking
McGregor	242.2	South end siding	Interlocking
Belco	220.0	Switch to freight yard	Interlocking

SECOND DISTRICT

		·	
Temple	217.8	South connection to pass- enger yard	Interlocking
Temple	217.8	Crossover from north to south main tracks just	
	1	south passenger yard	Interlocking
Temple	217.1	M-K-T Crossing	Interlocking
Temple	217.0	Two crossovers just south M-K-T Crossing	Interlocking
Temple	217.1	M-K-T Transfer	Interlocking
Temple	217.2	South end freight house track	Interlocking
Knowd Jct.	216.2	South end two tracks	Interlocking
Cameron	189.4	North end siding	Interlocking
Cameron	187.9	South end siding	Interlocking
Cameron	188.1	T. & N. O. Crossing	Interlocking
Cameron	188.1	Compress track	Interlocking
Cameron	188.1	Crossover main track to siding north T.&N.O. Crossing	Interlocking
Cameron	188.0	Crossover main track to siding south T.&N.O. Crossing	Interlocking

LOCATION	м. Р.	FACILITY	NAME
Cameron	188.0	North end stock track	Interlocking
Cameron	188.0	Short south transfer	Interlocking
Milano	175.1	North end siding	Interlocking
Milano	174.2	South end siding	Interlocking
Milano	174.1	I-G-N Crossing	Interlocking
Milano	174.1	Both ends pocket track	Interlocking
Milano	174.2	West wye connecting track	Interlocking
Milano	174.1	South transfer	Interlocking
Somerville	142.5	North end freight yard	Interlocking
Somerville	141.5	North end siding	Interlocking
Somerville	140.5	South end siding	Interlocking
Brenham	126.0	T. & N. O. Crossing	Interlocking
Brenham	126.0	North connecting track	Interlocking
Brenham	126.0	North end scale track	Interlocking
Brenham	126.0	North end siding	Interlocking
Brenham	125.1	South end siding	Interlocking
		I AMDACAC DICEDICE	· <u></u>

LAMPASAS DISTRICT

Temple	217.8	West end fr	eight connection	Interlocking
	sw	EETWATER	DISTRICT	

Tuscola	415.7	A. & S. Crossing	Cabin Interlocking
P.&S.F. Jct.	460.0	Three Wye Switch Both ends crossover Main	Interlocking
1		Both ends crossover Main track to Yard lead	Interlocking
<u>.</u>	<u></u>	north Wye	Interlocking

SAN ANGELO DISTRICT

A. & S. Crossing

Cabin Interlocking

Ballinger

36.5

DUBLIN DISTRICT			
Dublin	86.2	M-K-T Crossing	Rules 98, 98(A) and 98(B) Crossing Gate
Birds	0.0	South switch connecting track	Interlocking

- 16. SIGNALS—TEMPLE: Automatic interlocking signals govern movement over Lampasas District main track, roundhouse lead, south and north freight main tracks, at Temple. In the event governing signal fails to indicate proceed, when conflicting movement is not evident, member of crew shall go to crossing, see that signals on conflicting routes are in stop position; then give proceed hand signal being governed by Rule 509(a).
- 17. SIGNALS—RADIO JCT.: Signals governing movement of trains and engines entering Lampasas District main track at north and south wye switches at Radio Jct., are located near clearance points. Normal position is stop. Trainmen will go to switch and, if no train is approaching on Lampasas District main track, will line switch for movement to that track. Trains or engines will then wait one and one-half minutes, after which, if signal has not cleared, they may proceed as required by Rule S-513.
- 18. SIGNAL—SAN ANGELO JCT.: Signal 3734 governs movements from the San Angelo District to the Sweetwater District. Trains and engines finding Signal 3734 in stop position, and no trains are approaching on the Sweetwater District, may reverse the junction switch and wait two and one-half minutes, then if Signal 3734 fails to clear, proceed as required by Rule 509(a).
- 19. BIRDS CONNECTING TRACK: South switch connecting track is operated from Birds Interlocking, normally lined for connecting track. Standard switch target indicates green for nomal and yellow for reverse. North switch is equipped with standard spring switch normally lined for Birds.

STATE LAWS GOVERNING RAILROAD EMPLOYES TEXAS

ARTICLE 6368. BADGE. Every conductor, baggage master, engineer, brakeman or other servant of such railroad corporation employed in a passenger train, or at its stations for passengers, shall wear upon his hat or cap a badge which shall indicate his office and the initial letters or the style of the corporation by which he is employed. No conductor or collector without such badge shall demand or be entitled to receive from any passenger any fare, toll, ticket, or exercise any power of his office, and no other of the said officers or servants, without such badge, shall have any authority to meddle or interfere with the passengers, their baggage or property.

ARTICLE 6371. BELL; STEAM OR AIR WHISTLE OR SIREN; SOUNDING OR BLOWING. A bell of at least thirty (30) pounds weight and a steam whistle, air whistle or air siren shall be placed on such locomotive engine, and the steam whistle, the air whistle or air siren shall be sounded and the bell rung at a distance of at least eighty (80) rods from the place where the railroad shall cross any public road or street, and such bell shall be kept ringing until it shall have crossed such public road, or stopped; and each locomotive engine approaching a place where two lines of railway cross each other shall, before reaching such railway crossing be brought to a full stop; and the corporation operating such railways shall be liable for all damages which shall be sustained by any person by reason of any such neglect; the full stop at such crossing may be discontinued when the railroads crossing each other shall put into full operation at such crossing an interlocking switch and signal apparatus or shall have a flagman in attendnce at such crossing.

ARTICLE 1672. FAILURE TO RING BELL OR BLOW WHISTLE; STOP AT CROSSINGS; ORDINANCES, COMPLIANCE WITH. Any engineer having charge of a locomotive engine while such engine is approaching a place where two lines of railway cross each other, who shall, before reaching such railway crossing fail to bring such engine to a full stop or who shall fail to blow the whistle and ring the bell on such engine at the distance of at least eighty (80) rods from the place where the railroad shall cross any public road or streets, or who shall fail to keep said bell ringing until such engine shall have crossed said road or street or stopped, shall be fined not less than Five (\$5.00) Dollars nor more than One Hundred (\$100.00) Dollars, provided that the full stop at such crossings may be discontinued when the railroads crossing each other shall put into full operation at such crossing an interlocking switch and signal apparatus, or shall have a flagman in attendance at such crossings; provided, however, that the governing bodies of every city or town having a population of five thousand (5,000) or more inhabitants according to the last Federal Census may regulate by ordinance the ringing of bells and blowing of whistles within their corporate limits, and a compliance with said ordinance, will be full compliance with the terms and provisions of this Act and a sufficient warning to the public at such crossings as such ordinance may affect.

In addition to complying with the above law, when anyone in an automobile or other vehicle, riding, or walking, is approaching a crossing and apparently does not intend to stop, an additional alarm should be given by whistle, brakes set in emergency, and everything possible done to prevent an accident.

Where the engineer cannot at the same time blow the whistle and set the brakes, and it is apparent that the train or engine cannot be stopped before reaching the crossing, and other party has still time to stop before reaching the crossing, additional alarm by whistle should be first given and then brakes immediately set.

ARTICLE 6377. FORMING PASSENGER TRAINS. In forming a passenger train, baggage or freight, or merchandise, or lumber cars shall not be placed in rear of passenger cars; and if they or any of them shall be so placed and any accident happen to life or limb, the officer or agent who so directed or knowingly suffered such arrangement and the conductor and engineer of the train shall each be held guilty of intentionally causing the injury, and be punished accordingly. Provided, however, that this Article shall not apply where railroad trains are carrying only personnel and equipment in connection with military or naval movements.

In Texas a railroad company has a right to eject from its trains any passenger who refuses upon demand to produce a proper ticket or other transportation, or pay his fare to his destination, and he may be expelled at any point on the line of the road whether at a station or otherwise, with this limitation: In case a person is, by reason of any infirmity, unable to travel or find his way from the point where he is put off to a dwelling house or town, or the weather so inclement as to render it unsafe or inhuman to eject a person at a point other than a station, then such person should be ejected from the train at a station where suitable accommodation can be procured for his safety and comfort.

Drunken or disorderly persons, or others whose conduct and appearance is such as is calculated to operate as a serious annoyance to other passengers or is disgusting, or a passenger who is guilty of gross misconduct, either by insulting or assaulting other passengers or train employes, who uses vile or profane language in the car, or who threatens to assault other passengers or train employes, may lawfully be expelled from the train at any place, provided the place is not such as to cause want or injury; this may be done whether fare has been paid or not.

The attention of all employes is called to the extracts of law published above.

CONDITIONAL STOPS SHOWN BELOW WILL BE MADE ONLY FOR REVENUE PASSENGERS

The term "beyond" refers to regular, flag or conditional stops authorized herein.

TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM
5	Any Station.		North of Temple.
6	Any Station.	North of Temple.	
15	Marietta, Okla. McGregor, Texas.	Fort Worth and beyond. Houston and beyond.	Oklahoma City and beyond. Kansas City and beyond.
16	McGregor, Texas. Marietta, Okla.	Kansas City and beyond. Oklahoma City and beyond.	Houston and beyond. Fort Worth and beyond.
75	Belton, Radio Jct. and Goldthwaite.	West of Coleman.	Houston and beyond.
76	Goldthwaite, Radio Jct. and Belton.	Houston and beyond.	West of Coleman.

Attendants accompanying livestock or other shipments may be carried on the train handling shipment of which they are in charge, when provided with proper transportation.



SANTA FERST



Every employe should report promptly to his Superintendent, Trainmaster or some member of Safety Committee or other proper person, every unsafe condition or practice.

(See Rules E and F)

