

Company Surgeons.	Location
T. L. HANSEN, Chief Surgeon.....	Chicago
J. M. L. JENSEN, Ass't. Chief Surgeon.....	Chicago
T. S. BOURKE, Division Surgeon and Examiner.....	Kansas City, Mo.
HARRY R. ERNI, Ass't. Division Surgeon.....	
J. G. HAYDEN, Division Surgeon and Examiner.....	
R. L. BOWER, Oculist-Aurist.....	
J. A. BILLINGSLEY, Oculist, Aurist and Examiner.....	Kansas City, Kansas
T. S. BOURKE, Division Surgeon and Examiner.....	
FRED W. BAILEY, Consulting Surgeon.....	St. Louis, Mo.
DEAN SAUER, Ass't. Division Surgeon.....	
A. S. STEINER, Oculist and Aurist.....	
SETH P. SMITH, Local Surgeon and Examiner.....	
C. D. MAGEE.....	Clayton
H. L. MEADOR.....	
B. B. PARKER.....	
A. E. DAVIS.....	
J. H. McCALL.....	Centerville
C. E. LOVETT.....	Seymour
G. M. BRISTOW, Consulting Surgeon.....	Allerton
A. S. BRISTOW.....	Lineville
E. W. EWING.....	Princeton
E. A. DUFFY, Division Surgeon.....	Spickards
O. F. DUFFY, Ass't. Division Surgeon.....	Trenton
H. C. KIMBERLIN, Consulting Oculist, Aurist and Examiner.....	
A. G. MINNICK.....	
C. H. WILBUR.....	
EDWIN SHOUSE.....	Lock Springs
J. E. BAIRD.....	Polo
F. H. MATTHEWS.....	Lawson
M. A. SMITH.....	Excelsior Springs
J. L. REICH.....	Liberty
G. D. JOHNSON.....	Gallatin
PAUL FORGRAVE.....	Altamont
W. H. MINTON.....	Maysville
V. MORRISON.....	St. Joseph
H. M. DENNY.....	Rushville
L. V. MURRAY.....	Union
D. M. EUBANKS.....	Pleasant Hill
C. E. WALLER.....	Raytown
GEO. M. EDMONDS, Local Surgeon and Examiner.....	Troy
L. C. EDMONDS, Division Surgeon.....	Horton
C. W. REYNOLDS.....	Holtton
A. H. MARSHALL, Dist. and Hos. Surgeon and Examiner.....	Topeka
O. M. RAINES, Ass't. District and Hospital Surgeon.....	
H. W. POWERS, Oculist and Aurist.....	
J. W. LAUCK.....	
F. J. WAGNER, Surgeon and Examiner.....	Maple Hill
E. B. McKNIGHT.....	McFarland
W. H. LITTLE.....	Alma
GEO. E. BRETHOUR.....	Aita Vista
E. J. REICHEL, Ass't. Division Surgeon and Examiner.....	Dwight
SCHUYLER NICHOLS, Surgeon and Examiner.....	Herington
A. D. DANIELSON, Ass't. Surgeon.....	
J. B. HENRY.....	
C. A. SCHMIDT.....	
C. A. BUNGE.....	Lawrence
W. R. FERRELL.....	Gerald
J. I. A. BUECHLOR.....	Bland
H. G. ISENBERG.....	Belle
G. D. WALKER, Surgeon and Examiner.....	Freeburg
A. J. GUNN.....	Argyle
C. A. WEIST.....	Eldon
T. S. RESER.....	Versailles
H. M. WALL.....	Stover
E. R. BEIDERWELL.....	Cole Camp
R. H. MUNFORD.....	Windsor
A. C. ANTONY.....	Belleville
C. C. STILLMAN.....	Clyde
F. R. CROSON.....	Morganville
R. G. SCHOONHOVEN.....	Clay Center
HOWARD N. MOSES.....	Manhattan
S. STEELSMITH, Consulting Surgeon.....	Salina
L. G. HEINS.....	Abilene
THEO. KROESCH.....	Enterprise

G. R. BRANCH, Superintendent
O. W. LIMESTALL, Gen'l. Superintendent

A. R. RUITER, B. H. SMITH, Supt's. Motive Power
J. R. PICKERING, Sup't. Transportation

G. P. TRACHTA, Ass't. Chief Operating Officer (Mechanical)

J. D. FARRINGTON, Chief Operating Officer

Chicago, Rock Island & Pacific Railway

TIME TABLE

MISSOURI-KANSAS DIVISION SECOND DISTRICT

No. 5

EFFECTIVE AT 12:01 A. M.
CENTRAL STANDARD TIME

SUNDAY, JANUARY 25, 1942

DESTROY ALL TIME TABLES OF PREVIOUS DATE

PREVENT INJURY



SAFETY FIRST

This Time Table for the exclusive use
and guidance of Employees

Main Line Westward

SUBDIVISION 28 STATIONS Time Table No. 5 January 25, 1942			FIRST CLASS					SECOND CLASS							
LEAVE	M. P. Distance from Chicago	Distance from Trenton	Signs	1 Passenger	29 Rocket Arizona Limited	15 Mid Continent Special	43 California	17 Short Line Express	507 Rocket	3 Golden State Limited	93 Texas Special	911 Des Moines St. J. K.C. R. B. Frt.	91 Chicago California Gold Ball Freight	915 Twin City K.C., St. J. R. B. Frt.	
ON..				Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	
.....	ELDON YARD.....	TO 295.2	120.7	RYdFY	A.M. 1-25	A.M. 2-42	A.M. 3-56			P.M. 5-15	A.M. 9-30		P.M. 9-50		
.....	FLORIS.....	P 301.3	114.6	f 1-40	2-49	4-05			5-24	9-42		10-01		
SW..	BELKNAP.....	TO 308.2	107.7	s 1-50	2-57	4-13			5-32	9-53		10-15		
.....	Wabash Crossing.....	308.2	107.7											
.....	DRAKESVILLE.....	P 311.4	104.5	W	f 1-55	3-01	4-17			5-36	10-01		10-20		
.....	PARIS.....	P 317.7	98.2	f 2-04	3-07	4-25			5-44	10-09		10-31		
.....	UNIONVILLE.....	P 323.8	92.1	f 2-13	3-13	4-32			5-51	10-18		10-41		
.....	UDELL.....	P 327.3	88.6	f 2-18	3-18	4-36			5-55	10-23		10-46		
.....	SHARON.....	P 332.0	83.9	f 2-24	3-24	4-41			6-01	10-29		10-53		
CV..	CB&Q Crossing.....	TO 336.1	79.8											
.....	CENTERVILLE.....	336.3	79.6	YdWY	s 2-34	g 3-33	s 4-48			s 6-12	10-39		11-00		
.....	NUMA.....	P 343.8	72.1	s 2-45	3-42	4-57			6-22	10-52		11-15		
SR..	SEYMOUR.....	351.7	64.2	s 2-57	3-52	s 5-07			s 6-31	11-06		11-44		
F....	CMST&P Crossing.....	TO 352.0	63.9											
.....	HARVARD.....	P 359.8	56.1	f 3-07	4-02	5-17			6-41	11-20		11-59		
AR..	ALLERTON.....	TO 365.0	50.9	RYdF WY	3-45 A.M.	4-12	s 4-30	s 5-27	s 9-05	P.M. 6-30	g 6-51	11-35 914	P.M. 1-00	P.M. 12-20 A.M. 4	P.M. 9-55
CO..	CLIO.....	TO 372.2	43.7		4-20	4-38	5-37	g 9-15	6-37	7-00	11-47	1-09	12-33	10-05
WR..	LINEVILLE, IA.....	TO 378.1	37.8		4-26	4-45	5-45	f 9-24	6-43	7-07	11-55 A.M.	1-26 508	12-41	10-13
Q....	MERCER, MO.....	TO 383.1	32.8		4-31 990	4-50 990	5-52	f 9-32	6-47	7-13	12-02 P.M.	1-35	12-48	10-20
.....	ALVORD.....	P 387.7	28.2		4-36	4-55	5-58	9-38 98	6-52	7-19	12-08	1-41	12-55	10-26
PR..	PRINCETON.....	TO 392.9	23.0		4-42	5-01	g 6-05	f 9-48	6-57	g 7-25	12-15	1-48	1-03	10-34 96-44 10-45
.....	MILL GROVE.....	P 399.8	16.1		4-51	5-09	6-14	f 9-58 914	7-04	7-33	12-25	1-58	1-18 912	11-09 18
SB..	SPICKARDS.....	TO 404.3	11.6		4-56	5-14	6-20	s 10-06	7-08	7-38	12-33	2-04	1-35 30	11-29 4
.....	TINDALL.....	P 410.1	5.8		5-03	5-20	6-27	10-14	7-13	7-45	12-41	2-12	1-45	11-39
RN.. DS..	TRENTON.....	TO 415.9	RYdF WT	5-12 A.M.	s 5-27 A.M.	s 6-35 A.M.	s 10-25 A.M.	s 7-19 P.M.	s 7-55 P.M.	1-00 P.M.	2-25 P.M.	2-10 A.M.	11-50 P.M.	
.....	AVERAGE SPEED PER HOUR.....				29.9	48.2	53.6	45.5	38.1	62.3	45.2	34.5	35.9	27.8	23.1
.....	SCHEDULE TIME.....				2-20	2-30	0-57	2-39	1-20	0-49	2-40	3-30	1-25	4-20	1-55

SECOND CLASS, EXTRA TRAINS AND ENGINES MUST CLEAR THE TIME OF Nos. 29, 30, 507 AND 508 NOT LESS THAN 10 MINUTES.

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.

ON TWO MAIN TRACKS, WHEN EITHER IS USED AS SINGLE TRACK, TRAINS EASTWARD ARE SUPERIOR TO TRAINS WESTWARD OF THE SAME CLASS.

TIME TABLE RULE NO. 14a IN EFFECT.

Local extra leaves Eldon Yard 4:30 A. M. daily except Sunday for Trenton.
 No. 17 discharge from Des Moines and beyond and receive Kansas City and beyond.
 No. 29 receive for Arizona points.

Nos. 3 and 43 receive for Tucumcari and beyond, (see folder).
 No. 3 Seymour discharge from Chicago and Englewood.
 No. 507 discharge from Des Moines and beyond.

Main Line Eastward

SUBDIVISION 28 STATIONS Time Table No. 5 January 25, 1942				FIRST CLASS							SECOND CLASS				
Station Numbers		Capacity of Siding	Capacity of Other Tracks	30	16	2	508	44	18	4	912	990	98	914	96
				Rocket Arizona Limited	Short Line Express	Passenger	Rocket	Californian	Mid Continent Special	Golden State Limited	Kan. City Twin City Red Ball Freight	Kan. City C. R. Divn Red Ball Freight	Texas Chicago Red Ball Freight	Kan. City Twin Cities Nebraska Red Ball	California Kan. City Red Ball Freight
295 ELDON YARD		1094	A.M. 43 3:51		A.M. 6:37		A.M. 1:05		A.M. 1:53		A.M. 9:00	P.M. 12:25		A.M. 2:15
301 FLORIS	67	11	3:41	f	6:23		12:55		1:40		8:40	P.M. 12:05		2:01
308 BELKNAP	99	20	3:32	s	6:14		12:45		1:31		8:20	A.M. 11:53		1:50
 Wabash Crossing														
311 DRAKESVILLE	87	8	3:28	f	6:08		12:41		1:27		8:10	11:47		1:27
318 PARIS	87	13	3:20	f	5:58		12:32		1:20		7:55	11:37		1:10
324 UNIONVILLE	62	28	3:13	s	5:48		12:23		1:11		7:40	11:27		12:59
327 UDELL	89	8	3:07	f	5:42		12:18		1:07		7:30	11:21		12:50
332 SHARON	56		3:00	f	5:34		12:12		1:01		7:15	11:13		12:40
 CB&Q Crossing														
336 CENTERVILLE	N72 S82	213	2:54	s	5:28		A.M. 12:07		12:56		7:05	11:06		12:33
344 NUMA	95	30	2:45	s	5:17		P.M. 11:54		12:46		6:45	10:52		12:22
352 SEYMOUR	S86 N43	40	2:36	s	5:07		11:44		12:36		6:26	10:38		12:12
 CMS&P Crossing														
360 HARVARD	65	15	2:27	f	4:46		11:32		12:27		6:10	10:25		P.M. 9:11 11:59
365 ALLERTON	N125 N 44	207	2:20	s	4:22	P.M. 1:39	11:25	11:55	12:20	A.M. 2:50	6:00	10:18	A.M. 9:30 11:35	11:40
372 CLIO	95	20	2:12	f	3:58		11:32		11:13	11:44	12:10	2:20	5:15	10:06
378 LINEVILLE, IA	89	36	2:06	f	3:48		11:05		11:36	12:01	2:06	5:00	9:58	10:35
383 MERCER, MO	N88 S89	15	2:01	f	3:38		10:59	11:30	11:55	1:50	4:50 29-15 4:31	9:50	10:27	10:59
388 ALVORD	100		1:54		3:27		10:52	11:23	11:48	1:38	4:13	9:38	10:17	10:41
393 PRINCETON	78	65	1:48	s	3:20		10:45	11:17	11:42	1:31	4:05	9:27	10:10	10:34
400 MILL GROVE	89	13	1:40	f	3:06		10:36	11:09	11:34	1:18	3:50	9:17	9:58	10:24
404 SPICKARDS	86	25	1:35	f	2:56		10:30	11:04	11:29	1:05	3:40	9:11	9:46	10:18
410 TINDALL	85	17	1:28	f	2:44		12:55	10:23	10:57	11:22	12:55	3:30	9:03	9:38
416 TRENTON		900	1:22		2:35		10:15	10:50	11:15	12:45	3:20	8:55	9:30	10:00
 LEAVE			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily
 AVERAGE SPEED PER HOUR			48.6	28.5	34.9	61.8	42.6	46.9	45.8	24.4	21.3	34.5	24.4	28.4
 SCHEDULE TIME			2:29	1:47	2:00	0:50	2:50	1:05	2:38	2:05	5:40	3:30	2:05	4:15

SEE FOOT NOTES, PAGE 1.

No. 508 discharge from Kansas City and beyond and receive for Des Moines and beyond.

No. 30 discharge from Arizona points.

No. 4 discharge from Tucumcari and beyond.

No. 44 Allerton discharge from Kansas City and beyond, receive for Englewood and Chicago. Princeton discharge from Tucumcari and beyond Seymour—Receive for Englewood and Chicago.

Main Line Westward

SUBDIVISION 29
STATIONS
Time Table No. 5
January 25, 1942

FIRST CLASS

SECOND CLASS

STATIONS		M. P. Distance from Chicago	Distance from Trenton	Signs	FIRST CLASS						SECOND CLASS						
					29	15	43	17	507	3	915	91	303	93	911	395	
LEAVE					Rocket Arizona Limited	Mid Continent Special	Californian	Short Line Express	Rocket	Golden State Limited	Twin City Kan. City Red Ball Freight	Chicago California Gold Ball Freight	Mixed Motor	Texas Special	Des Moines Kan. City R. B. Frt.	Chicago Twin City K.C., St. J. Freight	
					Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily Except Sunday	Daily	Daily	Daily Except Saturday	
					A.M. 5-12	A.M. 5-30	A.M. 6-38	A.M. 10-30	P.M. 7-19	P.M. 8-00	A.M. 12-15 9-12	A.M. 2-30	A.M. 6-50	P.M. 1-15	P.M. 2-40	P.M. 11-25	
CENTRALIZED TRAFFIC CONTROL TRENTON.....	TO	414.1	RYdF												
 YARD JCT.....	P	415.0	0.9	WT												
 LAKE.....	P	417.4	3.3													
 SCOTT.....	P	420.2	6.1													
 HICKORY CREEK.....	P	421.6	7.5													
 COBURN.....	P	425.0	10.9													
 SHEARWOOD.....	P	427.3	13.2													
 LOCK SPRINGS.....	P	434.8	20.7													
 Wabash Crossing.....	P	434.9	20.8													
 NETTLETON.....	P	443.5	29.4													
 SHOAL.....	P	450.3	36.2	W												
 POLO.....	TO	460.5	46.4	RYdFW	6.10 A.M.	6.25 A.M.	7.42 A.M. 9:14	11.35 A.M.	8.00 P.M.	8.58 P.M.	2.30 A.M.	3.50 A.M.		2.25 P.M.	3.50 P.M.	
 Elmira.....	P	467.6	53.5		6.19	6.32	7.49	11.45	8.07	9.05						
 Lawson Jct.....	P	471.7	57.6	W	6.24	6.36	7.55	11.55	8.11	9.09						
 Lawson.....	TO	472.9	58.8			6.38	7.57	11.57	8.12	9.11						
..... Excelsior Springs.....	TO	479.5	65.4	W		6.47	8.06	12.08	8.18	9.21							
..... Mosby.....	P	484.3	70.2			6.53	8.12	12.13	8.23	9.28							
..... Mosby Jct.....	P	484.8	70.7		6.38	6.54	8.13	12.14	8.24	9.29							
..... Stockdale.....	P	487.4	73.3		6.42	6.57	8.16	12.17	8.27	9.34							
..... Liberty.....	TO	492.1	78.0	W	6.47	7.02	8.22	12.22	8.31	9.40							
..... Birmingham.....	TO	498.1	84.0		6.55	7.10	8.30	12.32	8.37	9.50	4.45	5.30		3.40	5.00		
..... Randolph.....	P	500.7	86.6														
..... Block 222.....	TO	503.6	89.5														
..... No. Kansas City.....		504.8	90.7														
..... Block 223.....	P	505.4	91.3														
..... Ustick.....	TO	506.3	92.2														
..... Broadway Tower.....	P	507.1	93.0														
..... St. Louis Ave. Tr.....	P	507.6	93.5														
..... KAN. CITY, MO.....	TO	510.1	96.0		7.30 A.M.	7.40 A.M.	9.00 A.M.	1.00 P.M.	9.00 P.M.	10.25 P.M.							
..... St. Louis Ave. Tr.....	P	507.6	93.5														
..... State Line.....		507.7	93.6														
..... Kaw Bridge.....		508.4	94.3														
..... KAN. CITY, Kan.....		509.7	95.6								6.00 A.M.	7.00 A.M.		5.00 P.M.	6.00 P.M.		
..... AVERAGE SPEED PER HOUR.....						41.7	44.3	40.5	38.4	57.3	39.8	16.6	21.3	32.7	26.8	28.8	11.8
..... SCHEDULE TIME.....						2.18	2.10	2.22	2.30	1.41	2.25	6.45	4.30	0.20	3.45	3.20	0.55

No. 507 and No. 15 discharge from Des Moines and beyond.
 Nos. 43 and 3 receive Tucumcari and beyond [see folder].

Nos. 15, 43 and 3 Airport Station, Kansas City discharge airplane passengers, [see folder].

Main Line Eastward

STATION		SUBDIVISION 29 STATIONS Time Table No. 5 January 25, 1942		FIRST CLASS						SECOND CLASS						
				16	508	44	18	4	30	98	914	96	302	912	990	390
				Short Line Express	Rocket	Californian	Mid Continent Special	Golden State Limited	Rocket Arizona Limited	Texas Chicago R. B. Frt.	Kan. City Twin Cities Nebraska Red Ball	California Kan. City R. B. Frt.	Mixed Motor	Kan. City Twin City Red Ball Freight	K.C., St. J. C. R. Divn. Red Ball Freight	St. J. Tw. C. Chl., K.C. Red Ball Freight
416 TRENTON.....	TO	900	A.M. 2:30	P.M. 12:49	P.M. 10:10	P.M. 10:45	P.M. 11:10	A.M. 1:22	A.M. 8:40	A.M. 9:15	P.M. 9:30	P.M. 7:20	A.M. 9:15	A.M. 1:50	P.M. 11:15
 YARD JCT.....	P		2:20	12:48	9:55	10:35	11:00	1:20							
 LAKE.....	P														
 SCOTT.....	P														
424	HICKORY CREEK	P	15										7:01			
427 COBURN.....	P											6:55			10:40
W 2 SHEARWOOD.....	P	18													
W 10	LOCK SPRINGS	P	17													
 Wabash Crossing.....	P														
W 19 NETTLETON.....	P	12													
W 25 SHOAL.....	P	18													
W 36 POLO.....	TO	35	1:25 A.M.	12:05 P.M.	9:05 P.M.	9:42 P.M.	10:00 P.M.	12:28 A.M.	6:35 A.M.	7:45 A.M.	7:50 P.M.		10:55 P.M.	12:15 A.M.	
W 43 Elmira.....	P	12	1:17	11:59	8:50	9:35	9:52	12:20							
 Lawson Jct.....	P	110	1:12	11:55	8:45	9:31	9:48	12:15							
W 47 Lawson.....	TO	50	1:10	11:54		9:29	9:46								
W 55 Excelsior Spgs.....	TO	27	1:01	11:48		9:21	9:38								
W 58 Moseby.....	P	18	12:52	11:43		9:11	9:30								
 Moseby Jct.....	P	110	12:51	11:42	8:25	9:10	9:29	12:01 P.M.							
W 61 Stockdale.....	P	15	12:48	11:39	8:21	9:07	9:26	11:57							
W 66 Liberty.....	TO	34	12:43	11:35	8:15	9:01	9:21	11:52							
W 72 Birmingham.....	TO	65	12:35	11:29	8:05	8:53	9:13	11:45	5:35	6:35	6:35		9:35	P.M. 10:45	
W 75 Randolph.....	P														
 Block 22.....	TO														
W 79	No. Kansas City		95													
 Block 223.....	P	77													
W 80 Ustick.....	TO														
W 81 Broadway Twr.....	P														
 St. Louis Ave. Tr.....	P														
W 84 KAN. CITY, MO.....	TO	Yd	12:15 A.M.	11:10 A.M.	7:45 P.M.	8:30 P.M.	8:50 P.M.	11:25 P.M.							
 St. Louis Ave. Tr.....	P														
 State Line.....	P														
 Kaw Bridge.....	P														
W 85 KAN. CITY, Kan.....	TO	Yd							5:00 A.M.	6:00 A.M.	6:00 P.M.		8:45 P.M.	10:00 P.M.	
	LEAVE			Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily Except Sunday	Daily	Daily	Daily Except Sunday
	AVERAGE SPEED PER HOUR			42.2	58.1	39.7	42.2	41.1	48.6	25.8	29.5	27.0	26.2	27.0	24.8	18.7
	SCHEDULE TIME			2:15	1:39	2:25	2:15	2:20	1:57	3:40	3:15	3:30	0:25	3:30	3:50	0:35

TRAINS 508, 18, 4 AND 16 OPERATE ON WESTWARD TRACK MOSEBY JCT. TO LAWSON JCT. VIA EXCELSIOR SPRINGS.

No. 508 to receive for Des Moines and beyond and discharge from Kansas City and beyond.

No. 18 to receive for Des Moines and beyond and discharge from Topoka and beyond.

Nos. 44 and 4 discharge from Tucumcari and beyond.

No. 4 Excelsior Springs receive and discharge any point scheduled to stop. Receive at Airport, airplane passengers Tri-Cities and beyond.

No. 16 discharge from Kansas City and beyond and receive for north of Allerton.

Main Line Westward

SUBDIVISION 36
STATIONS
Time Table No. 5
January 25, 1942

SUBDIVISION 36 STATIONS Time Table No. 5 January 25, 1942				FIRST CLASS						SECOND CLASS						
				29	509	43	17	107	3	991	95	91	93	97	995	
				Rocket Arizona Limited	Rocket	Californian	Mid Continent Special	Rocky Mountain Rocket	Golden State Limited	St. Louis-Kan. City- Colo. Red Ball Frt.	Mo. River Texas Red Ball Freight	California Gold Ball Freight	Texas Special	Kan. City-Tucumcari Red Ball Freight	Red Ball Freight	
LEAVE				Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily Except Monday
				A.M.	A.M.	A.M.	P.M.	P.M.	P.M.							
US...	KAN. CITY, Mo.	TO	RFWTY	8.05	9.15	9.45	1.15	8.25	11.10							
	KAN. CITY, KAN.	TO		8.10	9.20	9.51	1.21	8.31	11.16							
JC...	TERMINAL JCT.	TO		8.11	9.21	9.53	1.23	8.33	11.18							
	R. I. FRT. YARD.	TO	RYdF WT							A.M. 7.00	P.M. 12.30	P.M. 1.15	P.M. 7.45	P.M. 8.00		
	CRISP JCT.	TO		8.13	9.23	9.55	1.25	8.35	11.20							
DA...	LAWRENCE	TO	W	8.48	9.57	10.35	2.08	9.15	12.01							
OT...	TOPEKA	TO	RW	9.15	10.23	11.10	2.40	9.48	12.35							
	TOPEKA JCT.	TO				11.16	2.47	9.52	12.41							
	ST. JOSEPH LINE JCT.	TO		9.17	10.25	11.17	2.48	9.54	12.42							P.M. 11.20
B...	TOPEKA YARD	TO	RYdF WY	9.19	10.27	11.19	2.52	9.57	12.45	9.00	2.30	3.00	9.45	10.20	11.30	P.M.
	BISHOP	P		9.26	10.33	11.25	2.58	10.03	12.50							
	VALENCIA	P		9.32	10.38	11.31	3.04	10.09	12.56							
	WILLARD	P				11.35	3.09	10.13	1.00							
RH...	MAPLE HILL	TO		9.40	10.45	11.40	3.17	10.19	1.05							
	VERA	P				11.44	3.22	10.24	1.09							
CA...	PAXICO	TO		9.48	10.51	11.48	3.27	10.29	1.13							
FA...	McFARLAND	TO	RYdF WY	9.52	10.55	12.06	3.42	10.35	1.30	10.00 A.M.	3.30	4.00	10.40 P.M.	11.30 P.M.		
	ALMA	TO		9.56	10.59	12.12	3.49		1.38							
FN...	VOLLAND	TO		10.04	11.06	12.21	4.00		1.48							
VA...	ALTA VISTA	TO		10.14	11.15	12.32	4.15		2.00							
	JONES	P		10.18	11.19	12.37	4.20		2.05							
DW...	DWIGHT	TO	W	10.21	11.22	12.43	4.26		2.10							
WY...	MKT Crossing	TO		10.29	11.29	12.53	4.38		2.20							
WT...	WHITE CITY	TO		10.36	11.35	1.02	4.50		2.30							
VS...	LATIMER	TO														
RI...	HERINGTON	TO	RYdF WTY	10.50 A.M.	11.45 A.M.	1.15 P.M.	5.10 P.M.		2.46 A.M.		5.45 P.M.	6.15 P.M.	12.15 A.M.	1.45 A.M.		
AVERAGE SPEED PER HOUR				54.6	60.1	42.9	38.4	46.6	41.7	32.5	28.0	29.4	32.7	25.6	3.6	
SCHEDULE TIME				2.45	2.30	3.30	3.55	2.10	3.36	3.00	5.15	5.00	4.30	5.45	0.10	

SECOND CLASS, EXTRA TRAINS AND ENGINES MUST CLEAR THE TIME OF Nos. 29, 30, 509, 510, 107 AND 108 NOT LESS THAN 10 MINUTES.

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.

ON TWO MAIN TRACKS, WHEN EITHER IS USED AS SINGLE TRACK, TRAINS EASTWARD ARE SUPERIOR TO TRAINS WESTWARD OF THE SAME CLASS. TIME TABLE RULE NO. 14a IN EFFECT BETWEEN TOPEKA YARD AND HERINGTON.

Following trains have no time table authority on Subdiv. 36: Nos. 991, 91, 95, 93, 97 and 995.

Local Extra leaves Topeka Yard at 6:00 A. M. Tuesday, Thursday and Saturday for Herington.

No. 3 will reduce speed to 25 miles per hour passing Alma and White City stations daily to permit safe dispatch of U. S. mail.

No. 509 discharge from Tri-Cities, Des Moines and beyond and receive for Wichita and beyond.

No. 29 receive for Arizona points and discharge from Chicago and Englewood.

Nos. 43 and 3 Lawrence, Kansas, [see special instructions in folder.]

No. 107 Lawrence receive for regular stops in Kansas, not beyond.

No. 107 McFarland receive from Herington and beyond for Colorado.

No. 3 Except Lawrence, receive for Tucumcari and beyond and at McFarland receive from Colorado for Herington and beyond.

No. 3 Alta Vista receive for Dalhart and beyond.

No. 43 Kansas City, Kansas and Alta Vista receive for Tucumcari and beyond.

Main Line Eastward

Station Numbers		SUBDIVISION 36 STATIONS Time Table No. 5 January 25, 1942		Capacity of Siding		Capacity of Other Tracks		FIRST CLASS						SECOND CLASS							
								32	44	4	510	30	108	996	92	96	98 (994)	94 (998)	992		
								Passenger	California	Golden State Limited	Rocket	Rocket Arizona Limited	Rocky Mountain Rocket	Red Ball Freight	California-Chicago Gold Ball Freight	Texas-Kans. City Red Ball Freight	Texas-Kan. City Red Ball Freight	Colo., Okla. St. Louis Chicago Red Ball Freight	Colorado Kan. City St. Louis Red Ball Freight		
OC54	KANSAS CITY, MO.							A.M. 7.30	P.M. 7.00	P.M. 8.05	P.M. 8.15	P.M. 10.50	A.M. 12.55								
	KANSAS CITY, KAN.							s 7.23	g 6.47	g 7.52	s 8.08	10.42	12.49								
	TERMINAL JCT.							7.20	6.45	7.50	8.06	10.40	12.47								
OC55	R. I. FRT. YARD					5000								P.M. 1.00	P.M. 2.30	P.M. 4.30	A.M. 3.30	A.M. 2.00			
	CRIP JCT.							7.18	6.43	7.48	8.05	10.38	12.45								
	LAWRENCE							g 6.35	g 6.03	g 7.08	g 7.32	10.03	12.10								
	TOPEKA							s 6.05	s 5.30	s 6.35	s 7.07	g 9.36	11.45								
	TOPEKA JCT.							5.52	5.21	6.29											
	ST. JOSEPH LINE JCT.							5.51	5.20	6.27	7.02	9.32	11.43	A.M. 1.35							
588	TOPEKA YARD	TO	175	796				5.48	5.15	6.24	7.00	9.30	11.41	A.M. 1.30	A.M. 10.35	P.M. 12.35	2.40	1.40	A.M. 12.15		
	BISHOP	P						5.38	5.08	6.18	6.54	9.24	11.35								
600	VALENCIA	P	150	25				g 5.31	5.03	6.12	6.49	9.19	11.30								
604	WILLARD	P		20				f 5.26	4.59	6.08											
609	MAPLE HILL	TO	100 E/100 W	71				f 5.19	4.54	6.03	6.42	9.11	11.22								
613	VERA	P		15				5.11	4.50	5.59											
617	PAXICO	TO		37				f 5.06	4.46	5.55	6.35	9.03	11.15								
621	McFARLAND	TO	125 W/80 E	592				s 5.00	s 4.42	g 5.49	g 6.31	8.59	11.10	9.00	A.M. 10.45	1.55	A.M. 12.30	108 P.M. 11.15			
625	ALMA	TO		95				s 4.49	4.28	5.32	6.27	8.55									
632	VOLLAND	TO	100 E/100 W	17				f 4.40	4.20	5.24	6.21	8.49									
640	ALTA VISTA	TO		111				s 4.30	g 4.10	g 5.14	6.14	8.41									
643	JONES	P	100 E/100 W					4.24	4.07	5.10	6.11	8.38									
646	DWIGHT	TO		29				s 4.20	4.04	5.06	6.08	8.35									
	MKT Crossing	TO																			
655	WHITE CITY		100 E/120 W	29				s 4.08	3.54	4.56	6.00	8.26									
662	LATIMER	TO		25				f 3.54	3.46	4.46	5.54	8.19									
	MoPac Crossing																				
670	HERINGTON	TO		2123				3.40 A.M.	s 3.35 P.M.	s 4.35 P.M.	s 5.45 P.M.	8.09 P.M.		7.00 A.M.	8.45 A.M.	12.30 P.M.	10.50 P.M.				
	LEAVE							Daily	Daily	Daily	Daily	Daily	Daily	Daily Except Sunday	Daily	Daily	Daily	Daily	Daily	Daily	Daily
	AVERAGE SPEED PER HOUR							39.3	44.0	42.9	60.1	56.5	57.7	7.2	25.1	25.6	36.8	30.1	34.1		
	SCHEDULE TIME							3.50	3.25	3.30	2.30	2.41	1.45	0.05	6.00	5.45	4.00	5.00	2.50		

SEE FOOT NOTES ON PAGE 6.
 Following trains have no time table authority on Subdivision 36: Nos. 996, 92, 96, 98-994, 94-998 and 992.
 Local extra leaves Herington 6:00 a.m. Monday, Wednesday and Friday for Topeka.
 Nos. 44 and 4 except Lawrence, discharge from Tucumcari and beyond. Herington - Receive for Kansas City and beyond.
 Nos. 44 and 4 Lawrence discharge from Tucumcari and west, except from California points receive for Chicago and Englewood, [see folder].
 No. 44 Lawrence discharge from Herington and beyond except from California points.

No. 510 discharge from Wichita and beyond, receive for Tri-Cities, Des Moines and beyond.
 No. 510 McFarland discharge from Herington and beyond for Colorado.
 No. 108 McFarland discharge from Colorado for Herington and beyond. Lawrence discharge from Kansas points, not from beyond, (see folder).
 No. 32 Lawrence receive for Kansas City, Mo. and R. I. stations beyond, discharge from any Kansas station.
 Valencia receive for Kansas City and beyond and discharge from McFarland and beyond.
 No. 30 discharge from Arizona points. Receive for Chicago and Englewood when space available.

Westward

Main Line

Eastward

SECOND CLASS		FIRST CLASS		SUBDIVISION 34 STATIONS				FIRST CLASS		SECOND CLASS		
95	93	23						24	96	92		
St. Louis Kansas City Texas Red Ball	St. Louis Texas Oklahoma Red Ball	Passenger Motor	Capacity of Siding	Capacity of Other Tracks	Station Numbers	LEAVE	M. P. Distance from St. Louis	Distance from Eldon	Signs	Passenger Motor	Kansas City St. Louis Red Ball	California St. Louis Gold and Red Ball
Daily	Daily	Daily										
		A.M. 8:30				US...ST. LOUIS.....		164.2	RYd	P.M. 5:50		
P.M. 9:00	P.M. 7:00	8 8:53		710	v B	6.9 QN. CARRIE AVE. YD.....		157.3	RYd FWT	8 5:25	P.M. 9:00	A.M. 6:00
96						4.6 Easton Ave. Junction.....		152.7				
9:25	7:20	9:09				3.1 R. I. JUNCTION.....		149.6		5:08	8:15	5:20
						0.1 StL&T Crossing.....		149.5	UX			
9:33	7:30	8 9:15	72	89	v 13	2.4 CK...LACKLAND.....	12.8	147.1	YdW	8 5:04	93 7:30	5:00
9:38	7:34	f 9:19		22	v 15	2.9 MARYLAND HGTS.....	15.7	144.2		f 4:59	7:09	4:47
9:43	7:38	f 9:23	46		v 18	2.3 VIGUS.....	18.0	141.9		f 4:55	7:04	4:40
9:52	7:46	f 9:31		20	v 24	5.5 HINE.....	23.5	136.4		f 4:46	6:51	4:26
9:58	7:51	8 9:36	72	24	v 27	3.3 CF. CHESTERFIELD.....	26.8	133.1		8 4:41	6:44	4:20
10:05	7:58	f 9:43		15	v 32	5.1 MONARCH.....	31.9	128.0		f 4:32	6:32	4:10
10:08	8:01	f 9:45	47	2	v 33	1.5 CENTAUR.....	33.4	126.5		f 4:29	6:30	4:07
10:17	8:09	9:55	64		v 39	5.6 TAVERN ROCK.....	39.0	120.9		4:19	6:18	3:53
10:18	8:10	f 9:56		22	v 40	0.9 ST. ALBANS.....	39.9	120.0	W	f 4:18	6:16	3:51
10:31	8:21	f 10:07	60	5	v 46	6.1 LABADIE.....	46.0	113.9		f 4:07	6:06	3:40
10:41	8:32	f 10:17	55	22	v 51	5.2 VILLA RIDGE.....	51.2	108.7		f 3:57	5:56	3:30
11:01	8:47	8 10:30	56	120	v 60	9.3 UN...UNION.....	59.5	100.4	W	8 3:44	5:42	3:10
11:16	8:59	f 10:41	53	3	v 65	5.4 JEFFRIESBURG.....	64.9	95.0		f 3:35	5:26	3:00
11:26	9:11	f 10:52		18	v 72	6.7 BEAUFORT.....	71.6	88.3		f 3:25	5:12	2:43
11:36	9:20	f 10:57	49	11	v 74	2.4 LESLIE.....	74.0	85.9	FW	f 3:21	5:05	2:38
11:51	9:32	8 11:08	48	27	v 81	6.7 RA...GERALD.....	80.7	79.2		8 3:10	4:51	2:25
11:59	9:39	8 11:15	57	22	v 85	4.0 RB...ROSEBUD.....	84.7	75.2		8 3:03	4:43	2:17
P.M. 12:14	9:50	8 11:27	48	47	v 92	6.8 OW...OWENSVILLE.....	91.5	68.4		8 2:52	4:29	2:07
A.M. 12:22	9:58	f 11:35		18	v 96	4.0 CANAN.....	95.5	64.4		f 2:46	4:20	1:59
12:37	10:06	8 11:42	81	56	v 100	4.6 ND...BLAND.....	100.1	59.8		8 2:38	4:10	1:50
12:57	10:20	8 11:51	91	125	v 105	5.1 X...BELLE.....	105.2	54.7	WY	8 2:29	3:57	1:40
1:22	10:30	f 12:01	65	10	v 111	5.6 SUMMERFIELD.....	110.8	49.1		f 2:17	3:32	1:22
92 1:32	10:36	P.M. 12:07			v 114	3.5 GASCONDY.....	114.3	45.6		f 2:10	3:20	1:09
1:40	10:44	8 12:16	35	27	v 118	3.9 FR...FREEBURG.....	118.2	41.7		8 2:04	3:10	1:02
1:53	10:57	8 12:28	78	17	v 125	6.9 KN...ARGYLE.....	125.1	34.8	W	8 1:53	2:55	12:47
2:11	11:14	8 12:45	44	29	v 134	9.5 MA...META.....	134.6	25.3		8 1:36	2:30	12:17
2:23	11:27	f 12:58		5	v 143	8.2 HOECKER.....	142.8	17.1		f 1:22	2:14	12:08
2:27	11:31	8 1:01	68	14	v 145	1.9 HENLEY.....	144.7	15.2	W	8 1:19	2:10	A.M. 12:01
2:38	11:44	8 1:10	49	20	v 149	4.8 G...EUGENE.....	149.5	10.4		8 1:10	1:56	P.M. 11:44
2:47	11:53	f 1:18	49	17	v 153	4.1 ETTERVILLE.....	153.6	6.3		f 1:00	1:45	11:30
3:00	12:05	1:30	50	321	v 160	6.3 DO...ELDON.....	159.9		RYdF WT	12:50	1:30	11:15
A.M. 96	A.M. 96	P.M. 96				164.2				P.M. 96	P.M. 96	
						LEAVE				Daily	Daily	Daily
26.2	30.9	32.8			AVERAGE SPEED PER HOUR....				32.8	20.9	23.3
6:00	5:05	5:00			SCHEDULE TIME.....				5:00	7:30	6:45

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD, EXCEPT No. 93 IS SUPERIOR TO Nos. 96 AND 92.
TIME TABLE RULE NO. 14a IN EFFECT.

Local Extra leaves Carrie Ave. Yd. 7:30 A. M. daily except Sunday for Eldon. Local Extra leaves Eldon 6:00 A. M. daily except Sunday for Carrie Ave. Yd.

Westward

Main Line

Eastward

SECOND CLASS		FIRST CLASS					SUBDIVISION 35 STATIONS						FIRST CLASS		SECOND CLASS	
95	93	23					Time Table No. 5						24	96	92	
St. Louis Kans. City Texas Red Ball	St. Louis Texas Oklahoma Red Ball	Passenger Motor		Capacity of Sidings	Capacity of Other Tracks	Station Numbers	January 25, 1942			M. P. Distance from St. Louis	Distance from Eldon	Signs	Passenger Motor	Kansas City St. Louis Red Ball	California St. Louis Gold and Red Ball	
Daily	Daily	Daily					LEAVE									
A.M. 3:15	A.M. 12:20	P.M. 1:50		50	321	v160	DO.....ELDON.....	TO	159.9	RYdF WT	P.M. 12:30	P.M. 12:01	P.M. 11:00		
						MoPac Crossing.....	UX	160.1	0.2						
3:28	12:35	B	2:01	48	28	v166	BA.....BARNETT.....	TO	165.9	6.0		P.M. 12:11	A.M. 11:42	10:30		
3:43	12:50	B	2:17	79	127	v177	V.....VERSAILLES.....	TO	177.0	17.1	W	s11:55	11:25	10:11		
3:55	1:02	B	2:31	57	26	v186	SR.....STOVER.....	TO	185.9	26.0		s11:42	11:04	9:55		
4:07	1:13	f	2:43	57	17	v194CREST.....		194.3	34.4		f11:30	10:44	9:40		
4:13	1:19	B	2:50	57	17	v199COLE CAMP.....		198.8	38.9		f11:23	10:36	9:33		
4:22	1:28	B	2:59	56	17	v205	FA.....IONIA.....	TO	205.4	45.5		s11:13	10:22	9:22		
4:28	1:36	f	3:07	12	v211BRANDON.....		210.9	51.0		f11:04	10:09	9:12		
4:40	1:48	B	3:21	65	166	v216	W.....WINDSOR.....	TO	216.3	56.4	YdFWY	s10:56	9:54	9:00		
4:50	1:56	f	3:28	50	71	v221BOWEN.....		220.7	60.3	Yd	f10:48	9:34	8:43		
4:54	2:00		3:32	v223NEW CASTLE.....		223.4	63.0		10:44	9:28	8:38		
5:00	2:05	B	3:37	56	16	v227	N.....LEETON.....	TO	227.0	67.1	W	s10:39	9:22	8:33		
5:05	2:09	f	3:41	19	v230POST OAK.....		229.6	69.7		f10:34	9:17	8:29		
5:12	2:18	B	3:50	72	24	v235	CA.....CHILHOWEE.....	TO	235.4	75.5		s10:26	9:05	8:18		
5:18	2:25	f	3:57	17	v240DENTON.....		240.3	80.4		f10:19	8:54	8:09		
5:24	2:32	f	4:04	59	17	v245MEDFORD.....		245.4	85.5		f10:11	8:43	8:00		
5:36	2:42	f	4:15	57	12	v253HADSELL.....		253.0	93.1		10:01	8:26	7:48		
						MoPac Crossing.....		262.5	102.6						
5:51	2:56	s	4:30	72	40	v263	SA.....PLEASANT HILL.....	TO	262.9	103.0	YdW	s 9:46	8:00	7:32		
5:53	2:58		4:31		F.....MoPac JCT.....	TO	263.4	103.5		9:44	7:48	7:26		
6:03	3:06	f	4:39	70	26	v268GREENWOOD.....		268.7	108.8		f 9:38	7:36	7:18		
6:13	3:12	f	4:44	57	24	v272SOUTH LEE.....		272.0	112.1		f 9:33	7:26	7:12		
6:20	3:20	f	4:51	57	16	v277VALE.....		277.5	117.6		f 9:26	7:11	7:01		
6:30	3:29	B	4:58	100	26	v281	WN.....RAYTOWN.....	TO	282.7	122.8		s 9:20	7:04	6:52		
6:39	3:38		5:09	v287	SF.....LEEDS JUNCTION.....	TO	288.3	128.4		9:11	6:51	6:40		
6:43	3:40		5:10	49	372	v290UNA.....		288.9	129.0		9:10	6:43	6:38		
6:45	3:42		5:12		MD.....CENTROPOLIS.....	TO	289.7	129.8	R	9:08	6:40	6:36		
6:55	3:47		5:15	31SHEFFIELD JCT.....		290.8	130.9		9:05	6:35	6:32		
7:00	3:50		5:16	v291K. C. BELT JCT.....		291.0	131.1		9:03	6:30	6:30		
			5:30 P.M.	v295	US.....KANSAS CITY, MO.....	TO	295.5	135.6	R	8:50 A.M.				
			KANSAS AVE.....		297.0	137.1						
				oc55KANSAS CITY, KAN.....		298.0	138.1	RYdF WT		6:00 A.M.	6:00 P.M.		
							LEAVE						Daily	Daily	Daily	
24.0	26.0	36.9				AVERAGE SPEED PER HOUR.....						36.9	22.9	27.6	
5.45	4.40	3.40				SCHEDULE TIME.....						3.40	6.01	5.00	

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.
TIME TABLE RULE No. 14A IN EFFECT.

Local Extra leaves Kansas City, Kansas, 6:30 A. M. Monday, Wednesday and Friday for Eldon. Local Extra leaves Eldon 7:15 A. M. Tuesday, Thursday and Saturday for Kansas City, Kansas.

Westward

Clay Center Line

Eastward

SECOND CLASS		FIRST CLASS		SUBDIVISION 37				FIRST CLASS		SECOND CLASS				
991	997	107	225	STATIONS				226	108	994	992			
St. Louis Kans. City Colorado Red Ball Freight	St. Louis Kans. City Colorado Red Ball Freight	Rocky Mountain Rocket	Passenger	Time Table No. 5 January 25, 1942				Passenger	Rocky Mountain Rocket	Colorado Kans. City St. Louis Red Ball Freight	Colorado Kans. City St. Louis Red Ball Freight			
Daily	Daily	Daily	Daily	Capacity of Siding	Capacity of Other Tracks	Station Numbers	M. P. Distance from St. Joseph	Distance from McFarland	Signs					
A.M. 11-00	A.M. 12-30	P.M. 10-35	P.M. 4-00	y'd.	796	621	LEAVE							
11-20	12-45	10-46 ⁹⁹²	4-16	45	24	Q 9	FA.....McFARLAND.....TO	122.0	Eyd FWY	P.M. 1-50	P.M. 11-10	P.M. 1-25	P.M.-107 10-20
11-28	12-55	10-55 ¹⁰⁸	4-24	60	28	Q14WABAUNSEE.....P	131.0	9.0	f 1-27	11-00 ¹⁰⁷	1-00	9-58
						ZEANDALE.....P	135.8	13.8	f 1-19	10-55	12-50	9-49
						UP Crossing.....UX	143.0	21.0				
11-58	1-15	11-09	4-38	80	110	Q21	HD.....MANHATTAN.....TO	143.2	21.2	W	s 1-07	10-46	12-30 ⁹⁹¹	9-36
12-15	1-30	11-22	4-51	60	23	Q30KEATS.....P	152.1	30.1	f 12-50	10-34	12-15	9-16
12-34 ⁹⁹⁴	1-55	11-34	5-04	60	24	Q39	RY.....RILEY.....TO	160.7	38.7	s 12-34	10-25	12-04 ^{P.M.}	9-01
12-51	2-08	11-43	5-15	56	38	Q46BALA.....P	167.5	45.5	f 12-22	10-18	11-53 ^{A.M.}	8-50
1-11	2-21	11-52 ^{P.M.}	5-26	67	20	Q52BROUGHTON.....P	173.6	51.6	f 12-11 ^{P.M.}	10-12	11-44	8-43
1-41	2-45	12-07 ^{A.M.}	5-39	72	112	Q57	GF.....CLAY CENTER.....TO	179.4	57.4	YdW	s 12-01 ^{A.M.}	10-05	11-30	8-29
1-56	3-05	12-19	5-52	56	49	Q65	VN.....MORGANVILLE.....TO	187.1	65.1	s 11-40	9-55	11-14	8-16
2-16	3-30	12-32	6-07	53	83	Q73	FO.....CLIFTON.....TO	195.0	73.0	s 11-20	9-47	11-01	8-03
						MoPac Crossing.....UX	196.7	74.7				
2-41	4-00	12-47	6-19	54	67	Q79	FR.....CLYDE.....TO	201.3	79.3	W	s 11-05	9-39	10-48	7-51
3-01	4-25	1-00	6-37	61	24	Q88	CN.....AGENDA.....TO	209.8	87.8	s 10-53	9-27	10-28	7-33
3-20	4-45	1-09	6-49	62	24	Q94	BD.....CUBA.....TO	216.2	94.2	s 10-44	9-20	10-15	7-20
4-00	5-30	1-25 ^{A.M.}	7-05 ^{P.M.-992}	403	A468	VI.....BELLEVILLE.....TO	226.1	104.1	EYdF WTY	10-30 ^{A.M.}	9-10 ^{P.M.}	9-55 ^{A.M.}	7-05 ^{P.M.}
							LEAVE				Daily	Daily	Daily	Daily
20-8	20-8	36.7	33.7			AVERAGE SPEED PER HOUR.....				31-2	52-1	29-7	32-3
5-00	5-00	2-50	3-05			SCHEDULE TIME.....				3-20	2-00	3-30	3-15

SECOND CLASS EXTRA TRAINS AND ENGINES MUST CLEAR THE TIME OF 107 AND 108 NOT LESS THAN 15 MINUTES.
 TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.
 TIME TABLE RULE No. 14-A IN EFFECT.

Westward

St. Joseph-Atchison Branch

Eastward

SECOND CLASS				First Class	Capacity of Sidings	Capacity of Other Tracks	Station Numbers	SUBDIVISION 30-A STATIONS			M. P. Distance from Chicago	Distance from St. Joseph	Signs	First Class	SECOND CLASS					
1043	677	161	671	151				150	1042	678				160	672	ATSF Passenger Motor	Mixed Motor	MoPac Freight	ATSF Freight	MoPac Freight
Mixed Motor	MoPac Freight	ATSF Freight	MoPac Freight	ATSF Passenger Motor				Time Table No. 5												
Daily Except Sunday	Daily Except Sunday	Daily Except Sunday	Daily	Daily				January 25, 1942												
P.M. 12.40								OA30	LEAVE											
								OA30	ATCHISON YD.	0.6	519.4	21.4	FWT						
s 12.45	A.M. 7.55	A.M. 6.25	A.M. 2.15	s 5.15				OA30	XN.....	Atchison U.D., Kan.	0.5	518.8	20.8	R	s 8.45	s 11.10	P.M. 3.30	P.M. 6.45	P.M. 8.00	
12.47	7.58	6.27	2.18	5.17	60				WINTHROP, MO.	0.4	518.3	20.3	8.41	11.05	3.25	6.40	7.55	
									CB&Q Crossing	0.0	513.9	15.9						
									FO.....	DAVIES	0.0	513.9	15.9	Yd						
s 1.03	8.10	6.37	2.32	f 5.24	56	17	OA25		RUSHVILLE	0.2	513.7	15.7	Yd	f 8.34	10.45	3.12	6.30	7.43	
1.10	8.18	6.43	2.42	5.29	56		OB12		GAY	3.4	510.3	12.3	8.29	11.03.4	3.02	6.23	7.33	
1.17	8.24	6.51	2.52	5.33	56	19	OB 9		KENMOOR	3.0	507.3	9.3	f 8.24	11.02.5	2.56	6.17	7.26	
1.26	8.40	7.05	3.15	5.40	93		OB 4	MF	DONOVAN	5.5	501.8	3.8	RYd	8.17	11.01.5	2.45	6.08	7.15	
	A.M. 1.50	A.M. 7.25	A.M. 3.15	s 5.42			OB 3		SO. ST. JOSEPH	1.0	500.8	2.8	Yd	s 8.14				P.M. 7.15	
1.31		7.15		5.45	40		OB 2		FLORENCE	1.2	499.6	1.6	Yd	8.11	10.01		6.03		
										CB&Q Crossing	0.5	499.1	1.1						
1.34		7.25		5.50						TERMINAL JCT.	0.1	499.0	1.0	Yd	8.08	9.58		6.00		
		A.M. 7.25		P.M. 5.50						AT&SF Crossing	0.3	498.7	0.7						
										CB&Q Crossing	0.0	498.7	0.7						
1.40							695	498	SY.....	ST. JOSEPH YD.	0.4	498.3	0.3	RYd FWY		9.55				
										CB&Q Crossing	0.1	498.2	0.2						
1.45								498	UN.....	ST. JOSEPH U. D.	0.2	498.0		RYd		9.45				
P.M. 1.45											21.4				A.M. 9.45					
										LEAVE					Daily	Daily Except Sunday	Daily Except Sunday	Daily Except Sunday	Daily	
19.8	22.7	19.8	17.0	33.6						AVERAGE SPEED PER HOUR			32.1	14.3	22.7	26.4	22.7		
1.05	0.45	1.00	1.00	0.35							SCHEDULE TIME.....		0.37	1.30	0.45	0.45	0.45		

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.

Westward

St. Joseph Line

Eastward

SECOND CLASS		FIRST CLASS		SUBDIVISION 36A				FIRST CLASS		SECOND CLASS				
995	217	543		STATIONS				544			220	996	218	
Red Ball Freight	UnPac Local Freight	UnPac Passenger Motor		Time Table No. 5				UnPac Passenger Motor			UnPac Time Freight	Red Ball Freight	UnPac Local Freight	
Daily Except Sunday	Daily	Daily		January 25, 1942										
P.M. 7-00	P.M. 6-35			LEAVE				M. P. Distance from St. Joseph				A.M. 5-00	A.M. 6-45	P.M. 3-00
				Capacity of Stairs	Capacity of Other Tracks	Station Numbers		Signs						
				742	498	SY.....ST. JOSEPH YD.....	TO	RYJF WTY						
					CB&Q Crossing.....	UX							
			A.M. 8-45		498	UN.....ST. JOSEPH, MO., U. D.....	TO	R	P.M. 3-00					
					CB&Q Crossing.....	UX							
					UTRR Crossing.....	UX							
					ELWOOD, KAN.....		1.1 Yd		8 2-48	3-30	5-45	2-35	
7-10	6-40		8-50	75	21	499								
7-20	6-50		9-00	26	118	503	WA.....WATHENA.....	TO	5.0 Yd	8 2-38	3-20	5-35	2-15	
7-30	7-00		9-10	80	25	507	BA.....BLAIR.....	TO	8.8	8 2-28	3-10	5-25	2-06	
7-45	7-10 P.M.		9-20 A.M.	44	52	512	RO.....TROY.....	TO	13.5 RYd	8 2-15 P.M.	3-00 A.M.	5-10	1-50 P.M.	
7-55					34	518BENDENA.....		19.2			4-55		
8-05				54	45	523	DN.....DENTON.....	TO	24.1			4-45		
8-25					29	528PURCELL.....		29.1			4-30		
8-40					25	532PIERCE JCT.....		33.6			4-20		
9-00					411	539	HN.....HORTON.....	TO	40.8 YdF WTY			4-00		
9-25				77	21	547WHITING.....		49.0			3-30		
9-40					8	553STRAIGHT CREEK.....		54.1			3-10		
10-10					55	558	Q.....HOLTON.....	TO	60.1 W			2-50		
10-35				55	32	567	MA.....MAYETTA.....	TO	69.4			2-25		
10-55				56	32	574	HO.....HOYT.....	TO	75.8			2-10		
11-10				34	20	580ELMONT.....		82.0			1-50		
					290		OT.....TOPEKA.....	TO	89.2 RYdW					
							UP Crossing.....		89.2					
							ST. JOSEPH LINE JCT.....		89.3			1-35 A.M.		
							LEAVE			Daily	Daily	Daily Except Sunday	Daily	
11-20 P.M.														
18-6	23-7		23-7			AVERAGE SPEED PER HOUR.....			18-0	8-5	17-3	13-7	
4-20	0-35		0-35			SCHEDULE TIME.....			0-45	2-00	5-10	1-10	

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.
TIME TABLE RULE No. 14 IN EFFECT.

Westward

Salina Branch

Eastward

SECOND CLASS				SUBDIVISION 36B STATIONS				SECOND CLASS			
565				STATIONS				566			
Mixed				Time Table No. 5				Mixed			
Daily Except Sunday				January 25, 1942				P.M. 2.00			
A.M. 5.45				LEAVE				RYdWTY			
Capacity of Sidings	Capacity of Other Tracks	Station Numbers		M. P. Distance from St. Joseph	Distance from Herington	Signs					
.....	2260	670	RI.....HERINGTON.....TO	171.4	RYdWTY					
.....	3	R 5SHADY BROOK.....	176.2	4.8					
.....	36	R 9	WO.....WOODBINE.....TO	180.3	9.9					
.....	17	R15PEARL.....	186.7	15.3					
.....		AT&Sf Crossing.....UX	192.8	21.4					
.....	29	R22	Z.....ENTERPRISE.....TO	193.1	21.7					
.....	23	R27	BE.....ABILENE.....TO	198.4	27.0	RW					
.....		CRISP JCT.....	199.1	27.7					
.....		WEST ABILENE.....	199.5	28.1					
.....	16	R31SAND SPRINGS.....	202.1	30.7					
.....	45	R35	SN.....SOLOMON.....TO	206.7	35.3					
.....	91	NEW CAMBRIA.....	214.5	43.1					
.....		EAST SALINA.....	219.1	47.7					
.....		AB JCT.....	219.2	47.8					
.....		UP Crossing.....UX	220.3	48.9					
.....	132	R49	SA.....SALINA.....TO	220.8	49.4	RYdWT					
.....		LEAVE								
.....		AVERAGE SPEED PER HOUR.....								
.....		SCHEDULE TIME.....								

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.
TIME TABLE RULE No. 14 IN EFFECT.

Westward

St. Joseph Branch

Eastward

SECOND CLASS				Capacity of Sidings	Capacity of Other Tracks	Station Numbers	SUBDIVISION 30 STATIONS			M. P. Distance from Chicago	Distance from St. Joseph	Stops	SECOND CLASS					
	395	303					LEAVE							302	390			
	Chicago Twin Cities Kans. City St. Joseph Red Ball Freight	Mixed Motor																
	Daily Except Sunday	Daily Except Sunday																
	A.M. 12-20	A.M. 7-10			427			COBURN	427.1	70.9			P.M. 6-55	P.M. 10-40				
	12-30	7-20		46	431	RT		JAMESPORT	431.5	66.5			6-44	9-40				
								Wabash Crossing	439.8	58.2								
	12-50	7-41		24	441	QD		GALLATIN	441.2	56.8			6-20	9-10				
	1-05	7-55		34	449			ALTAMONT	448.7	49.3	W		6-03	8-55				
	1-25	8-13		14	458			WEATHERBY	458.0	40.0			5-42	8-30				
	1-40	8-28	35	25	466	MC		MAYSVILLE	465.6	32.4			5-25	8-15				
	2-00	8-37		17	470			AMITY	469.9	28.1			5-15	8-00				
	2-30	8-52	56	15	478			CLARKSDALE	478.2	19.8			4-55	7-40				
	5-55	9-29		695	498	SY		ST. JOSEPH YD.	497.7	0.3	RYdFWY		4-10	7-00				
	A.M.							CB&Q Crossing	497.8	0.2			P.M.					
		9-35			498	UN		ST. JOSEPH, U. D.	498.0		RYd		4-00					
		A.M.											Daily Except Sunday	Daily Except Sunday				
	12-6	29-3											24-3	19-3				
	5-35	2-25											2-55	3-40				

TRAINS EASTWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS WESTWARD.
TIME TABLE No. 14 IN EFFECT.

TABLE OF TRAIN SPEEDS

Seconds per Mile	Miles per Hour	Seconds per Mile	Miles per Hour	Seconds per Mile	Miles per Hour
33	110.0	72	50.0	105	34.3
34	106.0	73	49.3	110	32.7
36	100.0	74	48.6	115	31.3
38	94.7	75	48.0	120	30.0
40	90.0	76	47.4	125	28.8
42	85.7	77	46.7	130	27.7
45	80.0	78	46.1	135	26.7
48	75.0	79	45.6	140	25.7
50	72.0	80	45.0	145	24.8
52	69.2	81	44.4	150	24.0
54	66.6	82	43.9	155	23.2
56	64.2	83	43.4	160	22.5
58	62.0	84	42.9	170	21.2
60	60.0	85	42.4	180	20.0
61	59.0	86	41.9	190	18.9
62	58.0	87	41.4	200	18.0
63	57.1	88	40.9	210	17.1
64	56.2	89	40.4	220	16.4
65	55.3	90	40.0	230	15.6
66	54.5	91	39.6	240	15.0
67	53.7	92	39.1	250	14.4
68	52.9	93	38.7	260	13.8
69	52.1	94	38.2	270	13.3
70	51.4	95	37.9	280	12.8
71	50.7	100	36.0	290	12.4

SPEED RESTRICTIONS

Maximum speed shown below must not be exceeded. Other speed restrictions must be fully complied with. **ENGINEMEN MUST USE GOOD JUDGMENT AND HANDLE THEIR TRAINS AT A SPEED THAT WILL INSURE ABSOLUTE SAFETY.**

Within the limits of municipalities, engineers will operate their trains at a reasonable rate of speed, considering the conditions existing and to be expected, and with due regard to the safety of their trains and of the public generally.

5000 engines with 74-inch drivers, when hauling passenger trains, will observe passenger train speed restrictions.

5000 engines not equipped with 74-inch drivers will not exceed a speed of 60 MPH in passenger service.

Steam trains operating on Rocket train schedules will not exceed speed authorized for other passenger trains.

LOCATION	Passenger Trains		Freight Trains	
	Tangent	Curve	Tangent	Curve
ALL SUBDIVISIONS				
Through switch leads of turnouts (except end of two or more tracks).....		10		10
Through switch leads of turnouts at end of two or more tracks (except Lake and Scott).....		25		25
Through switch lead of turn-out at Lake and Scott.....		35		25
Tangent track movement through spring switches.....	35		35	
Over following facing point spring switches, which are not equipped with automatic locking device: Herington, end of two main tracks.....	30		30	
When running against current of traffic: Maple Hill, east end east siding, and west end west siding; Volland, east end east siding and west end west siding; Jones, east end east siding and west end west siding; White City, east end east siding and west end west siding; Herington, east end of yard.....	30		30	
Class C-39, C-41, C-43 and Mikado engines handling passenger trains.....	45	35		
3000 engines with Scullin driver.....	45	45	45	45
Without Scullin driver.....	30	30	30	30
Draw bridges.....	6	6	6	6
Gas-electric motor cars without trailers or Diesel engines without cars, approaching home signal and between home signal limits.....	10	10	10	10
Railroad crossings not protected by interlocking (Engine only).....	10	10	10	10
Trains hauling dead engines, side rods up.....			25	20
Trains hauling dead engines, side rods down.....			15	15
Switch Engines without Engine Trucks.....			18	18
Engines running forward without cars not to exceed freight train speed.....				
Trains hauling steam derricks, pile drivers, clam shells, steam shovels, coal hoists, ditcher spreaders and any similar machines when on own car or trucks (See note). With boom supported.....			25	15
With boom removed or not supported.....			15	15
NOTE: These instructions will not apply to wrecking derricks with boom supported when trained behind engine in wreck train service, in such case speed restrictions will be as follows:				
Eldon, Iowa to Kansas City.....			40	40
Kansas City to Herington.....			40	40
St. Louis to Kansas City.....			25	25
McFarland to Belleville.....			25	25
Coburn to St. Joseph.....			20	20
St. Joseph to Atchison.....			20	20
St. Joseph to Topeka.....			20	20
Herington to Salina.....			20	20

LOCATION	Passenger Trains		Freight Trains	
	Tangent	Curve	Tangent	Curve
Engines with drivers blocked up.....	30	30	30	30
Limit of Locomotive or Car Speeds in operation or when handled dead-in-train: 260 HP Diesel-Electric Switchers, D-B-C-W. 360 HP Diesel-Electric Switchers, D-B-C-W. 600 HP Diesel-Electric Switchers, in 500 Series 900 HP Diesel-Electric Switchers, in 700 Series 275 HP Gas-Electric Motor Cars Nos. 9050-9051 with Freight Gears..... Motor Car No. 9012 towed or handled dead-in-train..... Other motor cars towed or handled in train.....	25 25 35 35 35 40 60	25 25 35 35 35 35 60	25 25 35 35 35 40 60	25 25 35 35 35 40 60

Air rail loaders must not be moved in through trains, with boom up. When moved in through trains the boom must be disconnected, taken down, and securely fastened to the floor of car.

NOTE: Where speeds on any subdivision or part thereof are lower than the above, THE LOWER SPEED WILL GOVERN.

LOCATION	Passenger Trains		Freight Trains	
	Tangent	Curve	Tangent	Curve
SUBDIVISION 28 (Except as shown below)	60	60	50	40
MP 297-14 to 297-28.....				
MP 299-11 to 299-38.....				
MP 304-3 to 304-22.....				
MP 329-25 to 329-36.....		45		40
MP 331-9 to 331-27.....				
MP 308-33 to MP 310-30.....				
MP 311-19 to MP 312-1.....		60		40
MP 320-37 to MP 324-30.....				
MP 308-28 Wabash Crossing.....	60		50	
MP 336-1 CB&Q Crossing.....		20		20
MP 352.0 CMStP&P Crossing.....		40		40
Allerton Yard—First class trains between West Crossover switch MP365.4 and Cantilever Signal MP 364.1.....		Restrict	ed Speed	d.
MP 385-12 to 385-22.....				
MP 389-33 to 390-12.....		45		40
MP 393-17 to 393-31.....				
MP 396-32 to 397-5.....		30		20
MP 396-32 to 397-5 3000—5000 engines (Buckeye Bend).....		20		20
MP 401-25 to 401-32.....		45		40
Centerville—Engines heavier than 1400's must not use house track back of depot and 5000 engines will not go beyond east scale track switch. K-67 and heavier engines must not use wye. 6000 engines must not use high line track.				
SUBDIVISION 29 (Except as shown below)	60	60	60	40
MP 415 to 417-15.....	40	40	40	40
MP 415 to 434-8 Gas Electric Motor Cars without trailers.....	25	25		
MP 419-20 to 419-31.....		50		40
MP 434-39 Wabash Crossing.....	50		60	
Lake, Scott, Coburn, Shearwood Gas Electric Motor Cars through Entrance Signal limits 3000 engines over Union Pacific between Hickory Jct. and Hickory St. and Rock Island Jct., Kansas City.....	15	15		
5000 engines must not use Stock track, Hickory Creek, East side Stock Yards to 100 feet of depot.				
SUBDIVISION 36 (Except as shown below)	70	70	60	50
5000 engines in passenger service, (except as below).....	70	60		
Not equipped with 74 inch drivers.....	50	50		
Between Kansas City and Topeka, 6000 to 6064, Inc.....	65	65		
Through Topeka Interlocking.....	10	10	10	10
On curve MP 97-7.....		45		40
MP 121-20 to 122-15.....	60			
On curves MP 142-10.....		45		40
On curves Eastward main track MP 123-25, 136-30, 138-5, 139-35, 140-16, 141.....		55		45
Westward main track MP 123-25.....		55		45
On curves Westward main track MP 138-5, 139-35, 140-16, 141.....		45		40
MP 166-0 MKT Crossing.....	50		35	
Westward main track MP 170-20.....	45			
MoPac Crossing Herington.....	15		15	
4000 and 5000 engines must not use elevator track Willard and Maple Hill.				

SPEED RESTRICTIONS—Concluded

LOCATION	Passenger Trains		Freight Trains		LOCATION	Passenger Trains		Freight Trains	
	Tangent	Curve	Tangent	Curve		Tangent	Curve	Tangent	Curve
SUBDIVISION 34. (Except as shown below)	50	40	45	35	SUBDIVISION 30. (Except as shown below)	45	45	35	35
MP 10-16 StLB&TCo Crossing	25	30	25	20	Coburn: Intersection Subdivisions 29 and 30.	20	20	20	20
MP 19-28	40	35	40	35	MP 425-14 to 428-18	30	30	30	30
Hine—2500 or larger engines must not use old Water Works spur beyond derail.	15	15	12	12	MP 434-5 to 434-12	40	40	30	30
MP 24 to 35	25	25	20	20	MP 436-10 to 436-20	20	20	30	30
MP 41-5 to 41-15 (Big Eddy curves)	40	35	40	35	MP 438-8 Wabash Crossing	15	15	20	20
MP 54-10 to 55-0	15	15	12	12	MP 448-7 to 496-27	15	15	30	30
MP55-3 (Bridge 551, Bourbeuse River), engines 2500 or larger must not be double-headed over Bridge 551.	25	25	20	20	Consolidated type engines with auxiliary tanks or doubleheading engines 831 to 894, inclusive, and 1600 to 2144, inclusive:	10	10	6	6
MP 66-5 to 86-25	40	35	40	25	MP 461-16—Bridge 4614	15	15	5	5
MP 94 to 106	20	20	20	20	MP 464-20—Bridge 4645	15	15	5	5
MP 114-21 (Bridge 1146, Gasconade River)	16	15	10	10	MP 476-18—Bridge 4763	15	15	6	6
MP 129-21 (Tunnel No. 2)	20	20	20	20	MP 483-20—Bridge 4835	10	10	6	6
MP 143-11 (Bridge 1433, Osage River)	15	15	10	10	MP 484-20 (Br. 4645) and MP 476-18 (Br. 4763).	6	6	6	6
MP 149-0 (Tunnel No. 3)	20	20	20	20	Mikado engines dead in train and engines numbered 1931 to 2064 and 2100 engines.	10	10	6	6
Eldon Yard, East switch to MoPac Crossing	15	15	10	10	MP 496-27 to 497	10	10	6	6
Trains hauling Dead Engines, side rods up	20	20	20	15	Between St. Joseph Yd. and Missouri River Bridge	Restrict	Restrict	ted Speed.	ted Speed.
SUBDIVISION 35. (Except as shown below)	50	40	45	35	St. Joseph, Mo., Consolidation engines must not move, 5th St. to Union Station.	15	15	15	15
MP 160-4 MoPac Crossing	15	15	15	15	Steam derricks of 180 ton capacity over bridges 4567, 4614, 4645, 4763, 4835, 4893	15	15	15	15
MP 189-15 to 189-25	35	35	25	25	SUBDIVISION 36-B. (Except as shown below)	30	30	25	25
MP 248-15	15	15	15	15	Trains handling steam derrick 95020 must have two or more empty cars immediately ahead and behind derrick and not exceed 5 miles per hour over bridges.	15	15	15	15
MP 249-19 to 249-26	20	20	20	15	Light engines between Herington and Abilene Reverse curves, Abilene connection to AT&SF Ry	15	15	15	15
MP 262-20 MoPac Crossing	20	20	15	15	MP 192-24 AT&SF Crossing	15	15	15	15
MP 279-20	20	20	15	15	Between Abilene and West Abilene	15	15	15	15
MP 289-10 through turnout SL-SF Intersection, Leeds Jct.	15	15	15	15	Between East Salina and Salina	15	15	15	15
K-67-B or heavier engines are not permitted to doublehead over StL-SF Little Blue River Bridge at MP 7.3.	10	10	10	10	Bridge 1836-S	15	15	15	15
Sheffield Connection between KC Terminal and StL-SF	10	10	10	10	Engines must not be double-headed over Bridge 1836-S.	15	15	15	15
Trains hauling dead Engines, side rods up	20	20	20	15	SPECIAL INSTRUCTIONS COVERING THE MAXIMUM SPEEDS OF ROCKET TRAINS.				
SUBDIVISION 37. (Except as shown below)	50	50	35	35	Distinctive roadway signs indicate maximum speeds of Rocket trains.				
McFarland and Belleville yards	Restrict	Restrict	ted Speed.	ted Speed.	A sign with crystal reflex letter "Z" indicates zone territory and the maximum speed is indicated by numerals thereon, which will govern until the next zone is reached.				
Clay Center, engines not permitted on curve Snell Mills track Grant Ave., nor on Marshall Spur.				5	Where the movement is from a lower to a higher speed zone, the zone sign is located at point where speed may be increased. Where movement is from a higher to a lower speed zone, the zone sign is located approximately 4000 feet from the point where the lower speed becomes effective.				
Clay Center, west end house track, engines.					Where speed restrictions are required on curves within a zone, a sign with amber reflex diagonal bar and numerals thereon, located approximately 4000 feet from point of curve will indicate maximum speed permissible for that particular curve, after which zone speed may be resumed.				
Clifton, engines not permitted beyond frog Creamery Spur.					Between Yard Junction and Lake and between Scott and Shearwood, zone and curve signals are located for operation in either direction on both main tracks.				
SUBDIVISION 30-A. (Except as shown below)	60	60	35	35	When using any turnout, crossover, drawbridge, railroad crossing, or moving through towns or cities will not exceed speed designated for other passenger trains unless otherwise specified.				
Between St. Joseph Yd. and coal chute	40	40	25	20	Rocket trains approaching train order signal displaying stop indication will sound four blasts of the whistle and must not exceed 60 MPH passing stations at which train orders or clearances are to be received.				
MP 513-36 CB&Q Crossing	15	15	15	15	Headlight on Rocket trains must be burning dimly during daylight hours.				
MP 516-22 to 516-29	35	35	25	25	Mars signal lights on Rocket engines shall be used at all times between the hours of sunset and sunrise, and during daylight hours on days that are dark, or during sleet, snow, fog or rain, such as would impair the vision of motorists and hinder them from observing approaching trains; except between Ustick Tower and St. Louis Ave., over all tracks of KCT Ry Co., through Topeka yard on CRI&P tracks and through Herington yard.				
MP 517-2 to 517-9	15	15	15	15	Passenger trains consisting of Rocket equipment hauled by steam locomotives of P-31, P-32, P-33, P-40 or 4000 class, and passenger trains consisting of standard equipment hauled by Diesel passenger locomotives may operate at speed of 10 MPH less than speed authorized for Rocket trains, except will not be required to operate at a lower speed than authorized for steam passenger trains.				
Atchison over Missouri River Bridge	15	15	15	15	Diesel passenger locomotives operating light without cars must not exceed maximum speed of 55 MPH and where rule specifies a lower speed for steam passenger trains on curves, will be governed by such lower speed.				
SUBDIVISION 36-A. (Except as shown below)	40	40	40	40	The following equipment must not be towed or operated under own power at speed exceeding 3 MPH through water in excess of that shown below:				
MP 7 to St. Joseph Line Jct.	30	30	30	30					
Consolidation Engines must not move 5th St. to Union Station, St. Joseph.	6	6	6	6					
Missouri River Bridge at St. Joseph	Restrict	Restrict	ted Speed.	ted Speed.					
St. Joseph and Elwood Yard	35	35	25	25					
On curve MP 4-28	15	15	15	15					
Horton to Mayetta steam locomotives	15	15	15	15					
UP Crossing MP 89-2, Topeka	15	15	15	15					
Trains handling steam derrick 95020, 1900 and 2000 engines, 6-wheel engines, or Mikado engines dead in train over Bridge 346, MP 34-24	15	15	15	15					
Engines 831 to 894, inclusive, and 1600 to 1930, inclusive, or lighter doubleheaded directly connected over Bridge 346	10	10	10	10					
Engines 895 to 944, inclusive, 1931 to 2144, inclusive, may be doubleheaded directly connected. K-55 and heavier engines handled dead in train must be separated by at least one car over Bridge 694, MP 59-16	10	10	10	10					
Engines 1931 to 2144, inclusive, when singly operated over Bridge 694	15	15	15	15					

SPECIAL INSTRUCTIONS

2. Polo is the initial station for Eastward trains, Subdivision 29.
- 2a. Atchison U. D. is the initial station for trains leaving Atchison Yd. or Atchison U. D.
- 2b. St. Louis is the initial station for Westward trains.
- 2c. Carrie Avenue Yd. is the initial station for Westward trains originating there.
- 2d. Kansas City, Mo. Subdivision 35, is the initial station for Eastward trains originating there.
- 2e. Kansas City, Kan. Subdivision 35, is the initial station for Eastward trains originating there.
- 2f. Topeka Jct. is the initial station for Westward trains on Subdivision 36. The time shown for second class trains at R. I. Freight Yd. is for information only.
3. On Subdivision 29, between Yard Jct., and Westward home signal just east of end of two main tracks at Polo, trains will be operated on both single and Eastward and Westward tracks on signal indication and Rules S-71, D-71, S-72, D-72, 73, S-83 and D-83 of The Uniform Code of Operating Rules are ineffective between these points, except all trains departing from Trenton or Yard Jct. will obtain Clearance.
- 3a. Trains originating at Terminal Jct., Subdivision 30a, will obtain Clearance at St. Joseph Yd., except first class trains will obtain Clearance at St. Joseph U. D.
- 3b. Trains will leave Coburn without Clearance.
- 3c. Eastward freight trains, Subdivision 35, will obtain Clearance at Centropolis instead of Kansas City, Kan.
- 3d. Westward freight trains, Subdiv. 34 will obtain Clearance at Lackland instead of Carrie Ave. Yd.
- 3e. Westward MoPac trains leaving Mo. Pac. Junction via Rock Island rails between the hours of 8:01 A. M. and 4:01 P. M. will obtain Clearance at Mo. Pac. telegraph office, Pleasant Hill.
- 3f. All Westward first class trains, Subdiv. 36, except train No. 3, will obtain Clearance at UP station, Topeka, instead of Topeka Yd. Train No. 3 and other Westward trains will obtain Clearance at Topeka Yd.
- Eastward first class trains, Subdiv. 36, will obtain UP Clearance at UP station Topeka. Other Eastward trains will obtain UP Clearance at Topeka Yd.
- Trains cleared at UP station need not obtain Rock Island Clearance at Topeka Yd.
- 3g. Eastward trains, Subdiv. 36a, will obtain Clearance at Topeka Yd. instead of at St. Joseph Line Jct.
- Westward trains from St. Joseph Line will not be required to obtain Clearance at St. Joseph Line Jct., and will be governed by interlocking signals between St. Joseph Line Jct. and Topeka Yd.
- 3h. When operator is on duty trains will obtain Clearance at Horton.
- 3i. Eastward trains, Subdiv. 36b, will obtain UP Clearance at Union Station, Salina, and Rock Island Clearance at Rock Island Depot at Abilene, and Westward trains will obtain UP Clearance at Rock Island Depot, Abilene.
- 3j. On two main tracks between Topeka and Herlington, extra trains will be run, moving with current of traffic without train orders on authority of Clearance Form "A" (DT).
- 3k. Eastward trains before leaving Lackland and Westward trains before leaving Easton Ave. Jct., must obtain Clearance authorizing movements between Lackland and Rock Island Jct. When no operator on duty at Lackland or Easton Ave. Jct., verbal authority must be secured from TRRA train dispatcher. When communication with TRRA train dispatcher is interrupted, all train movements between Lackland and Rock Island Jct. will be made in accordance with time table authority.
4. Restricted use of Train Register Books as follows:
Allerton and Donovan—Trains originating or terminating.
St. Joseph U. D.—Psg. trains only.
St. Louis (Union Station)—Psg. trains only.
Kansas City, Mo. U. D.—Psg. trains only.
Kansas City, Kans. Yard Office—Trains originating and terminating.
Topeka Telegraph Office, Union Pacific passenger station—Psg. trains only.
McFarland—For trains originating and terminating.
- 4a. First class trains may register by Form 1339 at Eidon Yard and Trenton.
- 4b. Trains may register by Form 1339 at Polo.
- 4c. Eastward trains will not be required to obtain Check of register at Polo, and Westward first class trains will not be required to obtain Check of register at Trenton. Eastward trains may leave Polo without Clearance when Train order signal is in proceed position.
- 4d. Westward MoPac trains may register by Form 1339 at Donovan.
- 4f. Conductors Eastward U. P. trains, Troy, will furnish enginemen train register check Form CT-107-B.
Trains 543 and 544 will register at Troy by Form 1339.
- 4g. First class trains will register by Form 1339 at Topeka Yd. First class trains, except Train No. 3 not originating at Topeka Yd., will not be required to check this register or obtain Clearance of register by train order. Train No. 3 will be given check of train register and Clearance at Topeka Yd.
- 4h. Trains 107 and 108 will register by Form 1339 at McFarland.
- 4i. Trains 29, 30, 509 and 510 will register by Form 1339 at Herlington.

5. Bulletin Boards and General Order Books are located at:
- | | |
|--|--|
| Eidon, Iowa—Engine House.
Eidon Yard—Yard Office.
Allerton.
St. Louis—Union Station.
St. Louis—TRRA Roundhouse.
Carrie Ave.—Yard Office.
Eidon, Mo.—Yard Office.
Eidon, Mo.—Engineer's Room.
St. Joseph—U. T. Yard Office for Mo. Pac. Trains.
St. Joseph—U. D. Telegraph Office.
St. Joseph—Yard Office.
Kansas City, Mo.—Union Depot Telegraph Office.
Kansas City, Kan.—Yard Office and Engine House.
Horton—Telegraph Office.
Topeka Yard—Yard Office. | Topeka Yard—Engine House.
McFarland—Yard Office.
Marysville, Kan.—For Union Pacific Joint Employees.
Trenton—Yard Office.
Trenton—Engine House.
Nevada—Tower.
Pleasant Hill—Mo. Pac. Pleasant Hill—Telegraph Office. For MoPac Trains.
Kan. City, Mo.—Mo. Pac. Yard Office and Engine House. For Mo. Pac. Trains.
Belleville—Telegraph Office
Herlington—Yard Office.
Herlington—Engine House.
Pratt—Yard Office.
Caldwell—Telegraph Office. |
|--|--|
- 5a. Conductors and Enginemen are not required to consult Bulletin Boards and General Order books at intermediate points on Subdivision.
- 5b. Conductors and Enginemen running over more than one Division must consult Bulletin Board and General Order Book at the initial point on each Division, except where they have consulted the Bulletin Board and General Order Book of such Division at the initial point of run.
6. Standard clocks are located at:
- | | |
|---|---|
| Eidon Yard—Yard Office.
Allerton.
Trenton.
Polo.
Atchison—Union Depot.
St. Louis—Union Station.
Carrie Ave.—Yard Office.
Belle—Telegraph Office.
Eidon, Mo.—Yard Office.
McFarland—Tel. Office.
Herlington—Yard Office. | St. Joseph—Yard Office.
St. Joseph—Union Depot.
St. Joseph—U. T. Co. Yard Office.
Kansas City, Mo.—Union Depot.
Kansas City, Kan.—Yard Office.
Kansas City, Kan.—Round House.
Horton—Telegraph Office.
Topeka—Passenger Depot.
Topeka—Interlocking Tower.
Belleville—Telegraph Office. |
|---|---|
8. "g" Conditional stops for revenue passengers only.
9. No. 23 and No. 24 stop on flag at Oetters Spur, Marvin and Wingate.
11. CLIO: Dwarf Signal 3721 between Eastward and Westward main tracks governs westward movement from eastward main track over spring switch to single track. Signal equipped with push button which clears signal after two minutes elapses if block unoccupied.
- 11a. TINDALL: Dwarf Signal 4104 between eastward and westward main tracks governs eastward movement from the westward main track over spring switch to single track. Signal equipped with push button which clears signal after two minutes elapses if block unoccupied.
- 11b. When trains are stopped by automatic block signal No. 3723 at Clie or automatic block signal No. 4102 at Tindall which govern movements from two main tracks to single track at these locations, and no train seen in block, trainmen must throw spring switch by hand to permit train to pass over switch.
- 11c. COBURN: Eastward automatic block signal 4262, Subdiv. 30, located approximately 4000 feet west of the Entrance Signal at Coburn, will also serve as a distant signal to repeat the indications of the eastward Entrance Signal at Coburn.
- 11d. FLORENCE: Signal 4994, just west thereof, on left side of track governs movement of eastward trains.
- 11e. All Railroad crossings at grade are protected by interlocking signals, except as follows:

Subdiv.	MP Loca.	Crossing	Remarks	Operated by	Normal Position Gates AGAINST	Light Arrangement for	
						Stop	Proceed
30	497.8	CB&Q					
30a	498.2	CB&Q					
30a	498.7	CB&Q					
30a	498.7	AT&SF					
30a	499.1	CB&Q					
34	7.7	StLB&TCo	Gate	Trainmen	StLB&TCo	Red	Yellow
35	160.1	MoPac	Gate	Trainmen	MoPac	Red	Yellow
36a	0.3	CB&Q					
36a	0.4	CB&Q	Gate	Gate	CB&Q	Red	Yellow
36a	0.5	UTRR					
37	143.0	UP					
37	196.7	MoPac					
36b	192.8	AT&SF	Gate	Trainmen	CRI&P	Red	Green
36b	220.3	UP					

11g. Railroad crossings at grade are protected by automatic interlocking as shown below:

Subdiv.	MP Loca.	Crossing	Subdivision	MP Location	Crossing
30	439.8	Wabash	35	262.5	Mo. Pac.

SPECIAL INSTRUCTIONS—Continued

14. Following rule in effect on subdivisions where so specified in foot notes of Time Table.

Freight trains and mixed trains will be notified of following extras by the Train Dispatcher, who will issue train orders to all concerned, as follows:
 "C. & E. after (time) protect against

Extra " Preceding trains receiving this order will, after the specified time while occupying the main track at stations, protect according to Rule 99.

In the absence of this order, freight trains and mixed trains may occupy the main track between STATION SIGNS protecting against schedule trains only, and following extra trains must approach all stations prepared to stop at the STATION SIGN, and thereafter proceed as the way is seen or known to be clear.

14a. Following rule in effect on subdivisions where so specified in foot notes of schedule pages of time table:

When train order is received reading eastward-northward (or westward-southward) extra trains or eastward-northward or westward-southward extra trains except extra wait at (a station in rear) until the train addressed is relieved from protecting its rear against such following extra trains, or extra train, until the time named in the order.

15. Schedule time and train order restrictions apply at crossover switch just east of water tank at Lackland, MP 12-23 Subdiv. 34 for westward trains.

15a. Union Pacific R. R. Jct. is located at MP 13.5 (Troy). The Jct. switch will be left lined for CRI&P main track. Telegraphers at Troy during hours on duty are authorized to handle switches for UP trains.

16. Trains between Polo and Birmingham will be governed by CMS&P&P RR time table and operating rules.

16a. Trains between Birmingham and St. Louis Ave., Kansas City, Mo., will be governed by CB&Q and Wabash joint time table, Central District.

16b. Trains between St. Louis Ave. Tower and Kansas City, Mo., Union Station or State Line will be governed by Kansas City Terminal Ry. Co. Rules.

16c. Trains between State Line and UPRR connection at Kaw Bridge, will be governed by UPRR time table and operating rules.

16d. Trains between Winthrop and Atchison U. D. will be governed by rules of the Atchison & Eastern Bridge Co.

16e. Trains between Atchison U. D. and Atchison Yd., will be governed by AT&SF time table and rules.

16f. Between Union Station and Rock Island Jct. (St. Louis) trains will be governed by TRRA time table and rules.

16g. Between Leeds Junction and Kansas City Belt Junction Subdiv. 35, trains will be governed by StL&SF Time Table and Rules.

16h. Between Kansas City Belt Jct. and Kansas Avenue Subdiv. 35, trains will be governed by Kansas City Terminal Ry. Rules.

16i. Between Kansas City, Mo. and Terminal Jct. Subdiv. 36, trains using tracks of Kansas City Terminal Ry. Co. will be governed by KCTRY. Rules, and be provided with Union Station time table.

16j. Between Terminal Jct. or CRI&P Jct. and Topeka Jct. Subdiv. 36, trains will be governed by time table and rules of UPRR.

16k. Between CRI&P Jct. and West Abilene, and between East Salina and A. B. Jct. Subdiv. 36B, trains will be governed by the time table and rules of AT&SFRy.

16l. Between West Abilene and East Salina Subdiv. 36B, trains will be governed by time table and rules of UPRR.

16m. All train movements between Lackland and Rock Island Jct. will be under the supervision and authority of TRRA train dispatchers. And be governed by TRRA rules. This authority supersedes time table schedules.

17. Trains or engines must stop before entering limits of Highway on Industrial track at MP 28-30 serving Hellwig Bros. at Bon Homme, and must be preceded by Flagman to warn Highway traffic before movement is made onto crossing.

18. FIRST CLASS TRAINS APPROACHING STATIONS USED JOINTLY WITH OTHER DIVISIONS, IF THE TIME OF TRAINS OF ALL DIVISIONS USING THE SAME TRACKS AT SUCH STATION IS NOT SHOWN ON THE TIME TABLES OF ALL DIVISIONS, SHALL APPROACH SUCH STATIONS AT RESTRICTED SPEED.

18a. Topeka Interlocking extends from Topeka Jct. and St. Joseph Line Jct. over Kaw River Bridge to west end of plant on two main tracks. Westward trains at Topeka Jct. or St. Joseph Line Jct. finding home interlocking signal displaying stop indication will immediately communicate with leverman by telephone and must secure his permission before passing home signal. Telephones are located in switch tender's shanty Topeka Jct., and in box on pole near eastward home signal at St. Joseph Line Jct. One long ring is call for leverman.

18b. For eastward trains at St. Joseph Line Jct. the top light on the home interlocking signal governs route to Kansas City. Lower light governs route to St. Joseph Line.

18c. Switches leading to Curtis St. track and Material Yd. track, North Topeka, are hand-thrown switches and must not be used without first securing permission from towerman.

18d. Branch line trains must protect against approaching main line trains at junction points.

21. At interlocking following whistle signals designate route desired:
 Seymour Eastward—For south siding 4 short.

At Topeka

North Topeka 2 long.
 West Main 3 long.
 East Main 3 long 1 short.
 East Yard Lead 2 long 1 short.
 City 3 short 1 long.
 Creamery 1 short 1 long.
 Roundhouse
 (North Side) 1 short 1 long
 1 short.

At White City

Main Track 2 long.
 Siding 2 long 1 short.
 Other Tracks 1 short 1 long
 1 short.

At St. Joseph, Missouri River

Bridge and Interlocking:
 East End of Missouri River Bridge:
 CRI&P Route 1 long 1 short
 1 long.

Union Pacific Route . . 1 long 1 short.
 1 long.

Roundhouse
 (South Side) 1 long 1 short
 1 long.

Roundhouse
 (For set over) 5 short.
 For Water 2 short 1 long.

23. When trains meet on two main tracks, between Allerton and Clio, or on two main tracks between Tindall and Trenton, and, if for any reason, it is necessary for either train to identify the other train, speed of both trains will be reduced to 15 miles per hour for the purpose of identification.

26. Automatic Block System Rules, except 509(b), in effect as follows:

Subdivision 28, between Eldon Yard and Trenton.

Subdivision 29, between Trenton and Polo (Rules 525-534, incl.).

Subdivision 30a, between Terminal Jct. and Rushville, and

Subdivision 36, between Topeka Jct. and Herington.

26a. Subdivision 28. Bridge No. 3965 is equipped with fire protection appliances which controls eastward Signal No. 3978, Westward Signal No. 3949. If signal No. 3978 or No. 3949 is found displaying stop indication bridge must be inspected before passing over it.

27. Draw bridges are located at:

Atchison—Missouri River.

St. Joseph—Missouri River.

28. Minimum clearance of bridges, tunnels, etc. Height, 16 feet 2 inches; width, 11 feet 4 inches.

28a. All employees are hereby notified that it is dangerous to stand erect upon cars, especially cars of extraordinary height, while passing over, through or under the following-named bridges or viaducts.

Subdiv.	Mile Post	Kind of Structure	CLEARANCE			
			Height Above Top of Rail		Width at Height Shown	
28	298.8	Thru Span	22 ft.-0 in.	6 ft.-11 in.	14 ft.-0 in.	14 ft.-0 in.
28	302.3	Viaduct	21 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	327.5	Viaduct (Wabash Ry.)	22 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
28	332.0	Viaduct	21 ft.-11 in.	6 ft.-9 in.	14 ft.-0 in.	14 ft.-0 in.
28	332.4	Thru Span	23 ft.-2 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
28	359.3	Viaduct	22 ft.-6 in.	6 ft.-1 in.	14 ft.-0 in.	14 ft.-0 in.
28	397.1	Thru Span	22 ft.-0 in.	6 ft.-1 in.	14 ft.-0 in.	14 ft.-0 in.
28	399.4	Thru Span	21 ft.-2 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
28	415.8	Viaduct	23 ft.-9 in.	7 ft.-2 in.	14 ft.-0 in.	14 ft.-0 in.
29	451.3	Thru Span	18 ft.-6 in.	12 ft.-3 in.	14 ft.-0 in.	14 ft.-0 in.
29	460.0	Delivery Chute and Apron, Polo	18 ft.-6 in.	12 ft.-3 in.	14 ft.-0 in.	14 ft.-0 in.
29	Han. Br. Mo. Riv. KCSRy.	Thru Span	22 ft.-7 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	Broadway Cross.	Viaduct	21 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	Intercity	Viaduct	18 ft.-11 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	St. L. Ave.	Viaduct	22 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	12th St.	Viaduct	18 ft.-4 1/2 in.	13 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	19th St.	Viaduct (Over WB Tracks)	19 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
29	19th St.	Viaduct (Over EB Tracks)	18 ft.-6 in.	13 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.
29	James St.	Viaduct	22 ft.-8 in.	13 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.
29	Kaw Riv. Br.	Thru Span	21 ft.-7 in.	13 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.
29	7th St.	Viaduct	20 ft.-6 in.	20 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.
29	10th St.	Viaduct	20 ft.-11 in.	13 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.
29	18th St.	Viaduct	23 ft.-2 in.	13 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.
30	432.5	Viaduct	23 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30	449.2	Viaduct	23 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30	456.7	Thru Span	22 ft.-6 in.	7 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30	470.2	Viaduct	22 ft.-2 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30	484.4	Viaduct	22 ft.-0 in.	8 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30	489.3	Thru Span	21 ft.-7 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30	494.0	Viaduct	23 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30a	499.3	Viaduct (6th St.—St. Joe).	19 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30a	505.7	Viaduct	22 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30a	514.0	Overhead Highway	22 ft.-7 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
30a	Mo. Riv. Br. Atchison Yd.	Thru Truss	21 ft.-9 1/2 in.	7 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.
34	Florissant Av.	Viaduct (6th St.—Atchison)	20 ft.-11 in.	13 ft.-9 1/2 in.	14 ft.-0 in.	14 ft.-0 in.
34	15.6	Viaduct (TRRA)	17 ft.-6 in.	13 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
34	42.1	Overhead Highway	21 ft.-6 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
34	45.8	Through Lattice Truss	22 ft.-0 in.	5 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.
34	46.6	Through Lattice Truss	22 ft.-0 in.	5 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.
34	46.6	Overhead, MPRRCo.	22 ft.-7 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
34	49.0	Overhead Highway	22 ft.-1 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.
34	55.3	Through Lattice Truss	20 ft.-5 in.	6 ft.-4 in.	14 ft.-0 in.	14 ft.-0 in.
34	57.0	Overhead Highway	22 ft.-5 in.	14 ft.-0 in.	14 ft.-0 in.	14 ft.-0 in.

SPECIAL INSTRUCTIONS—Continued

Sub-div.	Mile Post	Kind of Structure	CLEARANCE	
			Height Above Top of Rail	Width at Height Shown
34	118.0	Tunnel No. 1	20 ft.- 4 1/2 in.	1 ft.- 0 in.
34	121.5	Maries River Bridge	22 ft.- 3 in.	5 ft.- 4 in.
34	128.6	Tunnel No. 2	19 ft.- 9 in.	1 ft.- 0 in.
34	135.5	Through Plate Truss	22 ft.- 3 in.	5 ft.- 4 in.
34	137.0	Through Plate Truss	22 ft.- 6 in.	5 ft.- 4 in.
34	138.8	Through Plate Truss	22 ft.- 4 in.	5 ft.- 4 in.
34	143.3	Osage River Bridge	22 ft.- 5 in.	5 ft.- 4 in.
34	149.0	Tunnel No. 3	19 ft.- 0 in.	1 ft.- 0 in.
34	150.3	Overhead Highway	23 ft.- 8 in.	14 ft.- 0 in.
35	160.4	Overhead Highway	23 ft.- 0 in.	14 ft.- 0 in.
35	165.8	Overhead Highway	21 ft.- 6 in.	14 ft.- 0 in.
35	182.5	Overhead Highway	21 ft.- 6 in.	14 ft.- 0 in.
35	184.5	Overhead Highway	22 ft.- 3 in.	14 ft.- 0 in.
35	216.6	Overhead MKTRY	21 ft.- 1 in.	14 ft.- 0 in.
35	241.5	Overhead Highway	22 ft.- 8 in.	14 ft.- 0 in.
35	248.0	Overhead Highway	21 ft.- 6 in.	14 ft.- 5 in.
35	277.8	Tunnel No. 4	21 ft.- 6 in.	1 ft.- 0 in.
35	282.7	Overhead Highway	23 ft.- 0 in.	14 ft.- 0 in.
35	Harrison St.	Viaduct KCT	17 ft.- 6 in.	13 ft.- 0 in.
36a	0.6	Missouri River Bridge	22 ft.- 4 in.	7 ft.- 6 in.
36a	15.0	Overhead Crossing St. & GIRy	19 ft.- 10 in.	14 ft.- 0 in.
36a	34.6	Bridge 346, West of Pierce Jct.	21 ft.- 2 in.	7 ft.- 0 in.
36a	40.7	Viaduct, Horton Yard, East End	21 ft.- 6 in.	14 ft.- 0 in.
36a	46.6	Bridge 466, West of Horton	22 ft.- 0 in.	7 ft.- 0 in.
36a	48.6	Overhead Crossing, Mo Pac, Whiting	20 ft.- 8 in.	14 ft.- 0 in.
36a	50.6	Overhead Highway, West of Whiting	23 ft.- 6 in.	14 ft.- 0 in.
36a	59.7	Bridge 597, East of Holton	22 ft.- 6 in.	9 ft.- 0 in.
36a	86.5	Bridge 865, West of Elmont	22 ft.- 0 in.	7 ft.- 0 in.
36	89.2	Bridge 892, Kaw River, Topeka	22 ft.- 0 in.	8 ft.- 8 in.
36	116.5	Bridge 1165, East of Paxico	22 ft.- 0 in.	8 ft.- 8 in.
36b	193.4	Bridge 1934S, West of Enterprise	20 ft.- 5 in.	7 ft.- 0 in.
37	143.0	Bridge 1430C, Kaw River, Manhattan	22 ft.- 0 in.	9 ft.- 0 in.
37	146.5	Bridge 1465C, West of Manhattan	22 ft.- 0 in.	7 ft.- 0 in.

Loads for Kansas City and connections, and St. Louis line from Missouri district exceeding 16 ft. high must set out at Block 223 for handling.

Loads exceeding 16 ft. 2 inches high set out at Block 223 must be handled via Diversion route.

Loads 16 ft. to 16 ft. 2 inches high can be handled by switch engine under St. Louis Ave. viaduct at speed not exceeding three miles per hour.

Loads 16 ft. 2 inches high to 19 ft. 7 inches high destined Topeka and beyond will be set out Trenton for handling via St. Joseph.

All loads higher than 19 ft. 7 inches must be set out at Block 223 for handling via Diversion route.

Eastbound loads originating Topeka and beyond destined Trenton and beyond 16 ft. to 19 ft. 7 inches high will be routed via St. Joseph.

Loads higher than 19 ft. 7 inches must be routed via Kansas City for special handling.

Subdivision 30A,

Atchison: Train sheds in Atchison U. D. will not clear man on side of car.

Subdivision 35,

Bowen, Mo.: Spangler-Parks Tipple will not clear engine or man on top or side of car.

31. Industrial or spur tracks between stations are located at:

Sub-div.	Location	Name	Car Capacity
28	MP 297.3	Haynes Mine	12
28	MP 341.0	Casale Coal Mine	20
34	MP 10.8	Nurzel Oil Co.	6
34	MP 24.2	City St. Louis W. W.	50
34	MP 28.6	Helwig Bros.	4
34	MP 41.8	Otters Spur	3
34	MP 53.0	Davis Oil Co.	2
34	MP 92.0	Evans & Howard	54
34	MP 97.3	Ellis	3
35	MP 273.9	R. A. Long	4
35	MP 278.4	Kansas Buff Brick Co.	27
35	MP 284.8	U. Smile Spur	4
36	MP 94.6	Security Benefit Ass'n Spur	8
36a	MP 7.1	Hunt Spur	5
36a	MP 81.0	Crusher Spur Track	7
37	MP 192.6	Gas Spur	23

32. Lights on train order signals will not be displayed when train order offices are closed.

32a. At interlocking stations where Train Order Signal is operated by Signalman, Train Order Signal will not be displayed in proceed indication for a train or engine until the route is set and Interlocking Signals cleared to permit its movement, when no train orders are held for delivery.

DISPATCHERS

34. When heavy rains are reported dispatchers will give train and engine notification of same by train order in following form:

"Heavy rains between..... and
All trains run carefully watching for places likely to be affected."

TRAINMEN AND ENGINEMEN

34a. All trains must run carefully during and after heavy storms, particularly when the track is liable to be affected. When fogs, storms or other conditions obscure track or signals, speed of train must be reduced to permit strict observance of signals and INSURE ABSOLUTE SAFETY, REGARDLESS OF TIME.

35. Freight trains stalled in tunnels 2 or 3, subdivision 34, when not able to immediately get under way and pull their train out should be backed out of tunnel as quickly as proper protection can be afforded the move. If unable to back out account broken hose, break-in-two, or for any unknown reason, crew should immediately set hand brakes on train, cut engine off and run it out of tunnel, remaining outside until they complete investigation as to cause of trouble and determine what necessary to get train under way; after which, and understanding has been reached by all members of the crew, engine may be coupled on and proceed with train. Necessary reports should be made from first available point of communication.

In event engine is disabled and unable to move, engine crew should immediately turn out fire, if an oil burner, or knock the fire, if a coal burner. After this is done, crew should leave the tunnel and take prompt steps to obtain necessary help so that train may proceed with as little delay as possible.

Emergency telephone connected with train dispatcher circuit:

Clio.

Polo—East End of Siding.

McFarland—East End and West End Yard.

Celia.

Emergency telephones connected with stations:

Trenton—Seventh Street (with Yardmaster's Office.)

Trenton—Yard Jct. (with Yardmaster's Office.)

Lackland—East End of Yard (with Telegraph Office.)

Eldon, Mo.—East End of Yard (with Yard Office.)

The following letters indicate—

F—Fuel Station.

P—Train Dispatchers Telephone.

R—Train Register Station.

T—Turn Table.

W—Water Station.

Y—Wye.

UX—Railroad Crossing not protected by Interlocking.

TO—Train Order Station.

Yd—Station where yard limit signs are maintained.

Official Hospitals.

Name	Place	Telephone
Wright Memorial	Trenton, 415 East 9th St.	117
Evangelical Deaconess	St. Louis, 6140 Oakland Ave.	Hiland 8510
Peoples (for Colored)	St. Louis, 3449 Pine St.	JEfferson 5468
St. Lukes Hospital	Kansas City, Mo., 44th & Mill Creek Blvd.	VAentine 7600
Providence Hospital	Kansas City, Kans., 18th and Barnett	DRoxel 3140
Bell Memorial Hospital (For Colored)	Kansas City, Kans., 40th and Hudson Road	VAentine 4814
Stermont Hospital	Topeka, 334 Greenwood Ave.	2-7296
Horton Hospital	Horton, East Front St.	25

Emergency Hospitals.

Name	Place	Telephone
St. John's	Leavenworth, 7th & Kiowa St.	780
Atchison	Atchison, 2nd and N. St.	34
Dickinson Co. Mem. Hosp.	Abilene, Tenth & Campbell St.	984 North East
Clay Center Hospital	Clay Center, 1608 Sixth St.	232

C. E. MEKOTA, General Claim Agent, Chicago.

SPECIAL INSTRUCTIONS—Concluded

TRAIN ORDER OFFICES

Office Hours Week Days		*Sundays and Holidays †Holidays Only	
From	To	From	To
SUBDIVISION 25			
Eldon Yd.....	Continuous		
Bolnap.....	8:00 a.m. 9:00 p.m.	4:00 p.m. 5:00 a.m.	
CB&Q Crossing—Centerville CM&StP&P Crossing— Seymour.....	Continuous		
Allerton.....	Continuous		
Clio.....	8:30 a.m.	5:30 p.m.	
Lineville.....	8:00 a.m. 9:00 a.m.	5:00 p.m. 11:00 a.m.	
Mercer.....	7:30 a.m. 9:30 p.m. 9:30 p.m.	3:30 p.m. 5:30 a.m. 5:30 a.m.	
Princeton.....	8:00 a.m. 9:15 a.m. 10:00 p.m. *10:00 p.m.	4:00 p.m. 11:15 a.m. 6:00 a.m. 6:00 a.m.	
Spickards.....	7:00 a.m. 1:00 p.m.	12 noon 4:00 p.m.	
Trenton.....	Continuous		

SUBDIVISION 29

Polo..... Continuous

SUBDIVISION 35

Topeka Yd.....	Continuous		
Maple Hill.....	8:00 a.m. 8:00 a.m. 8:00 a.m.	5:00 p.m. 5:00 p.m. 5:00 p.m.	
Paxico.....	Continuous		
McFarland.....	8:00 a.m. 1:30 p.m.	5:00 p.m. 4:15 p.m.	
Aima.....	8:00 a.m.	5:00 p.m.	
Volland.....	8:00 a.m.	6:00 p.m.	
Alta Vista.....	8:00 a.m. *12:30 p.m.	5:00 p.m. 2:30 p.m.	
Dwight.....	8:00 a.m.	5:00 p.m.	
MKT Crossing.....	7:00 a.m. 7:00 a.m.	11:00 p.m. 11:00 p.m.	
Latimer.....	8:30 a.m.	5:30 p.m.	
Herington.....	Continuous		

Office Hours Week Days

*Sundays and Holidays
†Holidays Only

From To

SUBDIVISION 34

Carrle Ave.....	8:20 a.m. 8:20 a.m. 8:00 a.m. 4:30 p.m.	5:20 p.m. 10:20 a.m. 4:00 p.m. 12:30 a.m.
Lackland.....	4:30 p.m.	12:30 a.m.
Chesterfield.....	8:00 a.m.	5:00 p.m.
Union.....	8:30 a.m.	5:30 p.m.
Gerald.....	8:00 a.m.	5:00 p.m.
Rosebud.....	8:00 a.m.	5:00 p.m.
Owensville.....	8:30 a.m.	5:30 p.m.
Bland.....	7:00 a.m.	4:00 p.m.
Belle.....	8:00 a.m.	4:00 p.m.
Freeburg.....	10:00 p.m. *8:00 a.m. *10:00 p.m.	6:00 a.m. 4:00 p.m. 6:00 a.m.
Argyle.....	8:00 a.m.	5:00 p.m.
Meta.....	7:00 a.m.	4:00 p.m.
Eugene.....	7:00 a.m.	4:00 p.m.
Eldon.....	Continuous	

SUBDIVISION 35

Barnett.....	6:30 a.m.	3:30 p.m.
Versailles.....	7:30 a.m. *11:30 a.m.	4:30 p.m. 2:30 p.m.
Stover.....	8:00 a.m.	5:00 p.m.
Ionia.....	7:30 a.m.	4:00 p.m.
Windsor.....	8:00 a.m.	5:00 p.m.
Leeton.....	8:00 a.m.	5:00 p.m.
Chilhowee.....	8:30 a.m.	5:30 p.m.
Pleasant Hill.....	7:00 a.m. 7:45 a.m.	4:00 p.m. 4:45 p.m.
Mo. Pac. Jct.....	*8:00 a.m.	10:00 a.m.
Raytown.....	8:00 p.m. 8:00 p.m.	5:00 a.m. 5:00 a.m.
Leeds Jct.....	7:30 a.m. 8:00 a.m.	9:30 a.m. 6:00 p.m.

SUBDIVISION 37

McFarland.....	Continuous	
Manhattan.....	10:00 a.m. 9:00 p.m.	6:00 p.m. 5:00 a.m.
Riley.....	*Same Hours	
Clay Center.....	8:30 a.m. 9:30 a.m.	6:30 p.m. 5:30 p.m.
Morganville.....	6:30 p.m. *Same Hours	1:30 a.m. 5:30 p.m.

Office Hours Week Days

*Sundays and Holidays
†Holidays Only

From To

SUBDIVISION 37 Con'd.

Clifton.....	8:30 a.m. *3:15 p.m.	5:30 p.m. 5:15 p.m.
Clyde.....	8:30 a.m.	5:30 p.m.
Agenda.....	8:30 a.m.	5:30 p.m.
Cuba.....	8:30 a.m.	5:30 p.m.
Belleville.....	Continuous	

SUBDIVISION 30-A

Davies.....	Continuous	
Donovan.....	Continuous	
St. Joseph Yd.....	8:30 a.m.	5:30 p.m.
St. Joseph U. D.....	Continuous	

SUBDIVISION 36-A

Wathena.....	8:00 a.m.	5:00 p.m.
Blair.....	8:00 a.m.	5:00 p.m.
Troy.....	2:45 a.m. 1:00 p.m.	10:45 a.m. 9:00 p.m.
Denton.....	*Same Hours	
Horton.....	8:00 a.m.	5:00 p.m.
Holton.....	8:30 a.m.	5:30 p.m.
Mayetta.....	8:00 a.m.	5:00 p.m.
Hoyt.....	7:45 a.m.	4:45 p.m.

SUBDIVISION 30

Jamesport.....	7:15 a.m.	4:15 p.m.
Gallatin.....	7:15 a.m.	4:15 p.m.
Maysville.....	8:00 a.m.	5:00 p.m.

SUBDIVISION 36-B

Woodbine.....	6:30 a.m.	3:30 p.m.
Enterprise.....	7:15 a.m. 7:15 a.m.	4:15 p.m. 9:15 a.m.
Ablene.....	7:15 a.m. 7:15 a.m.	4:15 p.m. 4:15 p.m.
Salina.....	8:00 a.m. 8:00 a.m.	5:00 p.m. 5:00 p.m.

- R. E. JOHNSON, Asst. Sup't., Trenton, Mo.
Subdivisions 28, 29, 30 and 30a.
- C. O. RICHARDSON, Asst. Sup't., Kansas City, Kan.
Kansas City Terminal.
- R. H. SPICER, Trainmaster, Herington, Kan.
Subdivisions 36, 36a, 36b and 37.
- J. M. HARRISON, Trainmaster, Eldon, Mo.
Subdivisions 34 and 35.
- G. E. TATUM, Terminal Trainmaster, Kansas City, Kan.
Kansas City Terminal.
- W. O. BRUCE, Terminal Trainmaster, Kansas City, Kan.
Kansas City Terminal.
- R. C. WARD, Terminal Trainmaster, Herington, Kan.
Herington Terminal.
- E. E. SMITH, Ass't Trainmaster, St. Joseph, Mo.
Subdivision 30a and St. Joseph Terminal.
- R. E. DETRICK, Master Mechanic, Kansas City, Kan.
- J. A. EBECK, Road Foreman Equipment, Trenton, Mo.
Subdivisions 28, 29, 30 and 30a.

H. J. CROWLEY, Road Foreman Equipment, Kansas City, Mo.
Subdivisions 34, 35, 36, 36a, 36b and 37.

C. C. EVANS, Chief Dispatcher, Trenton, Mo.

G. T. STABLEIN,
R. S. McCOLLOM,
S. E. STROFF,
W. F. RUSH,
F. M. McKINNEY,
R. J. PRICE,
W. H. WEBSTER,

Train Dispatchers,
Trenton, Mo.
Subdivisions 28, 29, 30,
30a and 36a.

P. H. JOHNSON, Chief Dispatcher, Kansas City, Mo.

B. JOHNSON,
F. P. CARTER,
A. G. DOUGLAS,
E. J. DUNN,
R. E. MASSENGILL,

Train Dispatchers,
Kansas City, Mo.
Subdivisions 34, 35, 36,
36b and 37.