#### **DIVISION OFFICERS**

W. C. Foster	Superintendent	Big Spring, Tex.
J. G. Tucker	Asst. Superintendent	Big Spring, Tex.
A. C. LaCroix	Asst. Superintendent	Big Spring, Tex.
J. H. Webb	Master Mechanic	Big Spring, Tex.
H. L. McDermott	Asst. Master Mechanic	Big Spring, Tex.
J. A. Wright	Trainmaster	Big Spring, Tex.
R. L. Riggs	Terminal Trainmaster	Fort Worth and Lancaster Yards
R. L. Myers	Terminal Trainmaster	El Paso, Tex.
R. T. Stanley	Road Foreman of Engines	Big Spring, Tex.
G. W. Stone	Road Foreman of Engines	Big Spring, Tex.
•		
J. W. McCoy	Chief Dispatcher	Big Spring, Tex.
C. A. Boyd	Asst. Chief Dispr.	Big Spring, Tex.
N. W. Derryberry	Asst. Chief Dispr.	Big Spring, Tex.
C. Percy, Jr.	Asst. Chief Dispr.	Big Spring, Tex.
R. V. Tims	Asst. Chief Dispr.	Big Spring, Tex.
M. C. Boyd	Dispatcher	Big Spring, Tex.
K. E. Faubion	Dispatcher	Big Spring, Tex.
T. P. Harrison	Dispatcher	Big Spring, Tex.
A. L. Hobson	Dispatcher	Big Spring, Tex.
D. E. Hoover	Dispatcher	Big Spring, Tex.
J. H. Percy	Dispatcher	Big Spring, Tex.
T. W. Roberts	Dispatcher	Big Spring, Tex.
R. L. Wisdom, Jr.	Dispatcher	Big Spring, Tex.
M. G. Zeringue	Dispatcher	Big Spring, Tex.

#### SPEED TABLE

This table is for information in determining speed per mile and in no way affects rules or special instructions governing speed of trains.

Miles per	1 Mile in	Miles per	1 Mile in	Miles per	1 Mile in
Hour	Mins. Sec.	Hour	Mins. Sec.	Hour	Mins. Sec
שטטנוטטר-מסט-ונאיז-אטטנר-מסט	07-0004mmmmmcccccccccccccc	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	SOUCKON-AMONOCKAKAKAN-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-A-	34667800133467800336 556666666666666666667777	7.000000000000000000000000000000000000



# The Texas and Pacific Railway Company

# **WESTERN DIVISION**

# TIME TABLE NO. 27

Effective 12:01 a.m., Sunday, July 19, 1953

# **CENTRAL TIME**

SUPERSEDING PREVIOUS TIME TABLES

FOR THE INFORMATION AND GOVERNMENT
OF EMPLOYES ONLY

The Railway Company Reserves the Right to Vary Therefrom as Circumstances May Require

L. C. PORTER, Vice-President—Operation,
R. C. PARKER, Assistant Vice-President—Operation,
W. T. LONG, JR., General Supt. Transportation,
C. F. ADAMS, Superintendent of Rules

	FIRS	T CLASS		_	Passing	Time Table No. 27	Loughon	Fuel.		FIRST	CLASS		
		7	1	Station Number	saulty P	EFFECTIVE 12:01 A. M. JULY 19, 1953	Post Loo	able, W	8	2			
		The Westerner Passenger Daily	West Texas Eagle Passenger Dally	Station	Car Capsolty   Skiling	STATIONS	Mile F	Location Turn-ta	The Westerner Passenger Dally	West Texas Eagle Passenger Daily			
		L11 OOM	1 9 30M	246	YARD	CTO FORT WORTH	245.9		4 6 OOM	1 3 55PW	-,		
		11 10	9 40	251	YARD		251.1	(DO-DW FWT	5 45	3 40			
		11 16	9 46	257	90	PERSHING	256.9	[	5 38	3 34			
		11 21	9 51	260	90	IIONA	260.7		5 33	3 29			************
		11 26	9 56	264	78	LTOALEDO	263.8	. ,	5 29	3 25			
		11 32	10 02	269	90	ANNETA	268.8		5 24	3 19			
		11 36	10 06	278	89	4.2 EARLS	273.0		5 20	3 15			
		s11 42	10 12	277	106	CTOWEATHERFORD	276.8		s 5 15	s 3 10			
		11 48	10 17	280	87	3.7 SEALE	280.5		5 05	3 01		**************	
		11 56	10 25	287	75	PREBLE	286.8		4 57	2 52		·····	
		s12 O144	\$10 30	291	NS	LTOMILLSAP	290.8		8 <b>4</b> 51	s 2 45		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		12 07	10 36	294	88	BENNETT	294.2		4 44	2 38			
		12 17	10 46	801	89	BRAZOS	800.9		4 34	2 27		••••••	***********
		12 24	10 53	808	90	CTOSANTO	307.6		4 27	2 20			
	,-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12 30	10 59	813	89	5.8 JUDD	313.4	,	4 21	2 14			
.,,		12 36	11 05	819	82	LTOGORDON	818.5		4 16	2 08			
		12 41	11 09	322	92	2.8	321.3		4 13	2 05			
		12 46	s11 14	826	118	LTOSTRAWN	326.7	. , . ,	4 08	a 1 58			
	,	12 57	11 25	334	82	6.9 WILES	888.6		3 59	1 47			
		1 05	11 33	338	100	4.9 TIFFIN	338.5		3 51	1 40			
		s 1 10	s11 38	341	E 114 W 98	CTORANGER	341.0		8 3 <b>4</b> 7	s 1 35			
		1 19	11 47	347	90	5.9 OLDEN	846.9		3 32	1 24			
		s 1 24	s11 52	351	125	LTOEASTLAND	351.1		s 3 25	s 1 18			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1 30	11 58	855	89	4.0 LEM	355.1		3 17	1 12			
		8 1 42	s12 08PM	861	E-90 W112	5.6 CTOCISOO	860.7		8 3 10	s 1 05		***************************************	
		1 52	12 18	368	89	7.0- DOTHAN	867.7		2 56	12 52			
		1 59	12 25	374	89	LTOPUTNAM	373.5		2 50	12 46	,	***************	************
		2 08	12 37 2	881	90	8.1 JAYELL	381.6		2 42	12 37 1			
		. 4 2 15AN	A12 45PM	386	YARD	1 4.2	385.8		2 42 I 2 35M	L12 30PM			
			-12 TO				200.8	DWY	- A 30M	-12 3Urm			**********
		7 Dally	Daily			140			B Dally	2 Dally		'	
		3.15	3.15			Time Over Sub-Division			3,25	3.25	<del></del>	<u></u>	

Eastward trains are superior to trains of the same class in opposite direction.

Rule 99-J in effect.

Rule 425 in effect at East and West Siding Cisco. Form "Y" Train Order Authorized.

First-class trains run at Restricted Speed between Ft. Worth passenger station and M.P. 250 Lancaster Yard.

Second class and interior trains, yard and other engines may run ahead of overdue EASTWARD first class trains between Mile Post 250 Lancaster Yard, and crossovers, Mile Post 245.6 Just east of interlocking limits, Fort Worth, without train order authority, but will not occupy the main track within these limits when it is known a first class train will be delayed.

Second class and inferior trains may run ahead of overdue WESTWARD First-class trains between Crossovers Mile Post 245.6, just east of interlocking limits, Fort Worth, and Mile Post 250, Lancaster Yard, without train order

authority. Yard and other engines may run ahead of overdue WESTWARD first class trains between Crossovers Mile Post 245.8, just east of interlocking limits, Fort Worth and Mile Post 250, Lancaster Yurd, without train order authority, but will not occupy the main track within these limits when it is known a first-class train will be delayed.

train will be delayed.

Employee of the FW&DC, GC&SF, I-GN, StLSF&T T&NO, and WMW&NW
Railways are subject to the Rules, Time-Table and Special Instructions of the
Texas & Pacific Railway while occupying its tracks.

Ft. Worth and Langaster Yard are register stations for trains originating or

terminating at those stations only.

Ft. Worth train order office for trains originating at that station only.

Time at Lancaster Yard applies at west end two main tracks M.P. 251.1.

Lancaster Yard is train order office for Eastward trains originating that point only, but is train order office for all Westward trains. Train order signal of color light type for Westward trains located on north end of footbridge opposite Hump Yard Office—MP 249.7 Normal Position STOP. Enginemen must see posite Hump yard Unice—MP 249.7 Normal Position 5.1UF. Enginemen must see this signal change from stop to proceed indication or secure clearance, otherwise Transportation rules apply. Annunciators located MP 248.9 and MP 249.5 Westward track to indicate approach of train. If no orders for train, operator will clear train order signal when second indication is received.

Normal position spring switch east end of Baird for Baileyville track and must be lined for Baileyville track when not in actual use.

Freight crews after stopping trains in Baird Yard on designated tracks will set hand brakes on both head and rear end of their trains as necessary to insure trains being secure. Cars or cuts of cars left standing must be properly secured by hand brakes.

#### STANDARD CLOCKS

Fort Worth Lancaster Yard Weatherford

Raird

	FIRS	T CLASS				Time Table No. 27				FIRST	CLASS		
		1	7	and in	Car Capacity Passing Siding	EFFECTIVE 12:01 A. M. JULY 19, 1953	Post Location	Location Water, Fuel, Turn-table, Wye, etc.	8	2			
		West Texas Eagle Passinger Dally	The Westerner Passenger Dally	Station Number	Car Capa Siding	STATIONS	Mile Post	Location Turn-ta	The Westerner Passenger Dally	West Texas Eagle Passenger Dally			
		L12 50M	L 225 8	886	YARD	CTOBAIRD	885.8	DWY	A 2 25	12 20M			
,		. 1 1 02	2 37	392	103	LTOOLYDE	892.6		2 11	12 06			
		1 06	2 40	396	103	BERLO	396.1		2 08	12 02PM			·
		1 11	2 4 5	401	103	ELMDALE	401.4		2 02	11 57			ļ
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1 14	2 48	405	107	Holder	404.9		1 58	11 53			
		8 1 24	s 3 10	407	NS	CTOABILENE	406.6	DO	s 155	<b>≈11 50</b>	<b></b>		
		1 28	3 14	409	107	BAĞDAD	409.5		1 43	11 39			
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 33	3 19	414	117	TŸĔ	415.0	<u></u> .	1 38	11 34			
		8 1 43	3 27	423	117	LTOMERKEL 6.5	423.2		1 31	911 24			
		f 1 51	3 33	429	104	LTOTRENT	429.7	<b></b> .	1 25	11 16	ļ		
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2 00	3 41	437	110	LESKOTA	437.8		1 17	11 08			· · · · · · · · · · · · · · · · · · ·
******		2 05	3 46	442	103	4.8 STAMPER 5.7	442.1		1 12	11 03			
		2 19	[3 55 6 4 15	448	126	CTO. SWEETWATER	447.8	DOX	s 1 05	₃10 56			
		2 26	4 22	453	85	PETE	452.2		12 50	10 45			
		f 2 31	4 26	456	99	LTO ROSCOE	456.1		12 46	10 41			
		2 38	4 32	462	89	JANUS	469.4		12 40	10 35			
		f 2 42	4 36	467	87	LTOLORAINE	466.1		12 36	10 31			
		2 49	4 42	472	89	RODĒT	472.5		12 30	10 25		***************************************	***************************************
		\$ 2 56	s 4 50	476	NS	CTO.COLORADO CITY	475.8		<b>12 25</b>	⁵10 20		**-	
		3 01	4 55	479	85	IDOME	478.5		12 20	10 15			
		3 08	5 01	485	87	WESTBROOK	485.0		12 14	10 09			
		3 15	5 07	492	85	IATĀN	491.4		12 08	10 03			
		3 23	5 14	<b>49</b> 8	108	DALBY	498.5		12 O1AM	9 55			
		1 3 28	5 18	508	91	LTOCOAHOMA	508.1		11 56	9 51			***************
,,		3 34	5 23	509	92	ZILER	508.5		11 51	9 46			
		1 3 45PM	A 5 35M	518	YARD	CTOBIG SPRING	518.4	(DO-DW	L11 45PM	1 9 4 OAH			
		1	7			127.5			8	2	]		
		Dally	Dally			124.5			Dally	Daliy			_
<del></del>		2.55	3.10			Time Over Sub-Division			2.40	2.40		•	

Eastward trains are superior to trains of the same class in opposite direction,

Rule 99-J in effect.

Form "Y" Train Order Authorized.

Time of second and inferior class trains and extra trains applies at Big Spring Station.

First class trains will run at RESTRICTED SPEED between Yard Limit Boards at Roscoe.

Normal position spring switch east end Baird for Balleyville track and must be lined for Balleyville track when not in actual use.

Freight crews after stopping trains in Baird Yard on designated tracks will set hand brakes on both head end and rear end of their trains as necessary to insure trains being secure. Cars or cuts of cars left standing must be properly secured by hand brakes.

Movements of yard engines between Pyramid, MP 444.7 and east yard limit board, MP 441.9, and between Big Spring and Ziler, must be authorized by train order.

Hand throw switch at each end siding Dome: Automatic block signal at fouling point each end siding Dome governing movements from siding to main track and to the next block signal. Main track switch must not be opened or main track obstructed while signal displays "STOP" indication except as provided by Rule 350 and flag protection to the rear. When signal displays YELLOW indication main track switch must be opened before fouling signal.

Pull out tracks Big Spring will not be used by trains or engines to enter yard except on special instructions. Westward freight trains will use crossover at east end of train yard to enter Big Spring yard unless otherwise instructed.

Employes of the A. & S., G. C. & S. F., and R. S. & P. Railways are subject to the rules, timetable and special instructions of the Texas and Pacific Railway while occupying its tracks.

STANDARD CLOCKS Baird - Sweetwater -Big Spring

4 Westward BIG SPRING SUB-DIVISION Eastward														
·		F	IRST CLA	SS			Time Table No. 27		ء ا	F	IRST CLA	SS		
		-	1	7		Car Capacity Passing Skiling	EFFECTIVE 12:91 A.M.	Post Location	Loostlon Water, Fuel, Turn-table, Wye, etc.	2	8			
			West Teras Eagle Passenger Dally	The Westerner Passonger	Station Number	ar Capao	JULY 19, 1953	Mile Post 1	ocetion W Turn-tel	West Texas Eagle Passenger Dally	The Westerner Passenger			
			Daily	Dally		L	STATIONS			Dally	Passenger Daily		<u> </u>	
***************************************	***************************************		I 3 55™	L 5 55M	518	YARD	CTO BIG SPRING	513.4	T WO TO U	A 9 25AN	Å11 25™	*****************		
****************			4 02	6 02	519	101		519.8		9 14	11 16			***************
***************************************	**143**********************************	****************	4 07	6 07	524	91	MORITA	524.3		9 09	11 11			
			4 11	6 11	528	89	TRUNK	528.8		9 05	11 07			
			s 4 16	6 17	534	91	LTOSTANTON	538.7		f 8 58	111 00		<u></u>	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		***************************************	4 23	6 25	589	85	5.5 DIX	539.2		8 52	10 54		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1000044441			4 28	6 30	544	91	5.3 PAUL	<b>544</b> .5	i	8 47	10 49		·····	
			4 32	6 34	549	144	4.6 OHUB	549.2		8 43	10 45			
44401711111			в <b>4</b> 43	<b>6 55</b>	558	NS	CTOMIDLÄND	558.3		s 8 38	810 <b>4</b> 0	4		
******************			4 50	7 02	559	91	BOUNOE	559.0		8 23	10 26			
			4 54	7 06	568	90	PEGASUS	568.5		8 19	10 22	<u> </u>		
	,	**************	4 59	7 11	569	91		568.7		8 14	10 17			
			s 5 10	7 30	578	NS	CTOODESSA	578.5		a 8 08	s10 11			
			5 16	7.37	579	91	4.9 AROADE	578.7		7 53	9 56			*************
			5 22	7 46 2	584	84	DOURO	584.1		7 46 7	9 50		***************************************	
			5 28	7 54	590	91	5.5 BADGER	590.1		7 39	9 44			****************
*.***************			5 31	7 57	594	91	8.6 METZ	593.7						
	, , , , , , , , , , , , , , , , , , , ,		5 37	8 03	600	1	6.5 RANCH		•••••	7 36	9 41	***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	*******************			8 03		90	4.3	600.1		7 30	9 35	<u> </u>		· · · · · · · · · · · · · · · · · · ·
	***************************************		5 41		604	86 16 981	4.5	604.5		7 26	9 31			
		***************************************	a 5 51	* 8 25	609	W106/	CTOMONAHANS	609.4	DOA	s 7 20	s 9 25	·····		
*************	•••••••		5 59	8 33	615	1	LTO WICKETT	615.6		7 05	9 10			
,	************		6 07	1842	634	108	LTOPYOTE	624.2		f 6 56	9 02	ļ		
		• • • • • • • • • • • • • • • • • • • •	6 16	8 52	084	62	OUTTO	688.9		6 46	8 53			
		,	1 6 22	8 58	640	71	LTOBARSTOW	640.0		f 6 40	8 47	ļ <b></b>		***************************************
******			6 6 31	* 9 15	647	100	LTOPECOS	646.6	¥	s 6 32	<b>840</b>	<b>]</b>		
			6 41	9 25	656	90	HERMOBA	655.8		6 21	8 26		······	
		-14	A 6 55™	4 9 40M	666	YARD	OTO TÔYÂH	600.1	DWY	L 6 10AM	1 8 15™			
			1	7			152.8			2	8			
			Dally	Dally						Dally	Dally			
			3.00	3.45			Time Over Sub-Division	<del></del>		3.15	8.10	<del></del>		

Eastward trains are superior to trains of the same class in opposite direction,

Rule 99-J in effect.

Form "Y" train order authorized.

Time of second and inferior class trains and extra trains applies at Big Spring and Toyah Stations.

Pull out tracks Big Spring will not be used by inbound trains or engines to enter yard except on special instructions.

Eastward freight trains will use crossover track at west end of train yard to enter Big Spring yard unless otherwise instructed.

West Siding Monahans extends from crossover west of Depot to west end of track M.P. 611.

Employes of the P.&S.F., P.V.S. and T-N.M. Railways are subject to the rules, timetable and special instructions of the Texas and Pacific Railway while occupying its tracks.

	Westward TOYAH SUB-DIVIS								N		E (	astwai	'd	
			FIRST	CLASS		<b>1</b>	Time Table No. 27		48	F	IRST CLA	ss		
			1	7	appe.	Car Capacity Passing Siding	EFFECTIVE 12:91 A.M.	Location	Location Water, Ford, Turn-table, Wyre, etc.	2	8			
			West Texas Eagle Passenger Dally	The Westerner Passenger Dally	Station Number	Cer Caper	JULY 19, 1953 STATIONS	Mile Post Location	Location   Turn-fa	West Texas Eagle Passenger Dally	The Westerner Passenger Dally			,
			I 7 OOM	L 9 50M	666	VARD	OTOTOYAH	800 1	DWY	A 6 05AN	A 8 05™			
			7 07	9 57	671	72	5.1 BEEVES	671.2	i	5 55	7 54			
			7 14	10 04	676	90	5.5 GOZÁR	676.7	1	5 50	7 <del>4</del> 9	*****************	****************	
***************************************			7 26	10 16	687	90	9.6 SAN MARTINE	686.8		541	740			
			7 35 8	10 23	691	85	4.9 LEVINSON	691.2		5 36	735 1	***************************************	***************************************	
			7 45	10 32	698	72	LTO KENT	698.8		5 28	7 26			
			7 57	10 44	709	92	9.8 BORACHO	708.6		5 28	7 14			
			8 07	10 54	719	71	10.6 PLATRAU	719.2		5 03	7 03		·····	[
			8 14	11 01	727	90	7.9 WILD HORSE	727.1		4 54	6 54	***************************************		
			8 22	s11 01	785	76	CTOVAN HOEN	735.0	! ·	s 4 45	6 45			
			8 32	11 16	789	77	HILLSIDE	789.4		4 40	6 39			
			8 45	11 28	746	90	7.1 ALLAMORE	746.5		4 32	6 31		><	
		***************************************	8 55	11 36	754	90	7.4 EAGLE FLAT	753.9	1 - 1	4 25	6 24		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		*****************	9 05	11 45	764	90	9.7 ARISPE	768.6		4 16				
.,.,	******************************	-4*	1 9 20N	A11 55AN	768	YARD	4.9	768.5		L 4 104	615	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
			920	TI OOM	772	IAM	4.3 ETHOLEN	741.2		1 4 10m	1 0 TOW	***************************************		
					777		4.5 LASÖA:	745.5						
	ŀ				781		3.8 TOROER	749.5						
	l <u> </u>				785	}	4.5 SMALL.	754.0	1					
	Emplo	yes will b	e governed e of the T.	i by the	790	ĺ	4.6 FINLAY	758.6		Emple:	yes will b	e governed e of the T.	by the	
	Railread	between S	ierra Blanc	a and El	798		6.4 MADDEN	766.2		Railroad	between 8	ierra Blanc	a and El	
	Paso.				603		5.2 McNABY	771.2		Paso.				
	1				808	1	FORT HANCOCK	776.1						
					815		7.5 ISER.	783.6						,
					821		6.4 POLVO	789.9						
			<del></del>		826		TORNILLO	794.2						
					831		5.9 FABENS	800.1				,.,.,		
***************************************					889		7.2 OLINT	807.3					***************************************	
					846		7.9 BELEN	815.2						
			<u> </u>		848		1.5 YSLETA	816.7				***************************************	*****************	} · · · · · · · · · · · · · · · · · · ·
*******					854		6.1 ALFALFA	622.8		142414-144-141-141-14	******************		-401018411111111111111111111111111111111	
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	859		TOWER 47 SP-TP CONN.	827.5		*****************	*******************	***************************************		
			A11 30%	1 2 15PB	_	YARD	CTOEL PASO		{D0-D₩ TY	L 150 AM	L 3 55M	,		
				- 2 10.1		لسندي		500.1	TX	- 1 00 /4	- 5 55,4			
				7			193.65	]		2	8			
			Dally	Daily						Dally	Daily			
			4.80	4.25		۱ ،	Time Over Sub-Division			4.15	4.10	<u> </u>		

Eastward trains are superior to trains of the same class in opposite direction.

Rule 99-J in effect.
Form Y Train Order authorized.

Time of Nos. 1, 2, 7 and 8 at El Paso for information only.

Time of second and inferior class trains and extra trains applies at Toyah Station.

Sierra Blanca initial station prescribed by Rule 4 for eastward trains Toyah Subdivision. All eastward trains must secure clearance, Form 117, before leaving Sierra Blanca.

Between east end siding Arispe and T&NO passenger connection Sierra Blanca trains and engines will be governed by Block Signals whose indications will supersede the superiority of trains as provided for in Rules 400 to 406 inclusive.

Hand operated switch west end house track Sierra Blanca equipped with electric lock controlled by Operator Sierra Blanca.

All inside switches, T&P yard tracks 1, 2 and 3 Sierra Blanca, must be left lined and locked for No. 2 (middle) track while not in use, all targets and lights will show green when lined for middle track. This track must be kept clear of cars for meeting and passing trains.

See special instructions, page 9, for movement of trains and engines between T&P yard and T&P-T&NO connection, El Paso.

STANDARD CLOCKS

Toyah El Paso

### SPECIAL INSTRUCTIONS ALL SUBDIVISIONS

#### **ABBREVIATIONS**

The following letters placed before the figures of a schedule indicate:

s—Regular stop

f—Flag stop to receive or discharge traffic

The following letters placed to left in station column of timetable indicate:

CTO-Continuous day and night train order office

LTO-Train order office of limited hours

The following letters placed in column provided in time-table indicate:

NS—No siding W—Water station

DW-Diesel water station

-Fuel oil station

DO-Diesel oil station

T-Turn-table

Y-Wye

Road Foreman of Engines has the authority of Trainmaster. Where flag stops are shown train will stop for revenue passengers only.

Automatic air brakes must be coupled and working on pile drivers, derricks or other such machines and locomotives while being handled in trains or by yard engine, and must not be switched with when it can be avoided. When necessary to handle such machines or locomotives, while switching, kick or drop must not be made, and they must otherwise be handled carefully to avoid damage.

Train and yard men must not switch with locomotives without first ascertaining that air brakes are released and reverse lever in proper position.

Outfit and wooden underframe cars, loaded or empty, must be handled on rear of all trains.

Water and fuel oil cranes equipped with switch locks must be kept locked when not in use.

The use of rear view mirrors on diesel engines for the following purposes is prohibited:

(a) To observe hand signals

(b) To observe indication of fixed signal

(c) To maintain lookout ahead when operating control compartment is on trailing end of a diesel engine.

#### YARD LIMIT STATIONS

Hodge Belt Jct' Ft. Worth	one Yard	Helder   One Yard	Big Spring   One Yard Midland   Cas Yard
Lancaster Yard Weatherford Ranger	,	Bweetwater Pyramid Stamper Ives One Ya	Odessa. rd Monahans Pecca
Cisco		Econo.	Toyah Yan Horn
Raird		Colorade City	Sierra Blance

#### TRAIN ORDER OFFICES

Continuous day and night train order offices, designated CTO on the time-table, are open seven days per week.

Train order offices of limited hours, designated LTO on the time-table, are open from 800 am to 500 pm Monday to Friday.

Inclusive, except.	
Millsap	830 AM to 530 PM, Daily except
	Saturday and Sunday.
Eastland	800 AM to 500 PM, Daily except
	Saturday.
Putnam	900 AM to 500 PM, Daily except
	Saturday and Sunday.
Roscoe	8 00 am to 5 00 pm Daily
Pecos	6 00 am to 10:00 pm Daily

#### OPERATING RULES

Rule 3. Amended to read: Standard clocks must bear sign "Standard Clock" and their locations will be shown in special in-

Where standard clocks are available, watches of train dispatchers, conductors, engineers, hostlers and engine foremen must be compared with a standard clock before commencing each day's work or trip. If a register station for a train, conductors and engineers of trains must register on train register the time watches are compared.

Conductors, engineers, hostlers, engine foremen and train-order operators, whose duties preclude access to a standard clock, must obtain time from train dispatcher, or compare and regulate their watches daily with those of conductors and engineers who have standard time and have registered as provided.

When practicable, conductors or engine foremen, and engineers will also compare time with each other and with trainmen, or yardmen, and firemen before commencing each day's work or trip.

Rule 6. Amended to read: General orders will be numbered consecutively beginning with January 1st of each year; will be issued and cancelled by the Superintendent or other designated officer, and will expire with the calendar year. They supersede any rule or special instructions with which they conflict.

Train, engine and yard employes, train dispatchers, and other employes whose duties require, must familiarize themselves with general orders and other notices before commencement of each trip or day's work. If a register station for a train, conductors and engineers of trains must record information on train register indicating that they have read and understand general orders. Location of general orders will be designated by special instructions.

Special instructions in timetable, or when issued in pamphlet form, supersede any rule with which they conflict.

Rule 10 (g). Supplement to: Yellow and green reflector signals as provided by Temporary Speed Restriction Chart, page 130, Uniform Code of Operating Rules, may be used both by day and by night in lieu of signs by day and signs and lights by night.

Rule 12 (J). Supplement to: Five (5) minute yellow fusees may be used for giving hand signals as prescribed by this rule. except yellow fusees must not be used by trainmen or yardmen for giving hand signals within interlocking limits.

Rule 20 (a). Extra trains handled by diesel engines will display two white lights only, by day and by night, in the places provided for that purpose on the front of the engine. The display of two white flags in addition is not required.

Rule 103. Supplement to: Cars must not be left standing too near street or highway crossings. When practicable, cars must be left at least seventy five (75) feet away from crossings.

When a train or cut of cars is parted to clear a public crossing at grade; in addition to a trainman, when practicable, protecting the crossing against trains or engines approaching on adjacent tracks, the crossing must be cleared not less than 75 feet on each side.

Rule 103 (a). Paragraph (9), Amended to read: Before switching occupied passenger equipment or occupied outfit cars, see that brake pipe connections are made, angle cocks opened between the cars and brake system charged.

Rule 104 (c). Exception to: Any member of train or engine crew may examine a remote control switch, see that switch is properly lined and that switch points fit properly; such member of crew must remain at switch until leading wheels pass over switch.

(Continued on Page 7)

# SPECIAL INSTRUCTIONS ALL SUB-DIVISIONS

#### OPERATING RULES—continued

Rule 206. 5th paragraph amended to read: Except when being used on a work train extra, the number of operating control unit of a diesel engine must be displayed and this number will be the identifying number of the engine and will be the engine number used in train orders; numbers on other units may be displayed but such numbers will not be used in train orders.

When a diesel engine with more than one control compartment unit is used on a work train extra, the numbers of all control compartment units may be displayed but the number of only one of the control compartment units will be used in train orders relating to such work train extra. When a diesel engine consisting of more than one unit is used on a work train extra, white train signals (two white lights only) as provided by Rule 20 (a) and special instructions must be displayed on all units equipped to display such signals.

Rule 508 (1). Exception to: A fireman who for any reason is permanently restricted to service as a fireman must not operate an engine except while working in hostler service. Engineers must not permit a permanently restricted fireman to operate an engine in their charge.

The following Uniform Code of Operating Rule form of "S-E" Train Order is authorized:

"No 2 Eng 900 wait at C until 8 30 am for Extra 600 West No. 2 take siding C for Extra 600 West"

#### Special Rules governing:

When a superior train is directed by train order form S-E (wait order) to take siding for another train, such instructions, unless annulled by a subsequent train order, are in effect after the time stated in the order has expired and the superior train must approach the designated point at RESTRICTED SPEED prepared to stop expecting to find the inferior train on the main track between the siding switches without flag protection and must take the siding if the inferior train is at the designated point.

If the superior train arrives at the designated point after the time stated in the order has expired and the expected train has not arrived, and the main track can be seen to be clear to the other end of the siding, the superior train may proceed without entering and using the siding.

This form of train order must not be combined with any other form of order and contain only the one waiting point.

#### RADIO RULES

The use of radio communication in any manner by any employe to supersede the requirement of complying with any rule of the Uniform Code of Operating Rules, Supplements Thereto, or Special Instructions Supplementing Uniform Code of Operating Rules, is prohibited.

The use of radio communications to transmit train orders, or any part of contents of train orders, is prohibited except as follows:

- 1. Train dispatcher may transmit a train order by use of radio communication direct to an operator, or direct to a conductor or engineer as provided in Rule 206 (b).
- 2. Radio communication may be used by an operator to relay a train order as provided in Rule 206 (c) to another operator, or to relay direct to a conductor or engineer a train order addressed to their train at a station not a train order office or at which the office is closed.

#### SPECIAL SAFETY RULES

The Company requires that every precaution be taken to prevent injuries to employes or others

Special attention is called to Uniform Code of Operating Rule No. 510, which is amended to read as follows: Employes must provide themselves with a copy, be conversant with and comply with Safety Rules issued in separate book or other form.

#### Employes Must Not:

Go between moving cars or engines to uncouple, open, close or adjust knuckles or couplers, or to make adjustments of, or to operate other appliances. (If lever is inoperative and it is necessary to adjust knuckles by other means, proper understanding must be had and full protection afforded before doing so.)

Step in front of moving cars or engines to adjust knuckles.

Go between cars for any purpose without protection or knowing that cars are not coming in from either end of track.

Use feet to change the alignment of drawbars.

Remove any of the appliances of an engine or cars for convenience in switching which would endanger the safety of themselves or others, or follow other dangerous practices.

Ride upon coupler, end sills, end sill handholds or pilot beams of locomotives.

Step upon or alight from footboard on forward end in direction of movement of an engine in motion.

Ride on footboard on forward end in direction engine is moving.

Ride on engine pilots.

Ride on buffer plates, drawbars, brake beams, brake wheels, end ladders and on end of car containing load that may shift.

Stand near the end of freight cars, except when operating hand brakes or backup hose.

Sit on footboard or pilot of engine when engine is standing still.

In addition to Rule 510, the following is prohibited:

- Giving signal to move an engine or cars and then crossing track in front of movement.
- (2) (a) Giving signal to move an engine or cars without first placing switch in proper position.
  - (b) Throwing or attempting to throw switch too short a distance ahead of an approaching train or engine.
  - (c) Engineman drifting down too close to switches that are to be thrown.
- (3) Permitting any car with a defective or missing hand hold to be moved or set out without first notifying all employes on the train and making wire report to the Superintendent.
- (4) Hanging dope pails on hand holds, door guides, or side or end ladders of cars.
- (5) Throwing any object from a train or engine without first ascertaining whether any person is nearby who might be struck and injured.

## SPECIAL INSTRUCTIONS ALL SUB-DIVISIONS

### MAXIMUM SPEEDS

MAXIMUM SPEEDS				NATED BY			
Detrone	Miles per hour	PR	OTECTED	BY PERMA	NENT SI	∙OW SIGNA	LS.
	amenger Freight	Note:	The design	ation "Mile	Dort Dal		Maria Dana
Fort Worth—Sierra Blanca	75 60	location or	d number of	f poles beyo	1 UBU—1 U	les reler u	mue Post
Trains of mixed freight and passenger equipment	Miles per hour Maximum freight train speed	Mile Post.	o number e	rr hores beao	na m the (	urection of	next higher
Trains of deadhead passenger equipment	Maximum freight train speed	Miles p	ег Ноиг		·	1	<del></del>
Trains handling scale test cars; conductor will keep	State Wood	Pagr.	Other	Restrictio	n Begins	Restrict	ion Ends
engineer advised when such cars in train	45	Trains	Trains	Mile Post	Poles	Mile Post	Poles
Trains handling cars equipped with arch-bar trucks, or wooden underframes (except cabooses), and not otherwise restricted	45	Fort	Worth Su	b-Division.			
Light engines in road movement, freight or passenger, and engines handling cabooses, or rider cars, and not otherwise restricted	40	65	45	251	30	252	3
	30	65		252	3	252	23
Trains on Toyah Subdivision handling loaded company ballast cars; conductor keep engineer advised when such		45	45	258	Ō	259	3
cars in train	40	65 50	50	259	3	259	30
Trailing through points of a spring switch; not		50	50	260 264	<b>3</b> 0 14	262	4
otherwise restricted	. 80	50	50	266	14 16	264 266	24 29
Engines (yard or road service) shoving cars ahead of engine	-	65	~~	271	10	200 271	16
anded of engine.	20	65		273	žĭ	274	27
	Main All other	50	50	277	28	278	ĨÖ.
Engines in yard service, with or without cars,	Track tracks	65		278	10	279	17
and not otherwise restricted	40 20	55	55	279	17	280	19
Diesel engines, series 1500 and 2000, and foreign line diesel		65 50		280	19	281	26
engines of similar construction, when running with oper- ating control compartment not on leading end, and not		65	50	281 281	26	281	35
otherwise restricted	40 20	65		283	35 <b>23</b>	282 284	19
Trains handling steam wrecking derricks, boom in trail-		60		284	34	285	34 11
ing position, not otherwise restricted:	track Curves	55	55	285	11	286	4
Ft. Worth to Sierra Blanca.	40 80	60		289	18	289	24
Trains handling steam wrecking derricks, boom in forward		70		292	16	292	27
position; self-propelled pile drivers, lidgerwoods, brown- hoist and other machinery of similar description; also		30	30	294	21	295	22
steam pile drivers moving under own power; not other-		40	40	295	22	295	29
wise restricted	30 18	65 55	55	295 298	29	296	22
		60	33	298	16 24	298 299	24
TURN-OUTS	•	65		311	25	312	16 24
Kinđ	Miles per hour	60		316	ĭ	316	14
No. 16	80	60		318	31	320	11
All other turn-outs	16	60		322	21	322	32
T 41 - 427 - 44 M		60		328	15	329	13
Location of No. 16 Turn-outs		55 35	55 35	329 320	13	329	33
Lecation Number of		45	45	329 331	33 29	331 334	29
Station Mile Post Turn-outs Description		35	35	334	14	334	14 4
Ft. Worth244.1 S East Eng Siding.		45	45	343	6	344	15
Lancaster Yard348.0 \$ East End Thereug Lancaster Yard351.1 1 West End Double 7		40	40	344	15	345	2ŏ
Aledo	LEWOL.	65		345	20	346	0
Alede164.1 1 West End Biding.		65		354	14	354	26
Proble256.4 1 East End Siding.		65 65	j	357	14	357	23
Proble387.3 1 West End Siding.		40	40	359 360	16 16	360	16
Cisco359.7 1 Bast Bnd Best 81d	ing.	55	55	360	24	360 361	24 6
Olece	ling.	45	45	362	21	363	28
		65	ŀ	363	28	366	3
RAILROAD CROSSINGS		65	1	368	31	369	4
Lecation Intersecting Railroad		65	- I	370	22	372	6
		55 45	55 <b>4</b> 5	372	6	372	16
Cleace M. K. T. Ry (Interlect		45	45 45	378 383	3 6	378	30 15
RangerW. F. & S. R. R. (Interior	ked)			000	<u> </u>	384	15

#### SPECIAL INSTRUCTIONS

#### ALL SUB-DIVISIONS

# LOCATIONS DESIGNATED BY MILE POST NUMBERS AND PROTECTED BY PERMANENT SLOW SIGNALS (Continued)

Miles pe Psgr. Trains	r Hour Other Trains	Restriction Mile Post	on Begins Poles	Restrict Mile Post	ion Ends Poles		
Baire	i Sub-Divi	s <b>ion.</b>					
40	40	386	24	388	21		
45	45	405	27 3 21 2 29 32	407	22		
50 60 45	50	438 442	3 31	438 442	14 34		
45	45	446	21	446	12		
45	45	448	20	450	28		
60	_	463	32	464	11		
40	40	476	16	477	10		
65		480	15	480	21 32		
50	50	496	16 15 5 23	496	32		
65 70		499 509	23 24	500 510	3 15		
Big !	Spring Sul	-Division.					
50	50	587	4	587	19		
Toyah Sub-Division.							
65		682	27	683	3		
55	55	692 693	26 27	693 694	1 34		
60 65		695	32	696	34		
65		696	13	696	$2\overline{4}$		
65		702	31	703	7		

#### CITY SPEED ORDINANCES

Station	Miles Per Hour	Station	Miles Per Hour
		<b></b>	
Fort Worth	_ 40	Stanton	
Weatherford	50	First Crossing east of depot	50
Ranger	30	First crossing west	
Rastland	20	of Depot	50
MUSTIFE -	_ ••	Midland	
Clyde	60	Grant St. Odessa	
Abliane		Crane St. Odessa.	- 16 80
Merkel	_ 45	Main Highway crossing just east of Depot Pecos	20
Sweetwater	_ 13	Van Horn	80

Where speed restriction is shown for specific street crossing, Restriction applies only to Engine.

GENERAL ORDER STATIONS

Fort Worth Passenger Station Lancaster Yard—Hump Office Lancaster Yard—Roundhouse Weatherford

Big Spring Odessa Monahans Toyah

Colorado City

Baird Abilene Sweetwater

Toyah El Paso Yard Office El Paso Union Station

#### MOVEMENT OF TRAINS AND ENGINES BETWEEN T&P

#### YARD AND T&P-T&NO CONNECTION, EL PASO.

1. Block-Interlocking signal indications govern the use of track between east end T&P yard and T&P-T&NO connection with T&NO main tracks, Mills Street, El Paso.

A reverse movement, or a forward movement after making a reverse movement, must not be made within these limits without proper signal indication or permission from Towerman, Tower 47.

All trains and engines within these limits run at Restricted Speed, not exceeding 15 miles per hour.

- 2. Railroad crossings at grade protected by interlocking signals located:
  - (a) Two between Myrtle and Texas Streets.
  - (b) One between Texas and Mills Streets.
  - (c) One crossing of new track with T&NO industrial lead about 200 feet west of switch diverging from T&NO yard.

All signals controlled by Towerman, Tower 47.

- 3. All power-operated switches and signals governing movements in connection therewith controlled by Towerman, Tower 47.
- 4. When a train or engine finds a "Stop" indication displayed for a route to be used a member of crew must communicate with Towerman and authority to proceed may be given by telephone; before proceeding power-switches involved must be examined and known to be lined for route to be used and that points fit properly.
  - 5. Electrically Locked hand-operated switches in service:
    - (a) Hursch Bros, industry track.
    - (b) Both ends crossover located between MaGoffin and Bassett Streets.

Electric locks controlled by Towerman, Tower 47.

Hursch Bros. industry track is also equipped with derail at clearance point, which derail is connected to signal system and derail must be in derailing position when track is not in use.

# SPECIAL INSTRUCTIONS ALL SUB-DIVISIONS

#### AUTOMATIC BLOCK SYSTEM

### 1. Automatic Block Signal Rules effective:

Ft. Worth Sub-Division Baird Sub-Division Big Spring Sub-Division Toyah Sub-Division

2. Within operating limits of automatic public crossing signals, switches must not be left open nor cars left standing in circuit longer than necessary, thereby causing excessive operation of the crossing signal.

#### LIMITS OF CONTROL OPERATOR

Location	Between
WeatherfordSwitches	of sidings Aledo and Preble.
CiscoEast end	l east siding and west end west siding Cisco.
Sierra Blanca East end	l siding Arispe and Interlocking Sierra Blanca.

#### SPECIAL INSTRUCTIONS GOVERNING ELECTRICALLY

#### LOCKED HAND-OPERATED SWITCHES

1. To Leave Main Track: Necessary for engine or car occupy short track section directly ahead of switch points; remove switch lock from main track switch, and when indicator lamp on top of electric lock mechanism lights, press foot pedal to release throw lever, and then the switch stand operating switch and the stand operating the derail may be operated the same as any ground-throw switch stand.

2. To Enter Main Track From a Track Equipped with an Electrically-locked Derail: Remove switch lock from derail stand and with lock removed wait approximately three minutes for lamp in top of electric lock mechanism to light; when lighted, press foot pedal to release throw lever and throw derail off rail, then the main track switch stand may be operated the same as any other ground-throw switch stand.

When entering the main track, the derail must be thrown from rail before attempting to operate the main track switch stand.

3. To Enter Main Track From Passing Siding Not Protected by Derails: Remove switch lock from stand, and if no train is approaching, the indicator lamp in top of electric lock mechanism should light; and switch may be operated at once. If indicator lamp does not light when lock is removed, wait at least three minutes for an approaching train to pass.

4. To enter main track at a crossover equipped with electric locks, the inside switch of the crossover must be operated first, or in the

same manner as an electrically locked derail.

5. Switch locks must be replaced in hasps of electrically locked

switches and derails when not in use.

6. If after waiting three minutes by watch for an indicator lamp to light as provided in paragraphs 2 and 3, and lamp does not light, try foot pedal to ascertain if indicator lamp is burned out and the switch is unlocked.

#### SPECIAL INSTRUCTIONS GOVERNING POWER

#### OPERATED SWITCHES

#### Fort Worth Sub-Division

Power-Operated switches at each end passing sidings at Aledo and Preble and the signals in connection therewith controlled by Operator Weatherford.

Power-Operated switches at each end of East and West Sidings Clsco and the signals in connection therewith controlled by Operator Clsco.

#### Toyah Sub-Division

Power-Operated switch at T&P main track switch east end T&P yard Sierra Blanca, Derail located at clearance point east end T&P yard track Sierra Blanca is connected to and is operated by this power-operated switch and signals in connection therewith controlled by Operator Sierra Blanca.

1. Should a train or engine approach a power-operated switch and find it not lined for the movement to be made, a member of crew must communicate with train dispatcher or operator.

#### SPRING SWITCHES

Mile Facing Point Normal							
Station Hodge	Poet 4-239, \$	Track North end siding	Direction Southward	Position Main track			
		End of two main tracks Peach Street	,Southward	Southward Main treek			
Fort Worth	346,1	Westward track and Lead from passenger station—Adams Street	Bestward	Crossover to passenger lead			
Lancaster Yard .	348.0	Entering eastward main track	Westward	Theroughfare track			
Lancaster Yard .		From west advance yard to westward main track	Eastward	Westward Main track			
Lancaster Yard		End of two main tracks	Bastward	Eastward Main track			
Pershing	257.4	West end siding West end siding	Mastward	Main track			
Weatherford	277.6	West end siding	Bestwerd Bestwerd	Main track Main track			
Bennett		West and siding	Bastward	Main track			
Santo Judd	313.8	West end siding	Eastward	Main track			
Mingus	, 320,9	East end siding	Westward	Main track			
Mingus	B31.6	West end siding	Bastward	Main track			
Strawn	327.2	West end siding	Eastward	Main track			
77 1100	9925 992 ^	West end siding East end siding East End East Siding West end West siding West end siding	Bastward Westward	Main track Main track			
Ranger		Rest End Rest Siding	Westward	Main track			
Ranger	841.8	West end West siding	Elastward	Main track			
Bastland	\$51.7	West end siding	Esstward	Main track			
Lem Lem	854.7	Best end siding	Westward	Main track			
Lem	855.6	West end siding	Eastward Westward	Main track Main track			
DotbanPutnam	867.3 979.1	Hast end siding	Westward	Main track			
Jayell	382.1	West end siding	Eastward	Main track			
Baird	285.6	Balleyville east	Restward	Baileyville track			
		end yard					
Bai <b>rd</b>		turn out or lead,	Eastward	Main track			
C1-4-		west end yard	TO4	75.4-4 . 1			
Clyde Holder	393.0 404.4	West end siding	Eastward Westward	Main track Main track			
Holder	405.4	West end siding	Eastward	Main track			
Berlo Elmdale	895.6	East ond siding	Westward	Main track			
Elmdale	400.9	Best end siding	Westward	Main track			
Merkel	428.8	West end siding	Eastward	Main track			
Trent Eskota	430.8	West end siding	Eastward Westward	Main track Main track			
Makata	497 8	West and siding	Eastward	Main track			
Stamper	443.6	West end slding	Esstward	Main track			
Sweetwater	448.9	Rast and siding	Westward	Main track			
Eweetwater	448.1	West end siding	Bastward	Main track			
Petė	451.8	Mast ond siding	Westward	Main track			
Pete	403.8	West end siding	Eastward Westward	Main track Main track			
Loraine	479.0	Hast and siding	Westward	Main track			
			Westward	Main track			
Coahoma	508,6	West end siding	Eastward	Main track			
Coahoma Big Spring		butt out reser	Westward	Main track			
Big Spring		pull out track	Bastward	Main track			
Stanton	533,3	East end siding	Westward	Main track			
Truck	528 7	West and siding	Bastward Westward	Main track			
Bounce	088.7 . 	Mast and siding	Eastward	Main track Main track			
Solo	569.2	West end slding	Eastward	Main track			
Arcade	578.2	Rast end siding	Westward	Main track			
Arcade	579.1	West end siding	Eastward	Main track			
Douro	683.7	East end siding	Westward Bastward	Main track			
Douro Badger	954.6 589.7	Kest and siding	Westward	Main track Main track			
Toyah	667.2	West end pullout track	Eastward	Main track			
Reeves	671.6	West end siding	Eastward	Main track			
Gozer	677.4	West end siding	Bastward	Main track			
San Martine	686.7	West end siding	Eastward	Main track			
Levinson	7891.6	west end siding	Bastward Bastward	Main track			
Boracho Plateau	712 P	west and siding. Mast and siding	Westward	Main track Main track			
Wild Horse	727.5	West end siding	Eastward	Main track			
Van Hors	786.8	West and siding	Bastward	Main track			
Hillside	789.8	West end siding	Esstward	Main track			
Artspe	764.0	West end siding	Eastward	Main track			

Spring switches must be lined for intended move before attempting to move track machines such as rail oilers, ballast discer machines, burro cranes or any roadway equipment through them where the weight of such equipment is less than weight of an empty freight car.

A member of train or yard crew riding caboose or rear car in cut should to see if points move or if any indication of switch being in damaged condition, and if such condition noticed, make report accordingly.

### SPECIAL INSTRUCTIONS ALL SUBDIVISIONS

#### OTHER PASSENGER TRAIN FLAG STOPS

Nos. 1, 2 and 8 stop on flag at stations east of Sweetwater to receive or discharge passengers to or from El Paso and beyond.

No. 1.

Santo, Gordon and Mingus: to discharge passengers from Ft. Worth and beyond or receive passengers for Abilene and beyond. Kent and Van Horn: to discharge passengers from Big Spring and east and receive passengers for El Paso and beyond. Sierra Blanca: for revenue passengers only.

Sierra Blanca: for revenue passengers only.

Coahoma: to receive passengers for Sweetwater and beyond. Loraine and Roscoe: to discharge passengers from Big Spring and beyond or receive passengers for Sweetwater and beyond.

Mingus: to discharge passengers from Abilene or receive passengers for Ft. Worth and beyond. Gordon: to discharge passengers from Abilene, Sweetwater, and

beyond or to receive passengers for Ft. Worth and beyond. Santo: to discharge passengers from Abilene and beyond or receive passengers for Millsap, Ft. Worth and beyond.

Van Horn: discharge passengers from El Paso and beyond and receive passengers for Odessa and east.

Kent, Barstow and Pyote: discharge passengers from El Paso and beyond and receive passengers for Big Spring and east.

Roscoe and Merkel: discharge passengers from Big Spring and west and receive passengers for Ft. Worth and beyond.

Strawn: discharge passengers from Big Spring and beyond and

receive passengers for Ft. Worth and east.

Gordon: to discharge passengers from Abilene and beyond and receive passengers Ft. Worth and beyond.

Gordon: to discharge passengers from Ft. Worth and beyond and receive passengers Abilene and beyond.

#### STRUCTURES THAT WILL NOT CLEAR A MAN ON TOP OR SIDE OF CARS

All employes are cautioned when passing through steel bridges, switching cotton platforms, station platforms and industry tracks, as a number of steel bridges, platforms and buildings at various places will not clear a man on side or top of cars.

#### TIME SERVICE

#### NATIONAL RAILWAY TIME SERVICE COMPANY Chicago, Ill.

#### LOCAL WATCH INSPECTORS

NAME	HEADQUARTERS	TERRITORY
G. W. Haltem	Ft. Worth	Ft. Worth to Sierra Blanca
Lindsey's Jewelry	Weatherford	Weatherford
Lawrence Drug Store	Baird	Baird
C. M. Pressley	Abilene	Abilene
Toler Jewelry Co	_Bweetwater	Sweetwater
Pam F. Majors	Colorade City	Colorado City
Jim's Jewelry Store	Big Spring	Big Spring
Lester's Jewelry Co	Оdessa	Odessa
O. A. Braton	Monabana	Monahans
C. E. Ross	_EI Pase	Bi Pase
Art Kassel	MI Pase	R) Pase

#### HOSPITAL

Dr.	Carl	McCurdy, Chief Surgeon
		Miller, Division Surgeon El Paso, Texas
Dr.	G. T.	Hall, District SurgeonBig Spring, Texas

Local Surgeons							
The Coffey Clinic Fort Worth	The Young Medical Center						
Dr. E. M. Russell Weatherford							
Dr. P. L. AllenWeatherford	Dr. Bruce Johnson Loraine						
Dr. J. F. Roberson Gordon	Dr. Joe C. TerryLoraine						
Dr. J. T. SprattMingus	Dr. J. M. CrymeaColorado City						
Dr. P. C. PedigoStrawn	The Big Spring ClinicBig Spring						
Dr. P. M. Kuykendall Ranger	Dr. Don A. Gaddia						
Dr. J. H. Caton	Dr. J. B. Thomas Midland						
Dr. M. A. Treadwell	Dr. H. Glenn WalkerMidland						
Dr. W. P. LeeCisce	Dr. M. S. Dickerson						
Dr. Ervin E. AddyCisco	Dr. E. V. Headles Odessa						
Dr. R. L. Griggs Baird	Dr. Alan H. Hays (Assoc.)Odessa						
Dr. Andrew J. Pope	Dr. D. L. Bell Monahans						
Dr. W. V. Ramsey	Dr. Jim CampPecas						
Dr. Jack Crow (Assoc.)Abilene	Dr. Bruce Hay (Assoc.) Pecca						
Dr. V. H. Schoults (Assoc.)	Dr. Jnc. C. Epperson, Jr. Wan Horn						
Dr. W. T. SadlerMerkel	Dr. T. C. Liddell						
Dr. H. F. Byrd (Assoc.)Merkel	Dr. R. B. Homan Et Paso						

#### Oculista

Dr. C. Harold Beasley (Eyes only)Ft. Worth	Dr. Jno. H. Fish (Assoc.) Big Spring Dr. R. A. Roberts Pages
Dr. W. Hubert Scale Abilene	Drs. Schuster, Schuster
Dr. G. H. Wood Big Spring	and WalkerED Paso

12	12 WESTERN DIVISION										
			53	65	67	RED BALL FREIGHT SCHEDULES, DAILY	72	60	56		
						STATIONS					
			I, 9-30 PM	L 11 59 AM	L 2 00 AM	FORT WORTH	A 5 00 AM	A 7 00 AM	A 200 PM		 
			{ 12 45 AM 1 00 AM	4 40 PM 5 10 PM	6 30 AM 7 00 AM	BAIRD	{ 1 40 AM 1 10 AM	3 20 AM 2 40 AM	10 10 AN 9 35 AN		 
			2 00 All			ABILENE	12 20 AM				 
[		•••••	3 10 AM			SWEETWATER	11 30 PM		•••••		 
			}	( 8.50 pu	11 30 av	ROSCOE	ĺ	11. 30 PM	8 00 III		
			A 5 30 AM	9 20 PM 1 45 AM 2 15 AM	4 00	BIG SPRING					
				6 30 AM		SIERRA BLANCA	ŀ	<u> </u>			
				A 11 59 AM	A 11 59 PM	EL PASO		L 11 30 AM	L 600 ра	 	 
	<u> </u>		53	65	67	<u></u>	72	60	<b>56</b>		

Trains shown on this page have no timetable authority.