

**SURGEONS OF THE SANTA FE COAST LINES
HOSPITAL ASSOCIATION**

DR. LAWRENCE CHAFFIN, Chief Surgeon, Los Angeles, Calif.
DR. R. J. FLAMSON, Assistant Chief Surgeon, Los Angeles, Calif.
DR. A. L. KIEFER, Assistant Chief Surgeon, Los Angeles, Calif.

DR. BARRY O'SULLIVAN, Local Surgeon.....	Pasadena
DR. GLENN L. BARNUM, Assistant Local Surgeon.....	Pasadena
DR. L. S. JACOBS, Local Surgeon.....	Monrovia
DR. E. W. HAYES, JR., Assistant Local Surgeon.....	Monrovia
DR. BRUCE VAN VRANKEN, Local Surgeon.....	Azusa
DR. CARROLL W. WHITE, Local Surgeon.....	La Verne
DR. J. B. CRAIG, Local Surgeon.....	Upland
DR. W. S. CHERRY, Local Surgeon.....	Rialto
DR. EDWARD M. FITZGERALD, Assistant Local Surgeon.....	Rialto
DR. A. L. HAENSZEL, Division Surgeon.....	San Bernardino
DR. F. C. WILLSON, Emergency Hospital.....	San Bernardino
DR. O. J. JOHNSON, Local Surgeon.....	Colton
DR. HORACE D. ORR, Local Surgeon.....	Victorville
DR. R. W. SORENSEN, Assistant Local Surgeon.....	Victorville
DR. M. F. FINK, Local Surgeon.....	Barstow
DR. WILLIAM M. CLOVER, Assistant Local Surgeon.....	Barstow
DR. T. G. HARWARD, District Surgeon.....	Needles
DR. J. E. ANDES, Local Surgeon.....	Needles
DR. H. C. MATTHEWS, Emergency Surgeon.....	Needles
DR. E. J. GARRISON, Local Surgeon.....	Blythe
DR. R. E. GARCIA, Assistant Local Surgeon.....	Blythe
DR. GEORGE BROWNLEE, Assistant Local Surgeon.....	Blythe
DR. T. C. HORTON, Local Surgeon.....	Parker
DR. T. A. CARD, Local Surgeon.....	Riverside
DR. HARRY C. REYNOLDS, Local Surgeon.....	Arlington
DR. NORMAN H. MELLOR, Local Surgeon.....	Corona
DR. CHARLES GUNNOE, Assistant Local Surgeon.....	Corona
DR. E. H. BRUNEMEIER, Local Surgeon.....	Placentia
DR. G. W. OLSON, Local Surgeon.....	Fullerton
DR. WM. H. WICKETT, JR., Assistant Local Surgeon.....	Fullerton
DR. SHERMAN E. BAKER, Assistant Local Surgeon.....	Fullerton
DR. C. GLENN CURTIS, Local Surgeon.....	Brea
DR. D. K. SHIELDS, Assistant Local Surgeon.....	Brea
DR. ERWIN H. KERSTEN, Local Surgeon.....	Anaheim
DR. VERNE W. CARLSON, Local Surgeon.....	Orange
DR. ARNOLD G. H. BODE, Local Surgeon.....	Santa Ana
DR. JAMES F. EDWARDS, Assistant Local Surgeon.....	Santa Ana
DR. P. H. ESSLINGER, Local Surgeon.....	San Juan Capistrano
DR. CLARENCE HARVEY, Local Surgeon.....	Oceanside
DR. JOHN EGDAHL, Assistant Local Surgeon.....	Oceanside
DR. FRANCIS D. HART, Local Surgeon.....	Del Mar
DR. O. S. HARBAUGH, Local Surgeon.....	San Diego
DR. GERALD F. BANKS, Assistant Local Surgeon.....	San Diego
DR. HARRY W. DEPEW, Assistant Local Surgeon.....	San Diego
DR. C. S. MARSDEN, JR., Assistant Local Surgeon.....	San Diego
DR. GEO. A. MROSS, Local Surgeon.....	National City
DR. ARTHUR C. ROBBINS, Local Surgeon.....	Redlands
DR. R. B. REID, Local Surgeon.....	Perris
DR. ROBERT M. OLLERTON, Local Surgeon.....	Hemet
DR. E. R. POWELL, Local Surgeon.....	Fallbrook
DR. E. R. HALEY, Local Surgeon.....	Escondido
DR. J. W. BEEMAN, Local Surgeon.....	Torrance
DR. E. G. KESSLING, Local Surgeon.....	Wilmington
DR. JOHN C. COTTRELL, Local Surgeon.....	Long Beach
DR. HOWARD SWIRE, Local Surgeon.....	Inglewood
DR. M. T. WASLEY, Local Surgeon.....	Whittier

First Aid Kits are located at Cadiz, Summit, San Bernardino, Corona, Los Angeles, Oceanside, San Diego, on all engines, cabooses, and with all regularly assigned extra gangs.

J. T. GROUNDWATER , D. G. RUEGG, Trainmasters, Needles, Calif.	H. C. BAUGHN , M. H. SWANSON, G. E. YOUNG, R. L. BANION, Trainmasters, San Bernardino, Calif.	L. B. FREBORG , J. W. BARRIGER, G. H. DOTSON, R. F. NORLING, Trainmasters, Los Angeles, Calif.
C. E. ROLLINS , Trainmaster, Barstow, Calif.	F. E. ROSE , Trainmaster, Fullerton, Calif.	
J. E. BERRY , Chief Dispatcher, San Bernardino, Calif.	W. S. LOIT , J. C. SELINGER, L. W. PARSONS, E. O. CRUM, A. C. KIDD, E. L. MAYS, H. W. WITSKEN, E. M. BUTLER, I. L. CRAWFORD, L. B. QUALLS, Dispatchers, San Bernardino, Calif.	C. W. BURTON , F. O. PIERCE, W. D. EAKIN, J. W. SNYDER, F. I. GASSWINT, W. R. HANSEN, D. F. HODGES, L. A. WRIGHT, R. J. WYSOCKI,
J. T. DAWE , W. E. EBERT, Assistant Chief Dispatchers, San Bernardino, Calif.		

The Atchison, Topeka and Santa Fe Railway Co.



LOS ANGELES DIVISION AND LOS ANGELES TERMINAL

TIME TABLE No. 164

IN EFFECT

Sunday, April 27, 1958

**At 12:01 A. M.
Pacific Standard Time**

This Time Table is for the exclusive use and guidance
of Employees.

R. D. SHELTON,
General Manager,
Los Angeles, Calif.



F. N. STUPPI,
Asst. General Manager,
Los Angeles, Calif.

A. K. JOHNSON,
Superintendent,
San Bernardino, Calif.

B. O. BERNARD,
Superintendent,
Los Angeles, Calif.

2 LOS ANGELES DIVISION

CADIZ DISTRICT



Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE NO. 160 April 28, 1957	EASTWARD	Mile Post	Ruling Grade Ascending
						
Yard			STATIONS			
			PARKER YL		105.8	
	31.7		1.5			0.0
32	31.7		EARP		107.3	31.7
28	31.7		6.8		114.1	
17	31.7		CALZONA		120.0	0.0
	31.7		5.9			
45	10.5		VIDAL		131.6	0.0
			11.6			
			GROMMET		140.4	21.1
			8.8			
49			RICE YL		144.0	31.7
	0.0		3.6		144.0	
43	0.0		FREDA		151.0	30.6
57	0.0		7.0			
	0.0		SABLON		155.8	31.7
120			4.8			
	31.7		SALT MARSH		169.2	5.3
97			13.4			
	31.7		FISHEL		190.5	31.7
76			21.3			
			CADIZ YL			
			(84.7)			

Wye at Parker, Rice and Cadiz.

Offices of Communication at Parker and Cadiz; booth phones at all sidings and M.P. 179.6.

Trains must get numbered clearance card before leaving Parker and Cadiz.

LUCERNE VALLEY DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE NO. 160 April 28, 1957	EASTWARD	Mile Post	Ruling Grade Ascending
						
Yard			STATIONS			
58			CUSHENBURY YL		29.2	105.6
	0.0		3.1		26.1	105.6
2	0.0		SPUR 5		20.7	75.0
2	0.0		5.4			
	0.0		SPUR 4		15.6	75.0
15	75.0		5.1		11.3	75.0
			BASS		7.0	75.0
2	0.0		4.3			
	75.0		SPUR 2		0.0	
2			4.3			
			SPUR 1			
			7.0			
			HESPERIA			
			(29.2)			

No switch lights on Lucerne Valley District.

Office of communication at Cushenbury; booth phone at Hesperia.

RIPLEY DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE NO. 160 April 28, 1957	EASTWARD	Mile Post	Ruling Grade Ascending
		SECOND CLASS		SECOND CLASS		
		25		26		
		Mixed		Mixed		
		Leave Daily Ex. Monday		Arrive Daily Ex. Monday		
49		AM	RICE YL	AM	0.0	
	83.4	3:00	16.5	2:00		65.0
11	0.0		STYX		16.5	68.6
			1.3			
30		4-20	MIDLAND YL	12-01	17.8	68.6
	0.0		2.6	AM		
55	0.0	4-30	COX	10-20	20.4	47.5
			2.2			
	10.6		INCA		22.6	83.4
			19.4			
Yard		5-00	BLTYHE YL	9-30	42.0	21.7
	42.8	AM	7.4	PM		
			RIPLEY YL		49.4	
		Arrive Daily Ex. Monday	(49.4)	Leave Daily Ex. Sunday		
		(21.0)Average speed per hour....	(9.3)		



No switch lights on Ripley District.

Wye at Rice and Blythe.

Offices of Communication at Midland and Blythe; booth phone at Rice.

Trains must get numbered clearance card before leaving Blythe.

REDLANDS DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE NO. 160 April 28, 1957	EASTWARD	Mile Post	Ruling Grade Ascending
						
Yard			STATIONS			
			SAN BERNARDINO YL		0.0	
	116.2		P. E. Crossing			101.3
31			S. P. Crossing		8.8	0.0
	116.2		9.0		12.0	88.5
17	0.0		REDLANDS		16.2	83.2
			3.2			
47	70.5		MENTONE		18.7	89.5
			4.1			
25	0.0		EAST HIGHLANDS		19.7	81.3
			2.5			
14	47.5		HIGHLAND			
			1.0			
			PATTON			
			1.8			
			DEL ROSA			
			(21.6)			



No switch lights on Redlands District.

Fuel, water, turn table, and wye at San Bernardino.

Office of Communication at San Bernardino; booth phones at Redlands, East Highlands, and Highland.



Trains must get numbered clearance card before leaving San Bernardino.

SAN JACINTO DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE	EASTWARD	Mile Post	Ruling Grade Ascending
			NO. 160 April 28, 1957			
			STATIONS			
26			HIGHGROVE S. P. Crossing		0.0	
12	116.2		LEMONA		2.7	0.0
31	116.2		BOX SPRINGS YL		7.2	0.0
	21.3		MAROH FIELD YL		9.6	17.6
	21.3		ALESSANDRO YL		10.6	17.6
45	0.0		VAL VERDE YL		13.5	47.5
22	0.0		PERRIS YL		18.3	28.1
20	21.6		ETHANAO YL		22.7	63.4
21	49.3		MENIFEE YL		25.0	0.0
11	21.1		WINCHESTER		28.9	42.2
34	52.8		EGAN		33.1	0.0
13	44.3		HEMET YL		36.0	0.0
15	6.3		SAN JACINTO YL		38.3	63.4
9			(37.5)			



No switch lights on San Jacinto District.
Wye at March Field, Val Verde, Perris and San Jacinto.
Office of Communication at March Field, Perris, Hemet and San Jacinto.
Booth phones at Alessandro, Val Verde, Ethanac, Menifee and Winchester.
Trains must get numbered clearance card before leaving San Jacinto.

FALLBROOK DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE	EASTWARD	Mile Post	Ruling Grade Ascending
			NO. 160 April 28, 1957			
			STATIONS			
48			FALLBROOK JCT.		0.0	
12	66.0		CHAPPO		5.9	62.7
46	26.4		JOFEKAN YL		8.4	0.0
6	132.0		DE LUZ		15.1	79.2
28	105.6		FALLBROOK YL		16.9	0.0
			(16.9)			



No switch lights on Fallbrook District.
Wye and Office of Communication at Fallbrook.
Booth phone at Fallbrook Jct. and Joefegan.
Trains must get numbered clearance card before leaving Fallbrook.

ELSINORE DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE	EASTWARD	Mile Post	Ruling Grade Ascending
			NO. 160 April 28, 1957			
			STATIONS			
17			ELSINORE YL		21.9	
20	147.8		ALBERHILL YL		16.3	132.0
32	50.7		ARCILLA		8.5	89.8
Yard	0.0		P. E. Crossing PORPHYRY YL		0.0	68.6
			(21.9)			



No switch lights on Elsinore District.
Wye at Elsinore.
Office of Communication at Elsinore; booth phone at Alberhill and Arcilla.
Trains must get numbered clearance card before leaving Elsinore.

OLIVE DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Descending	WESTWARD	TIME TABLE	EASTWARD	Mile Post	Ruling Grade Ascending
			NO. 160 April 28, 1957			
			STATIONS			
Yard	42.2		ATWOOD		0.0	
21	42.2		OLIVE S. P. Crossing		2.4	42.2
62	42.2		ORANGE		5.8	42.2
			(5.8)			

Atwood-Orange: Signal System One in effect.
Centralized Traffic Control in effect on main track between Atwood and Orange. Rule 105 applies in sidings with maximum speed limit 15 MPH.
Siding switches Orange are dual control; and siding switches Olive not power controlled but are equipped with electric switch locks.
Office of Communication at Atwood and Orange; phone booth at Olive.
At Orange and Atwood, trains to and from Olive District are authorized to proceed on signal indication when operating under Rule 261.

ESCONDIDO DISTRICT

Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	WESTWARD	TIME TABLE	EASTWARD	Mile Post	Ruling Grade Ascending
			NO. 160 April 28, 1957			
			STATIONS			
25			ESCONDIDO YL		21.1	
14	83.4		SAN MARCOS		16.2	95.0
11	70.3		BUENA		12.9	113.2
10	116.2		VISTA YL		9.2	116.2
11	116.2		FALDA		7.8	116.2
	87.6		ESCONDIDO JCT.		0.0	84.5
			(21.1)			

No switch lights on Escondido District.
Wye at Escondido.
Office of Communication at Escondido and Vista.
Trains must get numbered clearance card before leaving Escondido.

4 LOS ANGELES DIVISION

NEEDLES DISTRICT

WESTWARD										TIME TABLE NO. 164 April 27, 1958	STATIONS	Mile Post	Ruling Grade Ascending	Ruling Grade Descending	Capacity of Sidings in 50 ft. Cars
FIRST CLASS															
19	107	115	7	209	123	103	17	1	205						
The Chief	Passenger	Passenger	Fast Mail Express	Passenger	The Grand Canyon	Passenger	Super Chief - El Capitan	San Francisco Chief	Passenger						
Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily						
PM 4.40			AM 11.30		AM 4.00		AM 1.36	AM 12.55							
4.51			11.45		4.15		1.47	1.06							
5.00			11.59		4.29		1.56	1.15							
5.07			12.08		4.38		2.03	1.22							
5.13			12.18		4.48		2.09	1.28							
5.23			12.30		5.00		2.19	1.38							
5.30			12.37		5.08		2.26	1.45							
5.35			12.43		5.14		2.31	1.50							
5.41			12.49		5.22		2.37	1.56							
5.51			12.59		5.33		2.47	2.06							
6.00			1.09		5.46		2.56	2.16							
6.07			1.17		5.53		3.02	2.22							
6.15			1.27		6.03		3.10	2.30							
6.21			1.35		6.11		3.16	2.36							
6.28			1.43		6.18		3.23	2.43							
6.34			1.50		6.25		3.29	2.49							
6.49			2.05		6.41		3.44	3.04							
6.55			2.11		6.48		3.50	3.10							
7.05			2.22		7.01		4.01	3.20							
7.10			2.27		7.07		4.06	3.25							
7.16	PM 6.58	PM 6.43	2.31	AM 9.48	7.13	AM 5.43	4.11	3.32	AM 12.18						
7.19	7.01	6.46	2.34	9.51	7.16	5.46	4.14	3.35	12.21						
s 7.30 PM	7.08 PM	6.53 PM	s 2.50 PM	s 10.00 AM	s 7.30 AM	s 5.53 AM	s 4.22 AM	s 3.45 AM	s 12.30 AM						
Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily						
										AUTOMATIC BLOCK SYSTEM					
										AT S					
										NEEDLES YL					
										7.4					
										JAVA					
										6.8					
										IBIS					
										4.5					
										BANNOCK					
										4.6					
										HOMER					
										7.0					
										GOFFS					
										9.6					
										FENNER					
										7.5					
										ESSEX					
										8.5					
										DANBY					
										13.4					
										CADIZ YL					
										10.3					
										SALTUS					
										3.1					
										AMBOY					
										7.8					
										BAGDAD					
										7.3					
										SIBERIA					
										5.2					
										KLONDIKE					
										4.3					
										ASH HILL YL					
										6.7					
										LUDLOW					
										13.2					
										PISGAH					
										6.2					
										HECTOR					
										12.8					
										NEWBERRY					
										6.0					
										MINNEOLA					
										6.0					
										DAGGETT					
										4.0					
										NEBO					
										4.8					
										BARSTOW YL					
										(167.6)					
										</					

(59.2) (52.8) (52.8) (50.3) (44.0) (47.9) (52.8) (60.6) (59.2) (44.0) Average speed per hour

Signal System Two in effect between Needles and Barstow.

Between train signs located at east and west ends of passenger yard, Needles, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction, or switch not properly lined, but not exceeding 15 miles per hour and main track may be used not protecting against regular or extra trains and engines.

Between East and West Towers, Barstow, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction, or switch not properly lined (but not exceeding 10 miles per hour between M.P. 746 and West Tower) and main track may be used not protecting against regular or extra trains and engines.

(Continued on Page 5)

NEEDLES DISTRICT

LOS ANGELES DIVISION

5

					EASTWARD										
					FIRST CLASS										
Capacity of Sidings in 50 ft. Cars	Fuel, Water, Turn Tables and Wyes	Communications	Ruling Grade Descending	Ruling Grade Ascending	TIME TABLE										
					NO. 164										
					April 27, 1958										
					STATIONS										
Yard	FW TY	C			NEEDLES YL	206	8	116	210	20	108	124	104	2	18
						Pas- senger	Fast Mail Express	Passenger	Pas- senger	The Chief	Passenger	The Grand Canyon	Pas- senger	San Francisco Chief	Super Chief - El Capitan
						Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily
107		B	74.5	0.0	7.4		AM 6.55			PM 7.00		PM 8.25		PM 11.55	AM 2.07
		B	73.9	0.0	JAVA		6.43			6.49		8.13		11.40	1.54
		B	104.5	0.0	IBIS		6.36			6.41		8.06		11.33	1.46
		B	73.9	0.0	BANNOCK		6.30			6.37		8.00		11.29	1.42
		B	73.9	0.0	HOMER		6.24			6.33		7.54		11.24	1.38
146		B	73.9	30.0	GOFFS		6.15			6.26		7.45		11.18	1.31
107		B	0.0	52.8	FENNER		6.04			6.16		7.35		11.07	1.20
107		B	0.0	52.8	ESSEX		5.54			6.08		7.26		10.58	1.12
114		B	0.0	52.8	DANBY		5.45			6.00		7.17		10.50	1.04
189	Y	O	26.4	52.8	CADIZ YL		5.30			5.50		7.02		10.39	12.52
51		B	11.6	26.4	SALTUS										
107		O	35.9	11.6	AMBOY		5.16			5.41		6.48		10.30	12.43
100		B	75.0	0.0	BAGDAD		5.09			5.35		6.41		10.24	12.37
107		B	121.4	0.0	SIBERIA		5.02			5.29		6.33		10.18	12.31
		B													
146	Y	B	26.4	52.8	ASH HILL YL		4.53			5.20		6.24		10.09	12.22
101		O	52.8	44.0	LUDLOW		4.46			5.14		6.18		10.03	12.16
134		B	0.0	52.8	PISGAH		4.34			5.02		6.06		9.51	12.04
		B	26.4	39.6	HECTOR		4.29			4.57		6.01		9.46	11.59
107		B	26.4	0.0	NEWBERRY		4.20			4.48		5.52		9.36	11.50
		B	38.2	13.0	MINNEOLA		4.15			4.44		5.47		9.32	11.46
104		O	31.7	31.7	DAGGETT	AM 2.50	4.11	AM 11.40	PM 3.35	4.40	PM 5.30	5.43	PM 8.11	9.28	11.42
71		B	31.7	31.7	NEBO	2.45	4.07	11.37	3.30	4.37	5.27	5.40	8.08	9.25	11.39
Yard	FW TY	O			BARSTOW YL	2.35 AM	4.00 AM	11.30 AM	3.25 PM	4.33 PM	5.20 PM	5.35 PM	8.01 PM	9.20 PM	11.35 PM
						Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
Average speed per hour....						(35.2)	(56.6)	(52.8)	(52.8)	(67.3)	(52.8)	(58.2)	(52.8)	(63.9)	(65.1)

(Continued from Page 4)

Rule 251 in effect between Needles and Barstow.

At Ash Hill, crossover switches are equipped with electric locks, time release five minutes.

Trains must get numbered clearance card before leaving Needles and Barstow.

Westward Union Pacific trains entering Daggett may move on clear train order signal in lieu of clearance card and will retain and display classification signals previously authorized.

6 LOS ANGELES DIVISION

FIRST DISTRICT

WESTWARD										TIME TABLE NO. 164 April 27, 1958		Mile Post	Ruling Grade Ascending	Ruling Grade Descending	Communications	Capacity or Sidings in 30 ft. Cars
FIRST CLASS																
	19	107	115	7	209	123	103	17	205	STATIONS						
	The Chief	Passenger	Passenger	Fast Mail Express	Passenger	The Grand Canyon	Passenger	Super Chief - El Capitan	Passenger							
	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily							
	PM 7.35	PM 7.08	PM 6.53	PM 3.20	AM 10.03	AM 7.45	AM 5.53	AM 4.27	AM 12.40							
	7.42	7.15	6.59	3.27	10.09	7.52	5.59	4.33	12.49	ATS AUTOMATIC BLOCK SYSTEM	BARSTOW YL	0.0			O	Yard
	7.47	7.20	7.03	3.32	10.14	7.59	6.04	4.38	12.57		6.1 LENWOOD	6.2	37.0	20.4	B	92
	7.55	7.28	7.10	3.40	10.22	8.05	6.11	4.45	1.06		5.7 HODGE	11.8	37.0	23.0	B	120
	7.59	7.32	7.14	3.44	10.26	8.10	6.16	4.49	1.11		9.2 HELENDALE	21.1	28.8	30.0	B	98
	8.03	7.36	7.19	3.49	10.31	8.15	6.20	4.54	1.17		4.0 BRYMAN	26.1	37.0	0.0	B	144
	8.10	7.43	7.26	3.57	10.39	8.25	6.28	5.01	1.25		5.4 ORO GRANDE YL	31.5	37.0	0.0	O	Yard
	8.18	7.51	7.33	4.04	10.46	8.33	6.35	5.08	1.33		5.1 VICTORVILLE YL	36.7	39.6	17.2	O	100-146
	8.23	7.56	7.38	4.09	10.51	8.41	6.40	5.13	1.40		4.3 THORN	41.1	84.5	0.0	B	
	8.28	8.01	7.43	4.14	10.56	8.50	6.45	5.18	1.49		4.1 HESPERIA	45.1	83.4	0.0	B	144
	8.40	8.13	7.55	4.27	11.09	9.03	6.58	5.30	2.03		5.2 LUGO	50.3	81.8	0.0	B	140
	8.55	8.28	8.10	4.42	11.24	9.19	7.13	5.45	2.18	5.5 SUMMIT YL	55.9	84.5	0.0	O	122	
	9.01	8.34	8.16	4.48	11.30	9.26	7.19	5.51	2.24	6.5 CAJON	62.4	0.0	116.2	B	95	
	9.09	8.42	8.24	4.54	11.38	9.34	7.27	5.59	2.32	3.7 KEENBROOK	66.3	0.0	116.2	B		
	9.16	8.48	8.31	5.01	11.45	9.41	7.34	6.06	2.39	4.7 DEVORE	71.0	0.0	116.2	B	126	
	s 9.28 PM	s 9.03 PM	s 8.42 PM	s 5.20 PM	s 12.01 PM	s 9.55 AM	s 7.45 AM	s 6.17 AM	s 2.50 AM	5.0 ONO	76.0	0.0	116.2	B	143	
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	5.4 SAN BERNARDINO YL	81.3	64.4	116.2	O	Yard	
	(42.9)	(42.2)	(44.5)	(40.4)	(41.1)	(37.3)	(43.3)	(44.1)	(37.3)	(80.8)						
 Average speed per hour															

Signal System One in effect between Barstow and San Bernardino, except: Signal System Two in effect on eastward track between Signal 782 and Signal 572A.

Rule 251 in effect between Barstow and San Bernardino.

Between East and West Towers, Barstow, there is no superiority of trains. Trains and engines moving between these limits must proceed prepared to stop short of train, obstruction or switch not properly lined (but not exceeding 10 miles per hour between M.P. 746 and West Tower), and main track may be used not protecting against regular or extra trains and engines.

Between 5th Street Tower and "A" yard office, San Bernardino, there is no superiority of trains. Trains and engines within these limits must

proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding 10 miles per hour. Between these points main track may be used not protecting against regular and extra trains and engines.

Rule D-151: Trains will keep to left between San Bernardino and overhead bridge X39.1, between Thorn and Victorville.

Rule 509 (b): At Summit, westward trains finding Signal 561 on westward track in "Stop" position must wait five minutes before proceeding unless the signal changes to indicate "Proceed."

Westward freight trains must stop not less than ten minutes at each Cajon and Devore to cool wheels and inspect train, when train weight exceeds 1200 tons per operative dynamic brake unit of engine or total train weight exceeds 4800 tons.

(Continued on Page 7)

FIRST DISTRICT

LOS ANGELES DIVISION

7

Capacity of Sidings in 50 ft. Cars	Fuel, Water, Turn Tables and Wyes	Communications	Ruling Grade Descending	Ruling Grade Ascending	Mile Post	TIME TABLE NO. 164 April 27, 1958		EASTWARD									
								FIRST CLASS									
								206	8	116	210	20	124	108	104	18	
							STATIONS	Passenger	Fast Mail Express	Passenger	Passenger	The Chief	The Grand Canyon	Passenger	Pas- senger	Super Chief - El Capitan	
								Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	
Yard	FW TY	O			0.0	AUTOMATIC BLOCK SYSTEM AUTOMATIC TRAIN STOP	BARSTOW YL	AM s 2.30	AM s 3.40	AM 11.30	PM s 3.20	PM s 4.28	PM s 5.25	PM 5.20	PM 8.01	PM s 11.30	
104		B	37.0	20.4	6.2		LENWOOD	2.23	3.32	11.21	3.11	4.19	5.16	5.11	7.52	11.21	
106		B	37.0	23.0	11.8		HODGE	2.18	3.27	11.17	3.07	4.15	5.11	5.06	7.48	11.17	
148		B	39.0	30.0	21.1		HELENDAL	2.11	3.18	11.10	2.59	4.08	5.04	4.59	7.41	11.10	
		B	37.0	0.0	26.1		BRYMAN	2.07	3.14	11.06	2.55	4.04	5.00	4.55	7.37	11.06	
Yard		O	39.6	17.2	31.5		ORO GRANDE YL	2.03	3.08	11.02	2.51	4.00	4.55	4.50	7.33	11.02	
98	FY	O	84.5	0.0	36.7		VICTORVILLE YL	s 1.55	s 3.00	10.55	s 2.43	3.53	f 108 4.44	124 4.44	7.26	10.55	
146		B	84.5	0.0	41.1		THORN	1.48	2.50	10.48	2.35	3.46	4.33	4.38	7.19	10.48	
106		B	84.5	0.0	45.1		HESPERIA	1.44	2.46	10.44	2.30	3.42	4.29	4.34	7.15	10.44	
		B	86.8	0.0	50.3		LUGO	1.39	2.41	10.39	2.25	3.37	4.24	4.29	7.10	10.39	
126	Y	O	0.0	116.2	55.9	SUMMIT YL	1.30	2.33	10.31	2.16	3.28	4.15	4.20	7.01	10.30		
118		B	0.0	116.2	59.7	ALRAY	1.20	2.21	10.20	2.06	3.19	4.05	4.10	6.52	10.22		
70		B	0.0	116.2	62.4	CAJON	1.10	2.10	10.10	1.53	3.09	3.52	4.00	6.42	10.12		
115		B	0.0	116.2	66.3	KEENBROOK	1.03	2.02	10.03	1.44	3.02	3.42	3.54	6.35	10.05		
128		B	0.0	116.2	71.0	DEVORE	12.54	1.52	9.58	1.35	2.54	3.33	3.48	6.27	9.57		
106		B	0.0	116.2	76.0	ONO	12.46	1.41	9.51	1.26	2.47	3.24	3.40	6.19	9.48		
Yard	FW TY	O	64.4	116.2	81.3	SAN BERNARDINO YL	12.35 AM	1.30 AM	9.40 AM	1.15 PM	2.37 PM	3.13 PM	3.30 PM	6.08 PM	9.37 PM		
						(82.8)	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		
Average speed per hour....								(43.2)	(38.2)	(45.2)	(39.7)	(44.8)	(37.6)	(42.2)	(44.0)	(44.0)	

At following stations, crossover switches are equipped with electric locks:

Victorville—Switches between two main tracks, just east of station, time release five minutes;

Summit—Switch from eastward siding to westward main track, opposite station, time release three minutes;

Cajon—East and west crossovers, time release five minutes;

Keenbrook—East and west crossovers, time release five minutes;

Devore—East and west crossovers, time release five minutes;

Ono—East and west crossovers, time release five minutes;

M.P. 79.6—Crossover, time release five minutes;

San Bernardino—Two main track crossovers between passenger yard and 5th Street Tower, time release two minutes.

At San Bernardino, westward trains or engines must approach junction of Second and Third Districts near yard office prepared to stop, and "stop" unless proceed signal, given with white flag or light, is received. Such proceed signal merely indicates the route is properly lined.

Trains must get numbered clearance card before leaving Barstow and San Bernardino.

8 LOS ANGELES DIVISION

SECOND DISTRICT

Capacity of Sidings in 50 ft. Cars	Fuel, Water, Turn Tables and Ways	Ruling Grade Ascending	WESTWARD		TIME TABLE NO. 164 April 27, 1958	EASTWARD			Mile Post	Ruling Grade Ascending	Communications
			FIRST CLASS			FIRST CLASS					
			19	17		20	18	8			
			The Chief	Super Chief - El Capitan		The Chief	Super Chief - El Capitan	Fast Mail Express			
Yard	FW TY		Leave Daily	Leave Daily	STATIONS	Arrive Daily	Arrive Daily	Arrive Daily			
			PM 9.34	AM 6.20	SAN BERNARDINO YL	PM 2.34	PM 9.34	AM 1.20	81.3		O
123	Y	68.4	9.40	6.26	3.6 RIALTO	2.27	9.27	1.08	84.9	0.0	O
94		32.4			3.8 FONTANA				88.8	15.4	B
Yard		0.0	9.46	6.32	3.0 KAISER YL	2.22	9.22	12.59	91.3	38.7	O
		14.3			2.0 ETIWANDA				93.7	26.8	B
50		14.3	9.51	6.37	3.9 CUCAMONGA	2.17	9.17	12.53	97.7	32.0	O
47	Y	57.5	9.54	6.40	3.2 UPLAND YL	2.14	9.14	12.48	100.9	6.6	O
		30.8			P. E. Crossing					42.0	O
56			9.58	6.44	3.9 CLAREMONT	2.10	9.10	12.43	104.8	59.1	B
64		0.0	10.01	6.46	1.9 POMONA	s 2.07	s 9.07	12.40	106.7	43.8	O
40		0.0	10.03		1.2 LA VERNE	2.04	9.04	12.38	107.9	63.4	O
42		0.0			2.3 SAN DIMAS				110.2	65.8	B
59	Y	0.0	10.10	6.56	P. E. Crossing					65.4	O
		0.0	10.13	6.59	4.1 GLENORA	1.57	8.57	12.30	114.4	51.9	O
41		0.0	10.15	7.01	2.5 AZUSA			12.27	116.9	92.3	B
50		0.0			1.3 KINCAID	1.52	8.52	12.25	118.2	60.7	O
72		52.1	10.19	7.05	P. E. Crossing				120.2	6.4	B
11		77.9			2.0 BUTLER				122.4	0.0	B
39		63.4			2.3 MONROVIA	1.48	8.48	12.20	124.2	0.0	B
62		63.4	10.25	7.11	1.7 P. E. Crossing				125.8	0.0	B
		79.9			ARCADIA				127.3	0.0	B
34		0.0	s 10.39	s 7.25	1.6 SANTA ANITA (S. Madre)	1.43	8.43	12.14	128.0	95.3	O
		0.0			1.5 CHAPMAN				131.7	114.0	O
34		0.0			0.8 LAMANDA PARK				133.7	89.8	B
20		0.0	10.47	7.35	3.6 PASADENA YL	s 1.30	s 8.30	s 12.01	134.2	96.4	B
71		0.0			2.1 SOUTH PASADENA			AM	135.9	114.9	B
		0.0			0.5 OLGA	1.20	8.20	11.50	138.7	63.5	
		0.0			1.7 U. P. Crossing					89.8	
		0.0			HIGHLAND PARK				139.4	59.7	O
		0.0	11.02	7.49	2.8 U. P. Crossing				140.1	31.7	O
	Y	0.0	11.05	7.52	0.7 WATER STREET YL						
Yard		0.0	11.15	8.00	0.6 BROADWAY YL	1.05	8.05	11.35			
Yard		0.0	PM	AM	0.8 MISSION TOWER YL	1.03	8.03	11.33			
					0.8 LOS ANGELES YL	1.00	8.00	11.30			
					Union Station (59.4)	PM	PM	PM			
			Arrive Daily	Arrive Daily	FIRST STREET YL	Leave Daily	Leave Daily	Leave Daily	141.1		
					(59.7)						

(35.3) (35.6)Average speed per hour..... (37.9) (37.9) (31.0)

Signal System One in effect between San Bernardino and Los Angeles. Except, Signal System Two in effect eastward from Signal 1392 located west end of siding Water Street to Signal 832 located M.P. 83 plus 5000 feet, and westward from Signal 821 located M.P. 83 to Signal 1391 located west end of siding Water Street, all numbers inclusive.

Rule 251 in effect Mission Tower-First Street.

Rule 261 in effect Mission Tower-Broadway, two main tracks.

Between 5th Street Tower and "A" yard Office, San Bernardino, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding 10 miles per hour. Between these points main track may be used not protecting against regular and extra trains and engines.

At Los Angeles: Rules and Regulations of Union Station must be observed within terminal limits.

When complying with the provisions of Rule S-89(A) at:

Olga—If signals governing eastward movements at east end of siding or westward movements at west end of siding are found in stop position, be governed by instructions posted in black and white striped box near switch stand protected by switch lock.

At San Bernardino, Second District eastward trains or engines must approach junction of Second and Third Districts near yard office prepared to stop, and "stop" unless proceed signal, given with green flag or light, is received. Such proceed signal merely indicates the route is properly lined.

Trains must get numbered clearance card before leaving San Bernardino and Los Angeles.

Extra trains must get numbered clearance card before leaving First Street.

HARBOR DISTRICT

Capacity of Sidings in 50 ft. Cars	Fuel, Water, Turn Tables and Wyes	Ruling Grade Ascending	WESTWARD		TIME TABLE NO. 164 April 27, 1958	EASTWARD		Mile Post	Ruling Grade Ascending	Communications
			SECOND CLASS			SECOND CLASS				
			141	145		142	146			
			Freight	Freight		Freight	Freight			
			Leave Daily	Leave Daily		Arrive Daily	Arrive Daily			
					LONG BEACH 2.5 S.P., U.P., P.E. Crossings West Thenard Tower 1.1					
Yard			PM 5.40	AM 4.40	Pier A Yard 3.3	PM 3.15	AM 1.15			O
			5.55	4.55	P.E., S.P., U.P. Crossings West Thenard Tower 1.1	3.00	1.01			
Yard					WILMINGTON YL 1.4			28.0		B
89	Y	79.2	6.10	5.05	WATSON YL 3.3	2.43	12.44	26.6	52.8	B
80		24.3	6.18	5.13	IRONSIDES YL 1.6	2.33	12.34	23.3	0.0	
34		52.3	6.21	5.16	TORRANCE YL 1.6	2.27	12.28	21.7	48.4	O
91		52.3	6.24	5.19	ALCOA YL 2.3	2.21	12.22	20.1	48.4	B
13		0.0	6.29	5.24	MONACO 1.2	2.16	12.17	17.8	58.4	
83		52.6	6.32	5.27	LAWDALE YL 1.8	2.13	12.14	16.6	51.1	
	Y	11.6	6.36	5.31	EL SEGUNDO YL P. E. Crossing 1.2	2.09	12.10	14.8	4.0	O
107		30.8	6.40	5.35	LAIRPORT YL 3.7	2.05	12.06	13.6	4.0	B
79		52.8	6.48	5.43	INGLEWOOD YL 1.9	1.56	11.57	9.9	44.8	O
13		0.0	6.53	5.48	HYDE PARK YL 0.7	1.47	11.48	8.0	44.8	
22		10.5	6.57	5.52	VAN NESS YL 1.3	1.42	11.43	7.3	0.0	
75		18.5	7.06	6.01	WILDASIN YL 2.5	1.34	11.35	6.0	0.0	
18		0.1	7.24	6.19	WINGFOOT YL P. E. Crossing 2.0	1.19	11.20	3.5	0.0	B
Yard		52.8	7.35	6.30	S. P. Crossing MALABAR YL 1.6	1.07	11.08	1.5	0.0	
	FW TY		7.50 PM	6.45 AM	REDONDO JCT. YL	1.00 PM	11.01 PM	0.0	0.0	
			Arrive Daily	Arrive Daily	(31.0)	Leave Daily	Leave Daily			
			(14.3)	(14.9)	.. Average speed per hour..	(13.8)	(13.9)			

(14.3) (14.9) ..Average speed per hour.. (13.8) (13.9)

Trains must get numbered clearance card before leaving First Street.

REDONDO DISTRICT

Capacity of Sidings in 50 ft. Cars	Fuel, Water, Turn Tables and Wyes	Ruling Grade Ascending	WESTWARD ↓	TIME TABLE NO. 164 April 27, 1958	EASTWARD ↑	Mile Post	Ruling Grade Ascending	Communications
Yard				REDONDO BEACH YL 1.5		20.2	0.0	
7		42.2		HERMOSA BEACH YL 1.7		18.7	0.0	B
		42.2		MANHATTAN BEACH YL 2.2		17.0	52.8	
	Y	0.0		EL SEGUNDO YL (5.4)		14.8		O

No switch lights on Redondo District.

Train movements between Watson and Pier "A" yard will be made under yard limit rules, and over Harbor Belt line between McFarland Avenue and Pier "A" yard. Normal position of switches at connection McFarland Avenue lined for the Harbor Belt Line.

Should home signals at S. P. or P. E. Railway crossings, one mile east of West Thenard Tower, fail to clear, call Towerman for instructions. Telephone box, protected by switch lock, located at the P. E. Railway crossing.

Movements over Southern Pacific joint track between West Thenard Tower and Long Beach will be made under provision of Rule 93 and must be authorized by Towerman, West Thenard Tower.

WESTWARD													TIME TABLE NO. 164 April 27, 1958		Mile Post	Rating Grade Ascending
FIRST CLASS																
107	115	81	79	7	77	75	209	123	73	103	71	205				
Passenger	Passenger	San Diegan	San Diegan	Fast Mail Express	San Diegan	San Diegan	Passenger	The Grand Canyon	San Diegan	Pas-senger	San Diegan	Pas-senger				
Leave Daily	Leave Daily	Lv. Sun. & *Holidays Only	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun. & *Holidays	Leave Daily				
PM 9.05	PM 8.43			PM 5.40			PM 12.05	AM 10.00		AM 7.50		AM 2.55				
9.14	8.52			5.49			12.15	10.10		7.59		3.05				
9.19	8.57			5.54			12.20	10.15		8.04		3.10				
9.23 PM	9.00 PM			5.57			12.25 PM	10.17		8.08 AM		3.15 AM				
				6.00				10.25								

Signal System One in effect between San Bernardino and Los Angeles except:

Signal System Two in effect from Westward home signals at junction Third and Fourth Districts Fullerton to and including eastward home signal Redondo Junction Interlocking.

Rule 251 in effect between west end of Bridge 4.6 and Riverside; Fullerton and D.T. Junction; Redondo Jct. Interlocking and Mission Tower.

Rule 261 in effect San Bernardino-Bridge 4.6 (on three tracks San Bernardino-Rana; two tracks Rana-Bridge 4.6); Bandini-Redondo Jct. Interlocking (on two tracks).

Between 5th Street Tower and "A" yard office, San Bernardino, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding 10 miles per hour. Between these points main track may be used not protecting against regular and extra trains and engines.

At Los Angeles: Rules and regulations of Union Station must be observed within terminal limits.

Nos. 71, 73, 75, 77, and 79 will back from Mission Tower to Union Station.

Centralized Traffic Control in effect on main track between Riverside and Fullerton; between D.T. Junction and Bandini, and on siding

(Continued on Page 11)

THIRD DISTRICT

LOS ANGELES DIVISION

11

Communications	Fuel, Water, Turn Tables and Ways	Capacity of Sidings in 50 ft. Cars	Ruling Grade Ascending	TIME TABLE NO. 164 April 27, 1958			EASTWARD												
							FIRST CLASS												
							206	70	116	72	210	74	124	108	104	76	78	80	
							Passenger	San Diegan	Passenger	San Diegan	Passenger	San Diegan	The Grand Canyon	Passenger	Pas- senger	San Diegan	San Diegan	San Diegan	
STATIONS							Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Sun. & *Holidays Only	Arrive Daily			
O	FW TY	Yard	52.8	ABS	SAN BERNARDINO YL	3 TRKS. TWO TRACKS	AM s 12.23		AM s 9.37		PM s 1.10		PM s 3.10	PM s 3.28	PM s 6.03				
					1.5		RANA YL												
B		W-49 E-112			52.8		1.3	COLTON YL	s 12.15		9.27		1.02		2.55	3.20	5.55		
B		W-114			52.8		3.8	S. P. and U. P. Crossing											
			52.8	ABS	HIGHGROVE	3 TRKS. TWO TRACKS	12.08		9.22		12.57		2.50	3.15	5.50				
O			17.2		2.6		S. P. Crossing												
B		E-42	52.8		0.6		RIVERSIDE JCT. YL	12.03 AM		9.17 AM		12.52 PM		2.45	3.10 PM	5.45 PM			
B			52.8		4.2		RIVERSIDE YL							s 2.40					
O	Y	99	52.8	ABS	2.4	CASA BLANCA													
O		62	52.8		3.3	ARLINGTON													
B		94	52.8		3.1	MAY													
B	Y	100	24.8		3.1	P. E. Crossing													
			52.8	ABS	1.3	PORPHYRY													
O		167	52.8		5.0	CORONA							s 2.12						
B		94	52.8		3.1	PRADO DAM													
B		95	52.8		4.1	GYPSUM													
B		129	52.8	ABS	4.3	ESPERANZA													
O	Y	179	42.2		2.3	ATWOOD							1.52						
O		69	42.2		3.0	PLACENTIA													
O	W94-74 E-74		33.4		4.5	FULLERTON YL		s 7.15		AM s 10.00		s 1.35	s 1.45		s 5.20	s 8.00	AM s 12.25		
O	W-74		25.9	ABS	1.8	BUENA PARK		7.10		9.55		1.25	1.40		5.10	7.55	12.15		
B	E-96		10.0		4.3	LA MIRADA													
O	W-86		16.3		1.3	SANTA FE SPRINGS													
			13.7		1.0	LOS NIETOS													
B			13.7	ABS	1.0	P. E. Crossing													
			13.7		1.0	D. T. JUNCTION			7.02		9.47		1.17	1.33		5.02	7.47	12.07	
O		Yard	37.5		1.3	S. P. Crossing													
B			26.2		4.3	RIVERA			7.00		9.45		1.15	1.31		s 5.00	7.45	12.05 AM	
O	F	Yard	0.0	ABS	4.3	BANDINI													
			0.0		2.3	HOBART YL		6.56		9.41		1.11	1.27		4.56	7.41	11.57		
	FW TY		0.0		2.3	U. P. Crossing													
O		Yard	0.0		2.1	REDONDO JCT. YL													
			0.0	ABS	0.9	U. P. Crossing													
	Y		31.7		0.9	FIRST STREET YL		6.49		9.34		1.04	1.20		4.49	7.34	11.49		
					0.8	MISSION TOWER YL		6.47		9.32		1.02	1.18		4.47	7.32	11.47		
O					0.8	LOS ANGELES YL			6.45 AM		9.30 AM		1.00 PM	1.15 PM		4.45 PM	7.30 PM	11.45 PM	
(71.5)							Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Sun. & *Holidays Only	Leave Daily		
Average speed per hour....							(27.6)	(51.2)	(27.6)	(51.2)	(30.3)	(43.9)	(37.3)	(30.3)	(30.7)	(43.9)	(51.2)	(38.4)	

(Continued from Page 10)

Atwood. Rule 105 applies in all sidings except Atwood. Speed limit 15 MPH through all sidings. All siding switches in CTC territory are dual control except at Rivera siding switches not power controlled but equipped with electric switch locks.

At San Bernardino, Third District eastward trains or engines must approach junction of Second and Third Districts near yard office, prepared to stop, and "stop" unless proceed signal, given with yellow flag or light, is received. Such proceed signal merely indicates the route is properly lined.

Flasher type signal, yellow indication, governs eastward movements through turnout, east end of Bridge 4.6. Maximum speed for trains 40 MPH.

Trains must get numbered clearance card before leaving San Bernardino and Los Angeles.

Extra trains must get numbered clearance card before leaving First Street.

Rule 97: Trains originating Rivera and entering territory where Rule 261 is in effect between Bandini and Hobart may proceed without clearance card after obtaining permission from control station and will display signals as prescribed by Rule 21.

Eastward trains from Union Pacific must get numbered clearance card before leaving Riverside Jct.

*New Year's Day, Washington's Birthday, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, and Christmas Day.

12 LOS ANGELES DIVISION

FOURTH DISTRICT

WESTWARD						TIME TABLE		Mile Post	Ruling Grade Ascending	Fuel, Water, Turn Tables and Wyes	Communications
FIRST CLASS						NO. 164					
81	79	77	75	73	71	April 27, 1958					
San Diego	San Diego	San Diego	San Diego	San Diego	San Diego	STATIONS					
Lv. Sun. & *Holidays Only	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun. & *Holidays	NATIONAL CITY YL		273.1		Y	O
						3.8 22ND STREET YL		269.8	13.1	T	
						1.8 SAN DIEGO YL		267.5	28.7	FY	O
						3.3 OLD TOWN YL		264.2	40.2		B
						2.1 MORENA		262.1	40.2		B
						5.0 ELVIRA		257.1	63.4		B
						4.1 MILAMAR		253.0	116.2	Y	O
						3.9 SORRENTO		249.1	0.0		B
						5.0 DEL MAR		244.0	54.8	Y	O
						6.0 ENCINITAS		238.1	52.8		O
						3.9 PONTO		234.2	61.9		B
						4.9 CARLSBAD		229.3	52.8		O
						2.1 ESCONDIDO JCT.		227.2	47.2	Y	B
						1.0 OCEANSIDE		226.2	0.0	F	O
						2.0 FALLBROOK JCT.		224.2	63.4	Y	B
						5.5 LAS FLORES		218.7	65.4		B
						4.8 AGRA		213.8	65.4		B
						4.4 SAN ONOFRE		209.4	6.1		B
						5.7 SAN CLEMENTE		203.7	0.0		B
						1.0 POOHE		202.7	0.0		B
						2.9 SERRA		199.8	13.9		B
						2.6 SAN JUAN CAPISTRANO		197.2	60.5		O
						4.6 GALIVAN		192.6	67.6		B
						4.5 EL TORO		188.1	66.0		B
						5.2 IRVINE		182.9	0.0		B
						4.4 VENTA		178.5	21.6		B
						2.9 SANTA ANA		175.5	37.0	Y	O
						2.9 ORANGE		172.7	32.1	Y	O
						4.9 S. P. Crossing ANAHEIM		167.8	7.6		O
						2.7 FULLERTON YL		165.0	6.1		O
						(107.9)					
Ar. Sun. & *Holidays Only	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun. & *Holidays						
(53.4)	(57.4)	(48.7)	(53.8)	(50.3)	(55.8)Average speed per hour					

Signal System One in effect between San Diego and Fullerton.

Rule 251 in effect between Old Town and San Diego.

Between crossover, yard office, located Ash Street, San Diego, and National City there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined (but not exceeding 10 miles per hour

between Ash Street and Columbia Street). Between these points main track may be used not protecting against regular and extra trains and engines.

Rule D-151: Between Old Town and crossover at west end of 22nd Street freight yard M.P. 268.7 trains will keep to left.

(Continued on Page 13)

FOURTH DISTRICT

LOS ANGELES DIVISION

13

Capacity of Sidings in 50 ft. Cars	Rating Grade Ascending	TIME TABLE NO. 164 April 27, 1958		EASTWARD					
				FIRST CLASS					
				80	70	72	74	76	78
				San Diego	San Diego	San Diego	San Diego	San Diego	San Diego
Yard		STATIONS	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Sun. & *Holidays Only
		NATIONAL CITY YL							
	26.4	2ND STREET YL							
	0.0								
		SAN DIEGO YL	AM 3.00	AM 9.30	PM 12.15	PM 3.45	PM 7.30	PM 10.00	
	31.2	OLD TOWN YL	2.45	9.13	11.59	3.30	7.15	9.47	
	31.2	MORENA							
91	51.0	ELVIRA							
	0.0	MIRAMAR	2.33	9.02	11.48	3.18	7.03	9.35	
	116.2	SORRENTO							
98	54.8	DEL MAR	s 2.20	s 8.48	s 11.35	s 3.05	s 6.50	s 9.22	
92	63.4	ENCINITAS	f 2.14				f 6.42		
116	63.4	PONTO							
69	50.8	CARLSBAD							
	52.8	ESCONDIDO JCT.							
	0.0	OCEANSIDE	s 2.00	s 8.23	s 11.14	s 2.40	s 6.25	s 9.05	
92	45.4	FALLBROOK JCT.							
86	63.4	LAS FLORES							
97	63.4	AGRA							
91	68.9	SAN ONOFRE							
33	49.4	SAN CLEMENTE	s 1.30	f 7.58	f 10.52	2.18	f 6.03		
54	5.0	POCHE							
98	0.0	SERRA							
87	0.0	SAN JUAN CAPISTRANO			f 10.43		5.55		
98	0.0	GALIVAN							
88	54.0	EL TORO	1.05						
119	63.4	IRVINE	12.59						
93	63.4	VENTA							
	0.0	SANTA ANA	s 12.50	s 7.30	s 10.22	s 1.50	s 5.35	s 8.15	
125	11.2	ORANGE	f 12.38		f 10.10				
122	48.1	S.P. Crossing ANAHEIM	f 12.31		f 10.05		5.25		
60	21.1	FULLERTON YL	12.25 AM	7.15 AM	10.00 AM	1.35 PM	5.20 PM	8.00 PM	
		(107.9)	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Sun. & *Holidays Only	
Average speed per hour.....			(39.6)	(45.5)	(45.5)	(47.2)	(47.2)	(51.2)	

(Continued from Page 12)

Centralized Traffic Control in effect on main track between Old Town and Fullerton including two main tracks between Elvira-Miramar and Venta-Lyon Street, Santa Ana, and on sidings Ponto and Orange.

Speed limit through sidings: Ponto 40 MPH

Orange 30 MPH

All other sidings: Rule 105 applies with maximum speed limit 15 MPH.

All siding switches are dual control except at Carlsbad, San Clemente

and Venta switches not power controlled but equipped with electric switch locks.

Flasher type signal, yellow indication, governs westward movements through turnout, M.P. 179.1. Maximum speed for trains 40 MPH.

Trains must get numbered clearance card before leaving San Diego.

*New Year's Day, Washington's Birthday, Memorial Day,
Fourth of July, Labor Day, Thanksgiving Day, and Christmas Day.

14 LOS ANGELES DIVISION

SPECIAL RULES

1. Rule S-72: Except as otherwise provided, all eastward trains are superior to westward trains of the same class.

2. Rule 2: Standard clocks are located at Needles, Parker, Blythe, Barstow (telegraph office and roundhouse), Victorville, San Bernardino (Santa Fe and U.P. roundhouses, Rialto Ave. and "A" yard offices), Los Angeles (Union Station, First St., Ninth St. and Hobart yard offices, roundhouse), Fullerton, Oceanside, San Diego, 22nd St., San Diego (yard office and Division Foreman's office).

Rule 3: Crews of Union Pacific trains, having complied with that Company's time regulations, may proceed over joint track.

U.P. trains using joint tracks between Riverside Jct. and Daggett, will be governed by A.T.&S.F. time table and Rules, Operating Department.

3.

3(A). Rule 16 is amended as follows:

Sound	Indication
(e) —————	Canceled.
(l) —————	When standing — apply or release brakes.
(m) —————	When running — brakes sticking; look back for hand signals.

Note: Hand or lamp signals must be given in addition to communicating signals (a), (c) and (l).

4. Rule 82 (B): Bulletin boards and books are located at Needles, Parker, Blythe, Barstow, Victorville, San Bernardino, Corona, Fullerton, First Street, Union Station, Redondo Junction, Inglewood, Torrance, Oceanside, San Diego, and 22nd Street.

5. Rules 83 and 83 (A): At Barstow, Trains 17, 18, 19, 20, 21, 22, 103, 104, 115 and 116, and eastward Union Pacific freight trains, and at San Bernardino, all first class trains may register by Form 903.

Los Angeles, check of train register at Union Station or First Street will be accepted as applying to end of two main tracks at Broadway.

At First Street, only trains originating or terminating will register.

6. Rule S-89 (A) is amended:

At meeting point, the train holding main track must stop clear of the track to be used by the train to be met and, if practicable, be protected by lining the switch.

7. Rule 93: Yard limits are located at Needles, Cadiz, Parker, Rice, Midland, Blythe-Ripley, Ash Hill, Barstow, Oro Grande, Victorville, Cushmanbury, Summit, San Bernardino-Colton, Kaiser, Upland, Pasadena, Water Street-Los Angeles-First Street-Bandini, Fullerton, Porphyry (Elsinore District), Weisel, Alberhill, Elsinore, Riverside, Box Springs-Perris-Menifee, Hemet-San Jacinto, National City-San Diego-Old Town, Vista, Escondido, Jofegan, Fallbrook, Redondo Jct.-Hyde Park, Inglewood-Lawndale-Redondo Beach, Alcoa-Ironside, and Watson-Wilmington.

Yard limits on following spurs: Rialto Foothill, Cucamonga Foothill, Upland Foothill, Metropolitan, Prenda, La Habra Valley, Venta, Torrance Oil, and Alcoa.

8. Rule 104 (A) is amended:

When a train is clear of main track, to be met or passed by another train, employe attending the switch will not go nearer the switch than the clearance point until the expected train has been met or has passed.

When a train is on the main track, to be met or passed by another train, employe attending the switch will, after lining and locking it, immediately return to the clearance point and remain back of that point until expected train clears the main track.

When necessary to go beyond the switch in flagging, the flagman must remain at least 150 feet away from the switch while approaching train is passing over it.

The conductor or engineman must have an oral understanding with the employe attending the switch as to the required handling under this rule.

Employes using switches must observe whether switch points fit properly after switch is lined, and must grasp the lock chain and pull it to insure that the lock is securely fastened.

Employes, in alighting from trains to change switches, must get off on opposite side of train from switch stand when to do so will not endanger their safety.

Crews of trains which are clear of main track must not give "proceed" signals to approaching trains.

Rule 104 (D) is amended: Spring switches will be designated by the letter "S" painted on the switch stand.

Trailing movements through spring switches must not be reversed until switch has been properly lined.

Except as provided in Rule 509 (A), if signal protecting facing point movement over a spring switch is in stop position, examine switch points to see that they are properly closed.

If necessary to spike a spring switch it must be protected and train dispatcher notified.

Sand must not be used or center blow-off cocks operated over spring switches.

Rule 104 (E) is amended: All sidings having hand-throw derails will have derail locked off rail, except when engines or cars are left unattended on siding.

9. On all districts where Rule 251 is in effect, trains having work to do, or being delayed at any point other than ordinary station and water stops, must clear main track unless permission is received to occupy main track. Operators will show on clearance card the number of instruction messages (Form 934-Spl) delivered therewith.

10. The use of retainers on trains descending grades will be left to the judgment of conductors and enginemen with a minimum on freight trains as follows:

Location	Number of Retainers to be Used				
Summit to San Bdn.	No dynamic brake in use.	One unit dynamic brake operative on trains of 500 tons or over.	Two units dynamic brake operative on trains of 1000 tons or over.	Three units dynamic brake operative on trains of 1500 tons or over.	Four units dynamic brake operative on trains of 2000 tons or over.
	Use all retainers with 50% in high pressure position on loaded cars.	Use all retainers in low pressure position.	One retainer per 50 tons.	One retainer per 60 tons.	One retainer per 70 tons.

When retainers are used as outlined above, the maximum tonnage per operative brake in freight trains, Summit to San Bernardino, is 70 tons.

On diesel-operated freight trains with dynamic brakes in use, retainers will be manipulated from engine toward rear of train; on other freight trains, retainers will be manipulated from caboose toward head end of train on required number of cars.

When retainers are used on freight train, speed of such train must not exceed twenty miles per hour.

Cajon to San Bernardino, retainers may be changed to low pressure position.

Retainers may be placed in proper position at any station Victorville to Summit. If retainers are positioned before reaching Summit, train may proceed without stopping if it is known by the conductor and engineman that the prescribed brake pipe pressure is indicated on the gauges, otherwise Rule 947 will apply.

11. Rule 761: Following is list of structures:

Inca, overhead conveyor of Utah Construction Company; Barstow, viaduct over passenger yard tracks and house tracks 1 to 4, inclusive;

San Bernardino, Mt. Vernon Ave. viaduct over roundhouse leads; Los Angeles, First Street, viaduct over old passenger tracks. Los Angeles, Union Station, train sheds.

12. Rule 831: California: Civil Code, Section 2188, provides:

"A passenger who refuses to pay his fare or conform to any lawful regulations of the carrier may be ejected from the vehicle by the carrier. But this must be done with as little violence as possible, and at any usual stopping place or near some dwelling house."

Section 487 provides:

"If any passenger refuses to pay his fare or to exhibit or surrender his ticket when respectfully requested so to do, the conductor and employes of the corporation may put him and his baggage out of the cars, using no unnecessary force, at any usual stopping place, or near any dwelling house, on stopping the train."

13. Rule 862: Revenue passengers, and employes holding passes stamped "Good on Freight Trains", may be carried on freight trains, but only to and from stations where these trains are required to stop.

14. Rule 945: Prescribed test must be made on passenger trains at: Summit, westward.

15. Rule 947: Prescribed test must be made on freight trains at: Summit, westward. Box Springs, eastward.

SPEED REGULATIONS

16. Enginemen of trains in which are dining or cafe cars will, during meal hours, regulate speed and manipulate air, rounding curves and making station stops so that train will move smoothly, without jar, and train conductors must observe that this is done.

Trains handling derricks, steam shovels, clamshells, ditchers, pile drivers, spreaders (except spreaders with wings folded and fastened), and similar machinery moving on its own running gear, must not exceed thirty miles per hour at any point on Needles, Cadiz, First, Second, Third and Fourth Districts. Must not exceed fifteen miles per hour on all other districts. This rule not applicable to machines mounted on flat cars with booms tied down.

SPECIAL RULES

Rule 817: Equipment listed below must not be moved through water above top of rail greater than the depths and not in excess of the speeds shown:

Types of Equipment	Maximum depth above top of rail (inches)	Maximum speed in tow (MPH)	Maximum speed under own power (MPH)
Diesel Engines:			
450-451	2	5	5
11-15, 50, 80-87, 600-611, 2099-2162	3	5	5
51-78, 90, 650-653, 2300-2302			
2310-2321, 2600-2606, 3000-3019	4	5	5
460-468, 2400-2402	4½	5	5
16-48, 99, 101-344, 407-430, 500-564, 625-633, 700-751, 1500-1537, 2200-2299, 2303-2304, 2322-2399, 2403-2438, 2650-2893	5	5	5
Diesel-Electric and Gas-Electric Motor Cars	3	5	5
Passenger Cars:			
Roller Bearing	8	5	—
Friction Bearing	12	5	—

MAXIMUM AUTHORIZED SPEED FOR TRAINS

LOCATION	Miles Per Hour Psgr. Frt.	LOCATION	Miles Per Hour Psgr. Frt.
Needles District, Westward:		NEEDLES DISTRICT—WESTWARD (Continued)	
Needles to Goffs	79 60	Curve M.P. 678.1 to 678.5	40 40
Goffs to Bagdad	100 60	Curve M.P. 678.5 to 679.9	60 60
Bagdad to Pisgah	79 60	Curve M.P. 679.9 to 680.3	40 40
Pisgah to Barstow	100 60	5 Curves M.P. 680.3 to 683.4	50 50
Needles District, Eastward:		2 Curves M.P. 683.4 to 686.2	65 60
Barstow to Pisgah	100 60	2 Curves M.P. 686.2 to 688.4	75 60
Pisgah to Bagdad	79 60	Curve M.P. 688.4 to 689.0	65 60
Bagdad to M.P. 642	100 60	4 Curves M.P. 689.0 to 693.6	75 60
M.P. 642 to Goffs	79 60	4 Curves M.P. 693.6 to 694.9	45 45
Goffs to Needles	79 40	10 Curves M.P. 694.9 to 702.0	65 60
Maximum speed, diesel-powered freight trains without dynamic brakes in use M.P. 683.4 to M.P. 677.8, is 20 miles per hour; and Goffs to Needles is 24 miles per hour.		6 Curves M.P. 702.0 to 709.6	75 60
Cadiz District	59 40	3 Curves M.P. 709.6 to 710.6	65 50
Ripley District	30 30	3 Curves M.P. 710.6 to 714.8	95 60
First District, Westward:		6 Curves M.P. 737.3 to 745.0	95 60
Barstow to Oro Grande	100 60	Curve M.P. 745.0 to 745.4	50 50
Oro Grande to San Bernardino	79 60	2 Curves M.P. 745.4 to 745.7	40 40
First District, Eastward:		NEEDLES DISTRICT—EASTWARD	
San Bernardino to Lugo	79 60	2 Curves M.P. 745.7 to 745.0	40 40
Lugo to Barstow	100 60	6 Curves M.P. 745.0 to 738.8	95 60
Second District:		3 Curves M.P. 714.8 to 710.6	95 60
San Bernardino to Santa Anita	100 55	7 Curves M.P. 710.6 to 706.0	65 50
Santa Anita to Los Angeles	79 55	2 Curves M.P. 706.0 to 702.0	75 60
Third District:		Curve M.P. 702.0 to 701.5	65 60
San Bernardino to Fullerton	79 55	7 Curves M.P. 701.5 to 696.1	75 60
Fullerton to Bandini	100 55	2 Curves M.P. 696.1 to 694.9	65 60
Bandini to Los Angeles	79 55	4 Curves M.P. 694.9 to 693.6	50 50
Fourth District:		4 Curves M.P. 693.6 to 688.9	75 60
National City to Sorrento	79 50	Curve M.P. 688.9 to 688.4	65 60
Sorrento to Santa Ana	90 50	2 Curves M.P. 688.4 to 686.2	75 60
South Main Track, M.P. 179.1 to M.P. 176.7	40 40	2 Curves and Grade M.P. 686.2 to 683.4	75 30
Santa Ana to Fullerton	79 50	2 Curves and Grade M.P. 683.4 to 680.8x	55 30
Lucerne Valley District:		2 Curves and Grade M.P. 680.8x to 677.8	70 30
Hesperia to M.P. 25.2	35 35	12 Curves and Grade M.P. 677.8 to 669.8	75 40
M.P. 25.2 to M.P. 29.2	20 20	5 Curves M.P. 646.1 to 641.7	85 60
Redlands District	30 30	9 Curves M.P. 641.7 to 625.5	75 60
San Jacinto District:		18 Curves M.P. 625.5 to 608.3	70 60
Highgrove to Box Springs	15 15	Curve and Grade M.P. 608.3 to 601.5	79 40
Box Springs to Perris	30 30	10 Curves and Grade M.P. 601.5 to 592.0	70 40
Perris to San Jacinto	25 25	5 Curves and Grade M.P. 592.0 to 587.9	60 40
Elsinore District	25 25	3 Curves and Grade M.P. 587.9 to 587.1	40 40
Olive District	30 25	14 Curves and Grade M.P. 587.1 to 578.6	60 40
Fallbrook District	20 20	Needles St. Crossing M.P. 578.1	15 15
Escondido District	25 25	CADIZ DISTRICT	
Harbor District	30 30	Curve M.P. 107.2 to 107.4	20 20
Redondo District	15 15	Track M.P. 107.4 to 111.0	45 40
Riverview Farms Spur	15 15	6 Curves M.P. 115.2 to 118.8	50 40
Adelanto Spur	15 15	Curve M.P. 165.2 to 165.5	45 40
Rialto, Cucamonga, and Upland Foot-hill Spurs, Muscat and Metropolitan Spurs	15 15	Curve M.P. 183.0 to 183.2	45 40
Prenda and La Habra		RIPLEY DISTRICT	
Valley Spurs	15 15	4 Curves M.P. 15.6 to 16.4	20 20
Venta and Miramar Army Spurs	15 15	FIRST DISTRICT—WESTWARD	
Maximum speed, passenger trains handling one or more heavyweight cars, 90 miles per hour.		Curve M.P. 10.3 to 11.0	85 60
In freight and mixed service on descending grades of over one per cent, the maximum is 30 miles per hour, with locomotives without dynamic brake in use.		Curve M.P. 11.1 to 11.8	90 60
Where street or highway crossings are shown, speed limit applies only while head end of train is passing.		Curve M.P. 16.6 to 17.1	85 60
NEEDLES DISTRICT—WESTWARD		Curve M.P. 19.7 to 20.3	85 60
Needles St. Crossing M.P. 578.1	15 15	2 Curves M.P. 21.1 to 21.4	90 60
15 Curves M.P. 578.6 to 587.0	55 50	Curve M.P. 30.8 to 31.1	85 60
3 Curves M.P. 587.0 to 587.9	40 40	2 Curves M.P. 31.8 to 33.3	60 50
3 Curves M.P. 587.9 to 589.3	55 55	Curve M.P. 33.8 to 34.0	40 30
3 Curves M.P. 589.3 to 593.3	65 60	4 Curves M.P. 34.1 to 36.6	55 40
Curve M.P. 593.3 to 593.8	45 45	Victorville M.P. 36.6 to 37.6	30 30
11 Curves M.P. 593.8 to 603.3	65 60	2 Curves M.P. 37.6 to 39.1	70 60
2 Curves M.P. 603.3 to 609.1	75 60	2 Curves M.P. 39.1 to 39.9	40 40
6 Curves M.P. 609.1 to 673.3	75 60	4 Curves M.P. 40.6 to 43.7	50 50
8 Curves M.P. 673.3 to 678.1	60 60	Curve M.P. 48.1 to 48.3	65 60
		Curve M.P. 48.8 to 49.1	50 50
		8 Curves M.P. 49.4 to 51.8	45 40
		4 Curves M.P. 52.0 to 53.7	55 50

LOS ANGELES DIVISION

15

LOCATION	Miles Per Hour Psgr. Frt.	LOCATION	Miles Per Hour Psgr. Frt.
FIRST DISTRICT WESTWARD (Continued)		THIRD DISTRICT (Continued)	
3 Curves M.P. 53.7 to 55.0	45 40	4 Curves M.P. 30.1 to 27.8 Eastward	75 55
4 Curves M.P. 55.0 to 55.7	30 30	Curve M.P. 31.2 to 30.4 Eastward	65 55
Summit & 3 Curves M.P. 55.7 to 56.7	20 20	Curve M.P. 30.4 to 30.7 Westward	65 55
Grade M.P. 56.7 to 58.0	30 15	Slide Area & 2 Curves M.P. 31.3 to 31.8	20 20
2 Curves M.P. 58.0 to 58.4	26 15	2 Curves M.P. 32.2 to 32.8	60 55
Grade M.P. 58.4 to 62.2	30 15	2 Curves M.P. 33.6 to 34.2	40 40
Grade M.P. 62.2 to 72.1	40 20	Curve M.P. 34.5 to 35.1	50 50
Grade M.P. 72.1 to 78.5	50 20	3 Curves M.P. 35.2 to 37.1	70 55
San Bernardino M.P. 78.5 to 79.9	40 20	2 Curves M.P. 37.5 to 38.5	60 55
San Bernardino M.P. 79.9 to 80.8	30 20	3 Curves M.P. 39.4 to 41.6	75 55
San Bernardino Passenger Yard	10 10	Placentia M.P. 42.7 to 43.6	50 30
FIRST DISTRICT EASTWARD		2 Curves M.P. 45.2 to 45.7	55 55
San Bernardino Passenger Yard	10 10	Westward	55 55
San Bernardino M.P. 80.8 to 79.9	30 30	Fullerton M.P. 165.2 to 164.7	30 30
San Bernardino M.P. 79.9 to 78.5	40 40	Main track crossover M.P. 165.1 to 165.2 Eastward	30 30
4 Curves M.P. 72.0 to 70.3	40 40	Curve M.P. 163.9 to 163.5	95 55
10 Curves M.P. 66.9 to 62.6	40 40	Curve M.P. 161.1 to 160.8	80 55
19 Curves M.P. 64.3x to 56.9	30 30	Curve M.P. 156.6 to 155.9	60 55
Summit & 3 Curves M.P. 56.4 to 55.7	20 20	Curve M.P. 154.2 to 153.8 Westward	80 55
3 Curves M.P. 55.7 to 55.0	30 30	Curve M.P. 152.9 to 152.5 Westward	70 55
3 Curves M.P. 54.8 to 53.7	45 30	2 Curves M.P. 152.5 to 154.2	80 55
4 Curves M.P. 53.6 to 52.0	55 30	Eastward	80 55
2 Curves M.P. 51.8 to 51.3	45 30	2 Curves M.P. 151.7 to 150.1	85 55
5 Curves M.P. 51.0 to 49.4	40 30	Hobart M.P. 144.6 to 146.8 Eastward	75 55
Curve M.P. 49.1 to 48.8	50 40	Hobart M.P. 146.7 to 144.8 Westward	75 55
2 Curves M.P. 48.4 to 43.7	90 40	Crossing and Curve M.P. 144.5 to 143.4	30 30
Curve M.P. 43.7 to 43.5	60 40	2 Curves M.P. 143.4 to 142.9	15 15
Grade M.P. 43.5 to 42.5	90 40	3 Curves M.P. 141.1 to 140.2	35 35
Curve M.P. 41.9 to 41.7	55 40	Curve M.P. 140.2 to 140.0	15 15
3 Curves M.P. 41.1 to 39.5	60 40		
Curve M.P. 39.2 to 38.9	50 40	FOURTH DISTRICT	
Victorville M.P. 37.4 to 36.6	30 30	San Diego M.P. 273.0 to 267.3	20 20
3 Curves M.P. 36.4 to 34.6	60 60	San Diego M.P. 267.3 to 264.1	30 30
Curve M.P. 34.0 to 33.8	40 30	2 Curves M.P. 262.7 to 261.2	75 50
2 Curves M.P. 33.3 to 31.8	60 50	Jelliet St. Crossing M.P. 261.8	30 30
Curve M.P. 31.1 to 30.8	85 60	2 Curves M.P. 260.3 to 259.9	50 45
Curve M.P. 20.4 to 19.7	85 60	Curve M.P. 259.1 to 258.6	60 50
Curve M.P. 17.1 to 16.6	85 60	2 Curves M.P. 258.5 to 258.2	40 40
Curve M.P. 11.8 to 11.1	90 60	2 Curves M.P. 258.0 to 257.5	50 40
Curve M.P. 11.0 to 10.3	85 60	Westward	50 40
Curve M.P. 1.5 to 0.3	55 35	5 Curves M.P. 257.2 to 253.7	65 50
Curve M.P. 0.2 to 0.0	25 25	Westward	65 50
Summit to Lugo: Freight trains, thirty miles per hour.		2 Curves M.P. 257.2 to 257.7	50 50
Lugo to Hesperia: Freight trains, forty miles per hour.		Eastward on Main	50 50
San Bernardino, between Fifth Street Tower and yard office just west of passenger station, speed limit ten miles per hour.		4 Curves M.P. 255.5 to 253.7	65 35
SECOND DISTRICT		Eastward	25 20
San Bernardino and Rialto M.P. 82.6 to 85.2	30 30	10 Curves M.P. 252.8 to 251.0	60 30
Fontana M.P. 88.5 to 88.9	50 50	2 Curves M.P. 250.9 to 250.6	40 30
4 Curves M.P. 98.2 to 100.5	79 55	2 Curves M.P. 250.5 to 250.0	55 40
Upland P.E. Crossing M.P. 101.0	25 25	Westward	55 40
2 Curves M.P. 102.4 to 102.8	70 55	2 Curves M.P. 250.0 to 250.5	55 50
Pomona M.P. 106.2 to 107.0	40 40	Eastward	55 50
La Verne M.P. 107.0 to 108.8	45 45	Curve M.P. 245.8 to 245.5 Westward	60 50
Curve M.P. 109.0 to 109.3	79 55	3 Curves M.P. 244.4 to 245.8	60 50
Curve M.P. 110.6 to 111.4	70 55	Eastward	60 50
2 Curves M.P. 111.8 to 112.8	55 50	Curve M.P. 244.3 to 244.1	50 50
3 Curves M.P. 113.9 to 116.6	65 55	Curve M.P. 243.8 to 243.5	70 50
Westward	65 55	Plaza St. Crossing M.P. 241.8	50 50
3 Curves M.P. 116.6 to 113.9	65 55	Curve M.P. 237.8 to 237.4	85 50
Eastward	65 55	Oceanside M.P. 227 to 225.5	30 30
Azusa M.P. 116.6 to 117.5	40 40	3 Curves M.P. 224.7 to 223.8	75 50
2 Curves M.P. 117.9 to 119.0	65 55	2 Curves M.P. 209.0 to 208.2	75 50
Curve M.P. 119.5 to 119.7	55 55	12 Curves M.P. 207.7 to 201.2	80 50
3 Curves M.P. 122.2 to 125.0	65 55	Curve M.P. 200.3 to 199.9	45 45
First Ave. Crossing M.P. 124.1	40 40	Curve M.P. 199.4 to 199.1	65 50
Santa Anita Ave. Crossing M.P. 124.3	40 40	3 Curves M.P. 198.6 to 197.9	35 35
Pasadena M.P. 127.6 to 132.8	20 20	2 Curves M.P. 197.4 to 197.0	60 50
So. Pasadena M.P. 133.3 to 134.8	15 15	Curve M.P. 195.9 to 195.8	80 50
U.P. Crossing M.P. 135.5	8 8	Santa Ana M.P. 176.1 to 175.3	40 40
7 Curves M.P. 135.5 to 138.3	25 25	2 Curves M.P. 175.0 to 174.4	60 50
U.P. Crossing M.P. 138.3	8 8	7 Curves M.P. 173.8 to 172.0	40 40
4 Curves M.P. 138.3 to 140.0	20 20	Curve M.P. 170.3 to 169.2	75 50
Curve M.P. 140.0 to 140.2	15 15	Anaheim M.P. 168.1 to 167.7	40 40
THIRD DISTRICT		Curve M.P. 166.9 to 166.6	75 50
2 Curves and Bridge 0.9 M.P. 0.0 to 0.9	15 15	Curve M.P. 165.9 to 165.3	55 50
4 Curves and Colton M.P. 0.9 to 2.1	20 20	Main track Crossover M.P. 165.3 to 165.2 Westward	30 30
3 Curves and Colton M.P. 2.1 to 3.2	20 20	Fullerton M.P. 165.2 to 164.7	30 30
2 Curves M.P. 4.4 to 3.2 Eastward	30 30	REDLANDS DISTRICT	
2 Curves M.P. 3.5 to 4.5 Westward	40 40	San Bernardino, "G" St. Crossing	5 5
3 Curves M.P. 4.9 to 5.5 Westward	75 55	M.P. 0.7	15 15
Curve M.P. 5.6 to 5.5 Eastward	75 55	Crossings M.P. 0.7 to 3.1	15 15
3 Curves M.P. 6.4 to 6.8 Westward	45 35	Redlands, St. Crossing M.P. 8.9	15 15
3 Curves M.P. 6.8 to 6.4 Eastward	30 30	Molino, Boulder Ave. M.P. 17.9	10 10
Curve M.P. 8.3 to 8.5	75 55	SAN JACINTO DISTRICT	
Curve M.P. 9.6 to 9.4 Eastward	60 55	Main track turnout M.P. 18.4	15 15
4 Curves M.P. 9.6 to 10.0 Westward	30 30	HARBOR DISTRICT	
Curve M.P. 10.4 to 11.7	65 55	M.P. 0.0 to St. Crossing M.P. 1.6	12 12
2 Curves M.P. 11.9 to 12.5	40 40	M.P. 1.6 to St. Crossing M.P. 8.3	15 15
3 Curves M.P. 14.7 to 14.9	75 55	St. Crossing M.P. 13.1	15 15
Curve M.P. 15.5 to 16.7	55 55	M.P. 20.0 to 23.0 Torrance	15 15
Curve M.P. 16.9 to 17.1	65 55	St. Crossing M.P. 27.9	15 15
P.E. Crossing M.P. 20.3	60 40	St. Crossing M.P. 28.9	15 15
2 Curves M.P. 21.8 to 22.8	65 55	ELSINORE DISTRICT	
Corona M.P. 23.5 to 24.4	30 30	13 Curves M.P. 1.7 to 4.0	15 15
Curve M.P. 25.0 to 25.6	75 55	2 Curves M.P. 16.1 to 16.4	15 15
3 Curves M.P. 27.8 to 29.3 Westward	75 55	Curve M.P. 17.7 to 17.9	15 15

16 LOS ANGELES DIVISION

SPECIAL RULES

MAXIMUM SPEED OF LOCOMOTIVES

	Forward		Light		Backing Or When Controlled From Rear Unit	Dead In Train
	Miles Per hour		Miles Per hour			
Diesel and Gas-Electric						
11-90, 300-314	100		80		45	90
325-344	80		80		45	80
100-289, 401-430	65		65		45	60
99, 600-611, 700-751, 2099, 2100-2162, 2650-2893, 3000-3019	65		65		45	60
450-451	30		30		30	20
460-468	35		35		35	20
500-564, 625-633, 1500-1537, 2200-2299, 2301-2304, 2310-2391, 2394-2399, 2400-2438, 2600-2606	45		45		45	45
650-653, 2300	40		40		40	30
M115-M157, M175-M187	65		65		25	60
M160-M162	70		65		25	70
M190	80		65		25	75
RDC 191-192 (Coupled)	80		80		70	70
RDC 191-192 (Single Unit)	80		80		50	70
U. P. Diesels						
900-978, 981-989, and 990 class	100		45		45	90
1000 class	35		35		25	50
100, 200, 700, 1360, 1400 and 1600 classes	65		45		45	60
1800 class	65		35		35	60
Diesels without dynamic brakes in use						
Ash Hill-Bagdad			24			
Goffs-Needles			24			
Summit to Victorville			30			
Summit-Cajon			15			
Cajon-San Bernardino			20			
Diesels with dynamic brakes in use						
Ash Hill-Bagdad			40			
Goffs-Needles			40			
Summit-Cajon			24			
Cajon-San Bernardino			35			
Summit-Victoria			40			

SPEED TABLE—FOR INFORMATION ONLY

Time Per Mile		Miles Per Hour	Time Per Mile		Miles Per Hour	Time Per Mile		Miles Per Hour
Min.	Sec.		Min.	Sec.		Min.	Sec.	
..	36	100	..	58	62.1	1	40	36.0
..	37	97.3	..	59	61.0	1	42	35.3
..	38	94.7	1	..	60.0	1	44	34.6
..	39	92.3	1	02	58.0	1	46	34.0
..	40	90.0	1	04	56.2	1	48	33.3
..	41	87.8	1	06	54.5	1	50	32.7
..	42	85.7	1	08	52.9	1	52	32.1
..	43	83.7	1	10	51.4	1	54	31.6
..	44	81.8	1	12	50.0	1	56	31.0
..	45	80.0	1	14	48.6	1	58	30.5
..	46	78.3	1	16	47.4	2	..	30.0
..	47	76.6	1	18	46.1	2	05	28.8
..	48	75.0	1	20	45.0	2	10	27.7
..	49	73.5	1	22	43.9	2	15	26.7
..	50	72.0	1	24	42.9	2	30	24.0
..	51	70.6	1	26	41.9	2	45	21.8
..	52	69.2	1	28	40.9	3	..	20.0
..	53	67.9	1	30	40.0	3	30	17.1
..	54	66.6	1	32	39.1	4	..	15.0
..	55	65.5	1	34	38.3	5	..	12.0
..	56	64.2	1	36	37.5	6	..	10.0
..	57	63.2	1	38	36.8	12	..	5.0

17. SWITCHES—MAXIMUM AUTHORIZED SPEED.

Trailing movements, spring point derails:	MPH
Adelanto Spur, one-fourth mile from main track	10
Cushenbury, MP 29.1, on both main track and siding	10
Rialto Foothill Spur, 300 ft. north P.E. Crossing	10
Cucamonga Foothill Spur, 300 ft. north P.E. Crossing	10
Upland Foothill Spur, 300 ft. north P.E. Crossing	10
Claremont, 300 ft. beyond switch point on pre-cooler spur	10
Metropolitan Spur, 4068 ft. from main track	10
Rana, switching lead	10
Prenda Spur, one-fourth mile from main track	10

Maximum speed permitted through all yard and roundhouse turnouts and crossovers—10 MPH; all main track turnouts and crossovers—15 MPH; except for spring and power controlled switches and crossovers at following locations:

"I"—Interlocked Switch. "EE"—East End.
 "S"—Spring Switch. "WE"—West End.
 "CTC"—Dual Control.

Station	Type	Location	MPH
NEEDLES DISTRICT			
Needles	I	MP 578, crossover main track to westward freight lead	30
	S	WE westward freight lead	30
Java	S	EE eastward siding; WE westward siding	30
Ibia	S	WE westward siding	30
Bannock	S	WE westward siding	30
Homer	S	WE westward siding	30
Goffs	S	EE eastward siding	30
	S	WE westward siding	15
Fenner	S	WE westward siding; EE eastward siding	30
Essex	S	EE eastward siding	30

Station	Type	Location	MPH
NEEDLES DISTRICT (Continued)			
Danby	S	EE eastward siding	30
	S	WE westward siding	15
Cadiz	S	EE eastward siding	15
	S	WE westward siding	30
Amboy	S	EE eastward siding; WE westward siding	30
Bagdad	S	EE eastward siding; WE westward siding	15
Siberia	S	EE eastward siding	15
	S	WE westward siding	30
Ash Hill	S	EE eastward siding	30
	S	WE westward siding	15
Ludlow	S	EE eastward siding; WE westward siding	30
Pisgah	S	EE eastward siding	30
	S	WE westward siding	30
Newberry	S	EE eastward siding	30
	S	WE westward siding	30
Daggett	S	WE westward siding	15
Barstow	I	MP 743½, heading in and out switches, eastward track, and crossover	30
	I	MP 745, main track and crossover switches to yard	30
FIRST DISTRICT			
Barstow	I	West switch eastward siding, MP 2.0	30
MP 2.7	S	WE westward siding	30
Lenwood	S	East switch westward siding	30
	S	West switch eastward siding	30
	S	EE eastward siding; WE westward siding	30
Hodge	S	EE eastward siding	30
	S	WE westward siding	15
Helendale	S	EE eastward siding	30
	S	WE westward siding	15
Bryman	S	WE siding	30
Oro Grande	S	EE eastward siding; WE westward siding	15
Victorville	S	EE eastward siding; WE westward siding	15
	S	WE westward siding, west of station	30
Thorn	S	EE siding	30
Hesperia	S	EE eastward siding	30
	S	WE westward siding	15
Lugo	S	WE siding	15
Summit	S	EE eastward siding; WE westward siding	15
Alray	S	EE siding	30
Cajon	S	EE eastward siding; WE westward siding	15
Keenbrook	S	EE siding	15
Devore	S	EE eastward siding	15
	S	WE westward siding	30
Ono	S	EE eastward siding	15
	S	WE westward siding	30
SECOND DISTRICT			
San Bernardino	I	Crossover between main tracks east of Bridge 82.1	30
Kaiser	S	EE siding	15
Claremont	S	WE siding	15
Glendora	S	WE siding	15
Santa Anita	S	EE and WE siding	15
Chapman	S	EE and WE siding	15
Pasadena	S	EE and WE siding	15
Olga	S	EE and WE siding	15
Broadway	I	Two track junction switch	30
THIRD DISTRICT			
Rana	I	Junction switch and crossover	30
Colton	I	WE eastward siding, near Bridge 4.6	30
	I	Two track junction switches, east & west ends of Bridge 4.6	30
Highgrove	I	Junction of eastward main with San Jacinto District	30
Riverside Junction	I	Union Pacific junction switch and crossover	30
Riverside	CTC	Two track junction switch, westward trains	30
Atwood	CTC	West switch siding	30
Fullerton	CTC	EE Third District siding	30
	CTC	WE Third District siding	15
	CTC	West crossover east of station for Third Dist. eastward trains	30
	S	WE westward siding, west of depot	15
Buena Park	S	WE siding	15
La Mirada	S	EE siding	15
Santa Fe Springs	S	WE siding	15
D. T. Jct.	CTC	Two track junction switch, westward trains	40
Bandini	CTC	Two track junction switch, eastward trains	40
M.P. 147-148	I	Main track crossovers and lead switch	40
Redondo Jct.	S	Outbound engine lead (normally lined for Butte St. lead); inbound engine lead (normally lined for roundhouse); outbound engine track 2 (normally lined for track 2); and east leg of wye	10
FOURTH DISTRICT			
Fullerton	CTC	East crossover switch east of station for 4th Dist. westward trains	30
Orange	CTC	West switch siding	30
	CTC	EE main track—MP 173.0	40
Venta	CTC	EE two tracks—MP 179.1	40
Ponto	CTC	EE and WE of siding	40
Miramar	CTC	WE two main tracks—MP 252.9	30
Elvira	CTC	EE two main tracks—MP 257.4	40
Old Town	CTC	Two track junction switch, eastward trains	30

18. JUNCTION SWITCHES

Normal position of junction switches is as follows:

Rice for Cadiz District
 Cadiz, from track No. 1 to Cadiz District
 Hesperia for First District trains
 San Bernardino-Redlands District for First District trains
 Highgrove for Third District trains
 Porphyry for Third District siding
 Atwood—CTC Controlled
 Orange—CTC Controlled
 Fallbrook Jct. for Fourth District siding
 Escondido Jct.—CTC Controlled
 El Segundo for Harbor District trains
 Watson for Harbor District trains

SPECIAL RULES

LOS ANGELES DIVISION

17

RAILROAD CROSSINGS AT GRADE AND INTERLOCKINGS

Location	Tracks Governed	Rules	Whistle Signals Additional to Rule 620
NEEDLES, FIRST, AND REDLANDS DISTRICTS			
Needles: M.P. 578+2000	Main track and connecting crossover.	Interlocking	{ Eastward main track — Westward main track against current of traffic — 0 Westward freight lead — 0 —
Daggett	All switches east of station except transfer tracks Nos. 1 and 2.	Interlocking	{ Eastward U. P. trains, U. P. main track — 0 Against current of traffic — 0
Barstow East Tower	Main track and connecting crossovers. M.P. 743+3683 M.P. 745+1625	Interlocking	{ Westward main track — Crossover to Track 30 — 0 Crossover to westward freight lead — 0 — With current of traffic — Against current of traffic — 0 East freight yard 0 —
Barstow West Tower	Main track and connecting crossover. Eastward and westward sidings.	Interlocking	{ To Mojave District — 0 Against current of traffic — 0 Engine lead 00 — 0 Switching tail 0000 Tracks 1 to 17 incl. 0 — 00 Tracks 18 to 30 incl. — 0 — 0
San Bernardino: Fifth St.	Main track, connecting crossover and yard lead.	Interlocking	{ Yard Lead 0000 Yard Lead against current of traffic — 0000
San Bernardino: Rialto Avenue South E Street	P. E. Crossing. S. P. Crossing.	98-A, 98-B. 98-A, 98-B.	
At microphone locations shown below, all trains will sound signal for desired route:			
For westward trains:		Daggett M.P. 732+4459 San Bernardino M.P. 78+ 300	For eastward trains: Barstow West Tower M.P. 7+0 East switch Lenwood (for trains in siding). M.P. 740+2529 Daggett M.P. 584+1100 Needles
SECOND DISTRICT			
San Bernardino: West Yard Tower	Second and third district main tracks at west end bridge 82.1. End of two tracks and freight yard at east end bridge 82.1. Junction third district, Mt. Vernon viaduct.	Interlocking	{ Second district — Third district — 0 A Yard to B Yard — 00 B Yard to second district — 0000 House lead to main line — Switch lead 0 — A Yard Lead 0000 Engine lead — 0 Second district to B Yard — 000 B Yard to A Yard — 00 From Union Pacific engine house: To Passenger Yard 000 — To Second District 000 — 0 To B Yard 000 — 00 To Rana 000 — 0
Rialto Foothill Spur Cucamonga Foothill Spur Upland Foothill Spur Upland	P. E. Crossing. P. E. Crossing. P. E. Crossing. P. E. Crossing.	98-A, 98-B. 98-A, 98-B. 98-A, 98-B. Main track, when home signals in stop position, 98-B, 509(a). Siding, westward trains, be governed by signal 1003. House track, 98-A, 98-B. When home signals in stop position, 98-B, 509(a). When home signals in stop position, 98-B, 509(a). When home signals in stop position, 98-B, 509(a). When home signals in stop position, 98-B, 509(a). Gates (normal position across Santa Fe track), 98-B. When gate across Santa Fe track, 98-B. When gate across Santa Fe track, 98-B. Interlocking. When necessary make movement governed by Rule 606(a), examination each interlocked switch and derail not required. Whistle signals for Mission Tower will be sounded passing microphones located 1300 feet east of signal 1381 for westward train movements; 200 feet west of signal 1391 for yard movements, and at signal 1404 for eastward movements.	{ Union Station 0 — Old main 00 — 0 Cudahy lead — 0 — Against current of traffic — 0000 S. P. Downey Ave. 000 — Calif. Corp. Spur 00 — 00
Claremont San Dimas Kincaid Arcadia Raymond Spur Highland Park (0.6 Mi. East) Water Street (0.7 Mi. East) Mission Tower	P. E. Crossing. P. E. Crossing. P. E. Crossing. P. E. Crossing. S. P. Crossing. U. P. Crossing. U. P. Crossing. S. P. and U. P. Crossing. To and from LAUPT.		
THIRD DISTRICT			
San Bernardino: Rialto Ave. Rana Colton Tower	P. E. Crossing. All switches. S. P. and U. P. Crossings. Two track junction switches, Bridge 4.6.	Interlocking. Interlocking. Interlocking.	{ To or from U. P. — 0 From Santa Fe westward main to U. P. eastward main — 0 From U. P. westward main to Santa Fe eastward main — 0 From U. P. westward main to Santa Fe westward main — 0000
Riverside Junction May Fullerton	S. P. Crossing and U. P. Junction. P. E. Crossing. East switch westward siding, west of depot, west switch eastward siding, west of depot.	Interlocking	
Fullerton	Signals governing movement westward trains over spring switch west end westward siding, west of depot.	Interlocking.	
Fullerton Los Nietos D. T. Junction Hobart Yard: M.P. 147—M.P. 148 Hobart Tower	U. P. Crossing. P. E. Crossing. S. P. Crossing. All tracks. U. P. Crossing.	Interlocking. When home signals in stop position, 98-B, 509(b). Interlocking. Interlocking. Interlocking	{ Eastward yard lead — 0 Westward yard lead — 0 To ice house 0 — 0 Against current of traffic — 0000
Redondo Junction	U. P. Crossing.	Interlocking	{ Butte St. Transfer 00 — 0 To Harbor Dist. — 0 To 9th St. Yard — 0 — Levee Track 0 — 00 Against current of traffic — 0000
SAN JACINTO, ELSINORE AND OLIVE DISTRICTS			
Highgrove (1.5 Mi. West) Porphyry Olive (1.7 Mi. West)	S. P. Crossing. P. E. Crossing. S. P. Crossing.	Interlocking. 98-A, 98-B. Interlocking.	
FOURTH DISTRICT			
Anaheim (2.0 Mi. East) Anaheim Sugar Factory Spur Santa Ana Wye track National City	S. P. Crossing. U. P. Crossing. S. P. Crossing. Navy Warehouse Crossing.	Interlocking. 98-A, 98-B. 98-A, 98-B. 98-A, 98-B.	

RAILROAD CROSSINGS AT GRADE AND INTERLOCKINGS

Location	Tracks Governed	Rules	Whistle Signals Additional to Rule 620
HARBOR DISTRICT			
Redondo Junction (1.0 Mi. East)	U. P. Crossing. LATL Crossing, Pac. Blvd.	See Redondo Junction, Third District. 15 MPH.	
Nadeau (0.3 Mi. East)	S. P. Crossing.	Interlocking. 10 MPH.	
Wingfoot (0.5 Mi. East)	P. E. Crossing.	Interlocking.	
El Segundo (0.2 Mi. West)	LATL Crossing, Avalon Blvd.	15 MPH.	
West Thenard Tower: (0.1 Mi. West)	P. E. Crossing.	Interlocking. 20 MPH.	
(0.7 Mi. East)	S. P. Crossing.		
(0.9 Mi. East)	S. P. Crossing.	Interlocking.	
M.P. 28+4460	P. E. Crossing. Two U. P. Tracks.	Santa Fe trains have preference unless flagged. Stop not required.	

When SELECTOR lever on dual control switch machine is moved from MOTOR to HAND position, the hand throw lever must be operated sufficiently to determine that the lever is rigidly engaged with the switch points before hand signal is given for movement over the switch points.

LENGTH OF STEMS OF WYES

Location	Feet	Location	Feet	Location	Feet	Location	Feet
Needles	505	San Bernardino	Precooler Lead	Orange	Main Track	Val Verde	Granite Spur
Cadiz	Cadiz District	Rialto	Foothill Spur	Santa Ana, S.P. Main Track	400	Perris	1678
Ash Hill	410	Upland	Foothill Spur	Fallbrook Jct.	Fallbrook Dist. Main Track	San Jacinto	640
Rice	Ripley District	Azusa	147	Escondido Jct.	Escondido Dist. Main Track	Elsinore	181
Blythe	504	Casa Blanca	Prenda Spur	Del Mar	690	El Segundo	Main Track
Victorville	113	Porphyry	Elsinore Dist. Main Track	Miramar	Camp Elliott Spur	Watson, Former Main Track	3800
Summit	304	Atwood	1395	San Diego	Harasthy Street Marine Base Spur	Fallbrook	514
San Bernardino	3rd Dist. Main Track	Redondo Junction	Main Track	National City	1219	Escondido	340
				March Field	March Field Spur		

Other Tracks not shown on face of Time Table

Location	Mile Posts	Car Capacity	Switch Connection
NEEDLES DISTRICT			
Lavic	702.7	25	East
Airport Spur	732.6	15	West
Gale	735.3	67	East & West
CADIZ DISTRICT			
Milligan	164.0	14	East & West
RIPLEY DISTRICT			
Mesaville	33.0	10	East
Riverview Farms Spur	36.3	Lgh. 3.9 m.	West
Miller Farms	44.7	19	West
FIRST DISTRICT			
Adelanto Spur	34.4	Lgh. 5.0 m.	Westward track
Frost	38.8	8	Eastward track
Verdmont	73.5	5	West
SECOND DISTRICT			
Rialto Foothill Spur	85.8	Lgh. 1.8 m.	East and West
Muscat Spur	90.4	Lgh. 1.1 m.	West
Pio Spur	94.6	46	West
Rochester	95.0	11	East
Cucamonga Foothill Spur	95.8	Lgh. 5.1 m.	West
Upland Foothill Spur	99.6	Lgh. 3.7 m.	East and West
Metropolitan Spur	108.6	Lgh. 1.0 m.	West
Duarte	121.0	15	East and West
Wilton	129.1	19	East and West
Usado	132.3	18	East and West
Raymond	132.7	16	West
THIRD DISTRICT			
Pachappa	12.4	26	East and West
Prenda Spur (Prenda)	14.3	Lgh. 2.1 m.	East and West
Taylor St. Spur	16.5	9	West
Standard Oil Spur	160.8	9	East
Wilshire	156.8	58	East and West
Mojave Spurs	155.8	28	West
Stephens Spur	155.5	14	West
El Camino Spur	155.3	15	West
La Habra Vi'y Spur (East Whittier)	154.6	Lgh. 3.43 m.	West
REDLANDS DISTRICT			
Nevada Street	6.7	16	East and West
Craf	11.4	10	East
Molino	17.9	12	East
West Highlands	20.4	11	East and West
FOURTH DISTRICT			
Venta Spur	178.7	Lgh. 6.8 m.	East
Browning	180.8	35	East
Tustin	181.5	25	East
Frances	183.1	36	East and West
Kathryn	183.9	24	East
Como	180.1	54	East and West
Don	216.2	10	West
Stuart	221.7	50	East and West
San Diego G. & E. Co. Spur	231.3	35	East
Farr	231.6	6	West
Cardiff	239.8	11	East and West
Solana Beach	241.9	9	East
Miramar Navy Spur	253.0	Lgh. 5.5 m.	East and West
Pacific Beach	260.3	13	East and West
Cudahy	263.4	43	East and West
FALLBROOK DISTRICT			
Ranch House	7.6	7	East and West
Marine Base Spur	10.5	13	East and West
ESCONDIDO DISTRICT			
Talica	3.7	8	East and West
HARBOR DISTRICT			
Nadeau	2.5	0	
Dudmore	19.1	17	East
Torrance Oil Spur	19.5	Lgh. 3.7 m.	West
Alcoa Spur	20.1	Lgh. 2.0 m.	West
SAN JACINTO DISTRICT			
Box Springs Quarry	6.1	42	East and West
Mayer Farms	15.9	18	East and West
Granite Spur	14.5	Lgh. 5000 ft.	Wye
Ellis	19.9	16	East
ELSINORE DISTRICT			
Mining Spur	3.2	71	East and West
Weisel	6.2	37	East
Jameson	9.2	5	East
Durant	18.1	27	West

CONDITIONAL STOPS SHOWN WILL BE MADE ONLY FOR REVENUE PASSENGERS

The term "beyond" refers to regular, flag or conditional stops authorized herein.

Train	Stops at Stations	To Receive Passengers For	To Discharge Passengers From
1	Flagstaff	Prescott and beyond, Bakersfield and beyond	Kansas City and beyond, Brownwood and beyond
	Kingman	Bakersfield and beyond	
	Edwards, Shafter, Wasco, Riverbank, Escalon, Pittsburg, Pinole		Belen and beyond
2	Pinole, Riverbank, Edwards	Belen and beyond	
	Kingman		Bakersfield and beyond
	Flagstaff	Clovis and beyond	North of Barstow
17	Pomona		Kansas City and beyond
18	Pomona	Kansas City and beyond	
	Flagstaff	Kansas City and beyond	Los Angeles
19	Flagstaff	Barstow and south	Kansas City and beyond; Denver to La Junta
	Williams	Barstow and beyond	Albuquerque and beyond
	Kingman	San Bernardino and beyond	Newton and beyond
	Victorville, Pomona		Albuquerque and beyond
20	Victorville	Albuquerque and beyond	
	Kingman	Kansas City and beyond	San Bernardino and beyond
	Williams	Albuquerque and beyond	Barstow and beyond
	Flagstaff	La Junta to Denver; Kansas City and beyond	Barstow and beyond
21	Williams	Barstow and beyond	Albuquerque and beyond
	Ash Fork		Albuquerque and beyond des- tined south of Ash Fork
	Pomona		Albuquerque and beyond
22	Williams	Albuquerque and beyond	Barstow and beyond
123	Laguna, Grants		Albuquerque and beyond
	Ludlow	Los Angeles	
	Rivera		Williams and beyond
124	Rivera, Ludlow	Williams and beyond	
	Grants	Albuquerque and beyond	
60	Escalon	Fresno and beyond	Stockton and beyond
62	Empire	Fresno and beyond	Stockton and beyond
	Wasco, Shafter		Fresno and beyond
63	Empire	Stockton and beyond	Fresno and beyond
71, 73, 75, 77, 79	Rivera		Oceanside, Del Mar, or San Diego
71	Encinitas, San Juan Capistrano	Los Angeles	
75	Encinitas, San Clemente	Los Angeles	
70, 72, 74	Rivera	Oceanside, Del Mar, or San Diego	
74	Anaheim, San Juan Capistrano		Los Angeles
78	Irvine, El Toro		Los Angeles

A. J. STROBEL, General Watch Inspector Topeka
R. W. WELLS, Asst. General Watch Inspector San Bernardino

LOCAL TIME INSPECTORS

TOM FINLEY Parker
ALFRED WILLIAMS 849 Front St., Needles
E. F. MANNERS 107 E. Main St., Barstow
HOMER E. OLIVER 412 Seventh St., Victorville
MILTON W. BLAIR Santa Fe Depot, San Bernardino
JOHN M. MILLER 435 E St., San Bernardino
FRED R. BAUMAN 138 E. Highland Ave., San Bernardino
R. REY MENDOZA 145 "I" St., Colton
G. D. DAVIDSON CO. 445 S. Spring St., Los Angeles
SANTA FE JEWELERS 905 E. 1st St., Los Angeles
M. D. DOOLEY 6667 1/2 Whittier Blvd., Los Angeles
FRED H. DOWNS 4832 Whittier Blvd., Los Angeles
MARK R. NOBLITT, SR. 6805 So. Western Ave., Los Angeles
RALPH C. OAKLEY 211 East Queen St., Inglewood
H. W. OSTERMIER 6822 Pacific Blvd., Huntington Park
GEORGE R. FINLEY, JR. 182 East Compton Blvd., Compton
C. GORDON McCLURE 118 North Spadra Road, Fullerton
GERALD D. LAROCQUE 424 North Sycamore Street, Santa Ana
S. L. FINKEL 211 Hill St., Oceanside
LOWELL C. WARD, SR. 4116 Napier St., San Diego
C. H. McCORMACK 833 Roosevelt, National City

AVOID DAMAGE — SWITCH CUSTOMERS' CARS CAREFULLY

OVERSPEED Couplings are DAMAGING — Here's what happens:

Safe — Danger —

Safe —	Danger —	SAFE COUPLING SPEED
4 miles per hour	<input type="checkbox"/>	Damage Begins
5 miles per hour	<input type="checkbox"/>	2 1/4 times as damaging as 4 MPH
6 miles per hour	<input type="checkbox"/>	3 times as damaging as 4 MPH
7 miles per hour	<input type="checkbox"/>	4 times as damaging as 4 MPH
8 miles per hour	<input type="checkbox"/>	5 times as damaging as 4 MPH
9 miles per hour	<input type="checkbox"/>	6 times as damaging as 4 MPH
10 miles per hour	<input type="checkbox"/>	

Damage to freight or car can be avoided by always keeping coupling speed within the safe range—NOT OVER 4 MILES PER HOUR—A BRISK WALK.

Handle freight carefully and keep our customers.

IT'S EVERYBODY'S JOB ON THE SANTA FE!



SANTA FE SAFETY FIRST



Every employee should report promptly to his foreman, some member of the Safety Committee, or other proper person, all unsafe conditions or practices.

(See General Rules E, F, and M, Book of Rules.)

