SIERRA RAILROAD COMPANY

SHERRA RAHA DAD COMPAN



EMPLOYEES' TIME TABLE

53

IN EFFECT SUNDAY, MAY 9th, 1948, AT 12:01 A. M.

(Superseding Time Table No. 52 dated OCTOBER 15, 1939, and all Supplements thereto.)

PACIFIC STANDARD TIME

For the government and information of Employees only, and not intended for the use of the public. The Company reserves the right to vary from this Time Table as circumstances may require.

W. C. CHENEY, General Manager.

JAMESTOWN, CALIF.

J. J. FOWLER, Trainmaster.

		WEST BOUND				11		TIME TADLE N. 53	EAST BOUND						
	FIRST			ST CLASS		s		TIME TABLE No. 53			FIRST CLASS				
				3	legraph	Capacity of Sidings	Distance from Tuolumne	MAY 9, 1948	Distance from Oakdale	Station	4				
				Leave Daily Ex. Sundays and Holidays	F	Capacit	الم الم	STATIONS	0 0	ώZ	Arrive Daily Ex. Sundays and Holidays				
	FPD		100	11.05 AM	S R	YARD	0	DP TUOLUMNE WY	57.43	57	10.35 AM				
				11.15		10	2.71	P RALPH	54.72	55	10.25				
				11.20	4	10	3.85	P BLACK OAK	53.58	54	10.20			1,000	
				11.33		8	7.43	P STANDARD	50.00	50	10.07		1777		
				11.37		45	8.20	P FASSLER	49.23	49	10.03			13	199
			H	\$12.00	RA	40	12.17	DP SONORA	45.26	45	s 9.50	7		- (37)	
			100	RELA	A .	12	12.81	LIME SPUR	44.62	44	7 44	14		14 7	
				*12.30	DS	YARD	16.28	DP JAMESTOWN WOT	41.15	41	s 9.25	-			
				12.49		60	22.36	P 3 CHINESE	35.07	35	8.55	pe 1	777		
		- I				20	23.36	QUINN SPUR W	34.07	34			0.00		
		14		12.59		25	25.43	P JACK'S SIDING	32.00	32	8.44				
140		1 1					28.39	2.96- KEYSTONE	29.04	29		-3			
	1	4 17	-	1.18	1	37	31.43	P HETCH HETCHY JUNCTION	26.00	26	8.25				
	- 2	V. 1		1.30		15	34.63	P CANYON TANK	22.80	23	8.13		da.		
Linner	5	1		1.43		80	38.43	P COOPERSTOWN WY	19.00	19	8.00				
1 4 9	1	I A	TO	1.51	A	16	41,53	P WARNERVILLE W	15.90	16	7.52	HE	THE	MI	
	September 1	TTY-	1	2.03	n.	21	46.83	P PAULSELL	10.60	11	7.40				
PU	No.	(otaro	2.14	dding	26	51.33	P ARNOLD	6.10	6	7.30	eard)	(2)		
-	1						55.93	P ATLAS	1.50		1.50			A 17	-
		-				YARD	56.93	P SANTA FE JUNCTION Y	0.50	1			- C. 100		
			1		ОА			DP OAKDALE (S. F. Depot)						-	
			1	2.30 PM	вU	YARD	57.43	DP OAKDALE (S. P. Depot) W	0	0	7.15 AM				
	7		1	Arrive Daily Ex. Sundays and Holidays				Contract (s. r. Dept)			Leave Dally Ex. Sundays and Holidays				

East-bound trains are superior to west-bound trains of the same or inferior class. See Rule 32.

See Rule 108.—In all cases of doubt or uncertainty the safe course must be taken and no risks run.

The Company reserves the right to vary from his Time Table as circumstances may require. SIGNS AND CHARACTERS

The following signs indicate: |

s Regular stop.

D Day telegraph station.

Telephone.

W Water station. O Oil.

T Turntable. Y Wye.

Ar Arrive.

SPECIAL RULES

ERRA RAILR DAD COMPANY

All train movements will be governed by the Sierra Railroad Company rules and regulations. Every employee whose duties are in any way prescribed thereby will provide himself with a copy of these rules and must be familiar therewith.

- 1. Registering Stations: Oakdale, Jamestown and Tuolumne.
 - 2. See Rule 45. Yard Limits are defined as follows:
- At Oakdale—From Southern Pacific station to 1,000 feet east of Atlas.
- At Cooperstown—From 1,000 feet east of east switch to 1,000 feet west of west switch.
- At Hetch Hetchy Junction—From 5,200 feet east of mile post 26 to 1,000 feet west of west switch.
- At Jacks Siding—From 500 feet east of east switch to 1,000 feet west of west switch.
- At Chinese—From 1,000 feet east of east switch to 1,000 feet west of oil spur switch.
- At Jamestown—From 1,000 feet east of east switch on the main line, and to Shell Oil Spur to 500 feet west of Mile Post 40.
- At Sonora-From mile post 46 to 500 feet west of west switch at Lime Spur.
- At Standard—From 1,000 feet east of east switch at Standard to 1,000 feet west of west switch at Fassler.
- At Tuolumne-From east end of track to 1,000 feet west of west switch at Ralph.
- 3. All trains will approach yard limits of stations shown with train under full control, expecting to find the main track obstructed. This does not give switching engines right over any train.
- 4. All trains must get a clearance card before leaving terminals and at Jamestown.

5. SPEED RESTRICTIONS—Maximum speed of any train at any point must not exceed 35 miles per hour. All trains will reduce speed to 12 miles per hour when using crossovers or turnouts.

Light engines will not exceed 20 miles per hour, and when running backward 15 miles per hour.

With the exceptions noted above, trains must not exceed the speed in miles per hour as shown below:

A Later I de La Vicinia de la Companya de la Compan				
Con the state of t	1	Mixed		
Tell a manual a		and	Log	
Pass	enger	Freight	Trains	
Between Oakdale and Cooperstown	35	30		
" Cooperstown and Jamestown	30	20		
" Jamestown and Tuolumne	22	20	10	

All trains will consume not less than four (4) minutes between Standard and Fassler.

Trainmen must watch closely to see that wheels are not sliding and will immediately signal engineer to stop if wheels are found sliding.


Each brakeman will be held responsible for any wheels slid flat under the part of train under his charge.

- 7. On all grades, when switching, cutting off, picking up cars or detaching engine from cars, or coupling to cars on descending grades, all handbrakes must be set and wheels of all cars properly chocked to prevent accident.
- All concerned are cautioned to keep a constant lookout for overhead and side obstructions and for derailing switches.
- Air hose must be disconnected by hand and not pulled apart.

- 10. Flying or running switches are prohibited.
- 11. No engine must be detached from its train on a grade until all handbrakes have been set and the wheels safely chocked. No engine must attempt to couple to cars on a down grade unless all handbrakes are set and wheels well chocked. Conductors and Engineers will be held responsible for violation of this rule.

AND CONNECTIONS

- 12. Enginemen are required to carefully watch the netting of the stacks of their engines and see that they are in good condition.
- 13. Turntable track at Jamestown must not be left blocked.
- 14. Repair tracks are intended for cars in bad order and should not be used for other cars.
- 15. Engineers must not place their engines in Round House or vacate them at end of runs until fully supplied with oil, sand and water.
- 16. Agents, Conductors, Brakemen, Engineers, Firemen Track and Bridge Foremen must have their watches inspected quarterly and certificates filed with the Trainmaster.
- 17. The catch on all Turntables must not be used to stop table; wait until table is stopped before throwing catch.
- 19. Extra trains may run ahead of first class trains.



SIFTIMA RATE | SAID COMPANY