TRAINMASTERS

M. A. McINTYREFresno
G. B. MORRILLBakersfield
ASSISTANT TRAINMASTER
M. H. HOWARDBakersfield
ROAD FOREMEN OF ENGINES
L. J. FRANKLINBakersfield
I. A. WEIHEBakersfield
ASSISTANT ROAD FOREMAN OF ENGINES
F. E. PUCKETT JRMojave
F. E. POCKETT JK
CHIEF TRAIN DISPATCHER
P. E. TURNERBakersfield

T. A. PURCELL
Assistant Superintendent, Bakersfield

SOUTHERN PACIFIC COMPANY



SAN JOAQUIN DIVISION TIMETABLE

172

AT 12:01 A. M.
PACIFIC STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS

R. E. HALLAWELL, General Manager.

> E. D. MOODY, H. R. HUGHES, Assistant General Managers.

> > C. H. GRANT, General Superintendent of Transportation.

> > > M. S. OLSEN,
> > > Superintendent of Transportation.

B. W. MITCHELL, Superintendent.

HOSPITAL DEPARTMENT SURGEONS

LOCATION	NAME	TITLE
San Francisco	Dr. W. W. Washburn	Chief Surgeon
Fresno	Dr. Fred E. Cooley	District Physician and Surgeon
Fresno	Dr. W. E. Furze	District Physician and Surgeon
Fresno	Dr. O. B. Doyle	Asst. Dist. Physician and Surgeon
Fresno	Dr. L. G. Price	Oculist-Aurist
Fowler	Dr. H. W. Nielson	District Physician and Surgeon
Sanger	Dr. Fred A. Burg	District Physician and Surgeon
Reedley	Dr. G. A. Hawkins	District Physician and Surgeon
Reedley	Dr. J. R. Ong	Asst. Dist. Physician and Surgeon
Exeter	Dr. John F. Glenn	District Physician and Surgeon
Dinuba	Dr. Edgar Brigham	District Physician and Surgeon
Kingsburg	Dr. E. A. Larson	District Physician and Surgeon
Clovis	Drs. J. E. and C. I. Pender-	The state of the s
m t	grass	Emergency Physicians and Surgs.
Tulare	Dr. C. M. Mathias	District Physician and Surgeon
Pixley	Dr. J. Seiberth	District Physician and Surgeon
Delano	Dr. John R. Montgomery	District Physician and Surgeon
McFarland	Dr. A. W. Carlson Jr	District Physician and Surgeon
Visalia	Dr. F. R. Guido	District Physician and Surgeon
Hanford	Dr. Arthur Zeismer	District Physician and Surgeon District Physician and Surgeon
Lemoore	Dr. W. P. Byron	Emergency Physician and Surgeon
Coalinga	Dr. George E. Rey	District Physician and Surgeon
Porterville Strathmore	Dr. J. R. Fillmore	Emergency Physician and Surgeon
Lindsay	Dr. H. G. Campbell	District Physician and Surgeon
Bakersfield	Dr. H. W. Bell	Division Physician and Surgeon
Bakersfield	Dr. R. J. Douds	District Physician and Surgeon
Bakersfield	Dr. J. M. Krevitt	District Physician and Surgeon
Bakersfield	Dr. F. J. Miller	Oculist and Aurist
Bakersfield	Dr. L. F. Baisinger	Oculist and Aurist
Tehachapi	Dr. H. L. Schlotthauer	District Physician and Surgeon
Tehachapi	Dr. Carl V. Rasmussen	Asst. Dist. Physician and Surgeon
Mojave	Dr. M. J. Gardner	District Physician and Surgeon
Mojave	Dr. T. A. Horsley	District Physician and Surgeon
Mojave	Dr. E. J. Horsley	District Physician and Surgeon
Lone Pine	Dr. George D. Schultz	District Physician and Surgeon
Lone Pine	Dr. W. E. Gullett	Asst. Dist. Physician and Surgeon
Bishop	Dr. J. L. Mason	Emergency Physician and Surgeon
Lancaster	Dr. W. R. Senseman	District Physician and Surgeon
Palmdale	Dr. N. H. Snook	District Physician and Surgeon
Saugus-Newhall	Dr. E. C. Innis	District Physician and Surgeon
San Fernando	Dr. Paul Witten	District Physician and Surgeon

Note.—Emergency Surgeons should be summoned only for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

HOSPITALS

GENERAL HOSPITAL	SAN FRANCISCO
EMERGENCY HOSPITAL	BAKERSFIELD
WHITE MEMORIAL HOSPITAL	LOS ANGELES

WATCH INSPECTORS

	San Francisco, C. D. Fabrin, Manager of Time Service.	65 Market St.
	Fresno	M. M. Haney, 2015 Fresno St.
	Porterville	R. J. Eckman, 736 W. Olive St.
	Tulare	Jack Farrar
	Hanford	
	Visalia	Sam A. Janzen
	Bakersfield	Lane's Jeweler, 960 Baker St.
	Bakersfield	I N Change 20th and East St.
	Bakersfield	I K Tindall
٠	San Fernando.	F G Marshall
	Glendale	
	Los Angeles	Merit Watch Co., 616 S. Main St.
	Los Angeles	D. Davidson Co., 445 S. Spring St.
	Los Angeles	H. Patzer, 2708 North Broadway
	Los Angeles	Laraway, 1222 San Fernando Rd.
	Lone Pine	Lloyd F. Day

LOCATION OF STANDARD CLOCKS

Muscatel	Train-Order Office
Fresno Yard	Train-Order Office
Fresno	Train-Order Office
Fresho	Roundhouse Office
Goshen Jct Delano	
Coalinga	Train-Order Office
Exeter	Train-Order Office
Porterville	
Famoso	Train-Order Office
	Train-Order Office
Bakersfield	Train Dispatcher's Office
	Crow Dispostahan's Office
Kern Jct	Train-Order Office
Mojave	Enginemen's Register Room
Owenyo	Train-Order Office

	the second second second second																
micrimum str																	
		100															

2					FRES	SNO ST	JBDIVI	SION				
			EA	STWA	RD							
		THIRD CLASS					RST CLA	ss		# -	Timetable No. 172	nom
Capacity of sidings in car lengths	786 Freight	784 Freight	782 Freight	780 Freight		56 Passenger	52 San Joaquin Daylight	58 0w1	60 West Coast	Mile Post Location	September 24, 1950	Distance from Fresno Yard
	Leave Daily	Leave Daily	Leave Daily	Leave Daily		Leave Daily	Leave Daily	Leave Daily	Leave Daily		STATIONS	
вкжор	PM 7.15	PM 1.20	AM 6.20	AM 1.00		J				201.8	TO-R FRESNO YARD	0.0
BKWOTYP	7.30	1.35	6.35	1.15		PM 5.55	PM 12.28	AM 2.35	1.10	205.5	TO-R FRESNO	3.7
E IP	7.40	1.45	6.50	1.25		6.03	12.34	2.42	1.17	209.1	TO CALWA TOWER	7.3
115 P	7.49	1.55	7.00	1.37		s 6.15	12.40	2.48	1.23	215.1	TO FOWLER	13.3
Yard Limits 121 P	7.57	2.04	7.09	1.45		s 6.31	12.46	c 2.55	1.29	220.7	5.6 SELMA 4.9	18.9
98 Yard Limits WP	8.04	2.12	7.16	1.52		s 6.46	12.52	c 3.01	1.35	225.6	TO KINGSBURG	23.8
104 P	8.12	2.21	7.24	2.00		f 6.52	12.57	3.07	1.41	231.3	5.7 TRAVER	29.5
62 P	8.15	2.26	7.27	2.03		6.55	12.59	3.09	1.43	233.7	2.4 CROSS	31.9
Nos. 1-85, 2-85, 3-63 Yd. Limits BKWYI	8.22	2.35	7.34	2.10		s 7.05	1.04	3.14	1.48	239.1	TO-R GOSHEN JCT.	37.3
60 P	8.30	2.43	7.42	2.23		f 7.12	1.09	3.20	1.55	245.6	TAGUS	43.8
128	8.34	2.48	7.46	2.31		7.15	1.12	3.23	1.58	248.9	WEST TULARE	47.1
128 IF										249.7	TO TULARE TOWER	47.9
85 P	8.38	2.52	7.49	2.38		s 7.35	s 1.19	s 3.32	s 2.06	250.0	ਰ TULARE	48.2
60 P	8.47	3.03	7.59	2.48		7.44	1.26	3.40	2.14	255.8	OCTOL	54.0
83 WP	8.56	3.11	8.06	2.55		s 7.53	c 1.33	3.44	2.19	260.4	TO TIPTON	58.6
93 P		3.19	8.14	3.04		s 8.05	1.38	3.50	2.25	266.8	TO PIXLEY	65.0
79 F		3.27	8.22	3.12		s 8.14	1.43	3.55	2.30	272.4	TO EARLIMART	70.6
60 F		3.33	8.28	3.19		8.18	1.47	3.59	2.34	276.5	RADNOR	74.7
Yard Limits 81 KWF	9.26	3.41	8.36	3.27		s 8.39	c 1.53	c 4.06	c. 2.40	280.7	TO DELANO	78.9
55 I		3.51	8.46	3.39		s 8.50	2.00	4.13	2.47	287.0	TO McFARLAND	85.2
W-78 Yd. Limits E-131 KWTF	9.46	3.59	8.54	3.50		f 9.00	2.06	4.19	2.52	292.6	TO-R FAMOSO	90.8
59 I		4.04	8.59	3.55		9.05	2.10	4.22	2.55	295.9	SLATER	94.1
81 I	7.01	4.10	9.05	4.01		f 9.11	2.14	4.27	2.59	300.5	LERDO	98.7
89 I		4.14	9.09	4.04		9.14	2.16	4.29	3.01	303.0	PROSPERO	101.2
59 I	10.02	4.18	9.13	4.08		9.17	2.19	4.32		305.8	SACO	104.0
E ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	- 10.00	4.22	9.17	4.12		9.21	2.22	4.36	3.06	308.6	TO-R OIL JCT.	106.8
BKWOTYI	10.25	4.35 PM	9.30 AM	4.25 AM		s 9.30	s 2.30 PM	s 4.45	s 3.15	312.9	TO-R BAKERSFIELD	111.1
- Diritorii	Arrive Daily		Arrive Daily	Arrive Daily		Arrive Daily	Arrive Daily	Arrive Daily			(111.1)	
	(3.10) 35.08	(3.15) 34.18	(3.10)	(3.25)		(3.35)	(2.02) 52.82	(2.10) 49.57	(2.05) 51.55		Time over District	

RULE 5. Schedule time and train-order time for eastward trains at Calwa Tower apply at end of double track.

Schedule time and train-order time at Goshen Jct. apply at

No. 1 siding,
Schedule time and train-order time for eastward trains at Famoso apply at junction switch of Porterville line.

RULE 86. Second- and third-class trains, extra trains and engines must be clear of main track and insulated joints for Nos. 51 and 52 not less than ten minutes before the arriving, or leaving, or train-order time at that station.

ADDITIONAL STATIONS							
NAME	Mile Post	Capac- ity					
Muscatel	200.2	P					
Calwa	208.3	4.4					
Malaga(Spur)	210.4 216.5	ió					
Wineland (Spur)	222.8	14					
Midvalley(Spur)	243.4	7					
Quail(Spur)	263.5	30					
Vinland(Spur)	284.5	16					
Cawelo	299.7	55 P					

				FRES	SNO SI	JBDIV	SION					3	
			FRESNO SUBDIVISION WESTWARD										
	Timetable No. 172	E PE		FIRST	CLASS		SECOND CLASS	1977		THIRD	CLASS		
Mile Post Location	September 24, 1950	Distance from Bakersfield	59 West Coast	55 Passenger	51 San Joaquin Daylight	57 0wl	445 v. m. w.	781 Freight	783 Freight	785 Freight	787 Freight	Aligned Special	
-	STATIONS	9	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		
201.8	TO-R FRESNO YARD	111.1		-83		1	AM 6.26	AM 3.20	AM 10.35	PM 5.55	PM 10.25	and the same of th	
205.5	TO-R FRESNO	107.4	8 3.42	s 9.10	8 2.39	s 1.55	6.08	3.06	10.20	5.40	10.10		
209.1	CALWA TOWER	103.8	3.34	9.02	2.31	1.45	5.58	2.56	10.08	5.27	9.57		
215.1	TO FOWLER 5.6	97.8	3.27	s 8.54	2.24	1.37	5.50	2.48	9.59	5.18	9.48	4	
220.7	SELMA 4.9	92.2	3.20	s 8.41	2.18	c 1.29	5.42	2.36	9.50	5.10	9.40		
225.6	TO KINGSBURG	87.3	3.13	s 8.29	2.12	c 1.19	5.35	2.28	9.42	5.02	9.32	-	
231.3	TRAVER 2.4	81.6	3.07	f 8.16	2.07	1.11	5.27	2.20	9.34	4.54	9.24	31	
233.7	CROSS 5.4	79.2	3.00	8.13	2.05	1.08	5.24	2.17	9.31	4.51	9.21		
239.1	TO-R GOSHEN JCT.	73.8	2.53	s 8.06	2.00	1.01	5.17	2.10	9.23	4.43	9.13		
245.6	TAGUS	67.3	2.46	7.56	1.54	12.54	5.09	2.02	9.15	4.35	9.05		
248.9	WEST TULARE	64.0	2.42	7.53	1.51	12.50	5.04	1.58	9.10	4.30	9.00	4 10	
249.7	TO TULARE TOWER	63.2											
250.0	TULARE 5.8	62.9	8 2.38	s 7.49	s 1.48	s12.46	5.00	1.55	9.06	4.26	8.56		
255.8	OCTOL 4.6	57.1	2.24	7.23	1.37	12.33	4.40	1.45	8.57	4.17	8.47		
260.4	TO TIPTON	52.5	2.19	s 7.18	1.33	12.29	4.34	1.39	8.50	4.10	8.40		
266.8	TO PIXLEY	46.1	2.09	s 7.08	1.28	12.23	4.26	1.31	8.42	4.02	8.32	5 mg 1 mg 2011	
272.4	TO EARLIMART	40.5	2.03	s 7.00	1.23	12.18	4.19	1.24	8.34	3.55	8.24		
276.5	RADNOR 4.2	36.4	1.58	6.53	1.19	12.14	4.14	1.19	8.28	3.50	8.18		
280.7	TO DELANO	32.2	c 1.52	s 6.28	1.14	s 12.08	4.06	1.12	8.20	3.41	8.09	Mary Court	
287.0	TO McFARLAND	25.9	1.45	s 6.22	1.08	12.01 AM	3.57	1.03	8.10	3.31	7.59	4	
292.6	TO-R FAMOSO	20.3	1.39	f 6.13	1.03	11.56 PM	3.50	12.56	8.02	3.23	7.52	T. 18	
295.9	SLATER 4.6	17.0	1.35	6.08	1.00	11.53	3.46	12.52	7.57	3.18	7.47		
300.5	LERDO 2.5	12.4	1.30	f 6.03	12.56	11.48	3.40	12.46	7.51	3.11	7.41		
303.0	PROSPERO	9.9	1.28	6.00	12.54	11.46	3.37	12.42	7.48	3.08	7.38		
305.8	SACO 2.8	7.1	1.24	5.57		11.43	3.33	12.38	7.44	3.04	7.34		
308.6	TO-R OIL JCT.	4.3	1.20	5.54	12.49	11.40	3.29	12.34	7.40	3.00	7.30		
312.9	TO-R BAKERSFIELD	0.0	1.10	5.45 AM	12.42 PM	11.30 PM	3.16 AM	12.20	7.25	2.45 PM	7.15 PM		
	(111.1)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	man to 1	
	Time over District		(2.32) 42.04	(3.25)	(1.57) 55.08	(2.25) 44.44	(3.10) 35.08	(3.00)	(3.10) 35.08	(3.10) 35.08	(3.10)		

RULE 5. Schedule time and train-order time for eastward trains at Calwa Tower apply at end of double track.

Schedule time and train-order time at Goshen Jct. apply at No. 1 siding.

Schedule time and train-order time for eastward trains at Famoso apply at junction switch of Porterville line.

RULE 86. Second- and third-class trains, extra trains and engines must be clear of main track and insulated joints for Nos. 51 and 52 not less than ten minutes before the arriving, or leaving, or train-order time at that station.

4			TEHAC	HAPI	SUBDI	VISION	1	-			
		EASTWA	RD								
	2012/0 0000	FI		Timetable No. 172	Distance from Bakersfield						
Capacity of sidings in car lengths	101 day	56 Passenger	4 AT&8FRy Passenger	52 San Joaquin Daylight	24 AT&SFRy Passenger	58 owl	60 West Coast	Mile Post Location	September 24, 1950		
	merchant shift-	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		STATIONS	15.7	
Вкиотур	-X/11 - 12/17	PM 9.55	184	PM 2.37		AM 4.55	AM .	. 312.9	TO-R BAKERSFIELD	0.0	
KIP	04 (0) 09.4	9.57	PM 6.55	2.39	PM 2.25	4.57	3.27	313.6	TO-R KERN JCT.	0.	
P	TARR TRE	BC-UL INC F	08.8	F-1-1	1544	TEN-MEL		316.6		3.	
KIP P	BF-8 - BIG	s 10.08	5.30	33.15	Phylip	Ad HE.	1111	320.1	EDISON	7.:	
M-82 P	DE-8 04.6	18 B / WES	EAR	68 1	TI SA			327.9	7.8 BENA	15.	
89 P	84.9 10.4	[4-9] BA-E.	Pr-I	60 1	41.5	64.5	21.1	331.3	ILMON	18.	
101 WP	PE-8 - 1-50 F	s 10.32	e 7.28		c 2.57	84-84	40.3	335.1 335.2	CALIENTE	22.	
87 P	10.0	TER TLE	1-2.2	BIG T	200.5	CJ.A.	00.1	338.2	ALLARD	25.	
106 106 WP	6d P 6.01	East Dist	77.8	19.41	00.0	200	64.5	340.5	BEALVILLE	27.	
112 P	E0 4 EE	ELF. 89-8	60.5	FALL L	History	DISTRIBUTE OF	100	342.3			
78 79 P	00.4	01.0	THE A	00.4			391	345.5	ROWEN	32.	
123 71 WP		PM s 11.20	c 8.02		c 3.30			348.8		35.	
102 P	98 H 26 1	00.00	dere			F-1-1	60 0 0	351.8		38.	
120 106 P	TAU TI	79 45 84-4-	GIST .		77.6	E32-32	85 3	354.1	MARCEL	41.	
85 P	10 8 D	DEST. RE-	p.E. b	68 11				356.6 356.7	2.5 CABLE 3.9	43.	
90 No. 2-90 IWP	EL 8 150.5	s 12.14	c 8.31	s 4.10	c 3.58	f 6.40	f 5.07	360.6	TO TEHACHAPI	47.	
E-103 YP	RS 8 1 28 1	12.16	8.33	B.I. R.I.	4.00	6.42	5.09	362.4	CHARACT	49.	
P	W1.0 06.0	s12.24	8.37	2-1-6-4	4.04	6.45	5.12	365.0	MONOLITH	51.	
Yard Limits YP	180 N	12.29	8.41	4.19	4.08	6.49	5.16	368.0	3.0 ERIC 6.3	54.	
M-81 P	186 N 14 1	12.41	8.51	4.27	4.18	6.59	5.26	374.3	WARREN	61.	
Mojave yard BKWOYP	Ed y Pi	s 12.55	s 9.05 PM	s 4.37	s 4.30	-		380.7	TO-R MOJAVE	67.	
	13.1	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(67.6)		
	100	(3.00) 22.53	(2.10) 30.88	(2.00) 33.83	(2.05) 32.12	(2.18) 29.39	(2.15) 30.04		Time over District		

EAST- WARD	Timetable No. 172	WEST- WARD
ost	September 24, 1950	from
file P	Arvin Branch	Distance from
~- -	STATIONS	- ă
316.6	MAGUNDEN	16.5
324.6	LAMONT	8.5
326.8	RIBIER	6.3
328.8	DI GIORGIO	4.3
333.1	ARVIN	1 0.0
	WARD to un under head and under hea	Timetable No. 172 September 24, 1950

Movements between stations on Arvin Branch must be protected to rear by displaying red light at night.

ADDITIONAL STAT	TIONS	
NAME	Mile Post	Capac- ity
Algoso	316.9 321.1 325.9	12 P 13 8

Trains operate by C.T.C. between Bena and Tehachapi, but at stations where time is shown must not depart ahead of time.

ADDITIONAL STA	TIONS	
NAME	Mile Post	Capac- ity
Cameron(Spur)	369.9	13 P

			1	EHAC	HAPI S	SUBDI	VISION					5
							W	ESTWA	RD			
	Timetable No. 172			pealo	THEFT		FII	RST CLAS	s	off sure	distrib	
Mile Post Location	September 24, 1950	Distance from Mojave	55 Passenger	23 AT&SFRy Passenger	51 San Joaquin Daylight	7 AT&SFRy Passenger	57 0wl	59 West Coast	808	805	BAT.	operation the option of the last
	STATIONS "		Arrive Daily		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	tigal risal	(0.00		
312.9	TO-R BAKERSFIELD	67.6	8 5.15		PM s 12.34	1,000	PM s11.20	AM s 1.00	DIM.	TARK		January Joseph
313.6	TO-R KERN JCT.	66.9	5.11	AM 10.40	12.32	PM 9.05	11.17	12.57		2201		
316.6	MAGUNDEN	63.9		10.40	TEF		pr c	JO N	A	ro i i	1111	
320.1		60.4	s 4.59	10.31	12.24	8.56	11.07	12.47		NO CE	11111111	1 100
327.9	BENA 3.4	52.6	4.44	10.22	12.15 PM	8.47	10.57	12.37 AM	Ep. (10 00
331.3	ILMON 3.8	49.2	-21	50.8	E 10. 7	2012	22.5	25.2				
335.1 335.2	CALIENTE 3.0	45.4	s 4.29	c 10.07	C2.5 a	c 8.32	gin.e	orla.	10.5	DK 11		and the same
338.2	ALLARD	42.4	90.5	III A .	08.7		po.s	EF.R	DO K	10.07		
340.5	BEALVILLE 1.8	40.1 38.3	AR 31 11	no k	00 B		b L F		K/K			Die in
342.3	CLIFF 3.2	38.3	06.6	STE IN	Bro si		ar a		MILE			4
345.5	ROWEN 3.3	35.1	01.3	of K	Er. F		20.4	55.8				places he Y
348.8	3.0	31.8	s 3.49	c 9.34	87. B	c 7.57	2-6-E		95-5	MAN		
351.8		28.8	00.1	00.0	100		02.2		2.50			377
354.1	MARCEL 2.5	26.5	01-1	E0.5	16		81 14	NA P	21.5	28.01		
356.6 356.7	CABLE 3.9	24.0	by I. X		0,0.11		OF C. A.	O.L.O.		10 h E 1		4
360.6	TEHACHAPI	20.1	s 3.15	c 9.01	s 11.00			PM	6.6	72.57		
362.4	SUMMIT 2.6	18.3	2.54	8.58		7.24	9.37	11.17	44	40.1		9
365.0	MONOLITH 3.0	15.7	s 2.50	8.54	10.54	7.21	9.34	11.14	17			Mariel Intel 201-
368.0	ERIC 6.3	12.7	2.42	8.50	10.51	7.18	9.31	11.10		or L		
374.3		6.4	2.32	8.37	10.42	7.08	9.17	10.56				1 12 1 1 101
380.7	TO-R MOJAVE	0.0	2.20 AM	8.20 AM	10.31 AM	6.55 PM	9.00 PM	10.40 PM		86.1		Total Intil
- 101	(67.6)	1000	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		14.10		1 - 1 - 1
rar_	Time over District	4711	(2.55) 23.18	(2.20) 28.67	(2.03) 32.98	(2.10) 30.88	(2.20) 28.97	(2.20) 28.97	ter A	94.6		4 4

Trains operate by C.T.C between Tehachapi and Bena, but at stations where time is shown must not depart ahead of time.

MOJAVE SUBDIVISION 6 EASTWARD THIRD CLASS FIRST CLASS Timetable No. 172 September 24, 1950 802 52 808 806 804 58 60 56 Capacity of sidings Mile in car lengths San Joaquin West Coast Freight Freight Freight Freight Owl Passenger Leave Daily STATIONS PM 1.28 AM 7.18 AM 5.45 Yard Limits BKWOYP 1.25 380.7 TO-R MOJAVE FLETA 4.1 5.51 1.31 384.8 87 P 10.59 1.35 8.02 2.36 7.24 GLOSTER 8.05 1.35 6.6 7.27 5.54 387.3 P 11.02 1.38 2.39 88 4.48 ANSEL 7.31 1.42 9.7 5.57 390.4 P 11.06 1.42 8.09 2.43 4.51 ROSAMOND 11.11 1.47 8.14 2.48 4.55 7.35 6.01 1.49 394.3 13.6 OBAN 6.07 1.57 19.2 2.55 5.00 7.42 399.9 109 P 11.18 1.54 8.22 Yard Limits WP LANCASTER 24.8 7.52 6.15 2.17 405.5 118 11.25 2.01 8.29 3.02 5.07 DENIS 29.1 2.07 3.09 7.59 6.21 2.24 409.8 P 8.35 5.11 109 11.31 PALMDALE 33.1 8.04 2.34 413.8 73 P 11.37 2.12 8.41 3.14 6.25 HAROLD 416.3 35.6 5.18 8.08 6.28 2.18 3.19 93 1.42 8.46 VINCENT 11.58 AM 12.12 420.5 то 39.8 8.22 6.39 2.49 2.34 9.02 3.35 5.26 PARIS P 2.48 9.16 3.49 5.35 8.32 6.48 2.58 425.0 44.3 87 RAVENNA 48.3

3.59

4.13

4.23

4.33

4.43

4.52

4.57

5.13

5.20

5.23

6.56

7.08

7.16

7.23

7.31

7.38

7.42

7.57

8.00

8.03

8.41

8.54

9.06

9.14

9.22

9.30

9.34

9.52

9.58

0.01

10.11

5.43

5.54

6.02

6.09

6.23

6.27

6.37

6.40

6.42

3.09

3.31

3.39

3.47

4.08

4.33

5.00

429.0

434.6

443.0 443.1

446.9

450.6

453.0

459.2

461.8

463.4

467.9

TO

TO-R

RUSS

LANG

HUMPHREYS

HONBY

SAUGUS

NEWHALL

SYLMAR

PACOIMA

SUN VALLEY

BURBANK JCT

TO SAN FERNANDO

53.9

57.9

62.1

65.9

69.6

72.0

78.2

80.8

82.4

86.9

90.6

Time at Glendale, Los Angeles Yard and Los Angeles for information only. See Los Angeles Division current timetable for train movements between Burbank Jct. and Los Angeles.

					7.01	10.25	8.28	5.37	GLENDALE
4 10	2.30 AM	5.05 PM	11.30 AM	6.05 AM					LOS ANGELES YARD
					7.20 PM	10.45 AM	8.50 AM	6.00 AM	LOS ANGELES
	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	
	(3.15) 27.76	(3.10) 28.61	(3.10) 28.61	(3.10) 28.61	(2.10) 41.82	(2.53) 31.42	(2.29) 36.48	(4.00) 22.65	Time over District

RULE 5. Schedule time and train-order time at Burbank Jct. apply at the end of double track.

91

81

102

87

173

94

E-103 Yard Limits W-112 WIYP

Yard Limits WP

Los Angeles yard 83

WP

P

P

P

IP

12.23

12.38

12.57

1.06

1.15

1.20

1.40

1.48

1.51

2.06

2.58

3.12

3.22

3.32

3.42

3.51

3.56

4.12

4.19

4.22

9.26

9.40

9.50

9.59

10.08

10.17

10.22

10.39

10.46

10.49

RULE 86. Second- and third-class trains, extra trains and engines must be clear of main track and insulated joints at meeting and passing points for Nos. 51 and 52.

Track on station side next to main track at Ravenna, designated No. 2 track, capacity 36 cars, must be left clear of cars, to be used for meeting or passing trains when instructed by train order.

No. 56 Stop at Acton to exchange U. S. Mail.

-76			100				WESTWA	RD			
	Timetable No. 172	le No. 172				ss		THIRD CLASS			
Mile Post Location	September 24, 1950	Distance from Burbank Jet.	51 San Joaquin Daylight	57 0wl	59 West Coast	55 Passenger	801 Freight	803 Freight	805 Freight	807 Freight	
*	STATIONS	1	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	
380.7	TO-R MOJAVE	90.6	8 10.27	PM 8 8.55	PM s 10.35	AM s 1.55	AM 4.42	AM 8.50	PM 3.37	PM 10.20	
384.8	FLETA	86.5	10.21	8.49	10.27	1.49	4.35	8.43	3.30	10.14	
387.3	GLOSTER	84.0	10.19	8.45	10.24	1.46	4.31	8.40	3.27	10.11	
390.4	ANSEL 3.9	80.9	10.16	8.41	10.20	1.42	4.26	8.35	3.23	10.07	
394.3	ROSAMOND 5.6	77.0	10.12	8.36	10.15	s 1.37	4.21	8.30	3.18	10.02	
399.9	OBAN 5.6	71.4	10.07	8.30	10.09	1.30	4.14	8.22	3.11	9.55	
405.5	TO LANCASTER	65.8	s 10.02	s 8.24	s 10.03	s 1.23	4.07	8.15	3.04	9.48	
409.8	DENIS 4.0	61.5	9.57	8.18	9.56	1.02	4.01	8.09	2.58	9.43	
413.8	TO PALMDALE	57.5		c 8.14	9.52	s 12.58	3.56	8.04	2.53	9.38	
416.3	HAROLD 4.2	55.0	9.50	8.11	9.49	12.51	3.50	7.58	2.47	9.32	
420.5	TO VINCENT	50.8	9.42	8.03	9.41	12.43	3.35	7.45	2.34	9.19	
425.0	PARIS 4.0	46.3	9.34	7.51	9.31	12.34	3.20	7.33	2.21	9.08	
429.0	TO RAVENNA	42.3	9.26	7.42	9.23	f 12.23	3.09	7.23	2.11	8.58	
434.6	RUSS 4.0	36.7	9.14	7.29	9.11	12.10	2.55	7.08	1.57	8.44	
438.6 438.8	TO LANG	32.7	9.06	7.20	9.03	f 12.01	2.45	6.54	1.46	8.34	
443.0 443.1	HUMPHREYS 3.8	28.5	8.59	7.12	8.56	f 11.52	2.35	6.45	1.36	8.25	
446.9	HONBY 3.7	24.7		7.04	8.48	11.44	2.25	6.35	1.26	8.16	
450.6	TO-R SAUGUS	21.0	c 8.45	s 6.57	s 8.41	s 11.35	2.15	6.26	1.16	8.07	
453.0	NEWHALL 6.2	18.6	c 8.41	6.50	The state of the s	s11.22	2.09	6.20	1.10	8.01	
459.2	SYLMAR 2.6	12.4	8.31	6.37	8.19	11.04	1.52	6.03	12.53	7.45	
461.8	TO SAN FERNANDO	9.8	c 8.28	f 6.28	c 8.15	s 10.59	1.48	5.59	12.49	7.41	
463.4	PACOIMA 4.5	8.2	8.26	6.23	8.10	s 10.42	1.45	5.56	12.46	7.38	
467.9	SUN VALLEY	3.7	8.21	6.17	8.05	s 10.35	1.35	5.47	12.36	7.31	
471.6	TO BURBANK JCT.	0.0	8.17 AM	6.12 PM	8.00 PM	10.20	1.27 AM	5.40 AM	12.27 PM	7.25 PM	

Time at Glendale, Los Angeles Yard and Los Angeles for information only.

See Los Angeles Division current timetable for train movements between Burbank Jct. and Los Angeles.

GLENDALE	8.08	6.00	7.50	10.10					
LOS ANGELES YARD					1.00 AM	5.15 AM	12.01 PM	7.05 PM	
LOS ANGELES	7.50 AM	5,40 PM	7.30 PM	9.40 PM					
F-10-10-10-10-10-10-10-10-10-10-10-10-10-	Leave Daily								
Time over District	(2.10) 41.82	(2.43) 33.35	(2.35) 35.07	(3.35) 25.28	(3.15) 27.76	(3.10) 28.61	(3.10) 28.61	(2.55) 31.06	

RULE 5. Schedule time and train-order time at Burbank Jct. apply at end of double track.

RULE 86. Second- and third-class trains, extra trains and engines must be clear of main track and insulated joints at meeting and passing points for Nos. 51 and 52.

Track on station side next to main track at Ravenna, designated No. 2 track, capacity 36 cars, must be left clear of cars, to be used for meeting or passing trains when instructed by train order.

No. 55 stop at Acton to exchange U. S. Mail.

ADDITIONAL STAT	TIONS	
NAME	Mile Post	Capac- ity
Acton(Spur) Tunnel(Spur)	426.1 456.6	11 P 18 P

		EAST-	ļ			WEST
		WAND		Tir		
Capacity of sidings in car lengths		Mile Post Location		Se	eptember 24, 1950	Distance from Famoso
					STATIONS	
Fresno yd	вкиотур	205.5	TO)-R	FRESNO	104.3
2	IP	207.0	TO) S	UNMAID TOWER	102.8
	YP	213.0	-		LOCANS	96.8
23	P	214.5	_		IVESTA	95.3
77	P	215.9			CLOTHO	93.9
89 Yar	d Limits WP	219.8	TO)	SANGER	90.0
		228.0		AT&	FRy Crossing (Stop)	81.8
84 Yar	d Limits	229.9	т)	REEDLEY	79.9
51 Yar	d Limits WP	235.0	т)	DINUBA	74.8
		243.6		AT&	FRy Crossing (Stop)	66.2
	P	246.4			TAURUSA	63.4
Yar	d Limits	249.4	TO)	IVANHOE	60.4
73 Yar	d Limits KWYP	257.4		TO-R	EXETER	52.4
104 Yar	d Limits	264.3	-	то	LINDSAY	45.5
36 Yard	d Limits	268.6	System		STRATHMORE	41.2
44 Yard	d Limits BKWOYP	274.8		TO-R	PORTERVILLE	35.0
	P	282.6	Automatic Block		TERRA BELLA	27.2
69	КР	287.1	toma	то-к	DUCOR	22.7
68 Yard	d Limits YP	294.9	Au	R	RICHGROVE	14.9
	P _a	299.0			JASMIN	10.8
Yard	Limits KWTP	309.8	TO)-R	FAMOSO	↑ 0.0

ADDITIONAL STA	ATIONS	100
NAME	Mile Post	Capac- ity
Goldleaf (Spur)	209.9	22
State Center (on spur from Goldleaf)	210.8	8
	211.8	10
Butler(Spur)	225.3	8
Fargo(Spur)	227.1	8
Uva(Spur) Lacjac(Spur)	227.9	21 F
Ivory (Spur)	232 3	11
Monson (Spur)	239.6	22 F
Lort(Spur)	254.0	8
Burr(Spur)	261.1	4
Vance (Spur)	262.8	12
Stout(Spur)	265.8	12
Zante(Spur)	270.9	13
Lisko(Spur)	272.2	10
Ponca(Spur)	276.5	8
Lois(Spur)	278.0	15
Elmco	280.1	16
Orris	290.0	23 P
Vestal(Spur)	291.5	14
Quality	295.9	20 _
Zentner(Spur)	302.1	10 P
Hollis	304.8	14 P

	EAST-	Timetable No. 172	WEST- WARD
Capacity of sidings in car lengths	Mile Post Location	September 24, 1950	Distance from
	Mile	Success Branch	Stane
		STATIONS	
PKWOYP	274.8	TO-R PORTERVILLE	7.6
Xd.1	275.6	AT&SFRy Crossing (Stop)	6.8
	280.0	WORTH	2.4
	282.4	SUCCESS	1 0.0

0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EAST-	Timetable No. 172	WEST- WARD
Capacity of sidings in car lengths	Post	September 24, 1950	Distance from
III Can Tengens	Mile Post Location	Richgrove Branch	Stane
CAY W		STATIONS	۵
YP	294.9	R RICHGROVE	4.1
YP	297.6	TROCHA	1.4
	299.0	JOVISTA	0.0
		(4.1)	

	EAST-	Timetable No. 172	WEST	
Capacity of sidings in car lengths	Post	September 24, 1950	Distance from Exeter	
	Mile Post Location	Visalia Branch	Exet	
		STATIONS		
Yard Limits WYP	245.3	TO-R GOSHEN JCT.	17.9	
Yard Limits P	253.1	VISALIA	10.1	
	253.2	AT&SFRy Crossing (Stop)	10.0	
Yard Limits KWYP	263.2	TO-R EXETER	0.0	

ADDITIONAL STA	TIONS	
NAME	Mile Post	Capac- ity
Rector(Spur) Farmersville(Spur)	257.3 259.0	7 14

FRESNO SUBDIVISION

	EAST- WARD	Timetable No. 172	WEST
Capacity of sidings in car lengths	Mile Post Location	September 24, 1950	Distance from Gosben Jct.
	Mile	Riverdale Branch	stan
	more d	STATIONS	_ 5
P	181.9	INGLE	64.6
AT .	187.2	TRANQUILITY	59.3
	191.7	SAN JOAQUIN	54.8
	199.1	TO HELM	47.4
ART TO SERVE	206.3	BURRELL	40.2
(4)	214.7	TO RIVERDALE	31.8
	221.1	L&WRy Crossing (Stop)	25.4
rica Late	224.2 223.0	HARDWICK	22.3
Yard Limits WYP	229.1	TO ARMONA	16.2
I	232.2	HANFORD TOWER	13.1
Yard Limits P	232.5	TO HANFORD	12.8
Yard Limits WYP	245.3	TO-R GOSHEN JCT.	0.0

Trains must not operate on Riverdale Branch between MP 215 and MP 224.2.

ADDITIONAL STATIONS			
NAME	Mile Post	Capac- ity	
Hub	219.2 233.9 237.6	 4 34	

	EAST- WARD	Timeta	ible No. 172	WEST- WARD
Capacity of sidings in car lengths	Post	Septem	nber 24, 1950	tance from
	Mile Post Location	Stra	tford Branch	Strat
		S1	TATIONS	10
13 YP	236.5	R	ROSSI	7.6
	244.1	TO ST	7.6 RATFORD	1 0.0
			(7.6)	

ADDITIONAL STAT	TIONS	
NAME	Mile Post	Capac-
Cuneo(Spur)	239.9	5

		EAST-	Timetable No.	172 WEST
Capacity of sid in car length		Mile Post Location	September 24, 1	Distance from Armona
		Mile	Coalinga Branc	h stan
		BULTAR	STATIONS	Ā
Yard Limit BK	S OYP	268.4	TO-R COALINGA	39.1
17	P	266.7	1.7 ORA	37.4
19	P	260.0	TURK	30.7
Yard Limit	a P	252.7	TO HURON	23.4
49	P	246.1	WESTHAVEN	16.8
13	YP	236.5	R ROSSI	7.2
Yard Limits	s P	233.9	TO LEMOORE	4.6
Yard Limit	S VYP	229.3	TO ARMONA	↑ o.o

ADDITIONAL STATIONS			
NAME	Mile Post	Capac- ity	
Vanguard(Spur) Cimarron(Spur)	244.0 235.4	4 16	

	EAST- WARD	Timetable No. 172	WEST
Capacity of sidings in car lengths	Mile Post Location	September 24, 1950	Distance from
	Mile	Clovis Branch	- Stanc
		STATIONS	
BKWOTYP	205.5	TO-R FRESNO	24.4
I	207.1	FRESNO TOWER	22.8
15	212.9	LAS PALMAS	17.0
	213.2	FIRy Crossing (Stop)	16.7
34	214.9	TARPEY	15.0
19	216.1	MELVIN	13.8
39 W	217.4	TO CLOVIS	12.5
Y	220.9	R PINEDALE	9.0
	222.9	GORDON	7.0
Yard Limits WT	229.9	TO FRIANT	0.0

ADDITIONAL STA	TIONS	
NAME	Mile Post	Capac-
Maltermoro. (Spur) Sunnyside. (Spur) Hammer Field. (Spur) Glorietta (Spur) Rockfield. (Spur)	211.8 212.1 213.9 218.5 225.7	45 76 3 10 73

10	o FRESNO SUBDIVISION		
COLUMN STEEL	EAST- WARD	Timetable No. 172	WEST- WARD
Capacity of sidings in car lengths	ost	September 24, 1950	Distance from McKittrick
	Mile Post Location	McKittrick Branch	stanc
		STATIONS	ä
Bakersfield yard KIP	313.6	TO-R KERN JCT.	47.0
	316.7	STRADER	43.9
P	318.8	WIBLE ORCHARD	41.8
A.S.	320.5	VENOLA	40.1
P	322.6	R GOSFORD	38.0
	328.4	STEVENS	32.2
	336.1	RIO BRAVO	24.5
4	346.3	TO BUTTONWILLOW	14.3
	350.5	LOKERN	10.1
Y	360.6	TO McKITTRICK	1 0.0

ADDITIONAL STATIONS		
NAME	Mile Post	Capac- ity
Bakersfield Corrals Bowerbank	315.3 342.8	34 F
Kilowatt (Spur) Rogas (Spur) Strand	345.4 331.9 331.0	24 17

	EAST-	Timetable No. 172	WEST- WARD
Capacity of sidings in car lengths	ost	September 24, 1950	from
	Mile Post Location	Oil City Branch	Distance from
BAC TO SERVICE		STATIONS	T T
YP YP	308.6	TO-R OIL JCT.	5.1
Lield Tield	313.7	OIL CITY	0.0
		(5.1)	

ADDITIONAL STA	TIONS	
NAME	Mile Post	Capac-
Seguro	310.5 311.6	30 14

	EAST- WARD	Timetable No. 172	WEST- WARD	
Capacity of sidings	ost ion	September 24, 1950	Ry lon	
in car lengths	S. P. Mile Post Location	Sunset Ry.	Sunset Ry Mile Post Location	
		STATIONS		
P	322.6	R GOSFORD	0.0	
P	325.6	BANNISTER	3.0	
P	332.6	CONNER	10.0	
	334.9	GULF	12.3	
w	337.2	MILLUX	14.6	

340.9

346.9

350.3

352.9

354.7

Yard Limits

Yard Limits

LEVEE

SAN EMIDIO

PENTLAND

HAZELTON

MARICOPA

(32.1)

18.3

24.3

27.7

30.3

32.1

SUNSET RY.

	EAST-	Timetable No. 172	WEST- WARD
Capacity of sidings in car lengths	Post tion	September 24, 1950	Ry ost
	8.P. Mile P. Locati	Sunset Ry., Taft Branch	Sunset Ry Mile Post Location
		STATIONS	
Yard Limits	350.3	PENTLAND	0.0
	352.5	KERTO	2.2
Yard Limits W	359.1	TO TAFT	8.8
		(8.8)	

SPCo Rules and Regulations, Air Brake Rules, and Special Instructions govern operations on Sunset Ry.

SPEED RESTRICTIONS: Trains must not exceed speed in MPH shown below:

TERRITORY	PAS- SENGER	FREIGHT AND MIXED	LIGHT ENGINE RUNNING FORWARD	ENGINE BACKING WITH TRAIN OR LIGHT
Bet. Gosford and MP 26.25	25	20	20	15
MP 26.25 and Maricopa	10	10	10	10
Pentland and Kerto		10	10	10
Kerto and Taft, except	20	20	20	15
with M 6, 8, 9, 11 Class Engines	10	10	10	10
East switch siding Taft and derail in main track west of Taft	10	10	10	10

MP 26.25.

Pentland: Normal position of junction switch is for Taft line. Maricopa: Main track ends 200 feet west of east switch of house track. Normal position of east switch of house track Maricopa, and switches of Gypsum track east of house track is from these tracks to main track extension.

Taft: Spring derail is located on main track 900 feet west of west switch.

RULE 93. Yard limits are established at Pentland, Taft and Maricopa.

HOSPITAL DEPARTMENT SURGEONS: Taft — Dr. A. R. Moodie, District Physician and Surgeon.

Fellows-Dr. L. Heuler, District Physician and Surgeon.

MOJAVE SUBDIVISION

	Water tanks at:	d
MP 450,	MP 484.1 and MP 512.8	3.

ADDITIONAL STATIONS					
NAME	Mile Post	Capac-			
Saltdale. Linnie. (Spur) Marilyn (Spur) Bartlett	408.5 460.7 501.5 509.2	14 13 37 7			

TELEGRAPHONES	LOCATED AT:

Mojave	Little Lake
Neuralia	MP 471.7 (section house)
Cantil	Sykes
Saltdale	MP 484.1
Garlock	Loco
Rand	Cartago (section house)
Searles	Marilyn
Code	Bartlett
Inyokern	Lone Pine
MP 450.0	Owenyo
Proper (section bound)	

	EAST- WARD	THE RESERVE OF THE	WEST
Capacity of sidings in car lengths			Distance from Owenyo
in car lengths	MA	Owenyo Branch	Dist
		STATIONS	
вкжоур	380.7	TO-R MOJAVE	143.5
48	380.8	CHAFFEE	142.2
50	392.9	NEURALIA	130.1
21 W	402.5	CANTIL	120.5
12	407.5	CENEDA	115.5
49	412.2	GARLOCK	110.8
50	420.5	RAND	102.5
76 Yard Limits Y	428.4	TO-R SEARLES	94.6
54	438.3	CODE	84.7
Yard Limits	447.2	INYOKERN	75.8
	456.3	BROWN	66.7
30	468.3	LITTLE LAKE	54.7
	475.6	SYKES	47.4
21	488.5	12.9 LOCO	34.5
20	493.3	OLANCHA	29.7
Record L	497.7	CARTAGO	25.3
	518.8	LONE PINE	4.2
Yard Limits 40 BKOY	523.0	TO-R OWENYO	0.0

ADDITIONAL STATIONS					
NAME	Mile Post	Capac- ity			
Mt. Whitney (Spur)	563.7 568.7	14 63			
Alico	570.2 571.4	90			

	EAST-	(Narrow Gage)	WEST- WARD	
Capacity of sidings in car lengths				
	Mile	Keeler Branch	Distance from Keeler	
		STATIONS		
Yard Limits WOTP	506.8	LAWS	70.4	
20	511.7	BIGELOW	65.5	
19 P	522.7	ZURICH	54.5	
36	525.5	MONOLA	51.7	
17 WP	536.9 536.2	ABERDEEN	40.3	
11 WP	550.1	KEARSARGE	26.4	
5	555.2	MANZANAR	21.3	
Yard Limits BKOP	559.8	TO-R OWENYO	16.7	
Yard Limits WYP	576.5	16.7 KEELER	0.0	

Look out for drifted sand between MP 573 and MP 575.

CONDITIONAL FLAG STOPS, ETC., TO RECEIVE OR DISCHARGE TRAFFIC

Conditional flag stops, etc., are designated by "c" in schedule column, and are for traffic as shown below:

				FOR REVENUE	E PASSENGERS	
Train	STATION	KIND	FREQUENCY	RECEIVE TO (or beyond)	DISCHARGE FROM (or beyond)	FOR OTHER TRAFFIC
51 51 51	San Fernando San Fernando Newhall	quested by RPO clerk 25 MPH	Daily Sun. & Hol.			To dispatch registered coin. To dispatch U. S. Mail.
51	Saugus	quested by RPO clerk 10 MPH or stop when re- quested by RPO clerk			1 1 1 1 1 1 1 1 1	To dispatch registered coin. To dispatch registered coin.
52	Tipton	25 MPH when requested by RPO clerk	Daily			To dispatch registered currence
52 52	Delano	25 MPH when requested by RPO clerk 20 MPH	Daily			To dispatch registered current For mail to be thrown in mail
57	San Fernando	10 MPH				car. For mail to be thrown in mail
57 57 57	Palmdale				Glendale	car.
58 58 58 58 58	Selma Kingsburg Delano Lancaster Palmdale	Flag. Flag. Flag. Flag. Flag.		Glendale	Beyond Fresno	To dispatch registered coin, when requested by RPO clerk
58 58	San FernandoSan Fernando		The state of the s			
59 59	San Fernando Delano	FlagFlag	Daily			
60 60 60	Delano	Flag	Daily Daily Daily Daily	. Glendale	FresnoFresno	
4 4 4 7	Caliente	Flag. Flag. Flag. Flag.	Daily	Beyond Mojave Beyond Mojave Beyond Mojave Beyond Bakersfield	Beyond Bakersfield Beyond Bakersfield Beyond Mojave	
7 7 23 23	WoodfordCalienteTehachapi	FlagFlag	Daily Daily	Beyond Bakersfield Beyond Bakersfield Beyond Bakersfield Beyond Bakersfield	Beyond Mojave Beyond Mojave	
23 24 24	WoodfordCalienteCalienteWoodford.	FlagFlagFlagFlagFlag	Daily	Beyond Bakersfield Beyond Mojave Beyond Mojave	Beyond Mojave Beyond Bakersfield Beyond Bakersfield	
24	Tehachapi	Flag	Daily	Beyond Mojave		

RULE 5. Schedule times shown in small type indicate special instructions in the timetable govern movement.

RULE S-72. Westward trains are superior to trains of the same class in the opposite direction.

RULE 105. Capacity of Sidings column indicates the number of cars of average length of 49 feet that siding will hold between fouling points, in addition to one steam engine and capoose.

fouling points, in addition to one steam engine and caboose.

Sidings designated "E" are assigned for use by eastward trains, those designated "W" are assigned for use by westward trains, those designated "M" may be used by trains in either direction. Those designated "1," "2," or "3" are assigned for use by trains as shown in special instructions for the subdivision on which located.

RULE 221. Last paragraph is changed to read as follows: When light is not displayed in a train-order signal at night, day indication of the signal arm will govern, and report must be made from next open office, unless special instructions provide that light will not be displayed.

Light will not be displayed in train-order signals on Porterville line and all branches, except when train-order operator is on duty.

SPECIAL INSTRUCTIONS—FRESNO SUBDIVISION

RULE 82 (A). Trains to or from Western Division at Ingle must obtain two clearances; one endorsed "San Joaquin Division" and one endorsed "Western Division."

Eastward trains originating and westward trains terminating Fresno Yard are not required to obtain clearance at Fresno.

Westward trains originating may obtain train orders and check register at Kern Jct. instead of Bakersfield, and need not obtain clearance or check register at Bakersfield.

RULE 83. Identification may be made by trains between Fresno and Calwa Tower to be applied at end of double track, and eastward trains except first-class may identify westward trains except first-class between Fresno Yard and Fresno to be applied at end of double track. Trains approaching each other between these stations must reduce speed sufficiently to permit identification, and Rule 14 (k) will apply.

RULE 83 (A). At the following stations only the trains indicated will register:

Fresno Yard... Trains originating or terminating.
Fresno....... Trains originating or terminating.
Oil Jet....... Trains originating or terminating.
Famoso..... Trains to or from Porterville line.

Goshen Jct.... Trains to or from Visalia and Riverdale Branches, and extra trains originating or terminating.

Operator Fresno will report arrival and departure of all trains originating or terminating at Fresno to operator Fresno Yard who will enter on register and verify by repeating registration.

Operator Bakersfield will report arrival and departure of all regular trains originating or terminating on Fresno Subdivision to operator Kern Jct. who will enter on register and verify by repeating registration.

RULE 83 (B). At open train-order offices trains may register by ticket as follows:

Bakersfield.... No. 51 and eastward first-class trains, except No. 56.

Famoso..... Trains to or from Porterville line.

RULE 105. Goshen Jct. Siding No. 1 is first track north of Tulare line main track and is assigned for use by eastward trains. Siding No. 2 is second track north of Tulare line main track and is assigned for use by westward trains, and is connected at each end with No. 1 Siding.

Siding No. 3 is track south of Tulare line main track, extending between MP 239.1 and MP 239.7 and may be used by trains in either direction.

Famoso. First track north of Tulare line main track, between Signals 2016-3087 and Signals 2926-2929 at junction switch is designated Porterville line main track and will be used by trains in both directions on Porterville line and as a siding for use by eastward trains on Tulare line, and is not protected by block signals. Trains from Porterville line must approach crossover at Signals 2916-3087 prepared to stop and if track is seen to be clear may proceed with caution not exceeding 12 MPH to junction switch. Trains to Porterville line will proceed with caution not exceeding 12 MPH from junction switch to crossover at Signals 2916-3087. Trains occupying this track must display markers per Rule 19, Fig. 8. Normal position of inside switch of crossover at Signals 2916-3087 will be for movement to Porterville line.

Track south of Tulare line main track is designated westward siding and assigned for use by westward trains on Tulare line.

RULE 221. Calwa Tower is train-order office for eastward trains only, and is open continuously. Signal arm for westward movement has been removed.

Hanford is open train-order office only between hours of 8:00 AM and 5:00 PM, daily, except Saturdays, Sundays and Holidays. Trains leaving Hanford between these hours must obtain clearance from train-order operator at freight office.

Armona is open train-order office only between hours of 8:00 AM and 5:00 PM, daily, except Saturdays, Sundays, and Holidays. Trains leaving Armona between these hours must obtain clearance from train-order operator.

Coalinga is open train-order office only between hours of 8:00 AM and 5:00 PM, daily, except Saturdays, Sundays and Holidays.

RULE D-251. Will apply on both tracks between Fresno Yard and Calwa Tower.

RULE 3. Conductors on eastward AT&SFRy trains show on reverse side of register ticket left at Kern Jct. watch comparison made at AT&SFRy station Bakersfield, also comparison with engineers.

RULE 82 (A). Trains will not be required to obtain clearance at Kern Jct. and Bakersfield, except trains originating, or receiving orders at these stations.

Engines to operate on Arvin branch must obtain clearance at

Bakersfield or Kern Jct.

Trains to operate as Nos. 802, 804, 806 and 808, or sections thereof, on Mojave Subdivision from Mojave, are authorized to assume such identity at Bakersfield or Kern Jct. instead of Mojave.

Trains to operate as Nos. 801, 803, 805 and 807, or sections thereof on Tehachapi Subdivision from Mojave, must obtain clearance at

Mojave.

Clearance for sections of these schedules must bear the words "No Signals," or "Green Signals." Train-order authority for display of signals will not be required.

RULE 83 (A). Operator Kern Jct. will report arrival and departure of AT&SFRy first-class trains to SP operator Bakersfield, who will enter on register and verify by repeating registration.

who will enter on register and verify by repeating registration.

Operator Kern Jct. will report arrival and departure of all scheduled trains to AT&SFRy operator Bakersfield, who will enter on SP register and verify by repeating registration.

Engines to or from Arvin branch must register at Bakersfield

or Kern Jct.

RULE 83 (B). At open train-order offices trains may register by ticket as follows:

Bakersfield.....No. 51 and eastward first-class trains, except No. 56.

Kern Jct..... AT&SFRy trains, SP first-class trains and west-

ward light engines.

Mojave.....All trains not required to stop for other reasons.

RULE 95. Nos. 801, 803, 805 and 807, or sections thereof from Mojave Subdivision at Mojave are authorized to continue display of indicators through to Kern Jct. or Bakersfield.

RULE D-97 (A). Applies between Kern Jct. and Bena, and between Tehachapi and Mojave.

Extra trains originating Eric and Summit will respect run late and other non-restrictive orders held.

RULE 221. Tehachapi is train-order office for eastward trains only, and is open continuously. Signal arm for westward movement has been removed.

RULE D-251. Will apply on westward track, Bena to Kern Jct. Authority may be conferred by train dispatcher by message, or by telephone, to conductor or engineer of an inferior train to run ahead of an overdue first-class train on eastward track Kern Jct. to Bena, or on either track between Tehachapi and Mojave.

SPECIAL INSTRUCTIONS—MOJAVE SUBDIVISION

RULE 82 (A). If operator not on duty trains originating may leave Searles or Owenyo without obtaining clearance.

Trains to San Joaquin Division originating at Los Angeles or Los Angeles Yard must obtain San Joaquin Division clearance, and need not obtain clearance at Burbank Jct., if properly cleared by train-order signal.

RULE 83 (A). At the following stations, only the trains indicated will register:

Saugus..... Trains originating or terminating.

RULE 83 (B). At open train-order offices trains may register by ticket as follows:

Mojave......All trains not required to stop for other reasons. When a regular train or section of schedule is checked on register at Los Angeles LAUPT it will not be necessary to obtain check of the same train at Burbank Jct.

RULE 105. Saugus: Westward siding extends from MP 451.5 to connection with main track just west of Signal 4505, and is assigned for use by westward trains.

Westward trains on westward siding will be governed by Signal 4505, and if this signal displays stop indication permission must be obtained from train-order operator before applying block signal rules for movement through the block.

Eastward siding is first track north of main track and is west of station building, and is assigned for use by eastward trains, but may also be used by trains and engines when necessary to do switching on corral or house track.

Trains or engines must not foul westward siding from east end of Bunnell storage track until telephone permission is received from train-order operator.


RULE 211 (E). Will not apply at Vincent. If train order restricting the movement of a train at Vincent is to be delivered, the operator may deliver the order, but must not clear interlocking signal at the leaving end of siding until train has stopped.

This rule will not apply to westward trains at Burbank Jct.

This rule will not apply to westward trains at Burbank Jct. when train to which restricting order is addressed is entering siding. If order restricts train from entering single track, or from entering siding, order must not be delivered until train has stopped.

RULE 221. Burbank Jct. is train-order office for westward trains only, and is open continuously. Signal arm for eastward movement has been removed.

Owenyo is open train-order office only between hours of 7:30 AM and 4:30 PM, daily, except Saturdays, Sundays and Holidays.



. All the party of the property of the party o . [

DIVISION MILEAGE

	MAIN LINE	First	Second	
		Track	Track	Miles
Biola Jet. to Saugus	S P R R	40.10 210.05	7.20 34.15	
End Western Div. to Fresno	S. P. R. R	.52	01.10	
Fresno to Famoso via Exeter	S. P. R. R	103.95		
Total		354.62	41.35	
Total Main Lines				395.97
	BRANCHES			
Arvin-Magunden to Arvin	Contract to the second	.14		
	S. P. CoA. T. & S. F.	16.75		
Clovis—Fresno to Friant Coalinga—Armona to Coalinga	S. P. R. R	24.14 40.21		
Fresno Interurban—Hammond to		40.21		
Belmont Ave	F. I. Ry	16.92		
Keeler—Laws to Keeler (N. G.) McKittrick—Bakersfield to	S. P. R. R	71.33		
McKittrick	S. P. R. R	47.61		
Minkler Southern—Porterville to				
Ducor	A. T. & S. F	12.53		
Oil City—Oil Jet. to Oil City	A. T. & S. F	6.51		
Owenyo-Mojave to Owenyo		143.15		
Richgrove-Richgrove to Jovista	S. P. R. R	4.16		
Riverdale—Ingle to Goshen Jct Stratford—Rossi to Stratford	P. R. R	64.48 8.26		
Success—Porterville to Success	S P Co	7.64		
Sunset Ry —Gosford to Maricon	a. (Sunset Rv	32.21		
Pentland to Taft	Sunset Ry	9.41		
Visalia—Goshen Jct. to Exeter	S. P. R. R	16.80		
Total Branches				522.50
Total San Joaquin Division.				918.47
				_

SPEED TABLE

TIME PER PER MILES PER HOUR 36" 100 37" 97.3 38" 94.7 39" 92.3 40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 76.6 48" 75.5 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50.7 1'12" 50.7 1'13" 49.8 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 48.6 1'15" 45.5 1'20" 45.6 1
MILE HOUR 36" 100 37" 97.3 38" 94.7 39" 92.3 40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 76.6 48" 75.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 50 1'01" 59 1'02" 58.7 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'06" 54.5 1'08" 52.9 1'09" 52.2 1'10" 50.7 </th
36" 100 37" 97.3 38" 94.7 39" 92.3 40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4
37" 97.3 38" 94.7 39" 92.3 40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 76.6 48" 75.5 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'09" 52.2 1'10" 51.4 1'10" 51.4 1'11" 49.3
38" 94.7 39" 92.3 40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'10" 51.4 1'10" 51.4
39" 92.3 40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 80 46" 78.3 47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 </th
40" 90 41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50. 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'15" <td< th=""></td<>
41" 87.8 42" 85.7 43" 83.7 44" 81.8 45" 80 46" 78.3 47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'06" 54.5 1'06" 55.4 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15"
42" 85.7 43" 83.7 44" 81.8 45" 80 46" 78.3 47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16"
43" 83.7 44" 81.8 45" 80 46" 78.3 47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 53.7 1'06" 53.5 1'06" 53.5 1'06" 52.2 1'09" 52.2 1'10" 51.4 1'11" 50. 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" <td< th=""></td<>
45" 80 46" 78.3 47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 50 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'15" 45. 1'20" <
46" 78.3 47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
47" 76.6 48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'20" 45 1'25"
48" 75 49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20"
49" 73.5 50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 50 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'20" 45 1'25" 42.4
50" 72 51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5" 56" 64.3 57" 63.1 58" 62.1 1'0" 60 1'0" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
51" 70.6 52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 50 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'20" 45 1'25" 42.4
52" 69.2 53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 50 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'20" 45 1'25" 42.4
53" 67.9 54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
54" 66.7 55" 65.5 56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45
56" 64.3 57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
57" 63.1 58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 53.7 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
58" 62.1 59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
59" 61 1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'00" 60 1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'01" 59 1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'02" 58.1 1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'03" 57.1 1'04" 56.2 1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'05" 55.4 1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'06" 54.5 1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'07" 53.7 1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'08" 52.9 1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'09" 52.2 1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'10" 51.4 1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'11" 50.7 1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'12" 50 1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'13" 49.3 1'14" 48.6 1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'15" 48 1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'16" 47.4 1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'17" 46.8 1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'18" 46.2 1'19" 45.6 1'20" 45 1'25" 42.4
1'19" 45.6 1'20" 45 1'25" 42.4
1'20" 45 1'25" 42.4
1'25" 42.4
1 200
1'35" 37.9
1'40" 36
1'45" 34.3
1′50″ 32.7
1′55″ 31.3 2′00″ 30
2'00"
2'30" 24
2'45" 21.8
3'00" 20
3'30" 17.1
4'00" 15
5'00" 12
6'00" 10
7'00" 8.6
7′30″ 8 8′00″ 7.5
10'00" 6

