TIME IS IMPORTANT Take TIME To Be SAFE

SPEED TABLE

TIME PER MILE	MILES PER HOUR-
36". 37". 38". 39". 40".	97.3
41". 42". 43". 44". 45".	85.7
46"	76.6
51"	70.6 69.2 67.9
55". 56". 57". 58". 59".	64.3 63.2 62.1 61
1'00". 1'01". 1'02". 1'03". 1'04". 1'05".	
1 '06"	54.5 53.7 52.9
1'11". 1'12". 1'13". 1'14".	50.7 50 49.3 48.6
1'15"	46.8 46.2 45.6
1'20"	42.4
1'45". 1'50". 1'55". 2'00". 2'15".	34.3 32.7 31.3 30 26.7
2'45" 3'00" 3'30"	24 21.8 20 17.1
4 '00" 5 '00" 6 '00" 7 '00" 7 '30"	15 12 10 8.6
8 '00". 10 '00".	7.5

SOUTHERN PACIFIC COMPANY



LAFAYETTE DIVISION TIMETABLE

118

EFFECTIVE SUNDAY, APRIL 24, 1966 AT 12:01 A. M. CENTRAL STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS

D. R. KIRK,

General Manager.

L. R. SMITH,

B. M. STEPHENS, Assistant General Managers.

J. E. ADAMS,

Superintendent of Transportation.

E. P. EVANS, Superintendent.

SENIOR ASSISTANT SUPERINTENDENT E. F. WINTERROWD Lafayette

ASSISTANT SUPERINTENDENT

C. W. RUSH Houston

TRAINMASTERS

W. P. FAUCHEUX Beaumont
P. M. ALLMON Lake Charles
J. P. LEACH Lafayette
W. C. DUNN New Orleans

ASSISTANT TRAINMASTERS

C. N. McMURREY Beaumont
N. G. BULOT New Orleans

ROAD FOREMEN OF ENGINES

J. T. McNAMARA Beaumont F. A. HEUSCHKELL Lafayette

CHIEF TRAIN DISPATCHER

L. F. McCLARD Houston

TERMINAL SUPERINTENDENT

L. McDONALD New Orlean

EAST	WARD				WEST	WARD
THIRD	CLASS		ROCKLAND BRANCH		THIRD	CLASS
160 Local Freight	102	Mile Post Location	STATIONS SIDING CAPACITIES AND FACILITIES	Station Number	159 Local Freight	101 A & NR Freight
Lv. Daily Ex. Sun.	Leave Daily		SIDING CAPACITIES AND FACILITIES		Ar. Daily Ex. Sat.	Arrive Daily
AM 12.01	8.45	118.2	TO-R LUFKIN BKDYP	40119	AM 11.55	11.20
12.10	8.55	120.4	Prosser IP	40121	11.45	11.10
12.15	9.20		Yd Lmts 2.4 HERTY		11.35	10.55
12.30	9.35 AM	132.1	Yd Lmts 3.6 P	45380	11.10	9.45 AM
3.30		54.7	Yd Lmts 77.4 P	45303	7.15	
4.05 AM		40.1	LOEB JCT.		6.40 AM	

See AT&SF Railway Company Current Timetable, Special Instructions and rules for train movements between Santa Fe Jct. and Loeb Jct.

4.35		30.5	SANTA FE JCT.	6.05	
4.40 AM		30.2	TO-R TOWER 32	6.00 AM	
Ar. Daily Ex. Sun.	Arrive Daily		(109.1)	Lv. Daily Ex. Sat.	Leave Daily
160	102			159	101

ADDITIONAL STATIONS					
Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number		
		Beaumont Line			
33-E P 17 P 23-E.	353.8 303.3 265.5 258.8	Dawes	70354 70303 70265 70259		
18 P 31	13.4 16.0	Mont Belvieu Eldon	48340 48343		
P 6-W	25.5 25.5 23.9 19.9 15.9 14.0 0.0	Guffey Chaison Gladys (spur) Viterbo (spur) Port Acres (spur) Williams (spur) Port Arthur	43283 44286 43283 43287 43292 43294 43299		
NOTE: Chaison is on sp		Rockland Branch			
34-WP	126.9 114.3	Huntington(spur) Zavalla	45375		
			45362		
33 10-W 18-W	109.3 106.2 103.3	Dolan (spur) Rockland (spur)	45357 45354 45351		
10-W 18-W 15-W 11-W	106.2	Dolan (spur) Martin (spur) Rockland (spur) Cima (spur) Colmesneil (spur)	45357 45354 45351 45345 45342		
10-W 18-W 15-W 11-W 8-W	106.2 103.3 96.9 94.1 87.7 84.7 76.9	Dolan (spur) Martin (spur) Rockland (spur) Cima (spur) Colmesneil (spur) Doucette (spur) Woodville (spur) Hillister (spur)	45357 45354 45351 45345		
10-W 18-W 15-W 11-W 8-W 24 P 12-W 8 P	106.2 103.3 96.9 94.1 87.7 84.7 76.9 72.4 69.8	Dolan (spur) Martin (spur) Rockland (spur) Cima (spur) Colmesneil (spur) Doucette (spur) Woodville Hillister (spur) Warren Hyatt (spur)	45357 45354 45351 45345 45342 45336 45333 45325 45320 45318		
10-W 18-W 15-W 11-W 8-W 24 P 12-W 8 P	106.2 103.3 96.9 94.1 87.7 84.7 76.9 72.4	Dolan. (spur) Martin. (spur) Rockland. (spur) Cima. (spur) Colmesneil. (spur) Doucette. (spur) Woodville. Hillister. (spur) Warren. (spur) (spur)	45357 45354 45351 45345 45342 45336 45333 45325 45320		

SPECIAL INSTRUCTIONS—BEAUMONT SUBDIVISION

RULE 5. Time at Loeb Jct. applies at junction with the AT&SF Ry. Co.

RULES 19, 20 and 21-A. Rockland Branch trains will display signals and markers between Santa Fe Jct. and Loeb Jct. according to designation on Rockland Branch.

RULE 82-A. Eastward first-class trains originating at Houston may assume the schedule or section, as ordered, displaying train indication and markers, and signals if required, as instructed by train dispatcher or yardmaster, without clearance, but must obtain clearance OK'd by chief train dispatcher before leaving Tower 87.

Rockland Branch extra trains originating at Prosser must obtain clearance and train orders from train-order office at Lufkin.

Crew arriving Dunagan on No. 102 may assume the schedule of No. 101 and leave without a clearance.

RULE 83. Eastward trains may identify westward trains between Houston and Tower 87 to be applied at end of two main tracks. Rule 14(k) will apply.

RULE 83-A. At following stations, only trains indicated will register:

Englewood	Trains originating or terminating.
Tower 87	First-class trains.
Tower 32	Trains originating or terminating.

Dunagan: Train register located in A.&N.R. telephone booth.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Towe	r 87	First-class	trains.
Echo		First-class	trains.

Except when directed by train order to do so, extra trains originating or terminating on the Rockland Branch at Dunagan need not register. Conductor will fill out register ticket on prescribed form and deliver to train-order operator at Lufkin.

RULE 93. Houston Passenger Yard. There is no main track between Signal X-17, west of Houston Passenger Station, and west interlocking limits of Tower 108. Between these points all tracks are yard tracks.

RULE 95. Sections of eastward first-class trains may be authorized at Tower 87 by clearance bearing words "Green signals" or "No signals".

RULE 221. Following are train-order offices only as indicated:

Englewood	Trains	originating.
Tower 87	Eastwa	ard trains.
Orange	Trains	originating.

Light will not be displayed in train-order signal Kountze except when train-order operator on duty.

RULE 812. AT&SF Railway Company rules require that a member of crew of Rockland Branch trains secure permission from Operator Tower 32 before fouling or entering AT&SF main track at Loeb Jct. or Santa Fe Jct. and for movement on main track between these points.

Trains and engines using tracks of Angelina and Neches River Railroad between Prosser and Dunagan will be governed by Rules and Regulations of the Transportation Department of the Southern Pacific Company, its Lafayette Division timetable, special instructions and timetable bulletins and by train orders issued over initials of chief train dispatcher of that division.

Yd Lmts 2.3 BKDYF

(104.0)

ADDITIONAL STATIONS				
Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number	
11-E	231.5 228.5 220.9 172.6 152.1	Stegall (spur) Sulphur (west Lake Estherwood (spur) Sadou (spur)	70232 70229 70221 70173 70152	
Yard Limits 10-E	43.9 25.8 24.4 19.2 9.8 7.0 4.6	DeRidder Branch	88262 88245 88244 88238 88229 88226 88223	
Yard Limits P 22	215.3 9.5 13.9 16.0 18.7 22.7 26.1	Lake Arthur Branch Mallard Jet Holmwood Rossignol (spur) Bell City (spur) Hayes (spur) Niblett (spur) Thornwell (spur)	70215 87225 87229 87231 87234 87238 87241	

4.45

Arrive Daily

244

Ar. Sun., Tues., Thur

60

Ar. Daily Ex. Sun.

58

6.40

Arrive Daily

242

11.10

Arrive

48

4.00 PM

Arrive Daily

2

147.4

RULE 5. Siding Lake Charles Yard is first track south of main track.

Leave Daily

47

Leave Daily

243

Leave Daily

241

6.10

Lv. Mon., Wed., Fri.

59

Lv. Daily Ex. Sun.

57

Siding Crowley is first track south of main track.

Leave Daily

1

70147

EAST- WARD	DE RIDDER BRANCH	e a	WEST- WARD
Mile Post Location	STATIONS SIDING CAPACITIES AND FACILITIES	Station	Distance
44.5	Yard Limits PE RIDDER	88263	44.5
0.0	221 Yd Lmts 44.5 IBKDIYP TO-R LAKE CHARLES YARD	70217	0.0
	(44.5)		
	LAKE ARTHUR BRANCH		*
217.7	221 Yard Limits :BKDIYP TO-R LAKE CHARLES YARD	70217	35.8
33.4	LAKE ARTHUR	87248	0.0
	(35.8)		

	Timeta	ible 140	. 116	SUDDI	10101
EAST	WARD			WEST	WARD
THIRD	SECOND CLASS			SECOND	CLASS
520	528	Mile Post	Station Number	519	527
Freight	Local Freight	W.	STATIONS	Freight	Local Freight
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		SIDING CAPACITIES AND FACILITIES	Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.
	8.30	79.5	Yd Lmts BYP 82205		PM 1.50
	8.56	67.0	17 12.5 IOTA 82193		12.05 PM
	10.00	56.3	85 Yd Lmts 10.7 TO MIDLAND YP 70175		11.40 AM
	10.55	45.3	22 11.0 P 82171		10.55
	11.26	30.4	48 Yd Lmts 14.9 P 82156		10.16
	AM 11.40	21.4	39 Yd Lmts 9.0 P 82147		9.44
	PM 12.10	15.1	29 6.3 P 82141		9.19
AM 8.00	12.37	5.4	로움 R I. & V. JUNCTION 81131	6.20	8.46
8.05	12.40	4.8	DAVIDS 81130	6.15	8.44
8.20	1.10	0.0	Page NEW BERIA	6.05	8.35
8.25 AM	1.15 PM	126.1	TO-R WEST TOWER	6.00 AM	8.30 MA
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		(81.0)	Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.
520	528			519	527

ADDITIONAL STATIONS					
Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number		
27-E. 8-W. 10-E. 15. 19. 23-E. 14.	60.2 52.3 26.6 20.0 18.5 15.8 12.3	Midland Branch Egan	82186 82178 82152 82145 82144 82142 82137		
8 15-W 15 15-E	9.1 8.9 6.1 2.0	Salt Mine Branch Avery McIlhenny (spur) Emma Brannon (spur)	81135 81134 81132 81127		
17-E 1-E	28.5 24.3	Youngsville Branch Lozes(spur) Charlotte(spur)	79136 79131		

EAST- WARD	Y Y	OUNGSVILLE BRANCH		WEST- WARD
Mile Post Location	SIDIN	STATIONS IG CAPACITIES AND FACILITIES	Station	Distance
33.1	its	YOUNGSVILLE	79140	15.7
20.5	Limits	DAVIDS	81130	3.1
17.4	Yard	PESSON	79125	0.0
		(15.7)		^

EAST- WARD	SALT MINE BRANCH		WEST- WARD
Mile Post Location	STATIONS SIDING CAPACITIES AND FACILITIES	Station	Distance
5.4	Page 1 & V JUNCTION 4.3	81131	0.0
9.7	SALT MINE	81136	4.3

SPECIAL INSTRUCTIONS-ECHO SUBDIVISION

RULE 82-A. Crew arriving I&V Junction on No. 519 may assume the schedule of No. 520 and leave without clearance.

Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

RULE 83-A. At the following stations, only trains indicated will register:

Lake Charles Yard Trains originating or terminating. 1&V Junction Nos. 519 and 527.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Echo ______ First-class trains.

Lafayette Yard _____ First-class trains.

Midland Branch eastward trains arriving West Tower may register by ticket, leaving same with waybills at New Iberia Freight Station.

RULE 93. Trains moving on main track between Lake Charles Yard and Mallard Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop movements will be made in accordance with Rules 507, 509, 510, 512 and/or 513 as the case may be.

RULE 221. Midland Branch trains must obtain clearance at Midland when train-order operator on duty.

Light will not be displayed in train-order signals at Gueydan and Abbeville, except when train-order operator on duty.

6	/	Timeta	ble No	. 118		1	AV(ONDALE SUBDIVIS	SION			April	24, 196	6	
	J	EASTW	VARD					eadwre Ym			7	WEST	WARD	154 4	TEAL
FOURTH CLASS	TH	IRD CLA	SS	SECOND CLASS	FIRST	- t+		81 0 910 911		FIRST CLASS	SECOND CLASS	тн	IRD CLA	iss	FOURTH
56	240	244	242	48	2	Mile Post Location		STATIONS	Station	1	47	243	241	239	55
Local Freight	Freight	Freight	Freight	Freight	Sunset					Sunset	Freight	Freight	Freight	Freight	Local Freight
Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		SIDI	NG CAPACITIES AND FACILITIES		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Dail Ex. Sun
AM 6.00	PM 10.00	PM 7.30	7.20	PM 11.15	PM 4.00	147.4	T	TO-R LAFAYETTE YARD	70147	PM 3.21	PM 11.05	AM 3.05	PM 12.20	PM 10.35	AM 10.4
6.10		7.40	7.30	11.22	s 4.20	144.5		R LAFAYETTE BKP	70145	s 3.17	10.55	2.58	12.10 PM	10.21	10.3
6.30		7.45	7.36	11.31	4.24	140.8		25 3.7 P	70141	2.58	10.50	2.52	11.42 AM	10.15	10.2
6.50	10.20	7.50	7.41	11.34	4.28	138.4		28 Yd Lmts 2.4 P BROUSSARD	70138	2.55	10.46	2.48	11.38	10.05	10.2
7.05	10.39	7.58	7.49		4.34	132.6		70132	2.49	10.39	2.40	11.30	9.55	10.1	
7.37	10.50	8.06	7.57	PM 11.49	4.41	126.1		TO WEST TOWER		2.42	10.31	2.31	11.21	9.45	9.4
					s 4.45	125.6		NEW IBERIA BKDYP	70126	s 2.40					
8.20	* * * * *	8.35	8.20	12.10	5.00	112.5	yste	119 Yd Lmts 13.1 P JEANERETTE SIDING	70112	2.22	10.10	2.10	10.54	9.24	8.2
9.15	PM 11.35	8.45	8.30	12.18	5.07	105.1	Signal Sy	TO BALDWIN \$BDP	70105	2.14	10.02	1.53	10.39	9.15	8.0
					f 5.12	101.0	k Sig	FRANKLIN P	70101	f 2.08	THE RE				
10.22	12.31	9.01	8.45	12.31	5.18	95.7	M	TO BAYOU SALE	70096	2.03		1.40	10.22	9.01	7.
11.15	1.23	9.32	9.07		5.33	81.3	Automatic	BERWICK P	70081	1.49	9.32	1.23	9.59	8.42	
11.35 AM		9.40	9.10	12.52	s 5.37	80.1	Auto	TO-R MORGAN CITY	70080	s 1.44	9.28	1.20	9.56	8.38	6.
	1.52	9.53	9.37	1.08	5.47	71.1		06 URSA P	70071	1.36	9.15	1.08	9.37	8.22	
	2.22		9.54	1.26	f 6.04	55.0		53 Yd Lmts 16.1 ‡BKDP	70055	f 1.20	8.57	12.51	9.11	8.03	,
	2.57	10.31	10.09		6.20	40.2		TO RACELAND JCT. \$BYP	70040	1.05	8.37	12.36	8.47	7.38	ţ
	3.10	10.49	10.21	1.58	6.30	31.8		DES ALLEMANDS	70032	12.55	8.25	12.26	8.34	7.25	,
	3.20		10.32				11 1-	98 Yd Lmts 7.6 P	70024	12.47	8.16	12.17	8.20	7.16	5
	3.30	11.11	10.40	2.15	6.44	18.9		13 5.3 IP	70019	12.41	8.10		8.11	7.10	
	3.45 AM	11.25 PM			6.52		m	TO-R AVONDALE	70012	12.33		12.01 AM	8.00 MA	7.00 PM	
					6.54 PM		A-PB	WEST BRIDGE JCT.		12.30 PM					

Time at New Orleans Union Passenger Station and at East Bridge Junction for information only. See NOUPT current timetable and rules of Operating Department for movements between Southport Tower and UPT Station; IC Railroad Company's current timetable for movements between East Bridge Junction and Southport Tower; and New Orleans Public Belt Railroad current timetable for movements between West Bridge Junction and East Bridge Junction.

				1	7.12	EAST BRIDGE JCT.		PM 12.14					
					s 7.45	R NEW ORLEANS UPT STA.	72000	12.01 PM					
Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	(136.9)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun.
56	240	244	242	48	2			1	47	243	241	239	55

RULE 5. Morgan City:

Time applies at Signals 796 and 797.

. ADDITIONAL STATIONS
See Page 7.

EASTWARD SECOND CLASS					WEST	WARD
			CYPREMORT BRANCH		SECOND	CLASS
408 Freight	406 Freight	Mile Post Location	STATIONS	Station	405 Freight	407 Freight
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		SIDING CAPACITIES AND FACILITIES		Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.
PM 2.55	AM 8.30	19.2	R WEEKS	77124	AM 5.25	PM 2.25
3.50 PM	9.15 AM	0.0	199 Yd Lmts 19.2 ‡BDP TO-R BALDWIN	70105	4.30 AM	1.30 PM
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		(19.2)		Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.
408	406				405	407

RULE S-72. Exceptions: No. 405 is superior to Nos. 406 and 408. No. 407 is superior to No. 408.

	EAST- WARD				WEST- WARD
	THIRD CLASS	Mile Post Location	ALEXANDRIA BRANCH		SECOND CLASS
ı	840-		STATIONS	Station	841
	Freight Leave				Arrive Daily
	Daily		SIDING CAPACITIES AND FACILITIES		Daily
ı	4.00	85.1	TO-R ALEXANDRIA	86230	12.10
	4.05 PM	84.3	S. P. JUNCTION	86229	12.05 PM

See T. & P. Railway Company's Current Timetable Special Instructions and Rules for Train Movements Between Cheneyville and S. P. Junction.

PM 4.50	60.2	TO CHENEYVILLE	86205	11.15
6.15	21.8	TO OPELOUSAS	86167	9.50
6.24	20.6	TO OPELOUSAS 49 OPELOUSAS SIDING		9.41
	145.3	PER SERVICE SE		
7.05 PM	147.4	TO-R LAFAYETTE YARD	70147	9.00 MA
Arrive Daily		(86.6)		Leave Daily
840				841

EAST-	ST. MARTINVILLE BRANCH		WEST- WARD
Mile Post Location	STATIONS SIDING CAPACITIES AND FACILITIES	Station	Distance
5.5	ST. MARTINVILLE	84166	23.7
145.1	21.4 B-R JCT.		2.3
147.4	TO-R LAFAYETTE YARD	70147	0.0
	(23.7)		
	HOUMA BRANCH	75070	
14.5	HOUMA 153 Yd Lmts 14.5 1BKDP	75070	14.5
0.0	TO-R SCHRIEVER	70055	0.0
	(14.5)		
	NAPOLEONVILLE BRANC	н	
0.0	153 Yd Lmts ;BKDP TO-R SCHRIEVER	70055	21.7
0.0	153 Yd Lmts CHRIEVER SCHRIEVER 3.2 NAPOLEONVILLE JCT.		21.7
	153 Yd Lmts IBKDP TO-R SCHRIEVER 3.2	70055	-400 - 100
3.2	TO-R SCHRIEVER NAPOLEONVILLE JCT. 18.5 P	70055 74055	18.5
3.2	TO-R SCHRIEVER 3.2 NAPOLEONVILLE JCT. 18.5 NAPOLEONVILLE	70055 74055	18.5
3.2	TO-R SCHRIEVER 3.2 NAPOLEONVILLE JCT. 18.5 NAPOLEONVILLE (21.7) LOCKPORT BRANCH Yd Lmts P	70055 74055	18.5
3.2	TO-R SCHRIEVER 3.2 NAPOLEONVILLE JCT. 18.5 NAPOLEONVILLE (21.7) LOCKPORT BRANCH	70055 74055 74077	18.5

ADDITIONAL STATIONS							
Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number				
		Avondale Line					
	145.3	Alex Jot					
	145.1	B-R Jet					
14-E	142.4	Walroy(spur)	70143				
36	137.0	Billeaud	70137				
2-W	129.7	Burke(spur)	70130				
15-W	120.9	Olivier(spur)	70121				
17	116.2	Patoutville	70116				
Yard Limits P	114.1	Jeanerette	70114				
12-E	112.7	Albania(spur)	70113				
	101.8	Sterling Junction	70102				
32 P	97.8	Garden City	70098				
	95.7	Cabot	76100				
	95.7	North Bend	76100				
5-E	90.5	Calumet(spur)	70090				
S-W P	86.7	Patterson(spur)	70087				
27-E	84.4	Lagonda(spur)	70084				
P P	73.3	Boeuf	70073				
13-E	64.5	Donner(spur)	70065				
66 P	54.1 28.3	Thibodaux Jet	70054				
15-E P	27.6	Vallier	70028				
	0.0	Paradis(spur)	70027 70000				
	0.0	Algiers	70000				

NOTE: North Bend is on spur 4.3 miles from Bayou Sale Cabot is on spur 4.4 miles from Bayou Sale.

15-W 7-E 45-W 9-W 21-W	17.5 15.1 13.1 12.7 12.0 8.1 3.2 2.0	Cypremert Branch Gajan	77123 77121 77119 77118 77117 77113 78105 78104
------------------------------------	---	------------------------	--

NOTE: Sterling and Caffery are stations on spur 2.0 and 3.2 miles, respectively, from Sterling Jet. within Yard Limits Baldwin-Franklin.

14-W	53.2 51.8 42.2 32.4 27.8 22.5 19.2	Alexandria Branch Carboco(spur) Eola. Whiteville(spur) Beggs. Washington Lansom. Veltin(spur) Sunset.	86198 86197 86187 86177 86173 86168 86164 86158
12 P 34 P	7.0	Carencro	86152
6-W	5.3	Gloria(spur)	86150
0.17	0.0	St. Martinville Branch	00100
40	5.2	Anse LaButte	85150
15	18.7	Breaux Bridge	85153
40-E	8.0	Levert(spur)	84163
7-E	15.7	Ruth(spur)	84155
		Houma Branch	preno
18	17.6 13.3	Colley	75073
36-E	12.7	Southdown Siding	75068
21-E	2.5	Magnolia(spur)	75058
21-13	2.0	Magnona(apur)	75056
		Napoleonville Branch	
P	3.8	Thibodaux	74056
13	4.4	Naquin	74057
17-W	5.5	Leighton(spur)	74058
6-W	6.8	Brule(spur)	74059
30	12.1	Labadieville	74064
75-E	14.8	Supreme(spur)	74067
2-W	16.3	Percle(spur)	74069
10-W	17.1	Little Texas(spur)	74070
43-E	21.4	Elm Hall(spur)	74078
14	23.2	Glenwood	74079

NOTE: Thibodaux is on spur 0.6 mile from Napoleonville Jet.

16	5.7	Lockport Branch Jay Mathews Baceland	73054 73046 73042
Yard Limits	1.4	Raceland	73042 73041

RULE 6-A. The following symbol when placed in station column indicates: ‡ Radio Base Station.

RULE 19. Last sentence of Item (5) is cancelled. When oil-burning markers are used, only one marker will be displayed.

Markers will not be displayed on the following branches:

Baytown Branch
Sabine Branch
DeRidder Branch
Lake Arthur Branch
St. Martinville Branch

Cypremort Branch Houma Branch Napoleonville Branch Lockport Branch

RULES 20, 21, 21-A, 21-B, 21-C. Trains, except Nos. 1 and 2 or sections thereof, will not display train indicators but will display engine number in place provided for train indication. Engine number will not be removed on arrival destination.

When engine is equipped with white classification lights they must be illuminated by day and by night when running as an extra train. When so equipped white flags will not be displayed as provided by Rule 21-B.

RULE S-72. Eastward trains are superior to trains of the same class in the opposite direction, except as shown on Page 6.

RULE 97. Within A-PB and Interlocking limits trains may run extra without train-order authority, but must obtain clearance before commencement of trip, if at an open train-order office. RULE 105. Capacity of Sidings indicates the number of cars of average length of 49 feet that siding will hold between fouling points, in addition to four diesel units and caboose.

When length of train and/or capacity of siding permits, trains taking siding after clearing main track will provide not less than 400 feet additional clearance to fouling points.

RULE 208. Dayton and Lake Charles Yard: First sentence, fourth paragraph, does not apply to westward trains at Dayton or eastward trains at Lake Charles Yard. When train order signal remains in stop position and has not been operated as prescribed by Rule 211, train may proceed without stopping, but must not pass fouling point of switch at which an opposing train may enter siding until it is known train orders received do not restrict train at that station.

RULE 220-A. Train orders relating to track conditions and Form Y train orders, unless annulled, must be respected by conductor and engineer on all trips made during the tour of duty on which such orders are received.

Other train orders received by a train may be made applicable to an additional trip by issuance of an order reading "RESPECT ORDER NO......" or adding these words to the order creating the train for the additional trip.

FORMS OF TRAIN ORDERS

Form G. last paragraph, is revised as follows:

"When an order, Form G, is fulfilled or annulled, other forms of orders held by the extra so created, except Forms K, V, Y and train orders relating to track conditions, are also made void."

SPECIAL INSTRUCTIONS—AVONDALE SUBDIVISION

RULES 20, 21-A and 82-A. Westward trains leaving New Orleans UPT Station will display train indication and signals according to train number, section or extra train for which crew is ordered, need not obtain clearance at West Bridge Junction but must obtain clearance OK'd by chief train dispatcher before leaving Avondale.

Eastward trains will display train indication and signals from West Bridge Junction to New Orleans UPT Station according to designation on Avondale Subdivision.

Extra trains displaying train indication will not be required to display white flags between West Bridge Junction and New Orleans UPT Station.

RULE 82-A. Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Conductor and engineer of westward first-class trains and extra passenger trains operating through Lafayette Yard will deliver all train orders and instructions held to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Crew arriving Weeks on No. 405 may assume the schedule of No. 406 and crew arriving Weeks on No. 407 may assume the schedule of No. 408 and leave without clearance.

RULE 83. A westward train checking an opposing first-class train on train register at New Orleans UPT Station, or identifying an opposing first-class train between New Orleans UPT Station and Avondale will not be required to check against the same train before leaving Avondale.

RULE 83-A. At the following stations, only trains indicated will register:

Lafayette First class and extra passenger trains.

Morgan City Trains originating or terminating.

Trains operating to or from New Orleans UPT Station must register on NOUPT train register at that station.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Lafayette Yard First-class trains.

Avondale First-class trains.

RULE 93. Trains moving on main track between Lafayette Yard and B-R Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop movements will be made in accordance with Rules 507, 509, 510, 512 and/or 513 as the case may be.

Time release located on Block Signal 1453 governing movements from Alexandria Branch, and on Block Signal 1451 governing movements from St. Martinville Branch. After complying with provisions of Rule 513 and switch is lined for movement if signal does not immediately display proceed indication, train must wait three (3) minutes, after which signal will display yellow aspect if no train or engine is occupying block.

RULE 95. Sections of westward first-class trains may be authorized at Avondale by clearance bearing the words "green signals" or "no signals".

RULE 208. Fourth paragraph will not apply to westward trains at West Tower. Train order restricting the movement of a westward train at that station may be delivered while train is moving but the operator must not clear the interlocking signal at leaving end of siding until train has stopped or restriction expired.

RULE 221. Avondale is a train-order office only for westward trains.

Cheneyville is an open train-order office only between 9:00 AM and 6:00 PM daily, except Saturdays, Sundays and Holidays.

Light will not be displayed in train-order signal at Opelousas, except when train-order operator is on duty.

RULE 812. Texas and Pacific Railway Company's rules require conductors to call the Texas and Pacific dispatcher from S. P. Junction to secure permission to enter T&P main track.