## La Tex

## TIME IS IMPORTANT Take TIME To Be SAFE

### RULE 10-I

Oral authorization and acknowledgments between Foremen and Engineers for trains to pass "Red Conditional Stop" signs must be worded in the following forms:

## Foreman's Response

"THIS IS S.P. FOREMAN IN CHARGE OF THE WORK BETWEEN MP \_\_\_\_\_ AND MP \_\_\_\_\_ S.P. TRAIN ORDER NO. \_\_\_\_\_, WE ARE IN THE CLEAR AND YOU MAY PROCEED PAST THE RED CONDITIONAL STOP SIGN AND THROUGH THE LIMITS OF THE ORDER AT \_\_\_\_\_ M.P.H."

## Engineer's Response

"THIS IS ENGINEER S.P. TRAIN \_\_\_\_\_\_, I MAY PROCEED PAST THE RED CONDITIONAL STOP SIGN AND THROUGH THE LIMITS OF ORDER NO. \_\_\_\_\_\_ BETWEEN MP \_\_\_\_\_\_ AND MP \_\_\_\_\_ AT (Speed). REPEAT (Speed) MILES PER HOUR."

Foreman must acknowledge Engineer's response as follows: S.P. TRAIN NO.\_\_\_\_, O.K. ON ORDER NO.\_\_\_\_

## SOUTHERN PACIFIC COMPANY



# LAFAYETTE DIVISION TIMETABLE 120

EFFECTIVE WEDNESDAY, JANUARY 1, 1969 AT 12:01 A. M. CENTRAL STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS

D. R. KIRK,

General Manager.

L. F. McCLARD\_

L. McDONALD\_\_\_

L. R. SMITH,

B. M. STEPHENS.

Assistant General Managers.

J. E. ADAMS,

Superintendent of Transportation.

E. P. EVANS.

Superintendent.

SENIOR ASSISTANT SUPERINTENDENT E. F. WINTERROWD Lafayette
ASSISTANT SUPERINTENDENT
C. W. RUSH Houston
TRAINMASTERS
C. T. STRONG Beaumont
N. G. BULOT Lake Charles
J. P. LEACH Lafayette
W. P. FAUCHEUX New Orleans
ASSISTANT TRAINMASTERS
B. J. BALLARD Beaumont
B. J. BALLARD Beaumont D. L. TRAVIS New Orleans
ROAD FOREMEN OF ENGINES
J. T. McNAMARA Beaumont
W. F. POWELL Lafayette
CHIEF TRAIN DISPATCHER

TERMINAL SUPERINTENDENT

2		Timeta	ble No.	120		I	3E	AUMONT SUB	BDIVI	SION	January 1, 1969					
		EAST	WARD										WEST	WARD		
THIRD	CLASS	SEC	OND CL	ASS	FIRST						FIRST	SEC	OND CL	ASS	THIRD	CLASS
60	68	48	244	242	2	Post tion		STATIONS		a ta	1	47	243	241	59	69
Local Freight	Local Freight	Freight	Freight	Freight	Sunset	Mile P Locati		FACILITIES AND LENGTH	05	Station	Sunset	Freight	Freight	Freight	Local Freight	Local Freight
Lv. Sun., Tues., Thur.	Lv. Mon.,	Leave Daily	Leave Daily	Leave Daily	Leave Daily			SIDINGS IN FEET	UF		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Mon., Wed., Fri.	Ar. Tues., Thur., Sat.
					AM 11.55	1.4	7	R HOUSTON	BKPQ	76100	PM s 8.30					
					12.00	0.8		( 0.6	1	76001	1000					
						360.7	mits	TOWER 108	IYPQ	76025						
						358.4	ard L	TOWER 68	IPQ 8	76050						
	7.00	PM 6.01	10.00	AM 12.01		357.4	X	O-R ENGLEWOOD	YPQ II	76100		3.45	9.20	PM 7.45		11.10
	7.05	6.04	10.05	12.05	PM 12.09	356.8	(7	O-R TOWER 87	IPQ Tracks	79007	7.56	3.37	9.15	7.40		10.50
	7.30	6.14	10.20			349.9		FAUNA	10735	79014	7.47	3.25	9.01	7.30		10.40
	7.50	6.19	10.26	12.25	12.21	345.4		Yd. Lmts. 4.5 SHELDON	2504	79018	7.40	3.19	8.55	7.20		10.2
	8.10	6.25	10.33	12.32	12.26	340.7		CROSBY	2488	79024	7.33	3.13	8.48	7.10		10.18
	8.32	6.41	10.50	12.51	12.40	326.8		Yd Lmts 13.9 TO DAYTON	1PQ 13130	79039	7.17	2.57	8.32	6.41		9.58
	9.20	6.48	10.59	12.59	12.46	320.8		Yd Lmts LIBERTY	3481	79207	7.09	2.47	8.22	6.33		9.20
	9,30	6.52	11.05	1.05	12.50	317.6		AMES	2545	79211	7.04	2.41	8.15	6.26		8.3
	9.45	6.58	11.12	1.11	12.55	313.4	ysten	RAYWOOD	3123	79216	6.58	2.35	8.10	6.20		8.2
	10.05	7.07	11.33	1.18	1.00	308.3	nal 8	TO DEVERS	11643	79221	6.51	2.29	8.04	6.11		8.0
	10.30	7.18	11.44	1.31	1.09	297.9	k Sig	NOME	2248	79232	6.38	2.18	7.52	5.58		7.1
	10.45	7.24	11.50	1.39	1.14	293.0	Bloc	CHINA	3156	79239	6.31	2.12	7.45	5.51		7.0
	11.05	7.33	11.59	1.52	1.23	284.0	matic	AMELIA 3.8	2093 BKIYPO	79245	6.20	2.02	7.35	5.40	AM	6.4
6.30	11.15 AM	7.45	PM 12.03	1.58	s 1.30	280.2	Aut	TO-R BEAUMONT  TOWER 31	11800 IP	79250	s 6.16	1.58	7.30	5.37	11.05	6.30 AM
6.40		8.01	12.30	2.22	1.40	277.0		TOWER 31	IP		6.02	1.40	7.01	4.39	10.31	
6.52		8.07	12.36	2.28	1.45	271.7		CONNELL 8.7	10800	79507	5.57	1.32	6.52	4.33	10.25	
7.35		8.18	12.47	2.43	1.55	263.0		TULANE	5715 P	79517	5.47	1.22	6.42	4.21	10.03	
8.10		8.23	12.52	2.51	2.00	257.9		ORANGE SIDIN	IG BP	79523	5.42	1.15	6.35	4.14	9.45	
0.30		9.40	1.10	3 10	s 2.05	256.6		TO ORANGE Yd Lmts 5.2		79530	s 5.40 5.30	1.00	6.20	4.00	7.45	
9.30 AM Ar. Sun.,		8.40 PM	1.10 PM Arrive	3.10 Am Arrive	2.14 PM Arrive	251.4	_	TO-R ECHO	8KPQ 7589	90000	5.30 PM Leave	1.00 AM Leave	6.20 AM Leave	4.00 PM Leave	Lv. Mon., Wed., Fri.	Lv. Tues
Tues., Thur.	Ar. Mon., Wed., Fri.	Arrive Daily	Daily	Daily	Daily		-	(111.1)			Leave Daily	Leave Daily	Leave Daily	Daily		Thur., Sa
60	68	48	244	242	2						1	47	243	241	59	69

BEAUMONT: Two main tracks extend between Langham Road and KCS MP C-766. For movements between Langham Road and Connell, see page 8, Lafayette Division Special Instructions No. 10.

RULE 5. Siding Beaumont is first track south of main track No. 2.

EAST- WARD		Company of the second		WEST- WARD	EAST- WARD			WEST- WARD	
SECOND CLASS	Post	BAYTOWN BRANCH	g to	SECOND		SABINE BRANCH			
	Mile	STATIONS	Station	189 Freight	Post ation	STATIONS	Station Number	tance	ADDITIONAL STATIONS
Lv. Daily Ex. Sun.		FACILITIES AND LENGTH OF SIDINGS IN FEET		Ar. Daily Ex. Sun.	Mile Loca	FACILITIES AND LENGTH OF SIDINGS IN FEET	Sta	Dis	See Page 3
8.00	22.2	Yd Lmts TO-R BAYTOWN	79130	4.15					
8.30	16.0	6.2 ELDON	79118	3.45	280.2	Yd Lmts TO-R BEAUMONT 11800	79250	18.5	
9.45 PM	0.0	Yd Lmts 16.0 IPQ TO DAYTON 13130	79039	2.00 AM	12.7	Yd Lmts WEST PORT ARTHUR	79360	0.0	
Ar. Daily Ex. Sun.		(22.2)		Lv. Daily Ex. Sun.		(18.5)			
190				189				<b> </b>	

EASTV	VARD	51.438	CERW		WEST	WARD	
THIRD CLASS		276.	ROCKLAND BRANCH		THIRD CLASS		
Local Freight	102 A & NR Freight Leave	Mile Post Location	STATIONS  FACILITIES AND LENGTH OF SIDINGS IN FEET	Station Number	Local Freight  Ar. Daily Ex. Sat.	A & NR Freight  Arrive Daily	
Ex. Sun.  AM 12.01	Daily  AM  8.45	118.2	BKYPQ BKYPQ	78200	AM 11.55	AM 11.20	
12.10	8.55	120.1	TO-R LUFKIN 1.9 PROSSER	78404	11.45	11.10	
12.15	9.20		Yd Lmts 2.5 HERTY	79490	11.35	10.55	
12.30	9.35 AM	132.1	Yd Lmts 3.5 P	79487	11.10	9.45 AM	
3.30		54.6	Yd Lmts 77.5 P	79430	7.15	6.17.17	
4.05 AM		40.1	14.5 P LOEB JCT.	79412	6.40 AM	was to be	
Se and rule	e AT&SF	Railwa	ay Company Current Timetable, S ments between Santa Fe Jct. and	pecial Inst Loeb Jct.	cructions	u teril	
AM 4.35		30.5	1	79405	6.05		
4.40 AM	all ox	280.2	TO-R BEAUMONT 11800	79250	6.00 AM		
Ar. Daily Ex. Sun.	Arrive Daily		(110.7)	1,100	Lv. Daily Ex. Sat.	Leave Daily	
160	102				159	101	

Capacity in cars and Direction o entry into Spurs	Mile Post	NAME	Station Numbe
		Beaumont Line	
P	353.2	Dawes	79010
33-E P 17 P	303.3	Felicia(spur)	79226
17 P	265.5	Bobsher	79514
23-E	258.8	Francis(spur) Baytown Branch	79521
18 P	13.0	Mont Belvieu	79115
P	25.5	Guffey	79305
	25.5	Chaison	79320
6-W	23.9	Gladys(spur)	79342
15-E	21.3	Viterbo(spur)	79347
11-E	16.0	Port Acres(spur)	7935
73-W	14.0	Williams(spur)	7935
Yard Limits YP	3.1	Port Arthur	79380
NOTE: Chaison is on spi	ır track 3	3 miles from Guffey.	
P	129.3	Rockland Branch	7948
E	129.3	Buck Creek (spur)	
34-W	126.9	Buck Creek (spur) Huntington(spur)	7948
34-W	126.9 114.3	Buck Creek(spur) Huntington(spur) Zavalla	7948 7948 7947
34-W	126.9 114.3 109.2	Buck Creek(spur) Huntington(spur) Zavalla Dolan	7948 7947 7947
34-W	126.9 114.3 109.2 105.8	Buck Creek (spur) Huntington (spur) Zavalla Dolan Martin (spur)	7948 7947 7947 7947
34-W	126.9 114.3 109.2 105.8 103.5	Buck Creek         (spur)           Huntington         (spur)           Zavalla         0           Dolan         (spur)           Martin         (spur)           Rockland         (spur)	7948 7947 7947 7947 7947
34-W	126.9 114.3 109.2 105.8 103.5 94.1	Buck Creek         (spur)           Huntington         (spur)           Zavalla            Dolan            Martin         (spur)           Rockland         (spur)           Colmesneil         (spur)	7948 7947 7947 7947 7947 7947 7946
34-W	126.9 114.3 109.2 105.8 103.5 94.1 87.6	Buck Creck         (spur)           Huntington         (spur)           Zavalla         Dolan           Martin         (spur)           Rockland         (spur)           Colmesneil         (spur)           Doucette         (spur)	7948 7947 7947 7947 7947 7946 7946
34-W	126.9 114.3 109.2 105.8 103.5 94.1 87.6 84.2	Buck Čreek (spur) Huntington (spur) Zavalla Dolan (spur) Rockland (spur) Colmesneil (spur) Doucette (spur) Woodville	7948 7947 7947 7947 7947 7946 7946 7946
34-W	126.9 114.3 109.2 105.8 103.5 94.1 87.6	Buck Creck         (spur)           Huntington         (spur)           Zavalla         Dolan           Martin         (spur)           Rockland         (spur)           Colmesneil         (spur)           Doucette         (spur)	7948 7947 7947 7947 7947 7946 7946

## SPECIAL INSTRUCTIONS—BEAUMONT SUBDIVISION

RULE 5. Time at Loeb Jct. applies at junction with the AT&SF Ry, Co.

RULES 20 and 21. Rockland Branch trains will display signals between Santa Fe Jct. and Loeb Jct. according to designation on Rockland Branch.

SP trains between Beaumont and Tower 31 will display classification lights or green signals authorized on SP.

RULE 70. Between Prosser and Lufkin there is no superiority of trains on main track and between these points trains and engines must move with caution.

RULE 82-A. Eastward first-class trains originating at Houston may assume the schedule or section, as ordered, displaying signals if required, as instructed by train dispatcher or yardmaster, without clearance, but must obtain clearance OK'd by chief train dispatcher before leaving Tower 87.

Trains originating Beaumont may receive clearance and train orders at yard office. Non-restricting train orders for westward trains except first class may be received at yard office. Clearance and train orders will be sent via pneumatic tube by train-order operator.

KCS and M.P. train orders, clearances, or requirements of train register Rules will not be required between Beaumont and Tower 31.

SP clearance, and register Rules will not apply to M.P. west-ward trains Beaumont.

Rockland Branch extra trains originating at Prosser must obtain clearance and train orders from train-order office at Lufkin.

Crew arriving Dunagan on No. 102 may assume the schedule of No. 101 and leave without a clearance.

RULE 83. Eastward trains may identify westward trains between Houston and Tower 87 to be applied at end of two main tracks. Rule 14(K) will apply.

Inferior trains may identify superior trains on two main tracks between Langham Road and KCS MP C-766, Beaumont to be applied at end of two main tracks. Rule 14(k) will apply.

RULE 83-A. At following stations, only trains indicated will register:

Englewood	Trains originating or terminating.
Tower 87	First-class trains.
Beaumont	Trains originating or terminating.
Dunagan: Train	register located in A.&N.R. telephone booth.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Tower 87 First-class trains. Echo First-class trains.

Trains originating or terminating Beaumont will register by ticket leaving with yard clerk, who will deliver to train-order operator via pneumatic tube; except trains No. 160, 59 and trains from Sabine Branch will throw off register ticket at train order office.

Unless directed by train order to do so, extra trains originating or terminating at Dunagan need not register. Conductor will fill out register ticket and deliver to train-order operator at Lufkin.

RULE 95. Sections of eastward first-class trains may be authorized at Tower 87 by clearance bearing words "Green signals" or "No signals".

RULE 221. Following are train-order offices only as indicated:

Englewood Trains originating.
Tower 87 Eastward trains.
Orange Trains originating.

Light will not be displayed in train-order signal Kountze except when train-order operator on duty.

Joint S.P. and M.P. Light type train order signal located adjacent to Passenger Station, Beaumont.

Top unit governs S.P. trains.

Lower unit governs M.P. trains only and will display flashing Red or flashing Green.

RULE 812. AT&SF Railway Company rules require that a member of crew of Rockland Branch trains secure permission from Control Operator, Beaumont before fouling or entering AT&SF main track at Loeb Jct. or Santa Fe Jct. and for movement on main track between these points.

Trains and engines using tracks of Angelina and Neches River Railroad between Prosser and Dunagan will be governed by Rules and Regulations of the Transportation Department of the Southern Pacific Company, its Lafayette Division timetable, special instructions and timetable bulletins and by train orders issued over initials of chief train dispatcher of that division.

4		Timetab	le No.	120			ECHO SUBD	IVISIC	N			Janua	ry 1, 19	69	
		EASTW	ARD				OF WILLIAM				,	WEST	WARD	TRAW	
THIRD	CLASS	SEC	OND CL	ASS	FIRST CLASS		E25/20 (001H)			FIRST	SEC	OND CL	ASS	THIRD	CLAS
60	58	48	244	242	2	Mile Post Location	STATIONS		Station	1	243	241	47	57	59
Local Freight	Local Freight	Freight	Freight	Freight	Sunset	Mile	The state of the s	FACILITIES AND LENGTH OF		Sunset	Freight	Freight	Freight	Local Freight	Local Freight
Lv. Sun., Tues., Thur.	Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily		SIDINGS IN FEET			Årrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.	Ar. Mon., Wed., Fri
AM 9.45		PM 8.40	PM 1.10	AM 3.10	PM 2.14	251.4	Yd Lmts  TO-R ECHO	BKPQ 7589	90000	PM 5.30	AM 6.20	PM 4.00	AM 12.50		AM 7.48
10.15		8.53	1.30	3.25	2.24	241.7	TO VINTON	P 2207	90021	5.20	5.58	3.46	12.37		7.20
10.25		8.59	1.38	3.33	2.29	236.5	EDGERLY	P 2869	90027	5.13	5.50	3.38	12.31		7.10
10.35		9.05	1.47	3.41	2.35	230.7	BRIMSTONE	9478	90034	5.07	5.43	3.31	12.24	The Control	7.00
11.11		9.14	2.02	3.54	2.43	222.8	LOCKMOOR	IP	90045	4.59	5.32	3.20	12.10		6.48
11 20	AM				s 2.51	218.8	LAKE CHARLE		90200	s 4.54	trou -				
11.30 AM	<u>8.00</u>	9.33	2.15	4.20	2.53	217.2	TO-R LAKE CHAR	YPQ 11112 LES YD.	90250	4.40	5.22	3.12	12.01 AM	10.40	6.30 AM
						215.3	MALLARD JCT		90410						
	6.10	9.41	2.21	4.35	2.58	213.0	CHLOE	2507	90605	4.35	5.06	2.58	11.44 PM	10.30	
	6.20	9.48	2.28	4.45	3.04	206.8	IOWA 5.4	3501	90611	4.29	4.58	2.41	11.38	10.20	
	6.30	9.54	2.35	4.52	3.09	201.4	LACASSINE	2090	90617	4.24	4.52	2.35	11.32	10.10	
	7.00	10.02	2.48	_5.10	3.15	195.3	용 WELSH	1570	90624	4.18	4.45	2.28	11.25	9.55	
	7.10	10.08	2.56	5.18	3.19	191.4		9947	90631	4.14	4.39	2.23	11.19	9.40	
	7.30	10.15	3.06	5.30	f 3.25	185.2	Yd Lmts 6.2 TO JENNINGS	PQ 3055	90637	f 4.08	4.32	2.16	11.12	9.20	
white.	7.50	10.22	3.12	5.38	3.31	180.1	MERMENTAU		90642	4.01	4.25	2.06	11.05	8.35	
	8.20	10.29	3.36	5.45	3.36	174.8	TO MIDLAND	YP 4420	91000	3.56	4.18	1.50	10.58	8.20	
- 451	8.26	10.32	3.53	5.49	3.39	171.9	TORTUE	2035	91310	3.53	4.09	1.35	10.49	7.55	
	9.16	10.40	4.01	5.59	f 3.47	166.5	TO CROWLEY	3227	91320	f 3.47	4.01	1.27	10.40	7.40	
	9.26	10.44	4.05	6.02	3.49	164.9	CROWLEY SIDI	NG 10690	91340	3.40	3.57	1.24	10.37	7.15	
y - y -	9.56	10.51	4.15	6.11	3.55	160.0	TO RAYNE	2277	91345	3.34	3.51	1.08	10.31	6.55	
	10.11	10.57	4.25	6.18	4.00	155.1	DUSON	2567	91351	3.29	3.43	1.00	10.23	6.35	
	10.26 10.35	11.03 11.10 PM	4.35 4.45 PM	6.27 6.40	4.05 4.09 PM	149.7 147.1	SCOTT Yd Lmts 2.6 TO-R LAFAYETTE	2656 BKYPQ	91358	3.24 3.21 PM	3.36 3.30	12.53 12.45	_10.16 10.10	6.27 6.10	
Ar. Sun., ues., Thur.	Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	147.1	(10-R LAPATETTE	TARD	91362	Leave Daily	Leave Daily	Leave Daily	Leave	Lv. Daily	Lv. Mon.,
60	58	48	244	242	2		(104.1)	or Bui		1	243	241		Ex. Sun.	Wed., Fri.
	,00				-		1.5		not pretent	-	243	241	47	57	59

ADDITIONAL STATIONS								
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number					
11-E	231.5 228.4 220.9 172.6	Echo Line Stegall(spur) Sulphur West Lake Estherwood	90032 90037 90050 91305					
10-E	152.2	Sadou (spur)  De Ridder Branch	91354					
Yard Limits 10-E	43.7 25.8 24.4	DeRidder Jet(spur) Longville(spur) Hurricane Creek	90363 90347 90345					
8I	18.2 9.5 7.0	Fulton	90330 90316 90313					
4W	4.5	Ararat(spur)	90309					
Yard Limits P	4.1 9.5 215.3	Mallard Jet	90410 90510 90515					
5-W 9-W 17+	13.9 16.1 18.7	Rossignol (spur) Bell City (spur) Hayes	90521 90525 90528					
16-W	22.7 26.4	Niblett(spur) Thornwell (spur)	90533					

RULE 5. Siding Lake Charles Yard is first track south of main track.

Siding Crowley is first track south of main track.

EAST-	DE RIDDER BRANCH	e te	WEST- WARD
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
44.3	Yard Limits PERIDDER	90370	45.6
217.2	Yd Lmts 45.6 BKIYPQ 11112 TO-R LAKE CHARLES YARD	90250	0.0
	(45.6)	or bole of	
	LAKE ARTHUR BRANCH		
217.2	Yard Limits BKIYPQ 11112 TO-R LAKE CHARLES YARD	90250	35.3
33.4	LAKE ARTHUR	90545	0.0
	(35.3)		

EAST	WARD	NA WY			WEST	WARD
THIRD CLASS	SECOND CLASS	4.12 419	Manin m 757		SECOND	CLASS
520 Freight	528  Local Freight	Mile Post Location	MIDLAND BRANCH STATIONS	Station Number	519 Freight	527 Local Freight
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		FACILITIES AND LENGTH OF SIDINGS IN FEET		Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.
	AM 8.30	79.4	Yd Lmts TO-R EUNICE	91230	Miller	PM 1.50
	8.56	67.0	12.4 IOTA 750	91213		12.05 PM
	10.00	56.4	Yd Lmts 10.6 YP TO MIDLAND 4420	91000		11.40 AM
	10.55	45.3	TO GUEYDAN 800	91112	O FERRISA	10.55
	11.26	30.0	Yd Lmts 15.3 P KAPLAN 2050	91127		10.16
	11.40	21.5	Yd Lmts 8.5 P TO ABBEVILLE 1600	91138	I MORE	9.44
	PM 12.10	14.9	6.6 P ERATH 1000	91152		9.19
AM 10.00	12.37	5.4	Print R I. & V. JUNCTION	91906	6.20	8.46
		4.8	DAVIDS	91904		
10.20	1.10	0.0	Parity NEW IBERIA BKYP	91840	6.05	8.35
10.25 AM	1.15 PM	126.1	TO-R WEST TOWER 6633	91821	6.00 AM	8.30 AM
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		(79.9)		Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.
520	528				519	527

		ONAL STATIONS	
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Numbe
9-W. 27-E. 8-W. 10-E. 15. 19. 23-E.	60.1 52.4 26.5 20.0 18.3 15.9	Midland Branch   Celer (spur)   Egan (spur)   Morse (spur)   Nunez (spur)   Youngs (spur)   Youngs (spur)   Delcambre (spur)   Delcambre	91228 91205 91105 91131 91141 91145 91149 91158
8	9.1	Salt Mine Branch           Avery         (spur)           McIlhenny         (spur)           Emma         (spur)	91912 91910 91908 91902
17-E		Youngsville Branch Lozes (spur) Charlotte (spur)	91928 91924

EAST-	<b>*</b>	YOUNGSVILLE BRANCH		WEST- WARD
Mile Post Location		STATIONS  FACILITIES AND LENGTH OF SIDINGS IN FEET	Station Number	Distance
33.1	its	YOUNGSVILLE	91935	14.7
20.5	Limits	DAVIDS	91904	2.1
18.4	Yard	P ESSO N	91917	0.0
		(14.7)		$\uparrow$

EAST-	SALT MINE BRANCH		WEST- WARD	
Post tion	STATIONS	Station	Distance	
Mile Post Location	FACILITIES AND LENGTH OF SIDINGS IN FEET	Stat	Dist	
5.4	P.S. I & V JUNCTION	91906	0.0	
9.8	Tak V JUNCTION  4.4  SALT MINE	91914	4.4	
	(4.4)		<b>^</b>	

## SPECIAL INSTRUCTIONS-ECHO SUBDIVISION

RULE 82-A. Crew arriving I&V Junction on No. 519 may assume the schedule of No. 520 and leave without clearance.

Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

RULE 83-A. At the following stations, only trains indicated will register:

Lake Charles Yard Trains originating or terminating. I&V Junction Nos. 519 and 527.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Echo First-class trains.

Lafayette Yard First-class trains.

Midland Branch eastward trains arriving West Tower may register by ticket, leaving same with waybills at New Iberia Freight Station.

RULE 93. Trains moving on main track between Lake Charles Yard and Mallard Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop, movements will be made in accordance with Rules 507, 512 and/or 513 as the case may be.

RULE 221. Midland Branch trains must obtain clearance at Midland when train-order operator on duty.

Light will not be displayed in train-order signals at Gueydan and Abbeville, except when train-order operator on duty.

6		Timetable No. 120 AVONDALE SUBDIVISIO					SION	SION January 1, 1969						
EASTWARD				TORAWTRAWI -			WESTWARD							
THIRD CLASS	cui.	SECOND	CLASS		FIRST CLASS		anus miossi		FIRST		SECONE	CLASS	rikogar (	THIRD
56	48	240	244	242	2	Mile Post Location	STATIONS	Station	1	243	241	239	47	55
Local Freight	Freight	Freight	Freight	Freight	Sunset	N.	FACILITIES AND LENGTH OF		Sunset	Freight	Freight	Freight	Freight	Local Freight
Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		SIDINGS IN FEET		Arrive Daily	Arrive * Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.
AM 6.00	PM 11.15	PM 8.50	PM 7.15	AM 7.20	PM 4.09	147.1	TO-R LAFAYETTE YARD	91362	PM 3.21	AM 3.25	PM 12.20	PM 11.15	PM 10.05	AM 10.45
6.10	11.22	8.57	7.25	7.30	s 4.29	144.5	R LAFAYETTE 2885	91700	s 3.17	3.18	12.10 PM	11.07	9.55	10.35
6.30	11.31	9.05	7.30	7.36	4.33	140.8	ELKS 6411	91804	2.58	3.12	11.42 AM	11.02	9.50	10.25
6.50	11.34	9.08	7.35	7.41	4.37	138.4	Yd Lmts 2.4 P 1666	91806	2.55	3.08	11.38	10.57	9.46	10.20
7.05	11.41	9.15	7.43	7.49	4.42	132.1	6.3 P 6127	91815	2.49	3.00	11.30	10.47	9.39	10.10
7.37	PM 11.49	9.31	7.51	7.57	4.49	126.1	TO WEST TOWER 6633	91821	2.42	2.51	11.21	10.37	9.31	9.45
			1000		s 4.53	125.6	NEW IBERIA	91840	s 2.40	13		100.00		
8.20	12.10	9.50	8.20	8.20	5.08	112.5	Yd Lmts 13.1 P JEANERETTE SIDING 6084 2 7.4 BPO	92020	2.22	2.31	10.54	10.16	9.10	8.20
9.15	12.18	10.07	8.30	8.30	5.15	105.1	TO BALDWIN 10003	92050	2.14	2.23	10.39	10.07	9.02	8.00
					f 5.20	101.0	FRANKLIN FRANKLIN	92240	f 2.08	1070		11		00.04
10.22	12.31	10.50	8.49	8.45	5.26	95.6	TO BAYOU SALE 6112	92270	2.03	2.10	10.22	9.52	8.49	7.00
11.15	12.49	11.20 PM	9.32	9.07	5.40	81.8	STORMOND TO	92416	1.49	1.54	9.59	9.32	8.32	6.20
11.35 AM	12.52	11.45	9.40	9.10	s 5.44	80.1		92419	s 1.44	1.50	9.56	9.05	8.28	6.15 AM
	1.08	12.01	9.53	9.37	5.54	71.2	URSA 3495	92437	1.36	1.42	9.37	8.55	8.15	
	1.26	12.40	10.11	9.54	f 6.10	55.0	TO SCHRIEVER BKPQ 7760	92455	f 1.20	1.26	9.11	7.57	7.57	
W	1.46	1.07	10.31	10.09	6.25	40.2	TO RACELAND JCT. BYPQ 10828	92712	1.05	1.07	8.47	7.05	7.37	
	1.58	1.22	10.49	10.21	6.34	31.6	DES ALLEMANDS 2477	92810	12.55	12.55	8.34	6.50	7.25	
	2.09	1.40	11.01	10.32	6.41	24.2	Yd Lmts 7.4 P 5068	92826	12.47	12.46	8.20	6.41	7.16	
	2.15	1.50	11.11	10.40	6.46	18.9	5.3 IP SALIX 5780	92833	12.41	12.40	8.11	6.10	7.10	
	2.25 AM	2.20 AM	11.25 PM	10.50 AM		11.3	TO-R AVONDALE BKIPQ	92840	12.33	12.30	8.00 AM	6.00 PM	7.00 PM	
1 117		1 6 100			6.54 PM	10.5	MAT TO-R AVONDALE  0.8  WEST BRIDGE JCT.	92875	12.30 PM					

Time at New Orleans Union Passenger Station and East Bridge Junction for information only. See current timetables and Rules of Operating Departments for movements as follows: NOUPT Railroad between Southport and NOUPT Station; IC Railroad between East Bridge Junction and Southport; and New Orleans Public Belt Railroad between West Bridge Junction and East Bridge Junction and between East Bridge Junction and Julia St. Yard.

	ntapper a				7.12 s 7.45 PM	EAST BRIDGE JCT.	92898	PM 12.14 12.01 PM		UTAN			
Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	(136.9)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun.
56	48	240	244	242	2	of the field of		1	243	241	239	47	55

## RULE 5. Morgan City:

Time applies at Signals 796 and 797.

ADDITIONAL STATIONS
See Page 7.

EASTWARD SECOND CLASS							WEST	WARD
		CYPREMORT BRANCH			SECOND CLASS			
408 Freight Lv. Daily Ex. Sun.	406 Freight Lv. Daily Ex. Sun.	Mile Post Location	STATIONS  FACILITIES AND LENGTH OF SIDINGS IN FEET		Station Number	405 Freight Ar. Daily Ex. Sun.	Freight Ar. Daily Ex. Sun.	
PM 2.55	AM 8.30	18.8	R	WÉEKS	(30) (F)	92135	AM 5.25	PM 2.25
3.50 PM	9.15 AM	0.0	Yd Lmts TO-R	18.8 BALDWIN	BPQ 10003	92050	4.30 AM	1.30 PM
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.			(18.8)			Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.
408	406						405	407

RULE S-72. Exceptions: No. 405 is superior to Nos. 406 and 408. No. 407 is superior to No. 408.

EAST- WARD				WEST- WARD
THIRD CLASS	t g	ALEXANDRIA BRANCH		SECOND
840	Mile Post Location	STATIONS	Station Number	841
Freight  Leave Daily		FACILITIES AND LENGTH OF SIDINGS IN FEET		Arrive Daily
PM 4.00	85.1	psi TO-R ALEXANDRIA	91680	PM 12.10
4.05 PM	84.3	S. P. JUNCTION		12.05 PM

See T. & P. Railway Company's Current Timetable Special Instructions and Rules for Train Movements Between Cheneyville and S. P. Junction.

PM 4.50	60.1	TO CHENEYVILLE	91660	11.15
6.15	21.9	TO OPELOUSAS	91630	9.50
6.24	20.8	TO OPELOUSAS  1.1 P OPELOUSAS SIDING 2656	91627	9.41
-0.22	0.5	ALEX JCT.	91370	
7.05 PM	147.1	ALEX JCT.  1.8  TO-R LAFAYETTE YARD	91362	9.00 MA
Arrive Daily		(86.9)		Leave Daily
				841
840				041

EAST- WARD	ST. N	ARTINVILLE BRAN	СН		WEST- WARD
Mile Post Location		STATIONS CILITIES AND LENGTH OF SIDINGS IN FEET		Station Number	Distance
5.7		ST. MARTINVILLE	Р	91730	22.9
0.3	ABS BS	B-R JCT.		91711	2.0
147.1	Yard Limits ABS	TO-R LAFAYETTE Y	BKYPQ ARD	91362	0.0
		(22.9)			
		HOUMA BRAN			
14.5	Yd Lmts	HOUMA	Р	92519	14.5
0.1	Yd Lmts TO-R	SCHRIEVER	7760	92455	0.0
		(14.5)			
		NAPOLEONVILLE		н	
55.0	Yd Lmts TO-R	SCHRIEVER	7760	92455	21.2
3.2	N	APOLEONVILLE JCT.		92605	17.1
		17.1			
20.3		ELM HALL JCT.		92649	0.0
20.3		ELM HALL JCT.		92649	0.0
20.3		ELM HALL JCT.		92649	0.0
20.3	Yd Lmts	(21.2)  LOCKPORT BRA	Р	92649	9.6
	Yd Lmts Yd Lmts TO-R	(21.2)			

	7,001111	ONAL STATIONS	
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number
		Avondale Line	
	145.3	Alex Jot.	91370
	145.1	B-R Jot	91700
4-E	142.3	Walroy(spur)	91802
6	137.0	Billeaud	91808
5-W	120.9	Olivier(spur)	92007
7	116.2	Patoutville	92012
Yard Limits P	114.2	Jeanerette	92020
2-E		Albania(spur)	92042
2-EP	101 7	Sterling Junction	92210
P. F. P	97.9	Garden City	92265
2-13	95.7	Cabot.	92320
	95.7	North Bend	92330
	90.5	Calumet(spur)	92405
5-EP	86.8	Patterson(spur)	92409
7-E	84.4	Lagonda(spur)	92412
0-E	74.4	Ramos(spur)	92429
P	73.3	Boeuf	92434
20	69.2	Zacarter	92440
3-E	64.5	Donner (spur)	92445
P	54.2	Thibodaux Jet	
6 P	28.4	Vallier	92815
5-E P	27.6	Paradis(spur)	92821
	1.3	Algiers	92897

15-W. 7-E. 45-W. 9-W. 21-W. 15-W.	18.2 14.9 13.1 12.3 11.1 8.2 5.8 3.2 1.6	Cypremort Branch Gajan	92125 92119 92117 92115 92110 92067 92220 92215
-----------------------------------	--	------------------------	--

NOTE: Sterling and Caffery are stations on spur 2.0 and 3.2 miles, respectively, from Sterling Jct. within Yard Limits Baldwin-Franklin.

14-W Yard Limits P 6-E	53.2 51.9 42.1 32.4 27.6 22.7 19.2 13.3 7.1 5.3	Alexandria Branch Carboco (spur) Eola Whiteville (spur) Beggs. Washington Lansom Veltin (spur) Sunset Carenero (Gloria (spur)	91648 91646 91643 91639 91637 91634 91623 91617 91611 91607
40		St. Martinville Branch Anse LaButte Breaux Bridge Levert. (spur) Ruth (spur)	91708 91711 91725 91715
18	17.0 13.4 12.7 2.6	Houma Branch Colley. (spur) Southdown. (spur) Southdown Siding. (spur) Magnolia. (spur)	92525 92517 92515 92505
P P P P P P P P P P P P P P P P P P P	54.2 3.8 4.4 5.5 6.7 12.0 14.8 16.3 17.1 22.9	Napoleonville Branch Thibodaux Jot Thibodaux Naquin (spur) Brule (spur) Labadieville (spur) Percle (spur) Little Texas (spur) Glenwood	92815 92610 92613 92617 92619 92624 92627 92631 92635 92655

NOTE: Thibodaux is on spur 0.6 mile from Napoleonville Jet.

33. 5.5 Ma Yard Limits 1.9 Ra	Lockport Branch         92740           athews         92725           celand         92718           dchaux         92715
----------------------------------	--

## SPECIAL INSTRUCTIONS—ALL SUBDIVISIONS

RULE 19.

Markers will not be displayed on the following branches:

Sabine Branch
DeRidder Branch
Lake Arthur Branch
St. Martinville Branch

Cypremort Branch Houma Branch Napoleonville Branch Lockport Branch

RULE S-72. Eastward trains are superior to trains of the same class in the opposite direction, except as shown on Page 6.

RULE 97. Within A-PB and Interlocking limits trains may run extra without train-order authority, but must obtain clearance before commencement of trip, if at an open train-order office.

RULE 105. Capacity of sidings indicates length of train in feet that can be accommodated between fouling points.

RULE 208. Dayton and Lake Charles Yard: Fifth paragraph, does not apply to westward trains at Dayton or eastward trains at Lake Charles Yard. When train order signal remains in stop position and has not been operated as prescribed by Rule 211, train may proceed without stopping, but must not pass fouling point of switch at which an opposing train may enter siding until it is known train orders received do not restrict train at that station.

## SPECIAL INSTRUCTIONS—AVONDALE SUBDIVISION

RULES 20, 20-A, 21 and 82-A. Westward trains leaving New Orleans UPT Station will display signals for train if required for which crew is ordered and need not obtain clearance at West Bridge Junction but must obtain clearance OK'd by Chief Train Dispatcher before leaving Avondale.

Eastward trains will display signals from West Bridge Junction to New Orleans UPT Station according to designation on Avondale Subdivision.

RULE 82-A. Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Conductor and engineer of westward first-class trains and extra passenger trains operating through Lafayette Yard will deliver all train orders and instructions held to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Crew arriving Weeks on No. 405 may assume the schedule of No. 406 and crew arriving Weeks on No. 407 may assume the schedule of No. 408 and leave without clearance.

RULE 83-A. At following stations, only trains indicated will register:

Lafayette First class and extra passenger trains.

Morgan City Trains originating or terminating.

Trains operating to or from New Orleans UPT Station must register on NOUPT train register at that station.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Lafayette Yard First-class trains.

Avondale First-class trains.

RULE 93. Trains moving on main track between Lafayette Yard and B-R Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop, movements will be made in accordance with Rules 507, 512 and/or 513 as the case may be.

Time release located on Block Signal 1453 governing movements from Alexandria Branch, and on Block Signal 1451 governing movements from St. Martinville Branch. After complying with provisions of Rule 513 and switch is lined for movement if signal does not immediately display proceed indication, train must wait three (3) minutes, after which signal will display yellow aspect if no train or engine is occupying block.

RULE 95. Sections of westward first-class trains may be authorized at Avondale by clearance bearing the words "green signals" or "no signals".

RULE 208. Fifth paragraph will not apply to westward trains at West Tower. Train order restricting movement of a westward train at that station may be delivered while train is moving but operator must not clear interlocking signal at leaving end of siding until train has stopped or restriction expired.

RULE 221. Avondale is train-order office only for westward trains.

Cheneyville is an open train-order office only between 8:00 AM and 5:00 PM daily, except Saturdays, Sundays and Holidays.

Light will not be displayed in train-order signal at Opelousas, except when train-order operator is on duty.

RULE 812. Texas and Pacific Railway Company's rules require conductors to call the Texas and Pacific dispatcher from S. P. Junction to secure permission to enter T&P main track.