TIME IS IMPORTANT Take TIME To Be SAFE

RULE 10-I

Oral authorization and acknowledgments between Foremen and Engineers for trains to pass "Red Conditional Stop" signs must be worded in the following forms:

Foreman's Response

"THIS IS S.P. FOREMAN IN CHARGE OF THE WORK BETWEEN MP _____ AND MP _____ S.P. TRAIN ORDER NO. _____, WE ARE IN THE CLEAR AND YOU MAY PROCEED PAST THE RED CONDITIONAL STOP SIGN AND THROUGH THE LIMITS OF THE ORDER AT _____ M.P.H."

Engineer's Response

"THIS IS ENGINEER S.P. TRAIN ______ I MAY PROCEED PAST THE RED CONDITIONAL STOP SIGN AND THROUGH THE LIMITS OF ORDER NO. _____ BETWEEN MP _____ AND MP ____ AT (Speed). REPEAT (Speed) MILES PER HOUR,"

Foreman must acknowledge Engineer's response as follows: S.P. TRAIN NO.____, O.K. ON ORDER NO.____

SOUTHERN PACIFIC COMPANY



LAFAYETTE DIVISION TIMETABLE

121

AT 12:01 A. M.
CENTRAL STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS

D. R. KIRK.

General Manager.

L. R. SMITH,

L. McDONALD_

B. M. STEPHENS.

Assistant General Managers.

J. E. ADAMS,

Superintendent of Transportation.

E. P. EVANS,

Superintendent.

1	
SENIOR ASSISTANT SUPER	
ASSISTANT SUPERINT	
C. W. RUSH	
TRAINMASTER	S
C. T. STRONG	Beaumont
N. G. BULOT	Lake Charles
W. P. FAUCHEUX	Lafayette
ASSISTANT TRAINMA	STERS
W. F. LANFORD	Baytown
M. C. RICHARDS	Beaumont
D. L. TRAVIS	New Orleans
ROAD FOREMEN OF E	NGINES
J. T. McNAMARA	Beaumont
W. F. POWELL	Lafayette
CHIEF TRAIN DISPA	TCHER
L. F. McCLARD	Houston
TERMINAL SUPERINT	ENDENT

New Orleans

2		Timeta	Timetable No. 121 BEAUMONT SUBDIVI							SION	March 23, 1969					
		EAST	WARD)									WEST	WARI)	
THIRD	CLASS	SEC	OND CL	.ASS	FIRST						FIRST	SEC	OND CL	ASS	THIRD	CLASS
60	68	48	244	242	2	Post		STATIO	NS	g	1	243	241	47	59	69
Local Freight	Local Freight	Freight	Freight	Freight	Sunset	Mile		FACILITIES AND	LENGTH OF	Station	Sunset	Freight	Freight	Freight	Local Freight	Local Freight
Lv. Sun., Tues., Thur.	Lv. Mon., Wed., Fri.	Leave Daily	Leave Daily	Leave Daily	Leave Daily			SIDINGS IN	FEET		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Mon., Wed., Fri.	Ar. Tues. Thur., Sa
					PM 12.15	1.4	7	R HOUST		76100	PM s 8.25					
						0.8		TOWER		76001						
						360.7	imit.	TOWER		76025						
						358.4	Pa .	TOWER		76050						
	7.00	PM 6.01	10.00	AM 12.01		357.4		TO-R ENGLEW	OOD BKIYPQ	76100		9.20	PM 1.20	AM 2.40		11.1
	7.05	6.04	10.05	12.05	12.29	356.8	1	TO-R TOWER	87 IPQ	79007	7.58	9.15	1.15	2.35		10.5
	7.30	6.14	10.20	12.19	12.37	349.9		FAUN	A 10735	79014	7.49	9.01	1.01	2.21		10.4
	7.50	6.19	10.26	12.25	12.42	345.4		Yd. Lmts. 4.5 SHELDO	N 2504	79018	7.42	8.55	12.55	2.15		10.2
	8.10	6.25	10.33	12.32	12.47	340.7		CROSB		79024	7.35	8.48	12.47	2.08		10.1
	8.32	6.41	10.50	12.51	1.01	326.8		Yd Lmts 13.9 TO DAYTO	N 13130	79039	7.19	8.32	12.27	1.52		9.5
	9.20	6.48	10.59	12.59	1.08	320.8		Yd Lmts 6.0	Y 3481	79207	7.11	8.22	12.17	1.42		9.2
	9,30	6.52	11.05	1.05	1.12	317.6		AM ES	P 2545	79211	7.06	8.15	12.10	1.35		8.3
	9.45	7.00	11.12	1.11	1.16	313.4	stem	RAYWO	OD 3123	79216	7.00	8.10	12.05 PM	1.30		8.2
	10.05	7.07	11.33	1.18	1.21	308.3	al By	TO DEVER		79221	6.53	8.04	11.59 AM	1.18		8.0
	10.30	7.18	11.44	1.31	1.30	297.9	Sign	10.4 NOM E		79232	6.40	7.52	11.44	1.07		7.1
	10.45	7.24		1.39	1.35	293.0	Block	CHINA		79239	6.33	7.45	11.30	1.02		7.0
	11.05	7.33		1.52	1.43	284.0	natio	9.0 AMELI		79245	6.23	7.35	11.20	12.52		6.4
6.30	11.15 AM	7.45	PM 12.03	1.58	s 1.53	280.2	Auton	TO-R BEAUN	IONT BKIYPO	79250	s 6.17	7.30	11.15	12.47	11.05	6.3 AM
6.40		8.01	12.30	2.22	2.03	277.0		TO-R BEAUN TOWER	31 IP		6.03	7.01	11.00	12.27	10.31	
6.52		8.07	12.36	2.28	2.09	271.7		CONNE	LL 10800	79507	5.57	6.52	10.52	12.19	10.25	
7.35		8.18	12.47	2.43	2.17	263.0		TULAN	E 5715	79517	5.49	6.42	10.42	12.09	10.03	
8.10		8.23	12.52	2.51	2.22	257.9		DRANGE	SIDING	79523	5.44	6.35	10.35	11.59 PM	9.45	
8.1		8.27	12.56	2.55	s 2.27	256.6	11 1	DRANGE TO ORANG		79530	s 5.41	6.30	10.30	11.55	7.55	
9.30 MA		8.40 PM	1.10 PM	3.10 AM	2.37 PM	251.4		Yd Lmts 5.2 TO-R ECHO	BKPQ 7589	90000	5.31 PM	8,20 AM	10.20 AM	11.45 PM	7.45	
Ar. Sun., Tues., Thur.	Ar. Mon., Wed., Fri.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily			(111.			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Mon., Wed., Fri.	Lv. Tues. Thur., Sa
60	68	48	244	242	2						1	243	241	47	59	69

BEAUMONT: Two main tracks extend between Langham Road and KCS MP C-766. For movements between Langham Road and Connell, see page 8, Lafayette Division Special Instructions No. 10.

RULE 5. Siding Beaumont is first track south of main track No. 2.

EAST- WARD		BAYTOWN BRANCH		WEST- WARD	EAST-	SABINE BRANCH		WEST- WARD	
SECOND	Post		CLASS		UOND				
190 Freight	Mile	STATIONS	Station	189 Freight	Mile Post Location	STATIONS	ion	anoe	
Lv. Daily Ex. Sun.		FACILITIES AND LENGTH OF SIDINGS IN FEET		Ar. Daily Ex. Sun.	Mile	FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Dist	See Page 3
8.00	22.2	Yd Lmts TO-R BAYTOWN	79130	4.15					4
8.30			79118	3.45	280.2	Yd Lmts TO-R BEAUMONT 11800	79250	18.5	
9.45 PM	0.0	Yd Lmts 16.0 IPQ TO DAYTON 13130	79039	2.00 AM	12.7	Yd Lmts 18.5 P	79360	0.0	
Ar. Daily Ex. Sun.		(22.2)		Lv. Daily Ex. Sun.		(18.5)			
190				189					
								`	

THIRD CLASS			12.17		11	WESTWARD		
			0.00	ROCKLAND BRANCH		THIRD CLASS		
160 Local Freight	102 A& NR Freight	Mile Post Location	PAS.	STATIONS FACILITIES AND LENGTH OF		159 Local Freight	101 A & NR Freight	
Lv. Daily Ex. Sun.	Leave Daily		1	SIDINGS IN FEET	Station Number	Ar. Daily Ex. Sat.	Arrive Daily	
AM 12.01	AM 8.45	118.2	P st c	TO-R LUFKIN	78200	AM 11.55	AM 11.20	
12.10	8.55	120.1	Yard Limits ABS	PROSSER IP	78404	11.45	11.10	
12.15	9.20		Yd Lmts	HERTY	79490	11.35	10.55	
12.30	9.35 AM	132.1	Yd Lmts R	DUNAGAN P	79487	11.10	9.45 AM	
3.30		54.6	Yd Lmts TO	KOUNTZE P	79430	7.15		
4.05 AM		40.1		LOEB JCT.	79412	6.40 AM		
Se and rule	e AT&SF	Railwa n move	y Com	pany Current Timetable, S between Santa Fe Jct. and	Special Inst I Loeb Jct.	ructions		
AM 4 35		30.5	11	SANTA FE ICT.	79405	AM B O5		

BEAUMONT

(110.7)

Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number
33-E P 17 P 23-E	353.2 303.3 265.5 258.8	Beaumont Line Dawes	79010 79226 79514 79521
18 P	13.0	Mont Belvieu	79115
P 6-W 15-E 11-E 73-W Yard Limits YP	25.5 25.5 23.9 21.3 16.0 14.0 3.1	Guffey Chaison (spur) Viterbo (spur) Port Acres (spur) Williams (spur) Port Arthur	79305 79320 79342 79347 79351 79354 79380
15-E 11-E 73-W	21.3 16.0 14.0 3.1	Viterbo(spur) Port Acres(spur) Williams(spur) Port Arthur	7934 7935 7935
E	129.3 126.9 114.3 109.2 105.8	Rockland Branch Buck Creek (spur) Huntington (spur) Zavalla Dolan Martin (spur)	79484 79482 79478 79475 79473

SPECIAL INSTRUCTIONS—BEAUMONT SUBDIVISION

6.00

Leave Daily

101

Lv. Daily Ex. Sat.

159

79250

 $RULE\ 5.$ Time at Loeb Jct. applies at junction with the AT&SF Ry. Co.

TO-R

RULES 20 and 21. Rockland Branch trains will display signals between Santa Fe Jct. and Loeb Jct. according to designation on Rockland Branch.

SP trains between Beaumont and Tower 31 will display classification lights or green signals authorized on SP.

RULE S-71. Between Prosser and Lufkin there is no superiority of trains on main track and between these points trains and engines must move with caution.

RULE 82-A. Eastward first-class trains originating at Houston may assume the schedule or section, as ordered, displaying signals if required, as instructed by train dispatcher or yardmaster, without clearance, but must obtain clearance OK'd by chief train dispatcher before leaving Tower 87.

Trains originating Beaumont may receive clearance and train orders at yard office. Non-restricting train orders for westward trains except first class may be received at yard office. Clearance and train orders will be sent via pneumatic tube by train-order operator.

KCS and M.P. train orders, clearances, or requirements of train register Rules will not be required between Beaumont and Tower 31. SP clearance, and register Rules will not apply to M.P. west-

ward trains Beaumont.

Ar. Daily Ex. Sun.

160

Arrive

102

Rockland Branch extra trains originating at Prosser must obtain clearance and train orders from train-order office at Lufkin.

Crew arriving Dunagan on No. 102 may assume the schedule of No. 101 and leave without a clearance.

RULE 83. Eastward trains may identify westward trains between Houston and Tower 87 to be applied at end of two main tracks. Rule 14(K) will apply.

Inferior trains may identify superior trains on two main tracks between Langham Road and KCS MP C-766 Beaumont, to be applied at end of two main tracks and at Connell. Rule 14(k) will apply.

RULE 83-A. At following stations, only trains indicated will register:

Englewood	Trains originating or terminating.
Tower 87	First-class trains.
Beaumont	Trains originating or terminating.
Eldon	No. 190 and trains directed by
	train order.

Dunagan: Train register located in A.&N.R. telephone booth.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Tower 87	First-class trains.
Echo	First-class trains.

Trains originating or terminating Beaumont will register by ticket leaving with yard clerk, who will deliver to train-order operator via pneumatic tube; except trains No. 160, 59 and trains from Sabine Branch will throw off register ticket at train order office.

Unless directed by train order to do so, extra trains originating or terminating at Dunagan need not register. Conductor will fill out register ticket and deliver to train-order operator at Lufkin.

RULE 95. Sections of eastward first-class trains may be authorized at Tower 87 by clearance bearing words "Green signals" or "No signals".

RULE 221. Following are train-order offices only as indicated:

Englewood	Trains	originating.
Tower 87	Eastwa	ard trains.
Orange	Trains	originating.

Light will not be displayed in train-order signal Kountze except when train-order operator on duty.

Joint S.P. and M.P. Light type train order signal located adjacent to Passenger Station, Beaumont.

Top unit governs S.P. trains.

Lower unit governs M.P. trains only and will display flashing Red or flashing Green.

RULE 812. AT&SF Railway Company rules require that a member of crew of Rockland Branch trains secure permission from Control Operator, Beaumont before fouling or entering AT&SF main track at Loeb Jct. or Santa Fe Jct. and for movement on main track between these points.

Trains and engines using tracks of Angelina and Neches River Railroad between Prosser and Dunagan will be governed by Rules and Regulations of the Transportation Department of the Southern Pacific Company, its Lafayette Division timetable, special instructions and timetable bulletins and by train orders issued over initials of chief train dispatcher of that division.

4 Timetable No. 121 ECHO SUBDIVISI									ON			March	23, 196	39	
EASTWARD								MHA-E				WEST'	WARD		
THIRD CLASS SECOND CLASS FIRST CLASS								FIRST				THIRD CLASS			
60	58	48	244	242	2	Mile Post Location		STATIONS	Station	1	243	241	47	57	59
Local Freight	Local Freight	Freight	Freight	Freight	Sunset	Mile		FACILITIES AND LENGTH OF SIDINGS IN FEET	N SE	Sunset	Freight	Freight	Freight	Local Freight	Local Freight
Lv. Sun., Tues., Thur.	Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily			SIDINGS IN FEET		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.	Ar. Mon., Wed., Fri.
AM 9.45	,	PM 8.40	PM 1.10	AM 3.10	PM 2.37	251.4	T	d Lmts O-R ECHO 758	90000	PM 5.31	AM 6.20	AM 10.20	PM 11.40		AM 7.45
9.58		8.53	1.30	3.25	2.47	241.7	T	O VINTON 220	00021	5.21	5.58	9.58	11.26		7.20
10.25		8.59	1.38	3.33	2.52	236.5	-	EDGERLY 286	00021	5.16	5.50	9.50	11.18		7.10
10.35	<u> </u>	9.05	1.47	3.41	2.57	230.7	-	BRIMSTONE 947	00002	5.11	5.43	9.43	11.11		7.00
11.11		9.14	2.02	3.54	3.06	222.8	3	LOCKMOOR	90045	5.03	5.32	9.32	11.00		6.45
11.00					s 3.15	218.8	Yard Limits	LAKE CHARLES	90200	s 4.58					0.20
11.30 AM	8.00	9.33	2.15	4.20	3.18	217.2	Yard		90250	4.48	5.22	9.22	10.50	AM 10.40	6.30 AM
						215.3	_	MALLARD JCT.	90410						
1.17	6.10	9.41	2.21	4.35	3.23	213.0	в -	CHLOE 250		4.43	5.06	9.16	10.36	10.30	
	6.20	9.48	2.28	4.45	3.29	206.8	System	10WA 350 5.4		4.37	4.58	9.08	10.28	10.20	1
	6.30	9.54	2.35	4.52	3.34	201.4	Signal S	5.4 LACASSINE 209	90617	4.32	4.52	9.02	10.22	10.10	
	7.00	10.02	2.48	5.10	3.40	195.3	Block Si	WELSH 1570	90624	4.26	4.45	8.54	10.14	9.55	
	7.10	10.08	2.56	5.18	3.44	191.4	ic Blo	ROANOKE 994	90631	4.22	4.39	8.48	10.08	9.40	
	7.30	10.15	3.06	5.30	f 3.51	185.2	Automatic	JENNINGS 305	90637	f 4.15	4.32	8.40	9.45	9.20	
	7.50	10.22	3.12	5.38	3.57	180.1	-	MERMENTAU 2284	90642	4.08	4.25	8.30	9.35	8.35	
	8.23	10.29	3.22	5.45	4.02	174.8	TC	MIDLAND 4420	91000	4.02	4.18	8.23	9.28	8.23	
	8.40	10.32	3.26	5.49	4.06	171.9	-	TORTUE 2038	91310	3.54	4.09	8.19	9.24	7.55	
	9.10	10.40	3.36	5.59	f 4.14	166.5	111	TO CROWLEY 3227	91320	f 3.48	4.01	8.09	9.14	7.40	
	9.26	10.44	3.42	6.02	4.17	164.9	P.A.	CROWLEY SIDING 10690		3.42	3.57	8.04	9.10	7.15	
	9.56	10.51	3.52	6.11	4.22	160.0	TO		91345	3.36	3.51	7.54	9.00	6.55	
	10.11	10.57	4.00	6.18	4.27	155.1	_	DUSON 2567	91351	3.30	3.43	7.46	8.50	6.35	
	10.26 10.35	11.03 11.10 PM	4.06 4.15 PM	6.27 6.40	4.37	149.7	Yd	5.4 F SCOTT 2656 Lmts 2.6 BKYPQ	- 01000	3.25 3.21 PM	3.36 3.30				
Ar. Sun.,	Ar. Daily	Arrive	Arrive	Arrive	Arrive	147.1	TO	(104.1)	91362	Leave	Leave	Leave	Leave	Lv. Daily	Lv. Mon.,
ues., Thur.	Ex. Sun.	Daily	Daily	Daily	Daily			(104.1)		Daily	Daily	Daily	Daily	Ex. Sun.	Wed., Fri
60	58	48	244	242	2					1	243	241	47	57	59

	ADDITI	ONAL STATIONS	
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number
11-E	231.5 228.4 220.9 172.6 152.2	Echo Line Stegall (spur) Sulphur (spur) West Lake Estherwood Sadou	90032 90037 90050 91305 91354
Yard Limits 10-E	43.7 25.8 24.4 18.2 9.5 7.0 4.5	DeRidder Branch	90363 90347 90345 90330 90316 90313 90309
Yard Limits P. E	215.3 4.1 9.5 13.9 16.1 18.7 22.7 26.4	Lake Arthur Branch Mallard Jet (spur) Harbor (spur) Holmwood (spur) Bell City (spur) Hayes (spur) Niblett (spur) Thornwell (spur)	90410 90510 90515 90521 90525 90528 90533 90538

RULE 5. Siding Lake Charles Yard is first track south of main track.

Siding Crowley is first track south of main track.

EAST- WARD	DE RIDDER BRANCH	. 5	WEST- WARD
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
44.3	Yard Limits DE RIDDER	90370	45.6
217.2	Yd Lmts 45.6 BKIYPQ 11400 TO-R LAKE CHARLES YARD	90250	0.0
	(45.6)		
	LAKE ARTHUR BRANCH		•
217.2	Yard Limits BKIYPO 11400 TO-R LAKE CHARLES YARD	90250	35.3
33.4	LAKE ARTHUR	90545	0.0
	(35.3)		
			1

EAST	WARD			WEST	WARD		
THIRD	SECOND CLASS		ON HOLDER	SECOND CLASS			
520 Freight	528 Local Freight	Mile Post Location	MIDLAND BRANCH Jaquing Numper STATIONS	519 Freight	527 Local Freight		
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		FACILITIES AND LENGTH OF SIDINGS IN FEET	Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		
	AM 8.30	79.4	Yd Lmts TO-R EUNICE BYP 91230		PM 1.50		
	8.56	67.0	12.4 IOTA 750 91213		12.05 PM		
	10.00	56.4	Yd Lmts 10.6 YP 4420 91000		11.40 AM		
	10.55	45.3	TO GUEYDAN 800 91112		10.55		
	11.26	30.0	Yd Lmts 15.3 P 2050 91127		10.16		
	11.40	21.5	Yd Lmts 8.5 TO ABBEVILLE 1600 91138		9.44		
	PM 12.10	14.9	6.6 ERATH 1000 91152		9.19		
10.00	12.37	5.4	및 R I. & V. JUNCTION 91906	6.20	8.46		
		4.8	DAVIDS 91904				
10.20	1.10	0.0	NEW IBERIA BKYP 91840	6.05	8.35		
10.25	1.15 PM	126.1	TO-R WEST TOWER 6633 91821	6.00 AM	8.30 MA		
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		(79.9)	Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		
520	528		4	519	527		

ADDITIONAL STATIONS					
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number		
27-E. 8-W. 10-E. 15. 19. 223-E. 14.	78.3 60.1 52.4 26.5 20.0 18.3 15.9 12.2	Midland Branch Celer (spur) Morse (spur) Morse (spur) Youngs Grosse Isle West Erath (spur) Delcambre (spur)	91228 91205 91105 91131 91141 91145 91149 91158		
8	9.4 9.1 6.2 2.1	Salt Mine Branch Avery (spur) Emma Brannon (spur)	91912 91910 91908 91902		
17-E1-E	28.5 24.2	Youngsville Branch Lozes (spur) Charlotte (spur)	91928 91924		

EAST-	*	YOUNGSVILLE BRANCH		WEST- WARD
Mile Post Location		STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
33.1	its	YOUNGSVILLE	91935	14.7
20.5	d Limits	DAVIDS	91904	2.1
18.4	Yard	PESSON	91917	0.0
		(14.7)		1

EAST- WARD	SALT MINE BRANCH		WEST- WARD
Mile Post Location	STATIONS FACILITIES AND LENGTH OF	Station	Distance
5.4	SIDINGS IN FEET	91906	0.0
9.8	SALT MINE	91914	4.4

SPECIAL INSTRUCTIONS-ECHO SUBDIVISION

RULE 82-A. Crew arriving I&V Junction on No. 519 may assume the schedule of No. 520 and leave without clearance.

Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

RULE 83-A. At the following stations, only trains indicated will register:

Lake Charles Yard Trains originating or terminating. I&V Junction Nos. 519 and 527.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Echo First-class trains.

Lafayette Yard First-class trains.

Midland Branch eastward trains arriving West Tower may register by ticket, leaving same with waybills at New Iberia Freight Station.

RULE 93. Trains moving on main track between Lake Charles Yard and Mallard Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop, movements will be made in accordance with Rules 507, 512 and/or 513 as the case may be.

RULE 221. Midland Branch trains must obtain clearance at Midland when train-order operator on duty.

Light will not be displayed in train-order signals at Gueydan and Abbeville, except when train-order operator on duty.

	EASTWARD						CONTRACTOR OF			WESTWARD				
THIRD CLASS			FIRST		S S		FIRST	SECOND CLASS			THIRD			
56	48	240	244	242	2	Mile Post Location	STATIONS	Station	1	243	241	47	239	55
Local Freight	Freight	Freight	Freight	Freight	Sunset	FACILITIES AND LENGTH OF		Sunset	Freight	Freight	Freight	Freight	Local Freight	
Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily		SIDINGS IN FEET		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Dail Ex. Sun
6.00	PM 11.15	PM 8.30	PM 5.15	AM 7.20	PM 4.37	147.1	TO-R LAFAYETTE YARD	91362	PM 3.21	AM 3.25	7.00	PM 8.10	PM 10.50	AM 10.4
6.10	11.22	8.40	5.25	7.30	s 4.52	144.5	R LAFAYETTE BKP	91700	s 3.17	3.18	6.50	7.56	10.40	10.3
6.42	11.31	8.50	5.34	7.36	4.56	140.8	ELKS 6411	91804	2.58	3.12	6.42	7.48	10.30	10.2
6.50	11.34	8.55	5.39	7.41	5.00	138.4	Yd Lmts 2.4 P BROUSSARD 1666	91806	2.55	3.08	6.38	7.44	10.25	10.2
7.05		9.05	5.47	7.49	5.06	132.1	6.3 CADE 6127	91815	2.49	3.00	6.30	7.36	10.15	10.1
7.37	PM 11.49	9.20	5.55	7.57	5.13	126.1	TO WEST TOWER 6633	91821	2.42	2.53	6.23	7.29	10.05	9.4
					s 5.17	125.6	NEW IBERIA BKYP	91840	s 2.40					
8.20	12.10	9.40	6.15	8.20	5.33	112.5	Yd Lmts 13.1 P JEANERETTE SIDING 6084	92020	2.22	2.33	6.03	7.09	9.40	8.2
9.15	12.18	10.05	6.24	8.30	5.41	105.1	TO BALDWIN 10003	92050	2.14	2.25	5.54	7.00	9.30	8.0
					f 5.46	101.0	PA FRANKLIN P	92240	f 2.08		the L			100
10.22	12.31	10.30	6.46	8.45	5.51		TO BAYOU SALE 6112	92270	2.03	2.12	5.41	6.46	9.10	7.0
11.15	12.49	10.55	7.00	9.07	6.04	81.8	BERWICK 8368	92416	1.49	1.57	5.26	6.31	8.54	6.2
11.35 AM	12.52	10.59	7.03	9.10	s 6.08	80.1	TO-R MORGAN CITY	92419	s 1.44	1.54	5.23	6.28	8.50	6.1 AM
	1.08	11.10	7.14	9.25	6.18	71.2	8.9 P URSA 3495	92437	1.36	1.44	5.12	6.18	8.35	
	1.26	PM 11.45	7.32	9.45	6.34	55.0	Yd Lmts 16.2 BKPQ 7760	92455	f 1.20	1.26	4.55	5.55	8.15	
	1.46	12.01	7.52	10.09	6.49	40.2	Yd Lmts 14.8 BYPQ TO RACELAND JCT. 10828	92712	1.05	1.07	4.40	5.40	7.52	
	1.58	12.20	8.04	10.21	6.58	31.6	DES ALLEMANDS 2477	92810	12.55	12.55	4.28	5.28	7.35	
	2.09	12.46	8.15	10.32	7.05	24.2	Yd Lmts 7.4 P 5068	92826	12.47	12.46	4.18	5.18	7.25	
	2.15	1.00		10.40	7.10	18.9	5.3 IP 5780	92833	12.41	12.40	4.10	5.10	7.10	
	2.25 AM	1.25 AM	8.35 PM	10.50	7.18	11.3	TO-R AVONDALE BKIPQ 0.8 WEST BRIDGE JCT.	92840	12.33	12.30	4.00 AM	5.00 PM	6.50 PM	
		1			7.19 PM	10.5	WEST BRIDGE JCT.	92875	12.30 PM				Tall.	

Time at New Orleans Union Passenger Station and East Bridge Junction for information only. See current timetables and Rules of Operating Departments for movements as follows: NOUPT Railroad between Southport and NOUPT Station; IC Railroad between East Bridge Junction and Southport; and New Orleans Public Belt Railroad between West Bridge Junction and East Bridge Junction and between East Bridge Junction and Julia St. Yard.

					PM 7.35		EAST BRIDGE JCT.	92898	PM 12.14		E Fie ber			
		4	14		s 8.10 PM	R	NEW ORLEANS UPT STA.	92900	12.01 PM				11111	
Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(136.9)		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun.
56	48	240	244	242	2		oma, co		1	243	241	47	239	55

RULE 5. Morgan City:

Time applies at Signals 796 and 797.

ADDITIONAL STATIONS
See Page 7.

EAST	WARD						WEST	WARD	
SECOND CLASS		-110	CYPREMORT BRANCH			- 10	SECOND CLASS		
408 Freight	406 Freight	Mile Post Location		STATIONS		Station Number	405 Freight	407 Freight	
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		FACI	SIDINGS IN FEET	H OF		Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.	
PM 2.55	8.30	18.8	R	WEEKS	MT velo	92135	AM 5.25	PM 2.25	
3.50 PM	9.15 AM	0.0	Yd Lmts TO-R	BALDWIN	BPQ 10003	92050	4.30 AM	1.30 PM	
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.			(18.8)			Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.	
408	406					100	405	407	

RULE S-72. Exceptions: No. 405 is superior to Nos. 406 and 408. No. 407 is superior to No. 408.

	Tin	neta	ble No. 121	AVOND	ALE SU	BDIVISION
EAST- WARD					WEST- WARD	
THIRD CLASS	out out		ALEXANDRIA BRANCH		SECOND CLASS	Capacity i and Direc entry Into
840 Freight	Mile Post Location		STATIONS	Station	841	
Leave Daily			FACILITIES AND LENGTH OF SIDINGS IN FEET		Arrive Daily	14-E 36 15-W 17
4.00	85.1	Yard	TO-R ALEXANDRIA	91680	PM 12.10	Yard Limits 12-E
4.05 PM	84.3	E	S. P. JUNCTION		12.05 PM	32-13
		d Rul	aliway Company's Current Timetales for Train Movements Between C			15-E 5-W 27-E 10-E.

	P. Junctio		neneyville and	•
PM 4.50	60.1	TO CHENEYVILLE	91660	11.15
6.15	21.9	TO OPELOUSAS IP	91630	9.50
6.24	20.8	OPELOUSAS SIDING 2656	91627	9.41
	0.5	Part Service S	91370	
7.05 PM	147.1	TO-R LAFAYETTE YARD	91362	9.00 MA
Arrive Daily		(86.9)		Leave Daily
840				841

WARD Tocation Tocation	ST. MARTINVILLE BRANCH STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station Number	WEST- WARD					
5.7	ST. MARTINVILLE	91730	22.9					
0.3	20.9 B-R JCT.	91711	2.0					
147.1	TO-R LAFAYETTE YARD	91362	0.0					
	(22.9)							
	HOUMA BRANCH							
14.5	Yd Lmts HOUMA	92519	14.5					
0.1	Yd Lmts 14.5 BKPQ 7760	92455	0.0					
	(14.5)							
	NAPOLEONVILLE BRANC	Н						
55.0	Yd Lmts TO-R SCHRIEVER 7760	92455	21.2					
3.2	NAPOLEONVILLE JCT.	92605	17.1					
20.3	ELM HALL JCT.	92649	0.0					
	(21.2)							
	LOCKPORT BRANCH							
9.9	Yd Lints LOCKPORT P	92729	9.6					
	Yd Lmts 9.6 BYPQ	00710						
0.1	TO-R RACELAND JCT. 10828	92712	0.0					

Capacity in cars and Direction of entry Into Spurs	Mile Post	NAME	Station Number			
		Avondale Line				
	145.3	Alex Jet	91370			
	145.1	B-R Jet	91700			
14-E	142.3	Walroy(spur)	91802			
36	137.0	Billeaud	91808			
15-W	120.9	Olivier (spur)	92007			
17	116.2	Patoutville	92012			
Yard Limits P	114 2	Jeanerette	92020			
12-E	112.8	Albania(spur)	92042			
P	101 7	Sterling Junction	92210			
32-E P	97.9	Garden City	92265			
	95.7	Cabot.	92320			
	95.7	North Bend	92330			
15-E	90.5	Calumet(spur)	92405			
5-W P	86.8	Patterson(spur)	92409			
27-E	84.4	Lagonda(spur)	92412			
10-E	74.4	Ramos(spur)	92429			
P	73.3	Boeuf	92434			
0	69.2	Zacarter	92440			
3-E	64.5	Donner(spur)	92445			
P	54.2	Thibodaux Jct				
66 P	28.4	Vallier	92815			
15-E P	27.6	Paradis(spur)	92821			
	1.3	Algiers	92897			

NOTE: North Bend is on spur 4.3 miles from Bayou Sale.

15-W 7-E 45-W 9-W 21-W 11-W	18.2 14.9 13.1 12.3 11.1 8.2 5.8 3.2	Cypremort Branch Gajan	92125 92119 92117 92115 92110 92067 92220
	1.6	CafferySterling.	92220 92215

NOTE: Sterling and Caffery are stations on spur 2.0 and 3.2 miles, respectively, from Sterling Jct. within Yard Limits Baldwin-Franklin.

Yard Limits P 6-E.	Alexandria Branch	91648 91646 91643 91639
8	7.6 Washington	91637 91634 91623 91617 91611
40-E	5.3	
36-E	7.0 Colley. 3.4 Southdown (spur) 2.7 Southdown Siding. (spur) 2.6 Magnolia (spur)	92517

NOTE: Colley is on spur 2.5 Miles from Houma.

P P P 13	54.2 3.8 4.4 5.5 12.0 14.8 16.3 17.1 22.9	Napoleonville Branch Thibodaux Jet. Thibodaux Naquin. Leighton(spur) Labadieville(spur) Everen(spur) Percle(spur) Glenwood(spur)	92815 92610 92613 92617 92624 92627 92631 92635 92655
----------	---	--	---

NOTE: Thibodaux is on spur 0.6 mile from Napoleonville Jct. Glenwood is on spur 2.6 Miles from Elm Hall Jct.

33 5.5 Yard Limits 1.9	Lockport Branch Jay. Mathews Raceland Godchaux.	92740 92725 92718 92715
---------------------------	---	----------------------------------

NOTE: Jay is on spur 3.8 Miles from Lockport.

RULE 19.

Markers will not be displayed on the following branches:

Sabine Branch
DeRidder Branch
Lake Arthur Branch
St. Martinville Branch

Cypremort Branch Houma Branch Napoleonville Branch Lockport Branch

RULE S-72. Eastward trains are superior to trains of the same class in the opposite direction, except as shown on Page 6.

RULE 97. Within A-PB and Interlocking limits trains may run extra without train-order authority, but must obtain clearance before commencement of trip, if at an open train-order office.

RULE 105. Capacity of sidings indicates length of train in feet that can be accommodated between fouling points.

RULE 208. Dayton, Beaumont and Lake Charles Yard; Fifth paragraph does not apply to westward trains at Dayton and Beaumont or eastward trains at Lake Charles Yard. When train order signal remains in stop position and has not been operated as prescribed by Rule 211, train may proceed without stopping, but must not pass fouling point of switch at which an opposing train may enter siding until it is known train orders received do not restrict train at that station.

FORMS OF TRAIN ORDERS

FORM G. Second paragraph example (3) is revised as follows:

This order must not be issued while an order form "H", example (9) is in effect, and must not be combined with any other form of order.

FORM P. Delete example 4.

SPECIAL INSTRUCTIONS—AVONDALE SUBDIVISION

RULES 20, 20-A, 21 and 82-A. Westward trains leaving New Orleans UPT Station will display signals for train if required for which crew is ordered and need not obtain clearance at West Bridge Junction but must obtain clearance OK'd by Chief Train Dispatcher before leaving Avondale.

Eastward trains will display signals from West Bridge Junction to New Orleans UPT Station according to designation on Avondale Subdivision.

RULE 82-A. Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Conductor and engineer of westward first-class trains and extra passenger trains operating through Lafayette Yard will deliver all train orders and instructions held to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Crew arriving Weeks on No. 405 may assume the schedule of No. 406 and crew arriving Weeks on No. 407 may assume the schedule of No. 408 and leave without clearance.

RULE 83-A. At following stations, only trains indicated will register:

Lafayette First class and extra passenger trains.

Morgan City Trains originating or terminating.

Trains operating to or from New Orleans UPT Station must register on NOUPT train register at that station.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Lafayette Yard First-class trains.

Avondale First-class trains.

RULE 93. Trains moving on main track between Lafayette Yard and B-R Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop, movements will be made in accordance with Rules 507, 512 and/or 513 as the case may be.

Time release located on Block Signal 1453 governing movements from Alexandria Branch, and on Block Signal 1451 governing movements from St. Martinville Branch. After complying with provisions of Rule 513 and switch is lined for movement if signal does not immediately display proceed indication, train must wait three (3) minutes, after which signal will display yellow aspect if no train or engine is occupying block.

RULE 95. Sections of westward first-class trains may be authorized at Avondale by clearance bearing the words "green signals" or "no signals".

RULE 208. Fifth paragraph will not apply to westward trains at West Tower. Train order restricting movement of a westward train at that station may be delivered while train is moving but operator must not clear interlocking signal at leaving end of siding until train has stopped or restriction expired.

RULE 221. Avondale is train-order office only for westward trains.

Cheneyville is an open train-order office only between 8:00 AM and 5:00 PM daily, except Saturdays, Sundays and Holidays.

Light will not be displayed in train-order signal at Opelousas, except when train-order operator is on duty.

RULE 812. Texas and Pacific Railway Company's rules require conductors to call the Texas and Pacific dispatcher from S. P. Junction to secure permission to enter T&P main track.