SENIOR ASSISTANT SUPER	RINTENDENTS
E. E. BARNETT	San Antonio
P. F. SATTERWHITE	Ennis
ASSISTANT SUPERINT	ENDENTS
R. G. McWHIRTER	
R. J. ROHLF	Houston
SENIOR TRAINMA	STER
J. A. MULLINS	San Antonio
TRAINMASTEI	og.
B. J. BALLARD	
J. A. CHIHAL N. J. STOEVER	
F. G. RYBERG	
J. O. MADDOX	
J. S. NICHOLSON	
C. N. McMURREY	
L. I. MERCER	
C. A. GRASSO	
B. L. HUNT	
D. G. HOLMES	Ennis
ASSISTANT TRAINM	ASTERS
M. J. O'NEAL	San Antonio
J. W. CLARK	
J. W. STARK	
A. RUSTO. L. HICKMAN	
O. D. HIORMAN	IVuston
ROAD FOREMEN OF	ENCINES
J. Y. HOBSON W. F. DODGEN	
F. A. HEUSCHKELL	San Antonio
C. A. POMPEE	Houston
F. V. LANDRYR. S. HUTCHESON	
R. S. HUTCHESON	Hearne
CHIEF TRAIN DISPA	TCHEDG
J. H. PIERCE	
S. S. WHITLOCK	
L. F. McCLARD	
A. J. SPRINGFIELD	Houston
TERMINAL CUREDING	PENDENT
TERMINAL SUPERINT	
I. W. McKEOWN	Houston
ASSISTANT DEDMINAT CHE	EDINITENDENT
ASSISTANT TERMINAL SUP	
F. R. GOODWIN	
L. J. LINBRUGGER	Houston

SOUTHERN PACIFIC COMPANY



SAN ANTONIO, HOUSTON, and DALLAS DIVISIONS

TIMETABLE

8

AT 12:01 A. M.
CENTRAL STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS

D. R. KIRK, General Manager.

L. R. SMITH,

B. M. STEPHENS,

Assistant General Managers.

J. E. ADAMS, Superintendent of Transportation.

> J. D. RAMSEY, Superintendent, San Antonio Division.

> > L. A. PATTERSON, Superintendent, Houston Division.

> > > S. E. TANNER, Superintendent, Dallas Division.

	EAST	WARD								WES	STWA	RD	
THIRD	SECOND	CLASS	FIRST	on		STATIONS		8 %		FIRST	CLASS		SECOND CLASS
246 Freight	244 Freight	242 Freight	2 Sunset	Mile Post Location		FACILITIES AND LENGTH SIDINGS IN FEET	OF	Station Number	1 Sunset	41 Freight	45 Freight	61 T & P Frt.	243 Freight
Leave Daily	Leave Daily	Leave Daily	Leave Daily		-		W(88)		Arrive Daily PM	Arrive Daily	Daily	Daily	Arrive Daily
			7.20	829.3	3	TO-R ELPASO (Union De	KIPQ DO KIYPO		s 2.05	PM	AM		PM
PM 4.10	8.00	1.00		827.7	Limi	TO-REL PASO (Cotton)	Ave.)	55000		11.35	4.20	AM	3.10
			7.26	827.5	Yard	TOWER 47	_) [55042	1.35			1.45	
4.22	8.12	1.12	7.37	822.8	1	ALFALFA	PQ D.	55060	1.25	11.14	4.05	1.30	2.55
				815.2		BELEN	P	60013	1.15	10.59	3.55	1.15	2.45
*				808.0		CLINT	8694	60021					
				800.2		FABENS	PQ	60029					
				794.0		TORNILLO	8506 H	60036					
				783.6		10.4 ISER	10016	60046					
				770.1		McNARY	8299 E	60059					
				760.9		FINLAY	7864 Q	60067	4				
				751.3		SMALL	8496 B	60080					
				748.1		LASCA	8057	60085	10.01			10.01	
5.46	9.35	2.41	9.05	738.9		Yd Lmts 9.2 KPQ TO-R SIERRA BLAN	10328 NCA	60090	12.01 PM	9.36	2.41	12.01 AM	1.17
6.01	9.50	2.57	9.22	722.2		14.7 BOLA	8350	60115	11.47	9.22	2.28		1.01
6.19		3.15	9.40	703.7		COLLADO	8919	60135	11.30	9.04	2.11		12.41
6.39	10.30	3.37	9.58	683.8	ratem	CHISPA	8350	60155	11.08	8.45	1.52		12.21
7.05	10.51	4.00	10.13	667.8	B By	TO-R VALENTINE	BKPQ	60171	10.51	8.29	1.37		12.01 PM
7.15	11.05	4.10	10.20	660.0	k Signal	QUEBEC	8619	60179	10.41	8.18	1.25		11,47
7.33	11.28	4.28	10.36		Bloc	ARAGON	8350	60196	10.22	8.01	1.07		11.28
7.49		4.38			matio	Yd Lmts 10.1 TO MARFA	PQ 8350	60210	f10.08	7.49	12.55		11.15
8.03	AM	4.52	10.59	620.1	Auto	PAISANO	8350 P	60223	9.55	7.35	12.42		11.00
	12.02	1.02		608.5		ALPINE JUNCTIO	8350 G	60234					
8.17	PM 12.10	5.10	f11.16			TO ALPINE	KPQ	60240	f 9.25	7.10	12.22		10.35
8.35		5.28			1	ALTUDA	8350	60256	9.10	6.54	12,06 AM		10.15
	12.44		f11.48		1	Yd Lmts 15.8 TO MARATHON	PQ 8350	60272	f 8.53	6.34	11.48 PM		9.50
9.00			PM		н	WARWICK	8350	60280	8.42	6.25	11.34		9.40
9.15			AM		11	TESNUS	8350	60288	8.25	6.07	11.21		9.25
9.30		6.23	The same of the same of		II .	ROSENFELD	8350	60299	8.09	5.52	11.06		9.10
9.55		6.48	A 100 1 10100		11	EMERSON	8350	60318	7.51	5.32	10.52		8.45
10.15			s12.55	515.9	1	Yd Lmts 9.0 TO-R SANDERSON	BKIPO	60336	7,35	5.20 PM	10.40 PM		8.30 MA
Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	010.0	-	(309.3)			Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
246	244	242	2			(009.0)			1	41	45	61	243

	ADDI	TIONAL STATIONS	
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number
40 P 39 P 10-W P 15-E 7-E 25-E P	816.7 813.7 776.1 758.0 713.7 651.8	Ysieta. Buford. (spur) Ft. Hancock. (spur) Gypsum. (spur) Hot Wells. (spur) Ryan. (spur)	60010 60015 60054 60075 60125 60187

RULE 5. Time at Alpine applies at absolute signal located east of train order office MP 606.6

Valentine: No. 1 track is 8350 feet in length. Sanderson: No. 1 track is 8763 feet in length.

	EAS	STWA	RD							WE	STWA	RD	100
	THIRD CLASS	SECOND	CLASS	FIRST					FII	RST CLA	ss	SECOND CLASS	
	246	244	242	2	Mile Post Location	STATIONS	I B	Station	1	41	45	243	
	Freight	Freight	Freight	Sunset	MA	EACH ITIES AND LENGTH	. 05	200	Sunset	Freight	Freight	Freight	
	Leave Daily	Leave Daily	Leave Daily	Leave Daily		FACILITIES AND LENGTH SIDINGS IN FEET	1 01		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	
	PM 10.50	PM 2.30	AM 7.20	AM 1.05	506.9	Yard Limits TO-R SANDERSON	BKIPQ	60336	s 7.20	PM 4.50	PM 10.00	8.30	
	11.05	2.45	7.35	1.24	491.9	MOFETA	8350	60351	7.04	4.27	9.35	8.12	
	11.25	3.04	7.55	1.44	476.9	15.0 SHAW	8350	60366	6.50	4.07	9.16	7.55	
200	PM 11.40	3.20	8.10	1.59	465.6	MALVADO	8350	60377	6.34	3.52	9.01	7.36	
	AM 12.05	3.41	8.25	2.14	456.5	PUMPVILLE	8350	60387	6.21	3.41	8.50	7.24	
	12.20	3.56	8.40	2.33	442.7	TO LANGTRY	PQ 9392	60408	6.07	3.27	8.36	7.10	
	12.35	4.11	8.55	2.45	431.5	SHUMLA	9036	60416	5.54	3.13	8.22	6.50	
	1.00	4.35	9.20	3.09	413.4	COMSTOCK	PQ 10263	60433	5.35	2.50	8.00	6.25	
	1.30	5.00	9.45	3.35	391.4	19.5 AMISTAD Yard Limits 12.9	10366	60450	5.10	2.25	7.40	6.00	
	1.50	5.20	10.20	s 3.59	378.5	Yard Limits 12.9 TO-R DEL RIO	BKYPQ	60467	s 4.56	2.10	7.25	5.45	
	2.05	5.35	10.35	4.10	370.1	TO-R DEL RIO 8.4 JOHNSTONE	8350	60477	4.41	1.54	7.10	5.13	
	2.25	5.51	10.55	4.26	354.6	PINTO	8350	60493	4.26	1.38	6.54	4.53	
	2.40	6.05	11.10	4.40	341.7		BYPQ 8350	61000	4.10	1.26	6.42	4.40	
	3.00	6.26	11.30	4.56	324.7	TO-R SPOFFORD 17.0 ODLAW	8350	61120	3.51	1.10	6.26	4.20	
	3.10	6.38	11.40	5.08	315.1	9.6 OBI	8350	61132	3.40	12.59	6.16	4.10	
	3.25	6.55	11.55	f 5.23	301.1	Yd Lmts 14.0 TO UVALDE	PQ 8350	61140	f 3.25	12.45	6.03	3.54	
	3.42	7.07	12.07	5.35	289.6	KNIPPA	8350	61165	3.12	12.35	5.53	3.42	
	3.55	7.20	12.25	5.48	278.6	SABINAL	8350	61215	3.02	12.25	5.43	3.30	
	4.17	7.43	12.47	6.10	258.5	Yd Lmts 20.1 TO HONDO	PQ 8350	61247	2.42	12.04 PM	5.23	3.10	
	4.30	7.55	12.59	6.24	248.3	DUNLAY	8350	61257	2.30	11.53 AM	5.12	2.57	
	4.55	8.12	1.16	6.39	235.0	LACOSTE	8350	61272	2.15	11.38	4.57	2.37	
	5.15	8.28	1.32	7.00	218.8	HITHERS) IP	61290	1.55	11.21	4.40	2.20	
				7.08	212.7	TO-R TOWER 105	IPQ	62005	1.43				
				7.11	211.0	TOWER 112	IPQ Double	62015	1.39				
				s 7.35	209.3	R SAN ANTONI	o E	62200	1.35 AM				
					208.0	TOWER 121	IFQ F	62233					
	5.45 AM	8.50 PM	1.55 PM		207.4	TO-R EAST YAR	PPQ D	62235		11.00 AM	4.20 PM	2.00 AM	
220	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(298.8)			Leave Daily	Leave Daily	Leave Daily	Leave Daily	
>	246	244	242	2		2008			1	41	45	243	

Application of brakes while trains are on Pecos River Bridge(MP 428) should be avoided when possible.

		ADDIT	IONAL STATIONS	
Capacity in cars and Direction of entry into Spurs		Mile Post	NAME	Station Number
6-W 48-W 35 Yd Lmts 25	P P P	485.5 372.2 319.5 267.0	Dryden (spur) Laughlin A.F.B. (spur) Cline. D'Hanis.	60358 60472 61126 61227



Sanderson: No. 1 track is 8763 feet in length. Del Rio: No. 1 track is 9578 feet in length.

4	Tir	netable No. 8	DEL	RIO SU	JBDIVIS:	ION
EAST- WARD		11-11 1-3-11		WEST- WARD	EAST- WARD	
THIRD CLASS	ost	KERRVILLE BRANCH	on	SECOND CLASS	SECOND	ost
212	Mile Post Location	STATIONS	Station	211	228	Mile Post Location
Local Freight		FACILITIES AND LENGTH OF SIDINGS IN FEET		Local Freight	Freight	
Lv. Daily Ex. Sunday				Ar. Daily Ex. Sunday	Leave Daily	
9.15	308.5	KERRVILLE	62192	9.10	PM 4.00	33.2
	211	TOWER 112 TOWER 112 Track BKIYPQ TO P FAST VARD	62015		5.15 P M	0.0
1.20 PM	207.4	TO-R EAST YARD	62235	6.00 AM	Arrive Daily	
Ar. Daily Ex. Sunday	97.5	(75.2)		Lv. Daily Ex. Sunday	228	
212				211		

Between MP 259 and MP 258, Camp Stanley, and between MP 256 and MP 253, Beckmann, trains and engines may occupy main track without flag protection to the rear and all trains and engines must move with caution expecting to find main track occupied without flag protection.

		ADDIT	IONAL STATIONS		
Capacity in cars and Direction of entry into Spurs		Mile Post	NAME	Station Number	
19 20 27-W 2-E 26 5-W	 ¥ 	289.9 269.5 259.1 258.2 253.9 247.3	Kerrville Branch Comfort. Boerne Camp Stanley (spur) Leon Springs (spur) Beckmann Robards (spur)	62169 62140 62138 62135 62127 62120	
23 Stock Pens Services from Main Tr	ved	19.7	Eagle Pass Branch Paloma. Darling.	61020 61012	

EAST- WARD				WEST- WARD
SECOND CLASS	Post	EAGLE PASS BRANCH	ion	SECOND CLASS
228 Freight	Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	227 Freight
Leave Daily				Arrive Daily
PM 4.00	33.2	Yard Limits R EAGLE PASS BPQ	61040	PM 6.45
5.15 P M	0.0	Yard Limits 33.2 BYPQ TO-R SPOFFORD	61000	5.30 PM
Arrive Daily		(33.2)		Leave Daily
228				227

March 23, 1969

			ONAL STATIONS NIA SUBDIVISION		
Capacity in cars and Direction of entry into Spurs		Mile Post	NAME	Station Number	
43 5-W 20-E 117-W 171-E 12-E 6-E	P P P P	196.7 194.2 184.9 179.3 178.2 15.1 12.1	Converse. Randolph Field. (spur) Marion. (spur) Blumberg (spur) Nolte. (spur) Mooring. (spur) Mumford. (spur)	62248 62258 62262 62268 62271 70655 70659	
18 29	P	10.6 21.1	Shiner Branch Shiner Moulton	74019 74008	

SPECIAL INSTRUCTIONS—DEL RIO SUBDIVISION

RULE 82-A. Crew ordered for No. 228 may assume schedule and leave Eagle Pass without clearance.

Westward first-class trains originating San Antonio may assume schedule or sections, as ordered, without clearance, but must obtain clearance bearing the OK, time and initials of the Chief Train Dispatcher before leaving Tower 105.

Crew arriving Kerrville, or any intermediate station, on No. 211 may assume schedule of No. 212 at such station without clearance, and without train-order authority.

RULE 83. Westward trains may identify eastward first-class trains between San Antonio and Withers and eastward second, inferior class and extra trains between East Yard and Withers to be applied at end of double track.

RULE 83-A. At the following stations only trains indicated will register:

Spofford Trains originating or terminating.
Tower 105 No. 1 and No. 2.
San Antonio Trains originating or terminating.

RULE 83-B. At open train-order offices trains may register by ticket, as follows:

 Del Rio
 No. 1 and No. 2

 Tower 105
 No. 1 and No. 2

RULE 95. Sections of westward first-class trains originating at San Antonio may be authorized at Tower 105 by clearance bearing the words "Green Signals" or "No Signals".

RULE 221. Tower 105 is a train-order office for westward trains only.

	EAS	STWA	RD							,	WEST	WARD		
THIRD CLASS	SE	COND CLA	ss	FIRST	Post		STATIONS		FII	RST CLA	ss	SECOND	CLASS	THIRD
84	248	242	246	2	Mile P.		FACILITIES AND LENGTH OF	Station	41	45	1	249	243	83
Local Frt.	Freight	Freight	* Freight	Sunset			SIDINGS IN FEET		Freight	Freight	Sunset	Freight	Freight	Local Frt
Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily					Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.
				7.50	209.3	-	(R SAN ANTONIO BKPQ	62200			AM s 1.15			
					208.0		TOWER 121	62233						
6.00	6.30	PM 1.30	AM 11.30	7.57	207.4			62235	10.55	PM 4.10	12.56	3.40	7.30	11.2
6.15	6.40	1.40	11.39	8.03	202.2		KIRBY 9653	62243	10.50	4.01	12.51	3.30	7.17	11.10
7.02	6.54	1.54	11.56	8.17	188.1		14.1 P CIBOLO 9673	62257	10.35	3.47	12.37	3.15	7.02	10.3
8.16	7.12	2.12	PM 12.15	f 8.31	174.0	System	Yd Lmts 14.1 PQ TO SEGUIN 5435	62275	10.21	3.33	f12.21	2.59	6.35	9.30
8.41	7.22	2.22	12.25	8.41	164.1	Signal 8	KINGSBURY 5426	62284	10.11	3.24	12.11 AM	2.49	6.25	8.4
10.01	7.33	2.33	12.36	8.52	153.3	Block Si	Yd Lmts 10.8 PQ TO LULING 10282	62292	10.01	3.13	11.54 PM	2.37	6.13	8.2
10.16	7.43	2.43	12.46	9.02	143.8	ie Ble	Yd Lmts 9.5 P HARWOOD 4836	62299	9.51	3.03	11.42	2.25	6.01	7:5
10.31	7.50	2.58	12.52	9.06	139.4	Automatic	SANDY FORK 5268	62410	9.46	2.58	11.36	2.20	5.56	7.5
10.40	7.59	3.06	1.01	9.14	130.7	γn	WAELDER 5472	62418	9.36	2.50	11.27	2.11	5.47	7.4
11.00	8.10	3.17	1.13	9.25	120.0 29.2		Yd Lmts 10.7 IPQ 9597	70000	9.25	2.39	11.15	1.59	5.35	7.3
	8.20		1.24		38.7		MULDOON 5589	70010	9.11	2.25		1.45		
	8.35		1.39		53.1		WINCHESTER 5563	70025	8.56	2.10		1.30		
	8.50		1.56		67.2 59.0	_	TO GIDDINGS 8387	70040	8.42	1.56		1.15	_	
	9.10		2.17		44.7	_	DIME BOX 5593	70615	8.26	1.39		12.57		
	9.30		2.33		31.4	TO	13.3 PQ 4847 13.2 P	70630	8.08	1.21		12.39		
	9.50		2.50		18.2	_	VARISCO 5625	70652	7.53	1.06		12.24		_
	10.05		3.03		7.5	Limits	TATSIE 5580	70665	7.39	12.53		12.10		
	10.20		3.15 PM		1.0	E	1.0 BKIPO	71105	7,30	12.45		12.01		
	PM		PM		0.0	~	Yard Limits IPQ	71110	AM	PM	11.15	AM	5.35	7.3
11.00		3.17		9.25	120.0	m	TO-R FLATONIA 9597 Yard Limits 12.9 P SCHULENBURG	70000			11.15 f11.02		0.30	7.3
AM 55		3.40		f 9.37	98.9	ABS	8.2 P WEIMAR 5849	75025			10.52		5.13	6.5
11.55 12.20 PM		3.55 PM		9.45 9.57	87.1		Yard Limits 11.8 BKYPQ	75037			10.40 PM		5.00 AM	6.30 AM
Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	01.1		Walter and the same of the sam		Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun
84	248	242	246	2		==	ADDITIONAL STATIONS		41	45	1	249	243	83

EAST- WARD	SHINER BRANCH		WEST
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
0.0	Yard Limits TO-R YOAKUM	74030	29.2
29.2	Yard Limits 29.2 IPQ TO-R FLATONIA	70000	0.0
	(29.2)		

EAST	WARD				WESTWARD		
THIRD CLASS	SECOND CLASS		GONZALES BRANCH		SECOND CLASS	THIRD	
18 Freight	16 Freight	Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	17 Freight	19 Freight	
Lv Daily Ex. Sunday	Ly Daily Ex. Sunday		SIDINGS IN LECT		Ar Daily Ex. Sunday	Ar Daily Ex. Sunday	
PM 12.40	9.00	12.3	R GONZALES	62325	10.40	PM 2.20	
1.20 PM	9.40 AM	0.0	R HARWOOD	62299	10.00	1.40 PM	
Ar Daily Ex. Sunday	Ar Daily Ex. Sunday		(12.3)		Ly Daily Ex. Sunday	Lv Daily Ex. Sunday	
18	16				17	19	

Between Gonzales and Harwood, trains may occupy main track without flag protection to the rear and all trains and engines must move with caution expecting to find main track occupied without flag protection.

6	T	imetable No. 8	.A	LICE
EAST- WARD		HAAWIESAW.		WEST- WARD
SECOND CLASS				SECOND
354 Freight	Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	353 Freight
Leave Daily	MH			Arrive Daily
10.30	43.2	Yard Limits TO-R ALICE	63460	PM 5.30
11.15	14.1	Yard Limits 29.1 IP TO MATHIS	63420	4.28
PM 12.01	0.0 104.4	Yard Limits 14.1 BYPQ TO-R SKIDMORE	63099	4.0
	94.8	PARBY 5520 P OTC 1.9 P OTC BEEVILLE	63091	
12.45	92.9		63090	3.20
1.35	74.0	BURNELL 2955	63081	2.30
2.00	61.6	TO KENEDY P	63068	2.0
3.30	17.4	SASPAMCO 6862	63024	1.0
3.45	5.6	BERGS	63011	12.20
	211.0	TOWER 112 TOWER 112 Tower 112 The both be seen to the best tower 112	62015	
4.30 PM	207.4	-P (TO-R EAST YARD	62235	12.0
	145.9	Yard Limits P OTC	63090	
	116.7	TO GOLIAD P	75831	
	108.2	8.5 P FANNIN 6700	75821	
	89.8	Yard Limits 18.4 BKIYPQ TO-R VICTORIA	75570	
Arrive Daily				Leave Daily
354		-1.21		353

ADDITIONAL STATIONS								
Capacity in cars and Direction of entry into Spurs		and Direction of Mile			NAME	Station Number		
			Alice-East Yard Line					
30	P	26.3	Orange Grove	63451				
9-W		21.0	Sandia(spur)	63445				
26	100.00	11.4	Vahlsing	63414				
28	ř	7.5	Tynan	63410				
15-W		81.9	Normanna(spur)	63086				
10-W	P	77.1	Pettus(spur)	63084				
	P		Karnes City(spur)	63061				
16		54.9	Rarnes City	63051				
4-W		44.2	Falls City(spur)	63043				
8-E		36.5	Poth(spur)	63036				
16-W	9.4	29.7	Floresville (spur)					
22-E		15.0	Elmendorf(spur)	63021				
47-W		12.6	CPS(spur)	63017				
25-W		9.0	Southton(spur)	63014				
			Beeville-Victoria Line					
Stock Pens								
rom Main T	rack	121.7	Melo	75837				
10-W		96.6	Aloe(spur) Brownsville Branch	75808				
8-E		199.6	Evan(spur)	63769				
30	P	193.8	Los Fresnos	63768				
E		180.1	Arroyo	63757				
197-W		176.4	Palmetal(spur)	63752				
13-W		157.8	La Villa(spur)	63722				
16-E		150.8	La Blanca(spur)	63713				
18		148.8	San Carlos	63710				
14-E	P	125.2	Linn(spur)	63575				
		75.1	La Gloria (spur)	63538				
		70.3	Premont(spur)	63528				
20			Caslingon	63519				
	p	67.0 62.1	Seeligson	63511				
24-E				63505				
20-E	*	45.6	Torian (spur) McAllen Branch	03303				
3-E		148.1	Merito(spur)	63635				
Vond 1	Limits PQ	143.6	Edinburg	63610				
rard I	numità L.C.	143.6	EdinburgCorpus Christi Branch	03010				
10 117		117.5	St. Paul (spur)	63110				
17-W		117.5	Rockport Branch	00110				
ee 13		12.0	Kosmos(spur)	63227				
		13.8		63221				
14		11.0	Aransas Pass	63221				
24-W	4.4	7.3	Redfish (spur)					
14-W		5.8	Ingleside(spur)	63215				
20	,	130.7	Taft	63140				
16		141.8	*Portland	63210				

STATIONS
TO-R BROWNSVILLE 63780 174.3 TO-R HARLINGEN 63740 184.7 184.7 Yard Limits 9.6 63732 153.7 142.7 \$\frac{1}{2} \frac{1}{2} \frac
174.3 TO-R HARLINGEN 9.6 9.6 740 74rd Limits 9.6 9.6 73.72 74rd Limits 11.0 P P P P P P P P P
164.7 SANTA ROSA 63732
153.7 142.7 140.6 102.5 79.6 102.5 79.6 155.7 140.6 102.5 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 79.6 102.5 102
142.7 2 R EDINBURG JUNCTION 63590 140.6 TO-R EDINBURG YARD 63587 63587 102.5 TO-R EDINBURG YARD 63587 63561 79.6 Yard Limits 36.4 BKPQ 63543 CONTROL
102.5 RACHAL 38.7 P 63561 79.6 Yard Limits 22.9 P 1448 P 63543 Yard Limits 36.4 BKPQ
102.5 RACHAL 3657 63561 79.6 Yard Limits 22.9 FALFURRIAS 1448 63543 Yard Limits 36.4 BKPQ 63.543
79.6 FALFURRIAS 1448 63543 Yard Limits 36.4 BKPQ
Yard Limits 36.4 BKPQ
3.8
152.8 M. P. JUNCTION See M.P. Railroad Company's Current Timetable, 8
152.8 M. P. JUNCTION
See M.P. Railroad Company's Current Timetable, S structions and Rules for Train Movements Between M.I S.P. Jct. 122.6 5 S. P. JUNCTION
See M.P. Railroad Company's Current Timetable, Structions and Rules for Train Movements Between M.I. S.P. Jct. 122.6 121.0 M. P. JUNCTION Structions and Rules for Train Movements Between M.I. S.P. Junction 126.8 S. P. JUNCTION 1.6 SINTON 63120
See M.P. Railroad Company's Current Timetable, S structions and Rules for Train Movements Between M.I S.P. Jct. 122.6 5 S. P. JUNCTION
See M.P. Railroad Company's Current Timetable, Structions and Rules for Train Movements Between M.I. S.P. Jct. 122.6 S.P. JUNCTION 121.0 R SINTON 121.0 Yard Limits 16.6 BYPO

RULE 5. Kenedy: Time applies at switch to old Yoakum main spur.

Kenedy: Old Yoakum main is spur 5000 feet in length.

EAST	WARD		TALL DESCRIPTION	5.83	WEST	WARD
THIRD CLASS	SECOND CLASS	ost	LLANG BRANCH		SECOND CLASS	THIRD
256 Local Freight	254 Local Freight	Mile Post Location	STATIONS FACILITIES AND LENGTH OF	Station	253 Local Freight	255 Local Freight
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		SIDINGS IN FEET		Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.
	AM 6.00	98.8	TO-R LLANO BYP	70540		PM 3.00
	8.30	69.7	Yard Limits 29.1 YP	70390		1.00
10.30	8.50 AM	62.6	2 R GANDY 4696	70378	10.30	12.30 PM
11.01		60.0	R GANDY 4696 1.9 YPQ BURNET	70375	10.00	
11.20		56.2	BURNET 3.8 SUMMIT 1415	70372	9.15	
AM 11.45		49.5	6.7 P BERTRAM 3281	70366	9.00	
PM 1.00		16.5	Yard Limits 33.0 IP	70320	8.00	
2.30 PM		1.4	Yard Limits 15.1 BKYPQ	70280	6.00 AM	
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		(97.4)		Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.
256	254				253	255

EAST- WARD	77 THE 14 OF	2.175	WEST- WARD
	STATIONS		
Mile Post Location	MARBLE FALLS BRANCH FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
6.2	MARBLE FALLS	70410	6.2
4.0	GRANITE MOUNTAIN	70405	4.0
0.0	Yard Limits 4.0 YP	70390	0.0
	(6.2)	1	•

Between Fairland and Marble Falls there is no main track and operations of engines will be in accordance with Rules and Regulations and Special Instructions governing movements on other than main track, except movements must be made with caution not exceeding 25 MPH.

Crew arriving Gandy on No. 254 may assume the schedule of No. 256 and leave without a clearance.

Crew arriving Gandy on No. 253 may assume the schedule of No. 255 and leave without a clearance.

Crew arriving Fairland on No. 254 must make trip to Marble Falls unless otherwise instructed.

Crew arriving Fairland on No. 255 must not make trip to Marble Falls unless instructed to do so.

RULE 83-A. At the following stations only the trains indicated will register:

Fairland Trains directed by train order.
Gandy All trains.

Gandy: Train register located in phone booth near west switch to siding.

RULE 221. Light will not be displayed in train order signal, McNeil, except when train-order operator on duty.

EAST- WARD				WEST- WARD
THIRD CLASS		AUSTIN BRANCH		THIRD CLASS
236 Local Freight	Mile Post Location	STATIONS FACILITIES AND LENGTH OF	Station	237 Local Freight
Lv. Sun. Tue. & Thur.		SIDINGS IN FEET		Ar. Tue. Thur. & Sat.
PM 7.10	113.5	TO-R AUSTIN	70280	AM 1.20
8.30	82.9	Yard Limits 30.6 P BUTLER 7162	70230	12.15
9.15	55.7	Yard Limits 27.2 PYQ TO GIDDINGS	70040	10.00 PM
10,30 PM	21.0	TO-R BRENHAM BKIP	70130	8.00 PM
Ar. Sun. Tue. & Thur.		(92.5)		Lv. Mon. Wed. & Fri.
236				237

		AD	DITIONAL STATIONS	
Capacity in cars and Direction of entry into Spurs		Mile Post	NAME	Station Number
4-W 27 20 13-E 3-W 11-E 23 3-E	IP IP 	109.1 100.0 87.8 85.1 62.6 40.0 33.8 27.5	Austin Branch Smoot	70272 70263 70240 70233 70210 70116 70119 70123
125-E 13 10-W 33-E 15 28 5-E 19 15 55-E 8 10 6-W	 	90.5 79.1 71.2 70.3 67.1 64.4 38.6 31.5 27.1 10.7 9.8 7.3	Liano Branch Stolz (spur)	70531 70518 70510 70395 70385 70386 70348 70348 70317 70311 70311

AST-			WEST- WARD				WARD				
	STATIONS				SECOND	CLASS		FIRST	CLASS	ost	STATIONS
Mule Post Location	FORT WORTH BRANCH	Station	Distance	258 Freight	342 Freight	260 Freight	340 Freight	46 Freight	42 Freight	Mile Post Location	FACILITIES AND LENGTH OF SIDINGS IN FEET
Loui	FACILITIES AND LENGTH OF SIDINGS IN FEET	Nu	Ω̈́	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	-	Yard Limits BKIP
52.4	Yard Limits BKIPQ	72400	54.2							337.9	TO-R DENISON TO-R Yd Lmts 7.6 BKP NORTH SHERMAN JCT.
0.0	GARRETT P	72030	1.9							328.8	Yard Limits 1.5 BIPQ
.7	Yard Limits 1.9 BKPQ TO-R ENNIS	72024	0.0							326.7	FRISCO JCT.
	(54.3)									324.6	SOUTH SHERMAN JCT.
	0.0									296.5	Yard Limits 28.1 TO McKINNEY 8.3
	JACKSONVILLE BRAN	СН					_			288.2	Yard Limits 6.1
59.0	R MILLER	72700	167.8							282.1	TO-R PLANO 18.1 IPQ TO T. & P. JUNCTION
81.2	TO BELT JUNCTION	72530	165.6							4.1	BRIGGS
	98 FOX 5159 TO	72635	164.9							2.7	BRIGGS 1.4 P FOX 5159
15.0	Yard Limits 113.8 BKP	72680	163.5					-		2.0 261.2	BELT JUNCTION
01.2	TO-R JACKSONVILLE	75850	49.7							258.0	R MILLER 10195
54.6	BONITA JUNCTION Yard Limits 3.1 PQ TO NACOGDOCHES	78425	0.0							246.5	FERRIS
51.5	TO NACOGDOCHES	78422	0.0	PM		PM				233.6	GARRETT Yard Limits 1.9 BKPQ
	(167.8)			8.30		2.50				231.7	10-R ENNIS
	PARIS BRANCH			9.07	PM 8.15	3.01	AM 12.15	AM 11.10	AM 5.20	220.8	RICE Yd Lmts 11.1 TO-R CORSICANA 6.1 ANGUS
86.8	TO-R COMMERCE BKPQ	73860	37.5	9.17	8.24	3.35	12.25	11.18	5.27	203.6	86 ANGUS 16.9
24.3	37.5 PARIS	73880	0.0	9.40	8.40	3.51	12.45	11.34	5.43	186.7	₩ GUDE
	(37.5)			9.51	8.50	3.58	12.52	11.40 AM	5.49	181.0	10.8
_	(57.5)	11		10.20	9.05	4.11	1.11	11.52 PM 12.08	6.01	170.2	TO GROESBECK TO KOSSE
	CAMERON BRANCH			10.45 PM 11.01	9.33	4.39	1.27	12.18	6.27	142.4	TO BREMOND, 7091
	CALDWELL	70630	45.7	11.01						123.5	18.9 P SEGER 8545
8	see AT&SF Ry. Co. Timetable Speci and Rules for movement between	al Instruction	ıs	12.05	9.55 PM	5.30	1.55 AM	12.40 PM	6.50 AM	120.7	TO-R HEARNE TO-R HEARNE 6.2 SUTTON
	Cameron.	71880	15.5	12.15		5.40				114.5	Yd Lmts 18.5
33.3	CAMERON 15.5 ROSEBUD	71660 71636	15.5	12.40		6.10				96.0 80.2	BRYAN 8561 15.8 P MILLICAN 3858
39.3		,1030	5.0	1.16		6.50				70.2	Yd Lmts 10.0 IPQ TO NAVASOTA 3995
_	(45.7)		N	1.46		7.20	ELECTION 1			51.3	HEMPSTEAD
				2.02		7.35				41.0	
	ULES S-71-97-99. Trains be									33.0	TO WALLER R SALT MINE SPUR
time	Rosebud may operate without table authority and without	superiorit	y of	2.22		7.55				25.5	CYPRESS 19.8 IYPQ
train	ns. Between these points, tra n track without flag protection	in may oc	cupy r and	2.57		8.25				5.7	EUREKA 2.9 P
all t	rains and engines must move ing to find main track occup	with cautio	n ex-							2.8	CHANEY JCT.
I	RULE 5. Plano: Time applies		witch							360.5	TOWER 68
to c	onnecting track.			3.30 AM		8.55 PM	-			358.1	TO-R ENGLEWOOD
swit	Ennis: Time applies at four ch long track MP 230. 94 for	ling point eastward ti	east rains.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		(340.3)
	Eureka: Time applies at cross ble track.	sover leadin	ng to	258	342	260	340	46	42		(010-0)

Belt Junction: Double track extends between Belt Junction and Forest Avenue, a distance of 2 miles.

- 1			WEST	WARD		
	H		SECOND	CLASS		
Station	337 Freight	257 Freight	339 Freight	259 Freight	347 Freight	345 Freight
٠.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily
73730	1 4					
73710						
73540						
73531						
73528						
73511						
73505		4				
73400						
72680						
72675						
72530						
72700						
72512						
72030						
72024			10.20	10.45		2.35
72015			10.05	10.25		2.20
71330	4.10		9.50	10.10	PM 9.30	2.05
71322	4.00		9.31	10.01	9.17	1.55
71305	3.41		9.13	9.43	8.40	1.35
71240	3.35		9.07	9.37	8.30	1.25
71230	3.19		8.54	9.24	8.15	1.11
71215	2.59		8.37	9.07	7.55	12.51
71033	2.45		8.26	8.56	7.40	12.30
71012			9.00	- 0.20	7.10	1205
71110	2.15 AM	8.05	8.00 MA	8.30 AM	7.10 PM	12.05 AM
77185		7.54				11.20
77160	× .	7.31				10.57
77130						
77100		7.05				10.29
77064		6.43				10.07
77053		6.32				9.55
77044						
77037		6.17				9.35
76012		5.54				9.10
76017						
76025			-			
76050		F 20				0.45
76100		5.30 AM				8.45 PM
	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily
	337	257	339	259	347	345

	Capacity in cars and Direction of entry into Spurs		nd Direction of Mile		NAME	Station Number
3-E 52-W 16 19 16 2-W 12-W 14-E 18-E 30-W 26-Yard Limits 9-W 10-W 7-E 7-E 7-E 10-W 10-W	P P P P	336.3 335.9 319.0 307.5 303.0 277.3 275.4 273.9 254.2 238.5 1128.7 94.7 94.7 23.8 17.6 16.2 112.6 110.7	Ennis Line Jaques Spur (spur) Cotton Mill Spur (spur) Howe Van Alstyne Anna Melissa (spur) Richardson (spur) Bouchard (spur) Hutchins (spur) Palmer (spur) Vortham Calvert (spur) College Station Prairie View (spur) Hockley (spur) Melendy (spur) Melendy (spur) Armeo (spur) Fairbanks Lois Waco SSW	73719 73717 73525 73521 73518 73516 72910 72915 71311 71018 77059 77047 77028 77024 77021 77017 77017		
44-E 4-W Yard Lmts. 2-W 16 6-W 20-W 15-W	 IP IP	48.7 46.8 40.4 34.1 29.6 25.6 23.1 11.7	Fort Worth Branch Brandt (spur) Forest Hill (spur) Bisbee (spur) Mansfield Britton (spur) Gifco (spur) Midlothian (spur) Waxahachie	72360 72345 72339 72333 72328 72325 72310 72120		
11 2-E 8-E 10-E 19	 P IPQ	309.2 302.2 300.7 298.6 293.1 283.0 271.8 262.0 241.4 229.7 218.0 188.4 185.7 182.7 177.0 172.1 165.0	Jacksonville Branch Elam Bobwyn Simonds Spur Seagoville Spur Seagoville Spur Kaufman Spur Kaufman Spur Mabank Spur Mabank Spur Mabank Spur Smitty Spur LaRue Spur LaRue Spur Frankston Stryker Creek Spur Sacul Spur Cushing Trawick Spur S	72664 72655 72653 72648 72638 72638 72627 72617 72610 80080 78591 78588 78585 78533 78533 78523 78518 78511 78511		
10 13-E		102.3 107.2	Paris Branch Cooper	73870 73873		

RULE 5. Plano: Time applies at S.P. Switch to connecting track.

Ennis: Time applies at fouling point east switch long track MP 230.94 for eastward trains.

Eureka: Time applies at crossover leading to double track.

EAS	WARD	X							WEST	WARD	
ECOND CLAS	FIRST	CLASS	n st					FIRST	CLASS	SECONI	D CLASS
82 Local Fr	54 Passenger	2 Sunset	Mile Post Location			STATIONS	Station	1 Sunset	53 Passenger	81 Local Frt.	
Lv. Dail Ex. Sunda	Leave Daily	Leave Daily			FA	CILITIES AND LENGTH OF SIDINGS IN FEET		Arrive Daily	Arrive Daily	Ar. Daily Ex. Sunday	٠.
6.00		9.57	87.1		Yd.Lmts.	TO-R GLIDDEN	75037	PM 10.40		PM 1.00	
6.10		10.05	81.2		Yd.1	ALLEYTON 4066	75045	10.30		12.10 PM	
6.30	1	10.12	74.0			7.2 RAMSEY 5612	75052	10.24		11.45 AM	
7.23		10.17	68.5		TO		75120	10.18		11.20	
7.40		10.26	62.1		_	LISSIE 4798	75208	10.09		10.50	
8.00		10.36	51.8		_	EAST BERNARD 5180	75218	10.00		10.36	
8.30	PM 6.54	10.50	36.3		Yd.Lmts.	TO-R TOWER 17 4581	75235	9.45	8.14	9.25	
	6.55	f10.51	35.9		Yd.1	ROSENBERG 6010	75910	f 9.43	8.13		
2			29.4			HARLEM 6477	75929				
			24.7	E		SUGAR LAND 7646	75940				
			18.4	System		MISSOURI CITY 6523	75958				
		11.25	12.6	Signal		WEST JUNCTION	76000				
			4.2	Block S	{	BELLAIRE JCT.	76010				
Via	Via		5.7	tic B	П	EUREKA PIPO	76012		Via Tower 81		
Harrisbu	Tower 81		2.8	Automatic		CHANEY JCT.	76017		10wel of		
		s11.55	1.2	Ψ		R HOUSTON		8.50 PM			
			12.6		Н	WEST JUNCTION	76000				
			9.9		Н	3.1 IP STELLA 6643	76205				
	7.44 PM		4.6		П	TOWER 81	76221		7.33 AM		
			7.2		its	HARRISBURG IP	78231				
					Yard Limits	HARRISBURG JCT	76240			V:-	
					Yar	BOOTH SIDING 4900	76195			Via Chaney Junction	
			5.2			BUFFALO BAYOU Drb.	76190			- unction	
			4.1			TOWER 86	76180				
12.10 PM)		358.0			TO-R ENGLEWOOD	76100				
			2.8			CHANEY JCT.	78017				
			360.5								
			358.4			TOWER 68					
			358.0			TO-R ENGLEWOOD	76100			6.00 AM	
Ar. Dail Ex. Sunda	Arrive Daily	Arrive Daily				2.1 IYPQ TOWER 68 0.4 BKIYPQ TO-R ENGLEWOOD		Leave Daily	Leave Daily	Lv. Daily Ex. Sunday	
82	54	2						1	53	81	

EAST-			WEST- WARD
	BELLAIRE BRANCH		
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
72.0	SKULL CREEK	75100	65.7
69.3	ALTAIR	75105	63.0
61.2	Yard Limits 8.1 BKIYPQ TO EAGLE LAKE	75120	54.9
6.3	Yard Limits 54.9 IP BELLAIRE JUNCTION	76010	0.0
	(65.7)		^

Between Eagle Lake and Skull Creek there is no main track and operation of engines will be in accordance with Rules and Regulations and Special Instructions governing movements on other than main track, except movements must be made with caution not exceeding 20 MPH between Eagle Lake and Altair and 15 MPH between Altair and Skull Creek.

ADDITIONAL STATIONS

See Page 13

EAST- WARD	AA W PRATO		WEST- WARD
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station Number	Distance
89.8	Yard Limits BKIYPQ TO-R VICTORIA	75590	0.0
57.0	32.8 P GANADO 1028	75549	32.8
39.0	Yard Limits 18.0 P TO EL CAMPO 3623	75524	50.8
25.6	TO WHARTON BKIP	75500	64.2
24.6	R WHARTON JUNCTION	75325	65.2
13.6	11.0 P KENDLETON 4231	75313	76.2
0.4	GUY JUNCTION P	75240	89.4
36.3	TO-R TOWER 17	75235	89.8
	(89.8)		
EAST- WARD	GUY BRANCH		WEST- WARD
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station Number	Distance
15.7	Yard Limits GUY	75256	16.1
0.0	GUY JUNCTION	75240	0.4
36.3	TO-R TOWER 17	75235	0.0
	(16.1)		1

Sample			ADDI	TIONAL STATIONS	
3-W	and Direction	of		NAME	Station Number
23	40-W 8-E 13-E 20 17-E 14-W 36-E 10 15-E 17-W 14 12-E	·· ·· ·· ·· ·· ·· ·· ·· ·· ··	85.2 83.4 70.3 66.3 64.3 51.8 49.3 41.2 33.8 19.6 7.6	Thrasher	75566 75565 75564 75553 75550 75543 75532 75532 75518 75319 75309 75309
13-E IP 56.3 Blessing (spur) 754 48 42.5 Markham 754 27-E 40.1 Rossge (spur) 754 9 Yard Limits P 36.3 Bay City 754 9-E 14.1 Don Tol (spur) 754	20-W 10-W 20 19-W 11-W	::	81.6 37.9 30.3 21.2 18.0	Nixon (spur)	75778 75771 75707 75703 75606 75610 75620
Salar	48 27-E 9 Yard Limits 9-E	P.	42.5 40.1 36.3 14.1	Blessing	75480 75466 75464 75440 75414 75411
20 11.0 Guy Branch Needville	20		11.0		75251

	EAS WA						WES	RD	
	Mile Post	Location	F	YOAKUM BRANCH STATIONS ACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Number	Distance		
	15	1.7		YORKTOWN	75'	748		0.0	
	5	8.0	2	RIVER JUNCTION		734		1.1	
	13	5.4	To		75		17	7.0	
	11		Yard L FO-R		740	030	34	1.2	
				(34.2)			Ti		
						1			
TH CL	ARD IIRD ASS 76 ocal eight	Mile Post	Location	CUERO BRANCH STATIONS		Station	Namber N	WES WAR THIR CLAS 37! Loca Freigh	5
Lv. Thurs	Tues. . & Sat.			FACILITIES AND LENGTH OF SIDINGS IN FEET				Ar. Mo Wed. &	Fri
		103	2.2	STOCKDALE		757	85		
	M	51	8.0	RIVER JUNCTION	YP	757	34	AM	_
10	.55	5	5.1	TO CUERO	YIPQ	757	31	8.8	30
P	.10 M	2	7.8	TO-R VICTORIA Yard Limits 27.8	Р	755	90	6.0 AM	_
Ar.	Tues.		0.0	PORT LAVACA	_	756	40_	Lv. Me	on.
Thurs	76		-	(102,2)		_	-	Lv. Me Wed. & 1	
3	10							3/3	•
	ARD							WES	
	IIRD ASS	Post	non			Station	noer	SECO	
L	82 ocal eight	Mile Post	TOGU	STATIONS		Stat	in v	381 Loca Freigh	1
	Daily Sun.			FACILITIES AND LENGTH OF SIDINGS IN FEET				Ar. Da Ex. Su	
	.05	6	8.1	Yard Limits PALACIOS		754	99	10.0	
	.05	1:	3.0	Yard Limits 55.1 R NEWGULF	Р	754			
12	.25		0.0	R WHARTON JUNCTIO	4217 N	753		7.3	30
12	.30 M	2	5.6	TO-R WHARTON (68.0)	ВКІР	755		7.C AM Lv. Da	OO
Ar.	Sun.							Ex. Su	

RULES S-71-97. Trains between River Jct. and Stockdale may operate without train order or timetable authority and without superiority of trains.

RULE 99. Between Yoakum and Yorktown, Victoria and Stockdale and Newgulf and Palacios trains may occupy main track without flag protection to the rear and all trains and engines must move with caution expecting to find main track occupied without flag protection.

12	Т	imetable	No. 8			LUFK	IN SUBDI	VISION	V		March	23, 1969)	
	EAS	STWAR	ED.								WE	STWA	RD	
THIRD	CLASS	SEC	OND CL	ASS						SEC	OND CL	ASS	THIRD	CLAS
	216 Local Freight	130 Freight	144 Freight	126 Freight	Mile Post Location	FACI	STATIONS	DF.	Station	131 Freight	143 Freight	125 Freight	215 Local Freight	
	Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily			SIDINGS IN FEET			Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.	
	AM 6,30	PM 7.30	PM 1.00	AM 9.00	358.0	≝ TO-R	ENGLEWOOD BKI	YPQ	76100	AM 4.35	PM 10.00	AM 2.05	PM 12.30	
	0.00				358.4	TO-R	TOWER 68	Two Main Tracks	76050					
	6.38	7.40	1.10	9.10	360.4	TO	TOWER 26	YPQ " B.	76025	4.25	9.50	1.55	12.20 PM	
	7.15	8.15	1.35	9.45	16.2		HUMBLE	9147	78021	4.00	9.25	1.30	11.45 AM	
	8.25	8.50	2.10	10.20	44.2	Yard Limits TO	CLEVELAND	1P 4625	78050	3.25	8.50	12.55	10.20	
	9.01	9.10	2.30	10.40	54.3	то	SHEPHERD	9117	78073	3.10	8.30	12.35	9.01	
	10.01	9.33	2.53	11.05	71.5	то	LIVINGSTON	- 3610	78091	2.47	8.00	12.05 AM	8.20	
	10.40	9.55	3.15	11.27	87.5		MOSCOW	2534	78120	2.22	7.35	11.40 PM	7.05	
	11.01	10.05	3.25	11.37	93.0	то	CORRIGAN	Р	78138	2.12	7.25	11.30	6.40	
	11.30	10.25	3.45	AM 11.57	107.1		14.1 DIBOLL	9147	78150	1.55	7.00	11.05	6.20	
	11.59 AM	10.40 PM	4.05 PM	12.15 PM	118.2	Yd. Limits TO-R	11.1 LUFKIN	BKYPQ	78200	1.35 AM	6.40 PM	10.45 PM	6.00 AM	
	Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily			(118.2)			Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun.	
	216	130	144	126		A	Additional Stations See Page 13			131	143	125	215	

SHREVEPORT SUBDIVISION

F	ASTWA	RD							WE	STWA	RD	
THIRD CLAS	HIRD CLASS SECOND CLASS			CTATIONS.		SEC	OND CL	ASS	THIRD CLASS			
218 Local Freight		144 Freight	126 Freight	Mile Post Location	STATIONS FACILITIES AND LENGTH OF		Station	143 Freight	125 Freight	131 Freight	217 Local Freight	
Lv. Dai Ex. Sur		Leave Daily	Leave Daily		SIDINGS IN FEET		2.7	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.	
AM 6.3	PM	PM 4.25	PM 12.30	118.2	TO-R LUFKIN	BKYPQ	78200	PM 6.20	PM 10.15	AM 1.30	PM 1.20	
				120.4	PROSSER	IP	78404					
6.5	5 11.20	4.45	12.55	129.7	CLIMAX	4039	78413	5.56	9.53	1.10	12.55	
7.5	5 11.35	5.00	1.10	138.2	Yard Limits 8.5 TO NACOG DOCHES 3.2	BPQ	78422	5.43	9.40	12.57	12.10 PM	
				141.4	BONITA JUNCTION	Р	78425					
8.1	5 PM 11.51	5.26	1.25	147.4	APPLEBY	6908	78708	5.26	9.13	12.40	11.20 AM	
8.4	AM	5.42	1.41	158.4	TO GARRISON	4276	78721	5.05	8.55	12.17 AM	11.05	
9.0		6.07	2.09	176.4	TO TENAHA	1P 2850	78740	4.35	8.25	11.47 PM	10.35	
9.1	5 12.55	6.17	2.18	180.3	PAXTON	7986	78764	4.25	8.16	11.35	9.45	
9.3	0 1.10	6.32	2.30	189.6	HASLAM	3451	78775	4.10	8.01	11.17	9.30	
	H.			191.1	TO LOGANSPORT	Р	78805					
10.1	0 1.29	6.49	2.50	201.3	LONGSTREET	7959	78814	3.45	7.44	11.00	8.45	
10.2			3.15		STAPLES	3305	78837	3.15	7.14	10.30	7.15	
10.5	2.30	7.34 PM	3.35 PM	230.8	Yard Limits 9.9		78848	2.50 PM	6.50 PM	10.10 PM	6.40 AM	

Time at Shreveport S. S. W. Yard for Information Only. See I.C.R.R. Co. Current Timetable, Special Instructions and Rules for Movements Between Jordan and Shreveport S. S. W. Yard.

11.10	2.40 AM	7.45 PM	3.45	TO-R SHREVEPORT BKYPQ S. S. W. Yard	78900	2.40 PM	6.40 PM	10.00 PM	6.15 AM
Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	(116.5)		Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun.
218	130	144	126	Additional Stations		143	125	131	217
210	130	144	120	See Page 13					

13

			ctable 110. 0		
EAST- WARD					WEST- WARD
THIRD CLASS	Mile Post Location		GALVESTON BRANCH	Station	SECOND CLASS
222	Mile		STATIONS	Nun	221
Freight			FACILITIES AND LENGTH OF SIDINGS IN FEET		Freight
Lv. Daily			SIDINGS IN FEET		Ar. Daily
AM		#[_	BKP		PM
2.00	55.6	H R		76500	9.30
	51.7	FIT	O LIFT BRIDGE	76495	
2.20	46.8	R	TEXAS CITY JCT.	76400	9.00
	23.9		LA PORTE BP	76319	
3.30	22.2		TO-R STRANG	76317	8.01
	17.0	nits	5.2 DEER PARK	76312	
	14.7	Yard Limits	DEER PARK JCT.	76310	7.45
	12.0	الم	PASADENA P	76308	
	11.3		PASADENA JCT.	76306	
	11.4	11-	SINCO JCT.	76304	
		22	MANCHESTER JCT	76300	
		ABS		76240	
		Yard Limits	BOOTH SIDING 4900	76195	
	5.2	Ya	BOTTALO BATOO DIB)	76190	
	4.1		TOWER 86 IF TOWER 86	76180	
6.00 AM	358.0	1	TO-R ENGLEWOOD	76100	7.00 PM
Ar. Daily			(55.0)		Lv. Daily
222					221

		ADDITIO	ONAL STATIONS	
Capacity and Dire entry into	ction of	Mile Post	NAME	Station Number
31 24 16-W 29-W W 88 87	P Q P P	44.2 38.3 30.8 28.9 27.7 18.9 10.4	Nadeau San Leon (spur) Joyce (spur) Bayport (spur) Link Five spur) Sinco spur)	76340 76333 76327 76324 76321 76314 76302

		NAL STATIONS SUBDIVISION	
Capacity in cars and Direction of entry into Spurs	Mile Post		Station Number
54	13.2	Bender	78016
21	24.5 34.6	Porter	78028
12	34.6	Splendora(spur) Bendetsen(spur)	78038
25-W	39.0	Kevin (spur)	78043
10-W 19 F	41.7	Bendetsen (spur)	78045
19 14 P	60.0	Urbana	78077 78081
35	67.3	Free	78085
27 F	67.3 70.2	West Livingston	78089
17	77.4	New Willard	78100
10 10-E	79.7 110.4	Leggett	78104 78180
		Burke(spur)	78180
Capacity in cars			
and Direction of entry into Spurs	Mile Post		Station Number
23 F 21 F	154.4 166.8	Fitze	78714 78729
14-E	188.0	Timpson(spur)	78771
20 F	207.3	Keatchie (spur)	78821
8-W P	212.5	Preston(spur)	78827
9-W P	218.5	Keithville(spur)	78834
13	223.9	La Rosen	78843
0	GLIDDE	SUBDIVISION	
Capacity in cars and Direction of entry into Spurs	Mile		Station Number
41	84.	Columbus	75041 75047 75049
75-W F 55-E F	79.	Laban (spur)	75047
13-E		6 Mohat (spur)	75054
25-E	64.	Z Gene(spur)	75054 75210
8-W I	32.	Richmond (spur)	75929
	32.		75955
<u>I</u>	14.	2 Heacker	75963
45-E	12.	Holico(spur)	75967
45-E F 10-E F 85 F	0	Medio (spur)	76210 76213
24-E	4.		76218
12	2.0	B Streets	76227
	BELLA	IRE BRANCH	
Capacity in cars and Direction of	Mile		Station
entry into Spurs	Post	NAME	Number
18-E 18-W	65.6	Stallings(spur)	75112
	55.9 53.6	Hoefer. (spur) Chesterville. (spur) Wallis. (spur) Simonton. (spur) Fulshear (spur)	75140 75142
20 8-W İ	53.6 44.8	Wallis (spur)	75151
8-W	38.3	Simonton (spur)	75158
7-W	38.3 33.5 28.9	Fulshear (spur)	75163
8-W 9-E	28.9	Frels(spur)	75167
9-E	22.8	Freis (spur) Pillot (spur) Clodine (spur) Quality (spur)	75173
10-W 26-W	20.7 16.5	Clodine(spur)	75175
26-W	15.0	Alief (spur)	75178 75181
56-W	15.0 13.4	Alief(spur)	75183
25	10.4	Jeannetta	75185
52-W	9.7	Jeannetta(spur)	75187
24	7.4	Bellaire	75192

SPECIAL INSTRUCTIONS—ALL SUBDIVISIONS

SAN ANTONIO DIVISION

Valentine and Del Rio Subdivisions, Flatonia Subdivision San Antonio to Glidden; Alice Subdivision except Beeville to Victoria, will be under jurisdiction of Superintendent, San Antonio Division.

HOUSTON DIVISION

Glidden, Galveston, Victoria, Lufkin and Shreveport Subdivisions; Alice Subdivision Victoria to, but not including Beeville, will be under jurisdiction of Superintendent, Houston Division.

DALLAS DIVISION

Flatonia Subdivision, Flatonia to Hearne; Shiner Branch; Austin and Ennis Subdivisions will be under jurisdiction of Superintendent, Dallas Division.

RULE 4-B. Timetable bulletins will be issued and maintained separately by divisions covering territories as outlined on Page 13, and will bear signature of superintendents of divisions affected.

Following numbers will be assigned each division:

 San Antonio
 1 to 299, inc.

 Houston
 300 to 599, inc.

 Dallas
 600 to 899, inc.

RULE S-71. There is no superiority of trains on main track between following points and trains and engines moving between these points must move with caution:

Giddings _____ East leg of wye and west switch to siding.

Edinburg Jct. and
Edinburg Yard Brownsville and McAllen Branches
Cuero and River Jct. Yoakum and Cuero Branches
Jct. Switch Skidmore and
beginning CTC Alice Line-Corpus Christi Branch
Wharton and Wharton Jct. Victoria Line and Palacios Branch
Guy Jct. and Tower 17 Victoria Line and Guy Branch

Wharton and Wharton Jct. Victoria Line and Palacios Branch
Guy Jct. and Tower 17 Victoria Line and Guy Branch
Denison SL&SF Jct. Switch and beginning
of interlocking.

East switch to siding and interlocking signal governing westward movements. Corsicana Signal 1186 east end yard and interlocking signal governing westward movements, west end yard. Hearne Fouling point west end of siding and interlocking mounts west end of siding and interlocking points were sent as a series of the siding and interlocking signal governing westward movements.

Fouling point west end of siding and interlocking signal governing westward movement 8 feet west of west switch Navasota Prosser and Lufkin Shreveport Subdivision and Rockland Branch

RULE S-72. Eastward trains are superior to trains of the same class in the opposite direction.

RULES 82-A, 95, 96 and 220. A clearance authorizing a regular train including sections, at the following stations does not authorize movement beyond the station indicated:

El Paso (Cotton Ave.) to Valentine *Sanderson to Valentine or to Del Rio Tower 105 or East Yard to Del Rio Englewood to Hearne Ennis to Hearne

*Clearance authorizing No. 1 or sections thereof at Sanderson authorizes movement Sanderson to El Paso (Union Depot).

Regular trains including sections may be authorized at:

Valentine Del Rio Hearne

by clearance which must bear the OK, time and initials of the Chief Train Dispatcher or "wire failure" as prescribed by Rule 221-A. Regular trains, including sections, must not leave the intermediate station where authorized as provided above until the schedule or section of corresponding number has arrived, or a copy of the annullment of such schedule or section up to the originating station has been received. Third paragraph of Rule 220 will not apply.

RULE 82-A. Trains originating at Englewood will receive clearance and train orders at Car Checker Tower west end yard.

Eastward Ennis Subdivision and Flatonia Subdivision trains originating at Hearne will receive clearance and train orders at Yard Office, Hearne. Clearance and trains orders will be sent via pneumatic tube by train-order operator.

Westward Ennis Subdivision trains may receive clearance and train orders at Hearne, Yard Office, via pneumatic tube.

RULE 83-B. Trains originating or terminating at Englewood and Hearne will register by ticket, conductor will deliver to train-order operator via pneumatic tube from Car Checker Tower, Englewood and from yard office, Hearne.

RULE 105. Capacity of siding indicates length of trains in feet that can be accommodated between fouling points.

RULE 204. Trains, with the same conductor and engineer operating through stations indicated, may be issued train orders on one subdivision which affect their movements on other, or both, subdivisions:

Tower 17 Trains of the Glidden and Victoria Subdivisions. Giddings Trains of the Austin and Flatonia Subdivisions.

RULE 208. Fifth paragraph will not apply at Valentine, Del Rio and Hearne, except Trains No. 1 and No. 2 at Valentine.

Fifth paragraph does not apply to eastward trains at Marfa and Giddings or to westward trains at Marathon, Uvalde, Hondo, Luling and Eagle Lake. When train-order signal remains in stop position and has not been operated as prescribed by Rule 211, train may proceed without stopping, but must not pass fouling point of switch at which an opposing train may enter siding until it is known train orders received do not restrict train at that station.

RULE D-251. Will apply on double track between: Tower 47 and Belen Withers and East Yard Houston, Eureka and West Junction Tower 86 and Englewood Forest Avenue and Belt Junction

FORMS OF TRAIN ORDERS

FORM G. Second paragraph example (3) is revised as follows:

This order must not be issued while an order form "H", example (9) is in effect, and must not be combined with any other form of order.

FORM P. Delete example 4.

SPECIAL INSTRUCTIONS—VALENTINE SUBDIVISION

RULE 82-A. Trains originating at El Paso (Union Depot) will receive clearance and train orders via pneumatic tube receptacle located in trainmen's register room El Paso (Union Depot).

Trains of the T&P Railroad originating at Tower 47 must obtain clearance and train orders at T&P Yard Office, El Paso except when operator is not on duty they must obtain clearance and train orders from El Paso (Cotton Ave.)

RULE 83. Eastward trains may identify trains in either direction at Sierra Blanca to be applied when passing from CTC to other track.

Eastward and/or westward trains may identify trains in either direction between Paisano and Alpine to be applied at either Paisano or Alpine.

RULE 83-A. At the following stations only the trains indicated will register:

El Paso (Cotton Ave) Trains originating or terminating. Sierra Blanca All trains.

Trains of the T&P Railroad originating or terminating at Tower 47 will register at the T&P Yard Office, El Paso.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Sierra Blanca — All trains. Valentine — No. 1 and No. 2.

Trains originating or terminating at El Paso (Union Depot) will register by ticket, placing ticket in pneumatic tube receptacle located in trainmen's register room for transmission to Tower 196.

RULE D-97. Applies between El Paso (Union Depot) and Belen.

RULE 221. El Paso (Cotton Ave.) is a train order office only for trains originating.

SPECIAL INSTRUCTIONS—FLATONIA SUBDIVISION

RULE 82-A. Eastward first-class trains originating San Antonio may assume the schedule or section, as ordered, without a clearance, but must obtain clearance OK'd by Chief Train Dispatcher before leaving East Yard.

Crew ordered for No. 16 may assume schedule and leave Gonzales without clearance.

Crew arriving Harwood on No. 16 may assume schedule of No. 17 without clearance.

Crew ordered for No. 18 may assume schedule and leave Gonzales without clearance.

Crew arriving Harwood on No. 18 may assume schedule of No. 19 without clearance.

RULE 83-A. At Flatonia all trains will register.

RULE 83-B. At open train-order offices trains may register by ticket as follows:

No. 1 and No. 2 All Trains East Yard..... Flatonia.... Glidden First Class Trains

RULE 95. Sections of eastward first-class trains originating at San Antonio may be authorized at East Yard by clearance bearing the words "Green Signals" or "No Signals".

RULE 208. Fifth paragraph will not apply to westward trains at Flatonia. Train order restricting movement of westward train at that station may be delivered at Flatonia while train is moving but the operator must not clear the interlocking signal at leaving end of siding until train has stopped or restriction has expired.

RULE 221. East Yard is a train-order office for eastward trains

SPECIAL INSTRUCTIONS—ALICE SUBDIVISION

RULE 82-A. Trains originating at Corpus Christi must obtain Southern Pacific and Missouri Pacific train orders and clearances before leaving Corpus Christi. Trains leaving Skidmore enroute Corpus Christi must obtain Missouri Pacific clearance and train orders before leaving Skidmore.

RULE 83. An inferior train identifying a superior train in either direction within CTC limits between Skidmore and Beeville, or on double track between Tower 112 and East Yard will not be required to check against the same train before leaving CTC limits or passing from double to single track.

RULE 83-A. At the following stations, only the trains indicated will register:

Edinburg Jct. Edinburg Yard Trains directed by train order. All trains.

Skidmore. Trains originating or terminating Sinton and trains directed by train order. Harlingen 5

RULES S-71-97-99. Trains between Corpus Christi and MP Jct., SP Jct. and Sinton, and Sinton and Rockport may operate without train order or timetable authority and without superiority of trains. Between these points, trains may occupy main track without flag protection to the rear and all trains and engines must move with caution expecting to find main track occupied.

RULE 221. Beeville is a train-order office for eastward trains only.

Gregory is a train-order office for trains that will operate east of Sinton.

SPECIAL INSTRUCTIONS—ENNIS SUBDIVISION

RULE 82-A. Westward extra trains originating Houston or Hardy Street must obtain clearance from Englewood to be delivered by messenger, bearing the O.K., time and initials of the Chief Train Dispatcher before leaving.

M. P. trains originating at Navasota or Bryan must obtain Southern Pacific Company clearance OK'd by Chief Train Dispatcher before leaving Belt Jct. (Houston) or Valley Jct.

Eastward trains of the Jacksonville Branch originating at Miller must obtain clearance at Belt Junction.

RULE 83. An inferior train identifying a superior train in either direction within CTC limits between T&P Jct. and Miller, between Bryan and Navasota and at Bremond or Seger will not be required to check against the same train before leaving CTC limits.

Westward trains may identify trains in either direction between Englewood and Eureka to be applied at Eureka. Rule 14 (k) will apply.

Rule 83-A. At the following stations only the trains indicated will register:

Denison... Trains originating or terminating except SLSF trains.

Trains originating or terminating. North Sherman Junction.... Trains originating or terminating.

Trains originating or terminating and trains directed to do so by train order. Trains to or from Jacksonville Branch and SSW trains originating or terminating. Corsicana... All trains. Salt Mine Spur____Trains directed by train order. RULE 83-B. At open train-order offices trains may register by ticket as follow:

Sherman Trains originating or terminating. Trains originating or terminating. Plano..... Corsicana All trains.

RULE 221. Following are train-order offices only as indicated: Denison _____ Eastward trains except trains from SLSF Ry. North Sherman Jct. Trains originating.

Belt Junction Eastward Jacksonville Branch trains.

Bremond ... Westward trains.

Light will not be displayed in train-order signal McKinney except when train-order operator on duty.

SPECIAL INSTRUCTIONS—GLIDDEN SUBDIVISION

RULE 82-A. Westward trains originating Houston, Hardy Street or Eureka must obtain clearance from Englewood to be delivered by messenger bearing "OK Time" and initials of Chief Train Dispatcher before leaving. Clearance for regular trains to bear the words "Green Signals" or "No Signals".

AT&SF trains originating at Tower 81 must obtain Southern Pacific Company clearance at New South Yard (Houston) ok'd by Chief Train Dispatcher authorizing movement from Tower 81.

RULE 83. Westward trains enroute Bellaire Branch may identify trains in either direction between Englewood and Bellaire Jct. to be applied at Bellaire Jct.

Westward trains may identify trains in either direction at Rosenberg to be applied when passing from CTC to other track.

RULE 83-A. At the following stations, only trains indicated will register:

Tower 17..... No. 1 and trains originating or terminating. Houston Trains originating or terminating.

RULE 83-B. At open train-order offices trains may register by ticket as follows:

Glidden_ First-class trains.

Tower 17..... ... No. 1 and trains originating or terminating.

RULE 208. Fifth paragraph will not apply to westward trains at Tower 17. Train order restricting movement of a westward train at that station may be delivered while train is moving but the operator must not clear the interlocking signal at leaving end of siding until train has stopped or restriction has expired.

16

SPECIAL INSTRUCTIONS—VICTORIA SUBDIVISION

RULE 82-A. Crew arriving Palacios, or any intermediate station, on No. 381 may assume schedule of No. 382 at such station without clearance, and without train order authority.

Rule 83-A. At the following stations only the trains indicated will register:

Wharton Trains originating or terminating.

Wharton Jct. No. 382 and trains directed by train order.

Newgulf Westward trains.

RULE 83-B. Trains originating or terminating at Tower 17 may register by ticket.

RULE 221. Trains of both Yoakum Branch and Cuero Branch will be governed by train-order signal located at freight station, Cuero. Arm on side next to freight station governs westward trains on Cuero Branch and eastward trains on Yoakum Branch; arm on opposite side governs eastward trains on Cuero Branch and westward trains on Yoakum Branch.

Light will not be displayed in train-order signal, Cuero, except when train-order operator on duty.

SPECIAL INSTRUCTION—LUFKIN SUBDIVISION

RULE 5. Lufkin: Time applies at the clearance point of west switch No. 1 track.

RULE 83. Eastward trains may identify westward trains between Englewood and Tower 26 to be applied at the end of two main tracks.

RULE 204. An additional copy of all train orders and clearance must be furnished for delivery to rear trainman.

RULE 221. Tower 26 is a train order office for eastward trains on Lufkin Subdivision only.

SPECIAL INSTRUCTIONS—SHREVEPORT SUBDIVISION

RULE 5. Lufkin: Time applies at the clearance point of east switch No. 1 track.

RULES 20, 20-A and 21. Between Jordan and Shreveport (S.S.W. Yard) signals will be displayed as authorized on Shreveport Subdivision.

RULE 82-A. Trains originating Jordan must obtain clearance and train orders at Shreveport (S.S.W. Yard).

RULE 83. A westward train checking an opposing regular train on train register at Shreveport (S.S.W. Yard), or identifying an opposing train between Shreveport (S.S.W. Yard) and Jordan will not be required to check against the same train before leaving Jordan.

RULE 204. An additional copy of all train orders and clearance must be furnished for delivery to rear trainman.

SPECIAL INSTRUCTION—GALVESTON SUBDIVISION

RULE 82-A. Eastward trains originating Galveston may assume schedule or section, or run extra, as ordered, without clearance, but must obtain clearance OK'd by Chief Train Dispatcher before leaving Lift Bridge.

RULE 83. An inferior train identifying a superior train in either direction within CTC limits between Deer Park Jct. and Tower 86, or on double track between Tower 86 and Englewood will not be required to check against the same train before leaving CTC limits or passing from double to single track.

RULE 83-A. At the following stations, only the trains indicated will register:

Strang Trains directed by train order.

Texas City Jct. Trains directed by train order.

RULE 95. Sections of eastward trains may be authorized at Lift Bridge by clearance bearing words "green signals" or "no signals".

RULE 221. Lift Bridge is a train order office for Eastward trains only.

use 9087 return 32 x c Cline 75 car Ha