TIME IS IMPORTANT Take TIME To Be SAFE

ASSISTANT SUPERINTENDENT

C. W. RUSH	Lafavette
0. 11. 4.0 0.44	
TRAINMASTER	S
C. T. STRONG C. N. McMURREY	Beaumont
C. N. McMURREY	Lake Charles
W. HEFFNER W. P. FAUCHEUX	Lafayette
W. P. FAUCHEUX	New Orleans
A COTOM A DIM MED A TOTAL	COMPANIA.
ASSISTANT TRAINMA	
W. F. LANFORD	Baytown
E. V. ARNOLD	Beaumont
W. L. BENKE	New Orleans
ROAD FOREMEN OF E	NCINEC
I C CHIMIT	NGINES
L. G. SMITH F. V. LANDRY	Beaumont
F. V. LANDRI	Larayette
CHIEF TRAIN DISPAT	
L. F. McCLARD	Houston
TERMINAL SUPERINTE	NDENT
B. M. FLOHR	New Orleans
AMTRAK OFFICE	RS
J. A. CHIHAL Train Service	San Antonio
R. S. HUTCHESON Engine Service	San Antonio

RULE 10-I

Oral authorization and acknowledgments between Foremen and Engineers for trains to pass "Red Conditional Stop" signs must be worded in the following forms:

Foreman's Response

"THIS IS S.P. FOREMAN IN CHARGE OF THE WORK BETWEEN MP _____ AND MP _____ S.P. TRAIN ORDER NO. _____, WE ARE IN THE CLEAR AND YOU MAY PROCEED PAST THE RED CONDITIONAL STOP SIGN AND THROUGH THE LIMITS OF THE ORDER AT _____ M.P.H."

Engineer's Response

"THIS IS ENGINEER S.P. TRAIN ______ I MAY PROCEED PAST THE RED CONDITIONAL STOP SIGN AND THROUGH THE LIMITS OF ORDER NO. _____ BETWEEN MP _____ AND MP ____ AT (Speed). REPEAT (Speed) MILES PER HOUR."

Foreman must acknowledge Engineer's response as follows: S.P. TRAIN NO.____, O.K. ON ORDER NO.____

SOUTHERN PACIFIC TRANSPORTATION COMPANY



LAFAYETTE DIVISION TIMETABLE

122

AT 12:01 A. M.
CENTRAL STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION OF EMPLOYES ONLY, WHO MUST ALSO CARRY COPY OF CURRENT ISSUE OF SPECIAL INSTRUCTIONS

D. R. KIRK, General Manager.

C. H. NELSON,
J. D. RAMSEY,
L. R. SMITH,
Assistant General Managers.

J. J. WILLIS,
General Superintendent of
Transportation.

D. J. BROWN,
Assistant General Superintendent of
Transportation.

E. F. WINTERROWD, Superintendent.

2		Timeta	ble No.	. 122]	BE	AUMONT SU	BDIVI	SION			June :	13, 1971	1	
			WARD				Г					× ,	WEST	WARD	,	
THIRD	CLASS		OND CL		FIRST						FIRST		OND CL		THIRD	CLASS
co	CO	48	244	242	2			STATIONS			1	47	243	241	59	69
60 Local	68 Local	40	244	242	NRPC	Mile Post Location				Station	NRPC				Local	Local Freight
Freight	Freight	Freight	Freight	Freight	Psgr.	M		FACILITIES AND LENGT SIDINGS IN FEET	H OF	ØZ	Pagr. Ar. Mon.,	Freight	Freight	Freight Arrive	Ar. Mon	Ar. Tues.,
Lv. Sun., Tues., Thur.	Lv. Mon., Wed., Fri.	Leave Daily	Leave Daily	Leave Daily	Tues., Thur.			SIDINGS IN FEET		Wed., Fri.	- Arrive Daily	Arrive Daily	Daily	Ar. Mon., Wed., Fri.	Thur., Sat.	
					PM 12.01	1.4		R HOUSTON	BKPQ	76102	PM 9.25					
						0.8		TOWER 108	IVDO	76001						
						360.7	Limit	TOWER 26	IPQ P	76025						
		PM	AM	AM		358.4	Yard	TOWER 68	X	76050		- AM	AM	PM		AM
	7.00	7.00	11.30	1.00		357.4		TO-R ENGLEWOOD	IPQ IPQ	76100		4.30	AM 11.00	2.10		11.10
	7.05	7.05	11.40	1.10	12.15	356.8		TO-R TOWER 87	IP IP	79007	8.57	4.17	10.45	1.50		10.50
	7.30	7.15	11.55 PM	1.25	12.24	349.9		FAUNA Yd. Lmts. 4.5	10735 P	79014	8.47	4.03	10.31	1.38		10.31
	7.50	7.21	12.05	1.35	12.29	345.4		SHELDON	2504 P	79018	8.40	3.57	10.25	1.32		9.40
	8.10	7.27	12.15	1.45	12.34	340.7		Yd Lmts 13.9	2488 IPO	79024	8.33	3.50	10.18	1.25		9.20
	8.32	7.45	12.35	2.05	12.48	326.8		TO DAYTON Yd Lmts 6.0	13130 P	79039	8.23	3.35	10.03	1.09		9.00
	9.20	7.52	12.55	2.17	12.55	320.8		LIBERTY 3.2	3481 P	79207	8.15	3.25	9.53	12.55		8.05
	9.30	7.57	1.01	2.23	12.59	317.6	8	AMES	2545 P	79211	8.10	3.18	9.46	12.50		7.50
	9.41	8.04	1.10	2.32	1.03	313.4	Syste	RAYWOOD	3123 P	79216	8.04	3.13	9.41	12.44		7.40
	10.05	8.11	1.17	2.40	1.08	308.3	ignal	TO DEVERS	11643 P	79221	7.57	3.05	9.34	12.38		7.30
	10.30	8.22	1.30	2.53	1.18	297.9	Block Si	NOME 4.9 CHINA	2248 P	79232	7.43	2.53	9.22	12.26		7.17
	10.45		1.37	3.03	1.23	293.0			3156 P	79239	7.36	2.47	9.15			7.05
AM	11.05 11.15 AM		1.50	3.14	1.32	284.0	1 3	9.0	BKIYPQ	79245	7.25	2.37	9.05	12.10 12.05	AM 11.05	6.45 6.30
6.30		8.50	1.55	3.30		280.2		TO-R BEAUMON 3.2 TOWER 31	T 11800	79250	s 7.17	2.32	9.00	11.50 AM		AM
6.40		9.20	2.25	3.50	1.57	277.0	1		IP	79505	7.04	2.12	8.41		10.31	
6.52		9.26	2.32	3.58		271.7	1	CONNELL 8.7	10800 P	79507	6.58	2.04	8.32	11.42	10.25	
7.35		9.36	2.45	4.11	2.10	263.0	1	TULANE	5715 P	79517	6.49	1.54	8.22	11.32	10.03	
8.15	-	9.44	2.55	4.21	2.15	257.9	1	1.4	BP	79523	6.44	1.44	8.15	11.25		
8.2 9.30	,	9.48 10.00	3.00 3.15 PM			258.6		Yd Lmts 5.2	BKPQ 7589	79530	6.41 6.32 PM	1.40 1.30	8.10 8.00 AM			
Ar. Sun.,	Ar. Mon.,	Arrive	Arrive Daily	Arrive	Ar. Sun., Tues., Thur.	201.	-	(111.1)	7009	90000	Lv. Mon., Wed., Fri.	Leave Daily	Leave Daily	Leave Daily	Lv. Mon., Wed., Fri.	Lv. Tues., Thur., Sat.
Tues., Thur.		Daily		Daily		-	=	(111.1)								
60	68	48	244	242	2						1	47	243	241	59	69
		CONTR.						oon Longham	DIII						of main	

BEAUMONT: Two main tracks extend between Langham Road and KCS MP C-766. For movements between Langham Road and Connell, see page 8, Lafayette Division Special Instructions No. 11.

RULE 5. Siding Beaumont is first track south of main track No. 2.

EAST- WARD		BAYTOWN BRANCH		WEST- WARD	EAST- WARD	SABINE BRANCH		WEST- WARD	
THIRD CLASS	Mile Post Location	STATIONS	Station	SECOND CLASS 189		STATIONS	on	nce	
Lv. Daily Ex. Sat.		FACILITIES AND LENGTH OF SIDINGS IN FEET		Freight Ar. Daily Ex. Sat.	Mile Post Location	FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Dista	ADDITIONAL STATIONS See Page 3
8.00	22.2	Yd Lmts TO-R BAYTOWN	79130	4.15					*
8.30	18.0		79118	3.45	280.2	Yd Lmts TO-R BEAUMONT 11800	79250	18.5	
9.45 PM	0.0	Yd Lmts 16.0 BKIP	79039	2.15 PM	12.7	Yd Lmts 18.5 P	79360	0.0	
Ar. Daily Ex. Sat.		(22.2)		Lv. Daily Ex. Sat.		(18.5)			
190				189					

EA	STWA	RD				WE	STWA	RD				
THIRD CLASS SECONI		SECOND		ROCKLAND BRANCH		SECOND CLASS	THIRD CLASS					
102 A & NR Freight	160 Local Freight	156 Freight	FACILITIES AND LENGTH OF	reight No. 1 STATIONS III III III III III III III III III I	<i>f</i> •	1 WZ		"Z r : : :			101 A & NR Freight	159 Local Freight
Leave Daily	Lv. Tues., Thur., Sat.	Leave Daily		SIDINGS IN FEET		Arrive Daily	Arrive Daily	Ar. Mon., Wed., Fri.				
8.45	6.00	AM 12.30	118.2	TO-R LUFKIN SIMULATION TO-R LUFKIN 1.9 PROSSER IP	78200	PM 4.50	AM 11.20	AM 11.55				
8.55	6.10	12.40	120.1	PROSSER IP	78404	4.30	11.10	11.45				
9.20	6.20	12.50		Yd Lmts 2.5 HERTY	79490	4.20	10.55	11.35				
9.35 AM	6.30	1.00	132.1	Yd Lmts 3.5 R DUNAGAN	79487	4.10	9.45	11.10				
	10.30	5.00	54.6	Yd Lmts 77.5 P	79430	12.10 PM		7.15				
	11.00	5.45	40.1	14.5 P LOEB JCT.	79412	11.10		8.40				
	and r	See AT&	SF I	Railway Company Current Timeta movements between Santa Fe Jo	ble, Spec	ial Instru	uctions					
	PM 12.05	6.10	30.5	SANTA FE JCT.	79405	AM 10.35		6.05				
	12.15 PM	6.20 AM	280.2	Parimin TO-R BEAUMONT 11800	79250	10.30		6.00				
Arrive Daily	Ar. Tues., Thur., Sat.	Arrive Daily		(110.7)		Leave Daily	Leave Daily	Lv. Mon., Wed., Fri.				
102	160	156				155	101	159				

	ADDI	TIONAL STATIONS	
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number
33-E P 17 P 23-E	353.2 303.3 265.5 258.8	Beaumont Line Dawes	79010 79226 79514 79521
18	13.0 5.23	Mont Belvieu East Baytown	79115 79119
NOTE: East Ba	y tow n is	s station on Cedar Point Indust	rial Spur
P 6-W 15-E 11-E 73-W Yd. Limits YP	25.5 25.5 23.9 21.3 16.0 14.0 3.1	Sabine Branch Guffey Chaison Chaison (spur) Gladys (spur) Viterbo (spur) Port Acres (spur) Williams (spur) Port Arthur	79305 79320 79342 79347 79351 79354 79380
NOTE: Chaison	is on sp	ur track 3.3 miles from Guffey.	
W 34. 39 33. 10-W 11-W 8-W 24 12-W 17-W	129.3 126.9 114.3 109.2 105.8 94.1 87.6 84.6 76.9 72.7 64.8	Rockland Branch	79484 79482 79478 79475 79473 79466 79463 79461 79457 79454 79450

SPECIAL INSTRUCTIONS—BEAUMONT SUBDIVISION

RULE 5. Time at Loeb Jct. applies at junction with the AT&SF Ry. Co.

RULES 20 and 21. Rockland Branch trains will display signals between Santa Fe Jct. and Loeb Jct. according to designation on Rockland Branch.

SP trains between Beaumont and Tower 31 will display classification lights or green signals authorized on SP.

RULE S-71. Between Prosser and Lufkin there is no superiority of trains on main track and between these points trains and engines must move with caution.

RULE 82-A. Eastward first-class trains originating at Houston may assume the schedule or section, as ordered, displaying signals if required, as instructed by train dispatcher or yardmaster, without clearance, but must obtain clearance OK'd by chief train dispatcher before leaving Tower 87.

Trains originating Beaumont may receive clearance and train orders at yard office. Non-restricting train orders for westward trains except first class may be received at yard office. Clearance and train orders will be sent via pneumatic tube by train-order

KCS and M.P. train orders, clearances, or requirements of train register Rules will not be required between Beaumont and Tower 31. SP clearance, and register Rules will not apply to M.P. west-

ward trains Beaumont. Rockland Branch extra trains originating at Prosser must

obtain clearance and train orders from train-order office at Lufkin. Crew arriving Dunagan on No. 102 may assume the schedule of

No. 101 and leave without a clearance.

RULE 83. Eastward trains may identify westward trains between Houston and Tower 87 to be applied at end of two main tracks. Rule 14(k) will apply.

Inferior trains may identify superior trains on two main tracks between Langham Road and KCS MP C-766 Beaumont, to be applied at end of two main tracks and at Connell. Rule 14(k) will

RULE 83-A. At following stations, only trains indicated will register:

Englewood.	Trains originating or terminating.
Tower 87	First-class trains.
Dayton	Trains originating or terminating.
Beaumont	Trains originating or terminating.
Eldon	No. 190 and trains directed by train order.

Dunagan: Train register located in A.&N.R. telephone booth.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Tower 87	First-class trains.
Dayton	Trains originating or terminating.
Echo	First-class trains.

Trains originating or terminating Beaumont will register by ticket leaving with yard clerk, who will deliver to train-order operator via pneumatic tube; except trains Nos. 156, 160, 59 and trains from Sabine Branch will throw off register ticket at train order office.

Unless directed by train order to do so, extra trains originating or terminating at Dunagan need not register. Conductor will fill out register ticket and deliver to train-order operator at Lufkin.

RULE 95. Sections of eastward first-class trains may be authorized at Tower 87 by clearance bearing words "Green signals" or "No signals".

RULE 221. Following are train-order offices only as indicated:

Englewood	Trains	originating.
Tower 87		ard trains.
Orange	Trains	originating.

Light will not be displayed in train-order signal Kountze except when train-order operator on duty.

Joint S.P. and M.P. Light type train order signal located adjacent to Passenger Station, Beaumont.

Top unit governs S.P. trains.

Lower unit governs M.P. trains only and will display flashing Red or flashing Green.

RULE 812. AT&SF Railway Company rules require that a member of crew of Rockland Branch trains secure permission from Control Operator, Beaumont before fouling or entering AT&SF main track at Loeb Jct. or Santa Fe Jct. and for movement on main track between these points.

Trains and engines using tracks of Angelina and Neches River Railroad between Prosser and Dunagan will be governed by Rules and Regulations of the Transportation Department of the Southern Pacific Company, its Lafayette Division timetable, special instructions and timetable bulletins and by train orders issued over initials of chief train dispatcher of that division.

4	7	imetab	le No. 1	122			EC	CHO SUBD	IVISIO	N	June 13, 1971					
	F	EASTW	ARD				- 1	de la			WESTWARD					
THIRD	CLASS	SEC	OND CL	ASS	FIRST					FIRST	SECOND CLASS			THIRD CLASS		
60 Local	58 Local	48	244	242	2 NRPC	Mile Post Location	F	STATIONS FACILITIES AND LENGTH OF		Station	1 NRPC	243	241	47	57	59 Local
Lv. Sun., Lvs., Thur.	Lv. Daily Ex. Sun.	Leave Daily	Leave Daily	Freight Leave Daily	Psgr. Lv. Sun., Tues., Thur.		.,	SIDINGS IN FEET			Psgr. Ar. Mon., Wed., Fri.	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun.	Ar. Mon. Wed., Fri
AM 9.45		PM 10.00	PM 3.15	AM 4.40	PM 2.26	251.4	Yd (TO	Lmts -R ECHO	BKPQ 7589	90000	PM 6.32	8.00	AM 11.10	AM 1.30		AM 7.48
9.58		10.12	3.35	4.55	2.36	241.7		VINTON	P 2207	90021	6.22	7.49	10.57	1.16	100	7.20
10.25		10.19	3.45	5.05	2.41	236.5		EDGERLY	2869	90027	6.17	7.41	10.49	1.08	Constraint	7.10
10.42		10.26	3.54	5.15	2.46	230.7		BRIMSTONE	and the same of th	90034	6.11	7.34	10.42	1.01	bi .	7.00
11.11		10.40	4.10	5.30	2.55	222.8	20	LOCKMOOR	IP	90045	6.03	7.23	10.31	12.50		6.4
					s 3.02	218.8	Yard Limits	LAKE CHARL		90200	s 5.58					
11.30 AM	6.00	10.59	4.40	5.51	3.07	217.2	Yard	TO-R LAKE CHA		90250	5.45	7.13	10.21	12.40	10.40	6.30 AM
						215.3		MALLARD JC	т. Р	90410						
	6.10	11.05	4.50	6.01	3.12	213.0	g	CHLOE	2507	90605	5.39	6.58	10.06	12.24	10.30	
	6.20	11.12	5.00	6.15	3.18	207.2	System	10WA 5.8	3501 P	90611	5.32	6.50	9.58	12.16	10.20	
	6.44	11.18	5.09	6.44	3.23	201.4	Signal	LACASSINE		90617	5.26	6.44	9.52	12.09	10.10	
	7.00	11.26	5.19	6.52	3.29	195.3	lock Si	WELSH 3.9	1570 P	90624	5.19	6.36	9.44	12.01 AM	9.55	
	7.10	11.32	5.25	6.58	3.33	191.4	B	ROANOKE	9947	90631	5.14	6.30	9.38	11.55 PM	9.38	
	7.30	11.45 PM	5.45	7.08	3.40	185.2	TO	JENNINGS 5.1	PQ 3055 P	90637	5.06	6.23	9.30	11.45	9.20	
	7.50	11.52	5.55	7.16	3.46	180.1	Y V	MERMENTAL	U 2284 YP	90642	4.59	6.15	9.20	11.35	8.35	
	8.23	12.01	6.05	7.23	3.51	174.8	TO	MIDLAND 2.9	4420 P	91000	4.53	6.08	9.13	11.28	8.23	
	8.40	12.05	6.10	7.28	3.54	171.9	10 /	TORTUE 5.4	2035 IP	91310	4.50	5.59	9.09	11.24	7.55	
	8.59	12.15	6.20	7.38	4.02	166.5	1-1	TO CROWLEY	3227 P	91320	4.44	5.51	8.59	11.14	7.38	
	9.26	_12.19	6.25	7.41	4.05	164.9	PX	CROWLEY SID	ING 10690	91340	4.41	5.47	8.54	11.10	7.15	
	9.56	12.26	6.35	7.50	4.10	160.0	TO	RAYNE 4.9	2277 P	91345	4.36	5.41	8.44	11.00	6.55	
•	10.11	12.35	6.45	7.57	4.15	155.1		DUSON	2567 P	91351	4.31	5.33	8.36	10.50		
	10.26 10.35	12.41 12.55	6.55 7.10 PM	8.03 8.10		149.7	Yd	SCOTT Lmts 2.6 -R LAFAYETTI	2656 BKYPQ	91358	4.25 4.22 PM	5.26 5.20	8.30 8.20	10.40 10.30	6.27 6.10	
Ar. Sun.,	Ar. Daily	Arrive	Arrive	Arrive	Ar. Sun.,	147.1	TO	C-170-120-	EYARD	91362	Lv. Mon., Wed., Fri.	Leave	Leave	Leave	Lv. Daily	Lv. Mon.
Tues., Thur.	Ex. Sun.	Daily	Daily	Daily	Tues., Thur.	-		(104.1)				Daily	Daily	Daily	Ex. Sun.	Wed., Fri
60	58	48	244	242	2						1	243	241	47	57	59

ADDITIONAL STATIONS								
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number					
11-E	231.5 228.4 220.9 172.6	Echo Line Stegall(spur) Sulphur. West Lake. Estherwood.	90032 90037 90050 91305					
Yard Limits 10-E	43.7 25.8 18.2 9.5 7.0 4.5	DeRidder Branch	90363 90347 90330 90316 90313 90309					
Yard Limits P. 7	215.3 4.1 9.5 16.1 18.7 22.7 26.4	Lake Arthur Branch Mallard Jct. Harbor. (spur) Holmwood. (spur) Bell City. (spur) Hayes. (spur) Thornwell. (spur)	90410 90510 90515 90525 90528 90533 90538					

RULE 5. Siding Lake Charles Yard is first track south of main track.

Siding Crowley is first track south of main track.

EAST- V	DE RIDDER BRANCH	. 5	WEST- WARD
Mile Post	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
44.3	Yard Limits DE RIDDER	90370	45.6
217.2	Yd Lmts 45.6 BKIYPQ 11400 TO-R LAKE CHARLES YARD	90250	0.0
	(45.6)		
	LAKE ARTHUR BRANCH		1.1
217.2	Yard Limits BKIYPO 11400 TO-R LAKE CHARLES YARD	90250	35.3
33.4	LAKE ARTHUR	90545	0.0
	(35.3)		

EAST	WARD				WEST	WARD		
THIRD	SECOND CLASS		area a Library		SECOND CLASS			
520	528	Mile Post Location	MIDLAND BRANCH	Station	519	527		
Freight	Local Freight	N	1 STATIONS	žZ	Freight	Local Freight		
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		FACILITIES AND LENGTH OF SIDINGS IN FEET		Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		
	8.30	79.4	Yd Lmts TO-R EUNICE	91230		PM 1.50		
	8.56	67.0	12.4 IOTA 750	91213		12.05 PM		
	10.00	56.4	Yd Lmts 10.6 YP TO MIDLAND 4420	91000		11.40 AM		
	10.55	45.3	TO GUEYDAN 800	91112		10.55		
100	11.26	30.0	Yd Lmts 15.3 P KAPLAN 2050	91127		10.16		
	11.40	21.5	Yd Lmts 8.5 P TO ABBEVILLE 1600	91138		9.44		
	PM 12.10	14.9	6.6 P ERATH 1000	91152		9.19		
10.00	12.37	5.4	Pating R I. & V. JUNCTION	91906	6.20	8.46		
		4.8	DAVIDS	91904				
10.20	1.10	0.0	NEW IBERIA NEW IBERIA 1.8 BKYP 1.8 1.9 1.9 1.9	91840	6.05	8.35		
10.25	1.15 PM	126.1	TO-R WEST TOWER 6633	91821	8.00 AM	8.30 MA		
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.		(79.9)		Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		
520	528				519	527		

ADDITIONAL STATIONS					
Capacity in cars and Direction of entry into Spurs	Mile Post	NAME	Station Number		
27-E. 8-W 10-E. 15. 19. 223-E. 114.	78.3 60.1 52.4 26.5 20.0 18.3 15.9 12.2	Midland Branch Celer	91228 91205 91105 91131 91141 91145 91149 91158		
8 15-W 15 15-E	9.4 9.1 6.2 2.1	Salt Mine Branch Avery	91912 91910 91908 91902		
17-E	28.5 24.2	Youngsville Branch Lozes (spur) Charlotte (spur)	91928 91924		

EAST-	* *	OUNGSVILLE BRANCH		WEST- WARD
Mile Post Location		STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
33.1	:±[YOUNGSVILLE	91935	14.7
20.5	Yard Limits	12.6 DAVIDS	91904	2.1
18.4	Yard	PESSON	91917	0.0
		(14.7)		↑

EAST-	SALT MINE BRANCH		WEST- WARD
Mile Post Location	STATIONS FACILITIES AND LENGTH OF SIDINGS IN FEET	Station	Distance
5.4	E ST I & V JUNCTION	91906	0.0
9.8	Tay 4.4 SALT MINE	91914	4.4
	(4.4)		^

SPECIAL INSTRUCTIONS-ECHO SUBDIVISION

RULE 82-A. Crew arriving I&V Junction on No. 519 may assume the schedule of No. 520 and leave without clearance.

Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

RULE 83-A. At the following stations, only trains indicated will register:

Lake Charles Yard Trains originating or terminating. I&V Junction Nos. 519 and 527.

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Echo First-class trains.

Lafayette Yard First-class trains.

Midland Branch eastward trains arriving West Tower may register by ticket, leaving same with waybills at New Iberia Freight Station.

RULE 93. Trains moving on main track between Lake Charles Yard and Mallard Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop, movements will be made in accordance with Rules 507, 512 and/or 513 as the case may be.

RULE 221. Midland Branch trains must obtain clearance at Midland when train-order operator on duty.

Light will not be displayed in train-order signals at Gueydan and Abbeville, except when train-order operator on duty.

]	EASTV	VARD			H	ALCOHOLD DO				WEST	WARD			
THIRD CLASS		SECOND	CLASS		FIRST CLASS				FIRST CLASS		SECOND	CLASS		THIRD	
56	240	244	242	48	2	Mile Post Location	STATIONS	Station	1	243	241	47	239	55	
Local Freight	Freight	Freight	Freight	Freight	NRPC Psgr.	NI.	FACILITIES AND LENGTH OF		NRPC Psgr.	Freight	Freight	Freight	Freight	Local Freigh	
v. Daily Ex. Sun.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Sun Tues., Thur.		SIDINGS IN FEET		Ar. Mon., Wed., Fri.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Dai Ex. Su	
6.00	PM 8.30	PM 8.10	8.40	AM 1.00	PM 4.25	147.1	TO-R LAFAYETTE PARD	91362	PM 4.22	AM 5.15	AM 8.00	PM 10.00	PM 11.40	AM 10.4	
6.10	8.40	8.20	8.50	1.10	s 4.40	144.5	R LAFAYETTE BKP	91700	s 4.17	5.01	7.46	9.55	11.30	10.3	
6.42	8.50	8.26	8.56	1.16	4.44	140.8	3.7 P ELKS 6411	91804	3.59	4.55	7.41	9.49	11.20	10.9	
6.50	8.55	8.31	9.01	1.21	4.48	138.4	Yd Lmts 2.4 P BROUSSARD 1666	91806	3.55	4.51	7.37	9.43	11.15	10.2	
7.05	9.05	8.39	9.09	1.29	4.54	132.1	CADE 6127	91815	3.48	4.44	7.30	9.36	11.05	10.1	
7.23	9.29	8.49	9.17	1.39	5.01	126.1	TO WEST TOWER 6633	91821	3.42	4.36	7.23	9.29	10.55	9.	
					s 5.05	125.6	NEW IBERIA BKYP	91840	s 3.40						
8.20	9.49	9.09	9.37	1.59	5.22	112.5	JEANERETTE SIDING 6084	92043	3.20	4.16	7.03	9.09	10.35	8.2	
9.15	10.25	9.18	9.47	2.09	5.31	105.1	TO BALDWIN 10003	92050	3.12	4.08	6.55	8.52	10.25	8.0	
					5.37	101.0	EPANKIIN P	92240	3.06						
9.57	10.45	9.29	9.57	2.20	5.43	95.6	Yd Lmts 5.4 P TO BAYOU SALE 6112	92270	3.01	3.54	6.42	8.39	10.04	7.0	
11.15	-11.05	9.49	10.12	2.35	5.58	81.8	BERWICK 9432 170-R MORGAN CITY	92416	2.47	3.39	6.27	8.24	9.49	6.2	
11.35 AM	11.09	9.53	10.16	2.39	6.01	80.1		92419	2.43	3.36	6.24	8.21	9.45	6. AM	
	11.20	10.03	10.27	2.50	6.11	71.2	8.9 URSA 3495	92437	2.35	3.26	6.15	8.11	9.30		
	PM 11.45	10.23	10.50	3.08	6.28	55.0	Yd Lmts 16.2 BKPQ 7760	92455	2.19	3.08	5.57	7.53	9.10		
	12.01	10.40	11.14	3.25	6.44	40.2	TO RACELAND JCT. BYPQ 10828	92712	2.04	2.41	5.41	7.37	8.50		
	12.20	10.50	11.26	3.37	6.54	31.6	DES ALLEMANDS 2477	92810	1.54	2.29	5.29	7.27	8.35		
	12.35	10.59	11.37	3.47	7.02	24.2	Yd Lmts FOUTTE 5068	92826	1.46	2.20	5.20	7.18	8.25		
	1.00	11.06	11.45	3.57	7.08	18.9	5.3 IP 5780	92833	1.40	2.10	5.10	7.08	8.10		
	1.25	11.20 PM	11.55 AM	4.10 AM	7.18	11.3	TO-R AVONDALE BKIPQ	92840	1.32	2.00	5.00	6.55 PM	8.00 PM		
					7.20 PM	10.5	WEST BRIDGE JCT.	92872	1.29 PM						

Time at New Orleans Union Passenger Station and East Bridge Junction for information only. See current timetables and Rules of Operating Departments for movements as follows: NOUPT Railroad between Southport and NOUPT Station; IC Railroad between East Bridge Junction and Southport; and New Orleans Public Belt Railroad between West Bridge Junction and East Bridge Junction and between East Bridge Junction and Julia St. Yard.

					7.35		EAST BRIDGE JCT.	92874						
					s 8.10 PM	R	NEW ORLEANS UPT STA.	92900	1.00 PM					
Ar. Daily Ex. Sun.	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Sun., Tues., Thur.		(136.9)		Lv. Mon., Wed., Fri.	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun.
56	240	244	242	48	2				1	243	241	47	239	55

RULE 5. Morgan City:

Time applies at Signals 796 and 797.

	ADDITIONAL STATIONS	
4	See Page 7.	

EAST	WARD						WEST	WARD	
SECOND CLASS			CYP	REMORT BRAN	сн		SECOND CLAS		
408 Freight	406 Freight	Mile Post Location		STATIONS	-1.0	Station	405 Freight	407 Freight	
Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.		FACI	SIDINGS IN FEET	1 OF		Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.	
PM 2.55	AM 8.30	18.8	R	WEEKS		92135	AM 5.25	PM 2.25	
3.50 PM	9.15 AM	0.0	Yd Lmts TO-R	BALDWIN	BPQ 10003	92050	4.30 AM	1.30 PM	
Ar. Daily Ex. Sun.	Ar. Daily Ex. Sun.			(18.8)			Lv. Daily Ex. Sun.	Lv. Daily Ex. Sun.	
408	406						405	407	

RULE S-72. Exceptions: No. 405 is superior to Nos. 406 and 408. No. 407 is superior to No. 408.

7

_		-			
	EAST- WARD				WEST- WARD
	THIRD	t a	ALEXANDRIA BRANCH		SECOND CLASS
	840	Mile Post Location	STATIONS	Station	841
	Freight Leave Daily		FACILITIES AND LENGTH OF SIDINGS IN FEET		Arrive Daily
	PM 4.00	85.1	문용 TO-R ALEXANDRIA	91680	PM 12.10
	4.05 PM	84.3	TO-R ALEXANDRIA S. P. JUNCTION		12.05 PM
١					

See T. & P. Railway Company's Current Timetable Special Instructions and Rules for Train Movements Between Cheneyville and S. P. Junction.

PM 4.50	60.1	TO CHENEYVILLE	91660	11.15
6.15	21.9	TO OPELOUSAS	91630	9.50
6.24	20.8	OPELOUSAS SIDING 2656	91627	9.41
	0.5	P. S S ALEX JCT.	91370	
7.05 PM	147.1	TO-B LAFAYETTE YARD	91362	9.00 MA
Arrive Daily		(86.9)		Leave Daily
840				841

EAST- WARD Toostion	ST. MARTINVILLE BRANCH STATIONS	Station Number	WEST- WARD					
Login	FACILITIES AND LENGTH OF SIDINGS IN FEET	p wz	Di					
5.7	ST. MARTINVILLE	91730	22.9					
0.3	₽:∄{ 8₹ B-R JCT.	91368	2.0					
147.1	TO-R LAFAYETTE YARD	91362	0.0					
	(22.9)							
HOUMA BRANCH								
14.5	Yd Lmts HOUMA	92519	14.5					
0.1	TO-R SCHRIEVER 776		0.0					
	(14.5)							
	NAPOLEONVILLE BRAI							
55.0	TO-R SCHRIEVER 776	92455	21.2					
3.2	NAPOLEONVILLE JCT.	92605	17.1					
20.3	ELM HALL JCT.	92641	0.0					
	(21.2)							
	, LOCKPORT BRANCH							
9.9	Yd Lmts LOCKPORT	92729	9.6					
0.1	Yd Lmts 9.6 BYP TO-R RACELAND JCT. 1083		0.0					
	(9.6)		1					

Capacity in cars and Direction of entry Into Spurs	Mile Post	NAME	Station Number
		Avondale Line	
	145.3	Alex Jot	91370
	145.1	B-R Jet	91700
36	137.0	Billeaud	91808
15-W	120.9	Olivier(spur)	92007
17	116.2	Patoutville	92012
P	114.2	Jeanerette	92020
12-E	112.8	Albania(spur)	92042
12-ER P	109.98	NI&N Jet	1000
P	101.7	Sterling Junction	92210
32 R P	97.9	Garden City	92265
	95.7	Cabot	92320
	95.7	North Bend	92330
15-E	90.5	Calumet(spur)	92405
5-W P	86.8	Patterson(spur)	92409
27-E	84.4	Lagonda(spur)	92412
10-E	74.4	Ramos(spur)	92429
P	73.3	Boeuf	92434
20	69.2	Zacarter	92440
13-E	64.5	Donner (spur)	92445
P	54.2	Thibodaux Jet	92460
66 Yd. LimitsP	28.4	Vallier	92815
15-E P	27.6	Paradis(spur)	92821
	1.3	Algiers	92898

15-W	18.2 14.9 13.1 12.3 11.1 8.2	Cypremort Branch Gajan	92134 92125 92119 92117 92115 92110
11-W	5.8	Achee(spur)	92067
	3.2	CafferySterling	92220

NOTE: Sterling and Caffery are stations on spur 2.0 and 3.2 miles, respectively, from Sterling Jet. within Yard Limits Baldwin-Franklin.

		Alauandala Bassah	
44 ***	F0 0	Alexandria Branch	
14-W	53.2	Carboco(spur)	91648
Yard Limits P	51.9	Eola	91646
14	32.4	Beggs	91639
8	27.6	Washington	91637
34	22.7	Lansom	91634
9-E.	19.2	Veltin(spur)	91623
	13.3		91617
12 34 P	7.1	Sunset	
34 P	7.1	Carencro	91611
		St. Martinville Branch	
40	5.3	Anse LaButte	91708
15 P	18.7	Breaux Bridge	91711
40-W	8.1	Levert(spur)	91725
	15.7		91715
7-W	15.7	Ruth(spur)	91/15
		Houma Branch	
18	17.0	Colley	92525
36-E	13.4	Southdown(spur)	92517
53	12.7	Southdown Siding	92515
	2.6		92505
21-E	2.0	Magnolia(spur)	94000

NOTE: Colley is on spur 2.5 Miles from Houma.

70-E. 14.8 Supreme. (spur) 92627 14. 22.9 Glenwood. 92655	P 13	54.2 3.8 4.4 5.5 12.0 14.8 22.9	Napoleonville Branch Thibodaux Jet. Thibodaux Naquin. Leighton. (spur) Labadieville (spur) Glenwood.	92460 92610 92613 92617 92624 92627 92655
--	---------	---	--	---

NOTE: Thibodaux is on spur 0.6 mile from Napoleonville Jet. Glenwood is on spur 2.6 Miles from Elm Hall Jet.

16	13.7	Lockport Branch	92740
33 Yard Limits	5.5	Mathews	92725 92718
	1.4	Godehaux	

NOTE: Jay is on spur 3.8 Miles from Lockport.

RULE 19.

Markers will not be displayed on the following branches:

Sabine Branch DeRidder Branch Lake Arthur Branch St. Martinville Branch

Cypremort Branch Houma Branch Napoleonville Branch Lockport Branch

RULE S-72. Eastward trains are superior to trains of the same class in the opposite direction, except as shown on Page 6.

RULE 97. Within A-PB and Interlocking limits trains may run extra without train-order authority, but must obtain clearance before commencement of trip, if at an open train-order office.

RULE 105. Capacity of sidings indicates length of train in feet that can be accommodated between fouling points.

RULE 208. Dayton, Beaumont and Lake Charles Yard; Fifth paragraph does not apply to westward trains at Dayton and Beaumont or eastward trains at Lake Charles Yard. When train order signal remains in stop position and has not been operated as prescribed by Rule 211, train may proceed without stopping, but must not pass fouling point of switch at which an opposing train may enter siding until it is known train orders received do not restrict train at that station.

FORMS OF TRAIN ORDERS

FORM G. Second paragraph example (3) is revised as fol-

This order must not be issued while an order form "H", example (9) is in effect, and must not be combined with any other form of order.

FORM P. Delete example 4.

RULES 20, 20-A, 21 and 82-A. Westward trains leaving New Orleans UPT Station will display signals for train if required for which crew is ordered and need not obtain clearance at West Bridge

Junction but must obtain clearance OK'd by Chief Train Dispatcher before leaving Avondale.

Eastward trains will display signals from West Bridge Junction to New Orleans UPT Station according to designation on Avondale Subdivision.

RULES 81, 512 and 513. Trains and engines must contact train dispatcher before fouling main track at Garden City MP 97.9, Sterling Jct. MP 101.7, NI&N Jct. MP 109.98 and Olivier MP 120.9.

RULE 82-A. Eastward first-class trains and extra passenger trains operating through Lafayette Yard must obtain clearance and train orders at Lafayette Yard; such clearance and train orders to be delivered to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Conductor and engineer of westward first-class trains and extra passenger trains operating through Lafayette Yard will de-liver all train orders and instructions held to the relieving conductor and engineer at Lafayette, as prescribed by Rule 220.

Crew arriving Weeks on No. 405 may assume the schedule of No. 406 and crew arriving Weeks on No. 407 may assume the schedule of No. 408 and leave without clearance.

RULE 83-A. At following stations, only trains indicated will register:

First class and extra passenger trains. Lafavette____ West Tower Trains originating and terminating on Avondale Subdivision. NI&N Jct. MP 109.98 Trains directed by train order. Garden City MP 97.9 Trains directed by train order. Morgan City_____Trains originating or terminating.

Trains operating to or from New Orleans UPT Station must register on NOUPT train register at that station.

SPECIAL INSTRUCTIONS-AVONDALE SUBDIVISION

RULE 83-B. At open train-order offices, trains may register by ticket as follows:

Lafayette Yard ______ First-class trains. West Tower _____Trains originating and terminating. Avondale _____ First-class trains.

RULE 93. Trains moving on main track between Lafayette Yard and B-R Jct., in either direction, will be governed by block signals, indications of which will supersede the superiority of trains. When signals indicate stop, movements will be made in accordance with Rules 507, 512 and/or 513 as the case may be.

Time release located on Block Signal 1453 governing move-ments from Alexandria Branch, and on Block Signal 1451 governing movements from St. Martinville Branch. After complying with provisions of Rule 513 and switch is lined for movement if signal does not immediately display proceed indication, train must wait three (3) minutes, after which signal will display yellow aspect if no train or engine is occupying block.

RULE 95. Sections of westward first-class trains may be authorized at Avondale by clearance bearing the words "green signals" or "no signals".

RULE 208. Fifth paragraph will not apply to westward trains at West Tower. Train order restricting movement of a westward train at that station may be delivered while train is moving but operator must not clear interlocking signal at leaving end of siding until train has stopped or restriction expired.

RULE 221. Avondale is train-order office only for westward trains.

Cheneyville is an open train-order office only between 8:00 AM and 5:00 PM daily, except Saturdays, Sundays and Holidays.

Light will not be displayed in train-order signal at Opelousas, except when train-order operator is on duty.

RULE 812. Texas and Pacific Railway Company's rules require conductors to call the Texas and Pacific dispatcher from S. P. Junction to secure permission to enter T&P main track.