

K. C. MAY, Trainmaster..... La Junta, Colorado.  
 C. T. BERZOG, Trainmaster..... Pueblo, Colorado.  
 L. M. MURPHY, Chief Dispatcher..... Pueblo, Colorado.  
 H. J. IMMROTH, Assistant Chief Dispatcher. Pueblo, Colorado.  
 W. W. CARROLL, Assistant Chief Dispatcher. Pueblo, Colorado.

**TRAIN DISPATCHERS—PUEBLO, COLORADO.**

T. C. HIESTAND.      G. L. HUPP.      D. R. AYRES.  
 W. BERKOVITZ.      W. N. WILLIS.      J. A. PURCELL.  
 C. E. HANSEN.      M. E. GIBSON.      E. GILLMORE.  
 B. E. SPOONEMORE.      A. W. JORDAN.      T. E. LEWIS.

A. J. STROBEL, General Watch Inspector.....Topeka.  
**LOCAL TIME INSPECTORS—COLORADO DIVISION.**

R. C. LEHEW, JR.....Dodge City.  
 O. M. PATTERSON.....Garden City.  
 W. L. GREEN.....Lamar.  
 GEORGE SCHACKTERLE.....La Junta.  
 A. J. BRADLEY.....La Junta.  
 W. B. FARABEE.....Pueblo.  
 C. C. PATTON.....Canon City.

**SURGEONS OF  
 THE A.T.&S.F. HOSPITAL ASSOCIATION.**

DR. GEORGE S. HOPKINS, Chief Surgeon.....Topeka.

**LOCAL SURGEONS**

DR. J. C. HALLFORD.....Boise City.  
 DR. J. G. SHOUN.....Canon City.  
 DR. G. H. JACKMAN.....Cimarron.  
 DR. HARRY C. BRYAN.....Colorado Springs.  
 DR. W. A. CAMPBELL.....Colorado Springs.  
 DR. J. F. PRINZING.....Denver.  
 DR. C. M. ALDERSON.....Dodge City.  
 DR. R. G. KLEIN.....Dodge City.  
 DR. N. E. MELLENCAMP.....Dodge City.  
 DR. RICHARD J. OHMAN.....Dodge City.  
 DR. E. B. SCAGNELLI.....Dodge City.  
 DR. THOS. A. DAVIS.....Florence.  
 DR. G. E. VAN DER SCHOW.....Fowler.  
 DR. G. E. McDONNELL.....Fowler.  
 DR. G. R. HASTINGS.....Garden City.  
 DR. O. W. MINER.....Garden City.  
 DR. M. R. FOX.....Holly.  
 DR. R. L. DAVIS.....La Junta.  
 DR. J. A. SHAND.....La Junta.  
 DR. W. R. SISSON.....La Junta.  
 DR. G. H. VANDIVER.....La Junta.  
 DR. F. G. DEITRICH.....Lakin.  
 DR. GEORGE WILLIAMS.....Lamar.  
 DR. S. V. HAGEMAN.....Las Animas.  
 DR. L. W. NUTTALL.....Littleton.  
 DR. W. N. BAKER.....Pueblo.  
 DR. D. B. SHAW.....Pueblo.  
 DR. B. F. BLOTZ.....Rocky Ford.  
 DR. R. T. SHIMA.....Rocky Ford.  
 DR. H. P. PALMER.....Scott City.  
 DR. GERALD DUFFY.....Springfield.  
 DR. C. B. GRISSOM.....Syracuse.

**EYE, EAR, NOSE AND THROAT SPECIALISTS  
 AT LOCAL POINTS.**

DR. JACK O. YEAGER.....Pueblo.  
 DR. WALTER T. DARDIS (Eye).....Pueblo.  
 DR. WM. G. HOPKINS (Eye).....Pueblo.  
 DR. HARVEY S. RUSK.....Pueblo.  
 DR. WILLIAM H. LAMBERSON.....Colorado Springs.  
 DR. GUY W. SMITH.....Denver.  
 DR. EDWARD J. SWETS.....Denver.  
 DR. ARTHUR M. DOUGHERTY.....Dodge City.

**The Atchison, Topeka and Santa Fe  
 Railway Co.**

**WESTERN LINES  
 Northern District**

**COLORADO DIVISION**

**TIME TABLE No.**

**89**

**IN EFFECT**

**Sunday, April 24, 1955**

**At 12:01 A. M.  
 Mountain Standard Time**

**This Time Table is for the exclusive use and guidance  
 of Employees.**

**G. R. BUCHANAN,  
 General Manager,  
 Amarillo, Texas.**

**J. E. LESTER,  
 Asst. General Manager,  
 La Junta, Colorado.**

**J. P. SPEARS,  
 Superintendent,  
 Pueblo, Colorado.**



**CONDITIONAL STOPS SHOWN BELOW WILL BE MADE ONLY FOR REVENUE PASSENGERS**  
 The term "beyond" refers to regular, flag or conditional stops authorized herein

TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM	TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM	
1	Woodward Canadian	North of Barstow	Kansas City and beyond	124	Bernalillo Domingo Los Cerrillos	Las Vegas and beyond	Beyond Albuquerque	
	Pampa Hereford	North of Barstow	Kansas City and beyond		Glorieta Rowe Ribera			Las Vegas and beyond
	Fort Sumner Vaughn	North of Barstow	Kansas City and beyond		Valmora Wagon Mound Maxwell	Raton and beyond	Las Vegas and beyond	
2	Vaughn Fort Sumner	Kansas City and beyond	North of Barstow	Thatcher	La Junta and beyond	Trinidad and beyond		
	Hereford Pampa	Kansas City and beyond	North of Barstow	La Junta to Hutchinson	Newton and beyond	La Junta and beyond		
	Canadian Woodward	Kansas City and beyond	North of Barstow	13-130	La Junta to Denver	Beyond La Junta		
3	Canadian Hereford	Barstow and beyond	Kansas City and beyond	17	Hutchinson	Albuquerque and beyond	Kansas City and beyond	
	Vaughn	Barstow and beyond	Kansas City and beyond	18	Hutchinson	Chicago and beyond		
4	Vaughn	Kansas City and beyond	Barstow and beyond	141-14	Denver to La Junta	Beyond La Junta	Denver and beyond	
	Hereford Canadian	Kansas City and beyond	Barstow and beyond	21	Hutchinson	La Junta and beyond	Kansas City and beyond	
23	Hazelton	Waynoka and beyond	Wellington and beyond		Garden City	Albuquerque and beyond	Kansas City and beyond	
	Umbarger Black	Clovis and beyond	Beyond Amarillo		Trinidad	Raton and beyond	Dodge City and beyond	
24	Encino Yeso Taiban	Clovis and beyond	Belen and beyond	22	Trinidad	Dodge City and beyond	Any scheduled station stop	
	Black Umbarger				Beyond Amarillo	Clovis and beyond	Garden City	Kansas City and beyond
	Hazelton	Wellington and beyond	Waynoka and beyond		Hutchinson	Kansas City and beyond	La Junta and beyond	
123	Newton to Lamar	La Junta and beyond	Newton and beyond	19	St. John Stafford	Albuquerque and beyond	Kansas City and beyond, Emporia, and South of Newton	
	Lakin Las Animas	La Junta and beyond			Garden City Lamar	Albuquerque and beyond	Kansas City and beyond	
	Thatcher	Trinidad and beyond	La Junta and beyond		Valmora Glorieta	Barstow and beyond	Kansas City and beyond	
	Ribera Rowe Glorieta	Albuquerque and beyond	Las Vegas and beyond		20	Glorieta Valmora Lamar Garden City	Emporia, Kansas City and beyond	Albuquerque and beyond
	Los Cerrillos Domingo Bernalillo	Beyond Albuquerque	Las Vegas and beyond			St. John Stafford		
223	La Junta to Pueblo		Beyond Las Animas	27-(C&S)	Littleton Castle Rock Larkspur Fountain	Beyond Pueblo		
102	Pueblo to Denver		Beyond La Junta		Palmer Lake	Any station	Any station	
101	Denver to Pueblo	Las Animas and beyond		28-(C&S)	Palmer Lake	Any station	Any station	
	Littleton	Colorado Springs, Pueblo and beyond						
224	Pueblo to La Junta	Beyond Las Animas						

Attendants accompanying live-stock or other shipments, may be carried on the train handling shipment of which they are in charge, when provided with proper transportation

**PUEBLO DISTRICT.**

**COLORADO DIVISION. 2**

Track Capacity 50 ft. Per Car.		WESTWARD.				Mile Post.	Ruling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.	EASTWARD.			
		First Class.										First Class.			
		13	27	223	21							14	22	224	28
Other Tracks.	Sidings.	Chicago and California Express.	Gulf Coast Special. C. & S.	Centennial State.	Texas Zephyr. C. & S.						California and Chicago Express.	Texas Zephyr. C. & S.	Centennial State.	Gulf Coast Special. C. & S.	
		Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.		STATIONS.				Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	
	Yard	PM 5.10		AM 10.00		554.9	<b>LA JUNTA. YL</b> 4.9	0	W F T Y	C	AM 4.00		PM 10.45		
158	62	5.15		10.07		559.8	<b>SWINK. YL</b> 2.8	0	Y	C	3.29		10.35		
82	82	5.18		10.10		562.6	<b>NEWDALE.</b> 3.0	0		B	3.18		10.32		
421	100	5.23		10.18		568.6	<b>ROCKY FORD. YL</b> 5.4	0		C	3.05		10.19		
75	82	5.29		10.24		571.0	<b>VROMAN.</b> 3.5	0		B	3.01		10.15		
121	111	5.32		10.27		574.5	<b>MANZANOLA.</b> 8.6	0		C	2.52		10.12		
129	67	5.39		10.40		583.1	<b>FOWLER.</b> 4.4	14.0		C	2.42		10.03		
11	70	5.43		10.46		587.5	<b>HAMLET.</b> 2.7	0		B	2.34		9.59		
29	69	5.46		10.49		590.2	<b>NEPESTA.</b> 1.4	0		B	2.29		9.56		
						591.6	<b>NA. TOWER.</b> Mo. Pac. Crossing. 2.0	0		C					
	82	5.50		10.53		593.6	<b>HAIG.</b> 5.0	0		B	2.22		9.52		
78	58	5.54		10.58		598.6	<b>BOONE.</b> 5.0	0		C	2.15		9.47		
55	128	5.58		11.06		603.6	<b>AVONDALE. YL</b> 2.1	0	Y	C	2.05		9.42		
40	58	6.00	Via Minnequa District.	11.08	Via Minnequa District.	605.7	<b>NYBERG.</b> 3.9	0		B	2.01	Via Minnequa District.	9.40	Via Minnequa District.	
13	39	6.03		11.12		609.6	<b>DEVINE.</b> 2.2	0		C	1.56		9.37		
27	76	6.05		11.14		611.8	<b>BAXTER.</b> 6.0	0		B	1.51		9.34		
		6.10	PM 3.28	11.19	AM 4.06	617.8	<b>PUEBLO JCT. YL</b> D. & R.G.W. Crossing. 0.4	31.7		C	1.43	PM 2.34	9.28	PM 10.30	
						618.2	<b>Mo. Pac. Crossing.</b> 0.3	0							
						618.5	<b>BLOCK 2.</b> 0.3	0							
		6.15 PM	3.31 PM	11.25 AM	4.10 AM	618.8	<b>PUEBLO U.D. YL</b> 0.2	0		C	1.40 AM	2.31 PM	9.25 PM	10.27 PM	
						619.0	<b>D. &amp; R.G.W. Crossing.</b> 0.5	0							
	Yard					619.5	<b>PUEBLO YARD. YL</b>	0	W F Y	C					
		Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.		(64.6) Via Union Depot.				Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	
		58.9	20.0	45.1	15.0		Average speed per hour.				27.4	20.0	47.9	30.0	

**SIGNAL SYSTEM TWO:**

In effect La Junta to and including Pueblo Jct.

Between M.P. 554.3 (Bradish St. Underpass) and Signal Bridge carrying signals 5556 and 5556-A, La Junta, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction, or switch not properly lined but not exceeding 20 MPH; between these points main track may be used not protecting against regular and extra trains and engines.

Trains must get numbered clearance card before leaving La Junta and Pueblo U.D.

Trains originating Pueblo Yard must register and get numbered clearance card before leaving.

Trains or engines between Pueblo Jct. and Block 2 will be governed by manual block signals whose indications supersede time table superiority.

Track south of Pueblo U.D. tracks between Block 2 and D&RGW crossing, M.P. 619.0, is known as Loop Line.

Trains or engines while on The Pueblo Union Depot and Railroad Co. tracks, Pueblo, are governed by rules and regulations of The Pueblo Union Depot and Railroad Co. time table.



Track Capacity 50 ft. Per Car.		WESTWARD.						TIME TABLE No. 89, April 24, 1955.	Mile Post.	Ruling Grade Ascending.
		First Class.								
		19	7	17	21	223	123			
Other Tracks.	Sidings.	The Chief.	Fast Mail Express.	The Super Chief.	El Capitan.	Passenger.	The Grand Canyon.	STATIONS.		
		Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.			
	Yard	PM 8.50	PM 1.50	AM 7.03	AM 5.28	AM 5.25	AM 3.35			
13	80	8.56	1.56	7.09	5.34	5.32	3.41	Dodge City. YL 5.1	352.5	20.9
								SEARS. 3.9	357.6	22.8
39	81	8.59	2.00	7.12	5.37 <sup>223</sup>	5.37 <sup>21</sup>	3.45	HOWELL. 4.8	361.5	28.0
	82	9.03	2.04	7.16	5.41	5.44	3.49	WETTICK. 4.9	366.3	22.4
94	125	9.07	2.08	7.20	5.45 <sup>t</sup>	5.52	3.53	CIMARRON. 6.1	371.2	25.7
48	82	9.12	2.13	7.25	5.50	5.59	3.58	INGALLS. 6.7	377.3	21.5
26	81	9.17	2.18	7.30	5.55	6.06	4.03	CHARLESTON. 6.1	384.0	25.2
39	81	9.22	2.23	7.35	6.00	6.12	4.08	PIERCEVILLE. 5.7	390.1	23.7
8	81	9.26	2.27	7.39	6.04	6.18	4.12	MANSFIELD. 6.6	395.8	10.4
838	247	9.31 <sup>18</sup>	2.32	7.44	6.09 <sup>s</sup>	6.28 <sup>s</sup>	4.19	GARDEN CITY. YL 6.6	402.4	11.4
40	81	9.37	2.37	7.49	6.14	6.36	4.25	HOLCOMB. 8.0	409.0	21.6
75	81	9.43	2.43	7.55	6.20	6.44	4.32	DEERFIELD. 7.3	417.0	28.1
101	90	9.48	2.49	8.00	6.25 <sup>s</sup>	6.54	4.38	LAKIN. 7.3	424.3	31.7
31	81	9.53	2.55	8.05	6.30	7.02	4.44	HARTLAND. 5.7	431.6	29.2
8	81	9.57	3.00	8.09	6.34	7.07	4.48	SUTTON. 4.9	437.3	21.6
36	80	10.01	3.04	8.13	6.38	7.12	4.52	KENDALL. 6.5	442.2	28.3
11	81	10.06	3.09	8.18	6.43	7.18	4.57	MAYLINE. 5.2	448.7	23.7
638	226	10.10	3.13 <sup>22</sup>	8.22	6.47 <sup>t</sup>	7.25 <sup>t</sup>	5.01	SYRACUSE. 7.5	453.9	21.8
9	81	10.16	3.19	8.27	6.52	7.32	5.07	MEDWAY. 7.4	461.4	35.0
56	82	10.22	3.25	8.32	6.57	7.39	5.13	COOLIDGE. 6.1	468.8	21.9
246	74	10.27	3.30	8.37	7.02 <sup>s</sup>	7.47 <sup>s</sup>	5.19	HOLLY. 6.5	474.9	22.8
53	80	10.32	3.35	8.42 <sup>8</sup>	7.07	7.53	5.25	BARTON. 3.8	481.5	29.0
65	80	10.35	3.38	8.45	7.10	7.56	5.28	GRANADA. 6.1	485.3	38.8
19	81	10.40	3.43	8.50	7.15	8.02	5.33	GROTE. 5.5	491.4	17.6
16	80	10.44	3.47	8.54	7.19	8.07	5.37	CLUCAS. 5.4	496.9	37.0
657	EW 78 99	10.48	3.51	8.58	7.23 <sup>s</sup>	8.17 <sup>s</sup>	5.43	LAMAR. YL 3.9	502.3	14.1
13	62	10.51	3.54	9.01	7.26	8.21	5.47	BETA. 4.2	506.2	17.3
26	88	10.55	3.57	9.04	7.29	8.26	5.51	PROWERS. 5.9	510.4	21.1
7	80	10.59	4.01 <sup>20</sup>	9.08	7.33	8.31	5.56	ABLE. 5.2	516.3	21.1
33	80	11.03	4.05	9.12	7.37	8.36	6.00	CADDOA. 5.9	521.5	10.6
13	80	11.07	4.09	9.16	7.41	8.41	6.04	HILTON. 4.6	527.4	20.1
43	81	11.11	4.13	9.20	7.45 <sup>8</sup>	8.45	6.08	KELLER. 1.6	532.0	0
								LAS ANIMAS JCT. 2.4	533.6	16.4
282	81	11.14	4.16	9.23	7.48 <sup>s</sup>	8.52	6.11	LAS ANIMAS. 5.1	536.0	18.8
24	81	11.18	4.20	9.27	7.52	8.59	6.15	RIVERDALE. 4.8	541.1	41.2
25	75	11.22 <sup>224</sup>	4.24	9.31	7.56	9.04	6.19	HADLEY. 4.8	545.9	29.6
13	82	11.26	4.28	9.35	8.00	9.08	6.23	CASA. 4.2	550.7	26.4
	Yard	11.40 PM	4.40 PM	9.40 AM	8.11 AM	9.25 AM	6.35 AM	La Junta. YL	554.9	
		Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(202.4)		
		71.4	71.4	74.5	74.5	80.6	67.4	Average speed per hour.		

AUTOMATIC BLOCK SYSTEM  
AUTOMATIC TRAIN STOP SYSTEM

**FIRST DISTRICT.**

Rating Grade Ascending.	Fuel Water Turn Tables and Wyes.	Communications.	TIME TABLE No. 89, April 24, 1955.	EASTWARD.					
				First Class.					
				8	22	20	124	18	224
				Fast Mail Express.	El Capitan.	The Chief.	The Grand Canyon.	The Super Chief.	Passenger.
			STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.
0	WF TY	C	Dodge City. YL	AM 11.01	PM 4.40	PM 6.10	PM 8.40	PM 10.15	AM 2.40
0		B	SEARS. <sup>5.1</sup> <sub>3.9</sub>	10.45	4.29	6.00	8.26	10.06	2.28
28.0		B	HOWELL. <sup>4.8</sup>	10.41	4.26	5.57	8.23	10.03	2.24
26.4		B	WETTICK. <sup>4.9</sup>	10.36	4.22	5.53	8.18	9.59	2.19
18.0		C	CIMARRON. <sup>6.1</sup>	10.31	4.18	5.49	8.13	9.55	2.14
20.0		C	INGALLS. <sup>6.7</sup>	10.24	4.13	5.44	8.06	9.50	2.07
4.3		B	CHARLESTON. <sup>6.1</sup>	10.17	4.08	5.39	8.01	9.45	2.02
19.0		C	PIERCEVILLE. <sup>5.7</sup>	10.10	4.03	5.34	7.56	9.40	1.57
0		B	MANSFIELD. <sup>6.6</sup>	10.03	3.59	5.30	7.51	9.36	1.52
0	Y	C	GARDEN CITY. YL <sup>6.6</sup>	9.55	3.54	5.25	7.45	9.31	1.45
5.3		C	HOLCOMB. <sup>8.0</sup>	9.47	3.49	5.20	7.36	9.25	1.36
23.1		C	DEERFIELD. <sup>7.3</sup>	9.40	3.43	5.14	7.30	9.19	1.29
31.7		C	LAKIN. <sup>7.3</sup>	9.33	3.37	5.09	7.23	9.14	1.22
7.1		B	HARTLAND. <sup>5.7</sup>	9.26	3.31	5.04	7.15	9.09	1.14
22.1		B	SUTTON. <sup>4.9</sup>	9.21	3.27	5.00	7.11	9.05	1.09
26.4		C	KENDALL. <sup>6.5</sup>	9.17	3.23	4.56	7.06	9.01	1.05
11.1		B	MAYLINE. <sup>5.2</sup>	9.12	3.18	4.51	7.01	8.56	1.00
9.9		C	SYRACUSE. <sup>7.5</sup>	9.07	3.13	4.47	6.56	8.52	12.54
24.8		B	MEDWAY. <sup>7.4</sup>	9.01	3.08	4.42	6.48	8.46	12.46
18.6		C	COOLIDGE. <sup>6.1</sup>	8.55	3.03	4.37	6.41	8.41	12.40
0		C	HOLLY. <sup>6.6</sup>	8.48	2.58	4.32	6.35	8.36	12.33
26.4		B	BARTON. <sup>3.8</sup>	8.42	2.53	4.27	6.27	8.31	12.24
26.4		C	GRANADA. <sup>6.1</sup>	8.36	2.50	4.24	6.24	8.28	12.21
11.1		B	GROTE. <sup>5.5</sup>	8.30	2.45	4.19	6.18	8.23	12.16
7.9		B	CLUCAS. <sup>5.4</sup>	8.25	2.41	4.15	6.12	8.19	12.11
0	Y	C	LAMAR. YL <sup>3.9</sup>	8.17	2.37	4.11	6.07	8.15	12.05 AM
0		B	BETA. <sup>4.2</sup>	8.09	2.34	4.08	6.01	8.12	11.57
0		B	PROWERS. <sup>5.9</sup>	8.05	2.31	4.05	5.58	8.09	11.54
0		B	ABLE. <sup>5.2</sup>	8.00	2.27	4.01	5.54	8.05	11.49
15.8		C	CADDOA. <sup>5.9</sup>	7.55	2.23	3.56	5.50	8.01	11.45
10.6		B	HILTON. <sup>4.6</sup>	7.50	2.19	3.51	5.45	7.57	11.41
0		B	KELLER. <sup>1.6</sup>	7.45	2.15	3.47	5.41	7.53	11.37
0			LAS ANIMAS JCT. <sup>2.4</sup>						
0	Y	C	LAS ANIMAS. <sup>5.1</sup>	7.39	2.12	3.44	5.37	7.50	11.33
0		B	RIVERDALE. <sup>4.8</sup>	7.33	2.08	3.40	5.30	7.46	11.26
28.9		B	HADLEY. <sup>4.8</sup>	7.28	2.04	3.36	5.26	7.41	11.22
21.1	WF TY	C	CASA. <sup>4.2</sup>	7.23	2.00	3.32	5.21	7.36	11.16
			La Junta. YL <sup>2.15</sup>	7.15 AM	1.55 PM	3.25 PM	5.15 PM	7.30 PM	11.10 PM
			(202.4)	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.
			Average speed per hour.	53.7	73.6	73.6	69.2	73.6	57.8

Time of trains at Sears and Casa applies at end of two tracks.

Trains must get numbered clearance card before leaving Dodge City and La Junta.

Between M.P. 352.1 and M.P. 353 Dodge City there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction, or switch not properly lined but not exceeding 20 MPH; between these points main track may be used not protecting against regular and extra trains and engines.

Between M.P. 554.3 (Bradish St. Underpass) and Signal Bridge carrying signals 5556 and 5556-A, La Junta, there is no superiority of trains. Trains and engines within these limits must proceed prepared to stop short of train, obstruction or switch not properly lined, but not exceeding 20 MPH; between these points main track may be used not protecting against regular and extra trains and engines.

**SIGNAL SYSTEM TWO:**  
In effect Dodge City to La Junta

Track Capacity 50 ft. Per Car.		WEST- WARD. Second Class. <b>85</b>		Ruling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications	EAST- WARD. Second Class. <b>86</b>
Other Tracks.	Sidings.	Mixed.	Mile Post.		STATIONS.				Mixed.
	Yard	Leave Tues., Thurs. and Sat. <b>AM</b> 6.40			<b>HOLLY. YL</b>				Arrive Mon., Wed. and Fri. <b>PM</b> 2.05
17		f 6.54	6.0	52.8	6.0 MILLWOOD.	0			f 1.45
58	56	s 6.59	7.8	50.3	1.8 HARTMAN.	0		C	s 1.38
20		f 7.06	10.8	52.8	3.0 WARWICK.	52.8			f 1.27
71	42	s 7.13	13.1	52.8	2.3 BRISTOL.	52.3		C	s 1.22
11		f 7.21	17.2	52.8	4.1 FARRISH.	52.8			f 1.13
14		f 7.28	19.9	38.7	2.7 GOODALE.	52.8			f 1.07
14		f 7.39	25.1	52.8	5.2 KARL.	0			f 12.56
33		f 7.42	26.8	52.8	1.7 CHANNING.	34.6			f 12.53
		7.50		79.2	3.6	52.8			12.45
38		9.15	30.4		<b>WILSON JCT. YL</b>			B	PM 11.40
17		f 9.25	33.6	44.3	3.2 SUGAR.	44.9			f 11.30
72		s 10.18	36.3	51.2	2.7 WILEY. YL	44.9		C	s 11.20
19		f 10.28	39.7	41.2	3.4 KEESE.	0			f 11.10
50	42	s 10.40	43.6	79.2	3.9 McCLAVE.	79.2		C	s 10.58
17		f 10.55	47.9	53.0	4.3 LUBERS.	52.8			f 10.45
51	51	s 11.00	50.0	48.6	2.1 HASTY.	39.6		C	s 10.40
13		f 11.12	54.0	52.8	4.0 BEETHURST.	52.8			f 10.30
17	31	f 11.20	57.8	79.2	3.8 KREYBILL.	77.1			f 10.20
69		s 11.30	61.2	52.8	3.4 FORT LYON.	61.8		C	s 10.10
19		f 11.36	63.2	47.0	2.0 MELINA.	0			f 10.04
		11.40		9.1	1.1	32.6			10.00
	28	PM 12.25	64.3		<b>WAVELAND. YL</b>		Y	B	9.25
28		f 12.37	68.6	32.3	4.3 CORNELIA.	17.9			f 9.15
36		f 12.43	72.2	52.8	3.6 MARLMAN.	52.4		B	f 9.07
23		f 1.08	79.6	51.7	7.4 CASTIEL.	30.2			f 8.50
23	51	s 1.15	82.2	8.8	2.6 CHERAW.	8.2		C	s 8.43
17		f 1.20	84.0	38.6	1.8 ORR.	0			f 8.38
22		f 1.27	86.3	38.6	2.3 RANDALL.	0			f 8.34
	34	f 1.32	87.8	7.5	1.5 SHELTON.	12.5			f 8.30
14		f 1.35	88.9	0	1.1 HAYS.	52.8			f 8.27
	Yard	s 1.50 PM	93.5	35.6	4.6 <b>SWINK. YL</b>	59.4	Y	C	8.15 AM
		Arrive Tues., Thurs. and Sat.			(93.5)				Leave Mon., Wed. and Fri.
		11.0			Average speed per hour.				16.3

No switch lights on Second District.  
 Trains must get numbered clearance card before leaving Swink and Holly.  
 Normal position of junction switches Wilson Jct. and Waveland is for second district trains.

**BOISE CITY DISTRICT.**

Track Capacity 50 ft. Per Car.		WEST- WARD. Second Class.							EAST- WARD. Second Class.
		<b>37</b>							<b>38</b>
		Mixed.							Mixed.
Other Tracks.	Sidings.	Leave Daily.	Mile Post.	Railing Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Railing Grade Ascending.	Fuel, Water, Turn Tables and Wyes	Communications.	Arrive Daily.
	Yard	AM 11.45	122.6		<b>BOISE CITY. YL</b>				PM 2.00
14	76	f 12.10	135.3	52.8	12.7 CASTANEDA.	52.8	FY	C	s 2.00
				52.8	16.5	52.8		B	f 1.10
36	45	f 12.40	151.8	24.8	CAMPO.	24.8		B	f 12.40 <sup>37</sup>
	44	f 12.57	162.6	52.8	BISONTE.	52.8		B	f 12.21
		1.13	172.6	39.6	SOUTH JCT. YL	0	Y	B	12.03
97	40	s 1.18	173.1	42.2	0.5 SPRINGFIELD. YL	0		C	s 12.00 PM
		1.21	174.4	52.8	1.3 NORTH JCT. YL	52.8		B	11.43
	44	f 1.42	186.0	52.8	11.6 HARBORD.	52.8		B	f 11.20
20	42	f 2.02	196.6	50.1	10.6 FRICK.	52.8		B	f 10.56
16	42	f 2.30	212.9	52.8	16.3 RUXTON.	50.2		B	f 10.23
	44	f 2.52	226.6	10.5	13.7 GILPIN.	52.8		B	f 9.55
		3.08 PM	235.5		8.9 LAS ANIMAS JCT. YL				9.35 AM
		Arrive Daily.			(112.9)				Leave Daily.
		33.4			Average speed per hour.				25.5

Trains must get numbered clearance card before leaving Boise City and Las Animas.

No switch lights on Boise City District.

Main track between North Junction and South Junction is used by Western Division, Manter District and Colorado Division, Boise City District trains.

Boise City District trains use Western Division, Cimarron Valley District tracks at Boise City.

Normal position of switches North Junction and South Junction is for Colorado Division trains.

**Garden City District.**

Track Capacity 50 ft. Per Car.		WEST- WARD. Second Class.							EAST- WARD. Second Class.
		<b>69</b>							<b>70</b>
		Mixed.							Mixed.
Other Tracks.	Sidings.	Leave Mon., Wed. and Fri.	Mile Post.	Railing Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Railing Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.	Arrive Tues., Thurs. and Sat.
	Yard	AM 10.30	157.6	52.8	<b>GARDEN CITY. YL</b>	0	Y	C	s AM 9.30
12		f 10.45	151.8	30.6	5.8 GILLESPIE.	26.4			f 9.15
19		f 10.53	148.9	31.6	2.9 ALFALFA.	38.0			f 9.07
30		f 11.12	142.6	50.7	6.3 TENNIS.	50.2			f 8.47
24		s 11.32	135.7	47.5	6.9 FRIEND.	37.1		C	s 8.27
51		s 12.05	128.0	29.0	7.7 SHALLOW WATER.	21.1		C	s 7.52
			120.1	0	7.9 A.T. & S.F. Crossing.	0			
			120.1	30.6	0.0 Mo. Pac. Crossing.	0			
					0.3				
78		s 12.30 PM	119.8		<b>SCOTT CITY. YL</b>		Y	C	7.30 AM
		Arrive Mon., Wed. and Fri.			(37.8)				Leave Tues., Thurs. and Sat.
		18.9			Average speed per hour.				18.9

Trains must get numbered clearance card before leaving Garden City and Scott City.

No switch lights on Garden City District.

**7 COLORADO DIVISION.**

**MINNEQUA DISTRICT.**

Track Capacity 50 ft. Per Car.		WESTWARD.		Mile Post.	Ruling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.	EASTWARD.	
		First Class.								First Class.	
		27	21							22	28
Other Tracks.	Siding.	Gulf Coast Special. C. & S.		Leave Daily.	Leave Daily.	STATIONS	Arrive Daily.	Arrive Daily.	Texas Zephyr. C. & S.	Gulf Coast Special. C. & S.	
		Texas Zephyr. C. & S.									
	96	PM 3.17	AM 3.58	124.3	0	SOUTHERN JCT. YL 1.7	31.0	W	C	PM 2.44	PM 10.40
	Yard	3.21	4.00	122.6	0	MINNEQUA. YL 2.5 Mo. Pac. Crossing. 0.3	97.2		C	2.40	10.36
				120.1	31.7		PUEBLO JCT. YL 1.0	31.7		C	2.34 PM
		3.28 PM	4.06 AM	119.8	31.7	PUEBLO U.D. YL	31.7		C	Via Pueblo District.	
		Via Pueblo District.		118.8		(5.5)			C	Via Pueblo District.	
		Arrive Daily.	Arrive Daily.							Leave Daily.	Leave Daily.
		24.5	27.0			Average speed per hour.				27.0	27.0

Trains or engines between Minnequa and Southern Jct. will be governed by the rules and regulations of The Colorado & Southern Railway Co. Southern Division Time Table.

Track No. 4 extending from office of communication Minnequa to crossover south end of Minnequa yard is known as Minnequa siding.

The Colorado & Southern Railway Co. markers will display green instead of yellow discs and will be considered the same indication as yellow.

Manual Block rules in effect between Pueblo Jct. and Minnequa.

Trains or engines will move on receipt of numbered clearance card. Trains not authorized by Time Table will display signals prescribed by Operating Rule 21.

Rule 315 and Rule 317 are modified to permit a freight train or an engine to enter the block while occupied by another freight train or an engine upon receipt of train order authorizing such move.

When an engine has cleared the block at an intermediate point, it must not again enter the block until permission is secured from Block Operator at Pueblo Jct. or Minnequa.

Track No. 9 P.S. & R. yard is used as siding. First class trains will register at Minnequa by Form 903.

Signal System Two:

In effect Pueblo Jct. and Missouri Pacific Crossing

**Grand Valley District.**

**Rockvale District.**

Track Capacity 50 ft. Per Car.		Ruling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Ruling Grade Ascending.	Communications.	Track Capacity 50 ft. Per Car.		Ruling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.
82			NEWDALE. YL 2.9	24.5	B				D. & R. G. W. Connection. Y L			
36		2.9	ROBERTA. YL 3.0	97.2				150.5	2.9	0		
48		8.9	HAWLEY. YL (5.9)			281		2.9	ROCKVALE. YL (2.9)			
Average speed per hour.						Average speed per hour.						

No switch lights on Grand Valley District.

**Canon City District.**

Track Capacity 50 ft. Per Car.		Mile Post.	TIME TABLE No. 89, April 24, 1955.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.
	Yard		PUEBLO. YL 0.6			C
		0.6	D. & R. G. W. Connection. 24.8			
	77	25.4	Portland. YL 6.1			C
146	44	31.5	Florence. YL 8.2			C
115		39.7	Canon City. YL (39.7)		Y	C
Average speed per hour.						

Canon City District trains must register and get D. & R. G. W. clearance card before leaving Yard Office, Pueblo.

Trains or engines between D. & R. G. W. connection, M.P. 0.6 and Canon City, are subject to the Denver and Rio Grande Western Railroad Co. timetable and Operating Department Rules and Regulations.

No switch lights on Canon City District except on west crossover switch, Portland.

Derail on main track 50 feet east of M.P. 2.4 Rockvale District must be left in normal position.

No switch lights on Rockvale District.

Cars must not be handled ahead of engine descending grade on Rockvale District.



**Lamar District.**

No switch lights on Lamar District.

Normal position of junction switch at Wilson Jct. is for Second District trains.

Track Capacity 50 ft. Per Car.		Mile Post.	Rolling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Rolling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.
Other Tracks.	Sidings.						
38		4.9	0	WILSON JCT. YL 1.0	35.2		B
9		3.9	0	CULP. YL 1.3	29.0		
17		2.6	0	MARKHAM. YL 2.6	29.0		
	Yard			LAMAR. YL		Y	C
				(4.9)			
				Average speed per hour.			

Trains must get numbered clearance card before leaving Lamar.

**Las Animas District.**

No switch lights on Las Animas District.

Normal position of junction switch at Waveland is for Second District trains.

Track Capacity 50 ft. Per Car.		Mile Post.	Rolling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Rolling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Communications.
Other Tracks.	Sidings.						
	28	2.9	0	WAVELAND. YL 2.9	51.7	Y	B
	Yard			LAS ANIMAS. YL		Y	C
				(2.9)			
				Average speed per hour.			

Trains must get numbered clearance card before leaving Las Animas.

**May Valley District.**

**Big Bend District.**

Track Capacity 50 ft. Per Car.		Mile Post.	Rolling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Rolling Grade Ascending.	Communications.
Other Tracks.	Sidings.					
38		30.4	48.6	3.7	0	B
47		34.1				
				MAY VALLEY. YL		
				(3.7)		
				Average speed per hour.		

Track Capacity 50 ft. Per Car.		Mile Post.	Rolling Grade Ascending.	TIME TABLE No. 89, April 24, 1955.	Rolling Grade Ascending.	Communications.
Other Tracks.	Sidings.					
72		36.3	52.8	4.2	0	C
17		40.5				
				BIG BEND. YL		
				(4.2)		
				Average speed per hour.		

No switch lights on May Valley District.

No switch lights on Big Bend District.

# 9 COLORADO DIVISION.

# SPECIAL RULES.

1. Except as otherwise provided, Eastward trains are superior to Westward trains of the same class.

Rule 16 of the Rules, Operating Department, revised 1953, is amended as follows:

(e): Canceled.

(l): \_\_\_\_\_ When standing — apply or release air brakes.

(m): \_\_\_\_\_ When running — brakes sticking; look back for hand signals.

NOTE:—Hand or lamp signals must be given in addition to communicating signals (a), (c) and (l).

## 2. YARD LIMITS:

Avondale.	Newdale (Grand Valley District only, extends to and includes Hawley.)
Boise City.	North Junction.
Canon City.	Portland.
Dodge City.	Pueblo (extends to and includes Minnequa.)
Florence (extends to and includes Rockvale.)	Rocky Ford.
Garden City.	Scott City.
Holly (Second Dist. Only).	South Junction.
La Junta.	Springfield.
Lamar (extends to and includes Wilson Jct. and May Valley.)	Swink (extends to and includes La Junta Air Base, M.P. 91.4 Second District.)
Las Animas (Las Animas Dist. only) (extends to and includes Waveland.)	Wiley (extends to and includes Big Bend.)
Las Animas Jct. (Boise City Dist. only.)	

## 3. SPEED REGULATIONS.

(A) Enginemen of trains in which are dining or cafe cars will, during meal hours, regulate speed and manipulate air, rounding curves and making station stops so that train will move smoothly, without jar, and train conductors must observe that this is done.

### (B) MAXIMUM AUTHORIZED SPEED FOR TRAINS.

LOCATION	PASSENGER	FREIGHT AND MIXED
	Miles Per Hour	Miles Per Hour
FIRST DISTRICT	100	55
PUEBLO DISTRICT	79	50
SECOND DISTRICT	30	30
GARDEN CITY DISTRICT	25	25
LAMAR DISTRICT	25	25
LAS ANIMAS DISTRICT	25	25
BOISE CITY DISTRICT	50	40
MAY VALLEY DISTRICT	15	15
BIG BEND DISTRICT	15	15
MINNEQUA DISTRICT	30	20
GRAND VALLEY DISTRICT	20	20
ROCKVALE DISTRICT	20	20

Speed Limit ninety (90) miles per hour for passenger trains handling cars equipped with friction bearings.

### FIRST DISTRICT.

Curve, M.P.	Direction	Passenger	Freight and Mixed
355.5 to 356.1	Westward	95	55
355.5 to 356.1	Eastward	90	55
357.0 to 357.5	Westward	95	55
357.0 to 357.5	Eastward	90	55
358.0 to 358.7		90	55
362.7 to 364.0		95	55
373.4 to 373.5		90	55
374.0 to 374.2		85	55
375.0 to 375.3		90	55

## 3. SPEED REGULATIONS—(Cont'd.)

### (B) MAXIMUM AUTHORIZED SPEED FOR TRAINS —(Cont'd).

LOCATION	PASSENGER	FREIGHT AND MIXED
	Miles Per Hour	Miles Per Hour
FIRST DISTRICT—(Cont'd).		
Curve, M.P. 376.1 to 376.5	90	55
Curve, M.P. 378.3 to 378.6	90	55
Curve, M.P. 379.1 to 379.3	90	55
Curve, M.P. 381.5 to 381.9	85	55
Curve, M.P. 393.1 to 393.5	90	55
Curve, M.P. 399.3 to 400.2	85	55
3 Curves, M.P. 421.2 to 422.2	95	55
Curve, M.P. 430.0 to 430.7	95	55
Curve, M.P. 432.6 to 433.2	85	55
2 Curves, M.P. 435.0 to 436.5	85	55
Curve, M.P. 438.4 to 438.6	95	55
Curve, M.P. 443.3 to 443.7	95	55
Curve, M.P. 452.8 to 453.0	95	55
Curve, M.P. 463.3 to 463.6	95	55
Curve, M.P. 470.9 to 471.3	95	55
3 Curves, M.P. 479.9 to 481.9	70	55
Curve, M.P. 492.4 to 492.6	95	55
Curve, M.P. 528.3 to 529.5	95	55
Curve, M.P. 530.2 to 531.0	95	55
Curve, M.P. 533.1 to 533.3	95	55
2 Curves, M.P. 535.5 to 536.5	95	55
2 Curves, M.P. 543.1 to 543.9	80	55
2 Curves, M.P. 544.8 to 545.8	95	55
Curve, M.P. 547.8 to 548.1	95	55
2 Curves, M.P. 550.5 to 550.7	90	55
Curve, M.P. 551.4 to 551.6 Westward	90	55
Curve, M.P. 551.4 to 551.6 Eastward	65	55
Curve, M.P. 552.8 to 553.1	65	55
2 Curves, M.P. 553.6 to 554.2 Westward	70	55
2 Curves, M.P. 553.6 to 554.2 Eastward	50	50

### PUEBLO DISTRICT.

Curve, M.P. 555.7 to 556.1 Westward	70	50
Curve, M.P. 555.7 to 556.1 Eastward	45	45
Curve, M.P. 573.3 to 573.5	70	50
Curve, M.P. 575.3 to 575.6	70	50
Curve, M.P. 583.7 to 584.0	65	50
2 Curves, M.P. 586.3 to 586.8	65	50
2 Curves, M.P. 587.1 to 587.8	50	50
3 Curves, M.P. 590.0 to 591.1	55	50
Curve, M.P. 597.3 to 597.6	75	50
Curve, M.P. 615.9 to 616.0	65	50
2 Curves, M.P. 617.2 to 617.6	30	30

(C) While head of train is passing the street crossings of cities and towns named below, indicated speed must not be exceeded:

STATION	STREETS	MILES PER HOUR
Cimarron.....	Main Street.....	50
Garden City.....	Fourth, Sixth, Main, Ninth, Eleventh and Thirteenth Streets.....	45
Lakin.....	Main Street.....	50
Lamar.....	Main and Third Streets.....	30
Rocky Ford.....	Main Street.....	12
Manzanola.....	Park Street.....	25
Fowler.....	Main Street.....	20
Canon City.....	Ninth Street.....	6

# SPECIAL RULES.

## 3. SPEED REGULATIONS—(Cont'd.)

### (D) MAXIMUM SPEED OF LOCOMOTIVES.

	MILES PER HOUR			
	Forward	Light Forward	Backing Or When Controlled From Rear Unit	Dead In Train
Diesel and Gas-Electric				
11-90, 300-314	100	45	45	90
325-344	80	45	45	80
100-286, 401-430	65	45	45	60
99, 2099, 2100-2162, 2650-2893, 3000-3019	65	45	45*	60
450-451	30	30	30	20
460-468	35	35	35	20
500-540, 625-633, 1500-1537, 2200-2299, 2303-2304, 2310-2391, 2394-2399, 2403-2438, 2600-2606	45	45	45	45
650-653, 2800-2302, 2400-2402	40	40	40	30
RDC 191, 192 (Coupled)	80	80	70	70
RDC 191, 192 (Single Unit)	80	80	50	70
M115-M157, M175-M187	65	65	25	60
M160-M162	70	65	25	70
M190	80	65	25	75
* Note: 65 MPH applies when backing handling train.				
Steam				
6 wheel & 8 wheel switch	20	20	20	
777, 856, 900-984, 1600-1698, 1902-1977, 2542-2568	35	35	25	
3113-3154	45	35	25	
1001-1133, 1801-1882, 3168-3236, 4013-4114, 5000-5035	60	40	25	
3516, 3751-3775	90	40	25	
2900-2929, 3403-3435, 3450-3465, 3776-3785	100	40	25	
2508-2522	55	40	25	
3715-3744	70	40	25	
3828-3933	50	40	25	

### (E) Movements Over Submerged Track.

Equipment listed below must not be moved through water above top of rail greater than the depth and not in excess of the speeds shown:

Types of Equipment	Maximum Depth Above Top of Rail (Inches)	Maximum Speed in Tow (M.P.H.)	Maximum Speed Under Own Power (M.P.H.)
Diesel Engines, Classes			
450 - 451.....	2	5	5
1 - 11 - 50 - 80 -			
2099 - 2100.....	3	5	5
51 - 90 - 650 - 2300 -			
2301 - 2310 - 2600 - 3000.....	4	5	5
460 - 2400.....	4½	5	5
16 - 37 - 99 - 100 - 200 - 300 -			
325 - 500 - 501 - 503 - 625 -			
1500 - 2201 - 2207 - 2260 -			
2303 - 2322 - 2394 - 2403 -			
2418 - 2650.....	5	5	5
Diesel-Electric and Gas Electric Motor Cars.....	3	5	5
Steam Engines			
Roller Bearings.....	9	5	5
Passenger Cars			
Roller Bearings.....	8	5	0
Friction Bearings.....	12	5	0

## 3. SPEED REGULATIONS—(Cont'd.)

### (F) Steam Derricks, etc.

Trains handling steam derricks, steam shovels, clam shells, ditchers, pile drivers, spreaders (except spreaders with wings folded and fastened), and similar machinery moving on their own running gear, must not exceed speed of thirty (30) miles per hour at any point on First and Pueblo Districts; twenty (20) miles per hour at any point on Second and Boise City Districts, and fifteen (15) miles per hour at any point on other districts.

### (G) Locomotives Handled Dead in Trains.

Locomotives handled dead in trains with side rods in position are not to be run faster than twenty (20) miles per hour.

With side rods all removed and all drivers on rail fifteen (15) miles per hour.

With one pair of wheels "swung" or suspended off rail, ten (10) miles per hour.

Locomotives operating under their own steam with all side rods in place and one main rod removed, must not be operated to exceed following speeds:

20 MPH			25 MPH	35 MPH
All Freight and Switch Locomotives include types:			Passenger Locomotives	
			Mountain Type	All Locomotives Except Mountain Type Include
0-4-0	2-6-2	2-10-0	Includes	
0-6-0	2-8-0	2-10-2	4-8-2	4-4-0
0-8-0	2-8-2	2-10-4	4-8-4	4-4-2
2-6-0	2-8-4			4-6-0
				4-6-2
				4-6-4

### (H) Spring Switches, Turnouts and Crossovers.

In heading in or out over the following spring switches, turnouts and crossovers, trains or engines must not exceed indicated speed. On all other main track turnouts and crossovers not listed herein on First and Pueblo Districts, trains or engines must not exceed speed of fifteen (15) miles per hour. On all other turnouts and crossovers, trains or engines must not exceed speed of ten (10) miles per hour.

STATION	TYPE	LOCATION	MILES PER HOUR	
			Passenger	Freight
Sears	Spring	End of 2 tracks.....	30	30
Howell	Spring	East and west ends of siding...	15	15
Wettick	Spring	East and west ends of siding...	15	15
Cimarron	Spring	East and west ends of siding...	15	15
Ingalls	Spring	East and west ends of siding...	15	15
Charleston	Spring	East and west ends of siding...	15	15
Pierceville	Spring	East and west ends of siding...	15	15
Mansfield	Spring	East and west ends of siding...	15	15
Garden City	Spring	East and west ends of siding...	15	15
Holcomb	Spring	East and west ends of siding...	15	15
Deerfield	Spring	East and west ends of siding...	15	15
Lakin	Spring	East and west ends of siding...	15	15
Hartland	Spring	East and west ends of siding...	15	15
Sutton	Spring	East and west ends of siding...	15	15
Kendall	Spring	East and west ends of siding...	15	15
Mayline	Spring	East and west ends of siding...	15	15
Syracuse	Spring	East and west ends of siding...	15	15
Medway	Spring	East and west ends of siding...	15	15
Coolidge	Spring	East and west ends of siding...	15	15
Holly	Spring	East and west ends of siding...	15	15
Barton	Spring	East and west ends of siding...	15	15
Granada	Spring	East and west ends of siding...	15	15
Grote	Spring	East and west ends of siding...	15	15
Clucas	Spring	East and west ends of siding...	15	15
Lamar	Spring	East and west ends of east and west sidings.....	15	15
Beta	Spring	East and west ends of siding...	15	15
Prowers	Spring	East and west ends of siding...	15	15
Able	Spring	East and west ends of siding...	15	15
Caddoa	Spring	East and west ends of siding...	15	15
Hilton	Spring	East and west ends of siding...	15	15



11 COLORADO DIVISION.

SPECIAL RULES.

3. SPEED REGULATIONS—(Cont'd).

(H) Spring Switches, Turnouts and Crossovers—(Cont'd).

STATION	TYPE	LOCATION	MILES PER HOUR	
			Passenger	Freight
Keller	Spring	East and west ends of siding...	15	15
Las Animas	Spring	East and west ends of siding...	15	15
Riverdale	Spring	East and west ends of siding...	15	15
Hadley	Spring	East and west ends of siding...	15	15
Casa	Spring	End of 2 tracks.....	30	30
La Junta	Spring	West end of long tail track....	15	15
	Spring	West end crossover between freight yard and New Mexico Division main track.....	10	10
Swink	Spring	East and west ends of siding...	15	15
Rocky Ford	Spring	East and west ends of siding...	15	15
Manzanola	Spring	East and west ends of siding...	15	15
Fowler	Spring	East and west ends of siding...	15	15
Nepesta	Spring	East and west ends of siding...	15	15
Boone	Spring	East and west ends of siding...	15	15
Avondale	Spring	East and west ends of siding...	15	15
Baxter	Spring	East and west ends of siding...	15	15

(I) Speed Table.

Time Per Mile		Miles Per Hour	Time Per Mile		Miles Per Hour
Mins.	Sec.		Mins.	Sec.	
-	36	100	1	18	46.1
-	37	97.3	1	20	45.0
-	38	94.7	1	22	43.9
-	39	92.3	1	24	42.9
-	40	90.0	1	26	41.9
-	41	87.8	1	28	40.9
-	42	85.7	1	30	40.0
-	43	83.7	1	32	39.1
-	44	81.8	1	34	38.3
-	45	80.0	1	36	37.5
-	46	78.3	1	38	36.8
-	47	76.6	1	40	36.0
-	48	75.0	1	42	35.3
-	49	73.5	1	44	34.6
-	50	72.0	1	46	34.0
-	51	70.6	1	48	33.3
-	52	69.2	1	50	32.7
-	53	67.9	1	52	32.1
-	54	66.6	1	54	31.6
-	55	65.5	1	56	31.0
-	56	64.2	1	58	30.5
-	57	63.2	2	—	30.0
-	59	61.0	2	05	28.8
1	—	60.0	2	10	27.7
1	02	58.0	2	15	26.7
1	04	56.2	2	30	24.0
1	06	54.2	2	45	21.8
1	08	52.9	3	—	20.0
1	10	51.4	3	30	17.1
1	12	50.0	4	—	15.0
1	14	48.6	5	—	12.0
1	16	47.4	6	—	10.0

4. DANGEROUS OBSTRUCTIONS (See Rule 761).

MILE POSTS	NAME
	PUEBLO DISTRICT
.....	C Street Viaduct, Pueblo.
.....	Main Street Viaduct, Pueblo.
	MINNEQUA DISTRICT
120.44	Arkansas River.

5. SPECIAL RULES AND FACILITIES.

RULE S-83, as applied at the end of two tracks Sears and Casa is amended to read:

Train register at La Junta will be taken to indicate that trains shown thereon have arrived or left Casa, and, when opposing superior trains are met between La Junta and Casa, eastward trains will consult train dispatcher by telephone from Casa as to their identity.

Train register at Dodge City will be taken to indicate that trains shown thereon have arrived or left Sears. When opposing superior trains are met between Dodge City and Sears, westward trains will consult train dispatcher by telephone from Sears as to their identity.

6. RAILROAD CROSSINGS AND JUNCTIONS.

(A) NAME	TYPE	SPEED
		Miles per hour
NA. Tower.....	Standard..	
Pueblo Jct.....	Standard..	15
Mo. Pac. Crossing M.P. 120.1 Minnequa District.....	Automatic.	20

At Pueblo Jct. Following whistle signals indicate routes:

A.T. & S.F. trains to or from Union Depot	—
A.T. & S.F. trains to or from Stone Depot	0 — 00
Trains to or from Stone Depot and Minnequa	— 0
Trains to or from Union Depot and Minnequa	— 00
Trains to or from Stone Depot and P.S.R. Yards	— 0
Trains to or from Union Depot and P.S.R. Yards	00000

M. P. 120.1 MINNEQUA DISTRICT—Mo. Pac. Crossing governing signals cleared by approaching train or engine or when switch properly lined for main track and opposing routes not occupied.

Westward trains or engines receiving stop signal on approaching plant must occupy clearing section to get proceed signal.

Eastward trains or engines receiving stop signal on approaching plant must operate push button located at switch east lead PS&R Yard.

Movements to stockyards will be made over main track PS&R Yard to connecting switch at east end of yard. Movement to Mo. Pac. main track will be governed by signal located at clearance point. If letter "S" is illuminated, switch may be lined for Mo. Pac. main track and movement will be governed by signal indication. If the letter "S" is not illuminated, it will be necessary to call Mo. Pac. Dispatcher for authority to operate switch.

Movement from stockyards to Mo. Pac. main track will be governed by Signal 8949-L located at clearance point. If letter "S" is illuminated, switch may be lined for Mo. Pac. main track and movement will be governed by signal indication. If the letter "S" is not illuminated, it will be necessary to call Mo. Pac. Dispatcher for authority to operate switch. Movements from Mo. Pac. main track to connection will be governed by lower signal on the Mo. Pac. Signal No. 8951. Lunar white will indicate switch is lined for PS&R Yard connection.

When train or engine is stopped by stop indication of a plant signal and no immediate conflicting movement is evident, a member of the crew must operate push button at release box marked "C & S or AT&SF" at the crossing. If signal does not change its indication at the expiration of four minutes time interval after push button has been operated and there is no train or engine on conflicting route and signal on conflicting route indicates stop, train or engine may then proceed on hand signal from member of crew located at the crossing.

# SPECIAL RULES.

## 6. RAILROAD CROSSINGS AND JUNCTIONS—(Cont'd).

When indicator lamp marked "MOP" is illuminated, it denotes that signals on the Mo. Pac., the conflicting route, display stop indication.

If train or engine is on conflicting route, hand proceed signal must not be given until such movement is stopped; and if signal on conflicting route does not indicate stop, flag protection must be provided on conflicting routes.

### (B) Railroad Junctions:

**LAS ANIMAS**—Home Signal located on Boise City District at Las Animas Junction, operated from depot, Las Animas, and in conjunction with automatic signals. This signal, displaying proceed indication, authorizes a westward Boise City District train to move from Las Animas Junction to the extreme east switch, Las Animas, regardless of First District trains, and will there clear main track. Before clearing this signal operator at Las Animas must obtain authority, by train order, from the dispatcher.

**PUEBLO**—A.T.& S.F., D.& R.G.W. and Mo. Pac. Junction, Main Street viaduct, south end Union Depot tracks. All trains entering and leaving Union Depot use same lead. Authority to use this lead governed by The Pueblo Union Depot and Railroad Co. rules and regulations.

### (C) Railroad Crossings at Grade:

**PUEBLO**—Mo. Pac. crossing M.P. 618.2 is protected by gate set normally against Mo. Pac. trains. Position of gate is indicated by lights at night. When gate is set normally trains or engines may proceed not exceeding a speed of fifteen (15) miles per hour over crossing.

**SCOTT CITY**—Mo. Pac. Crossing M.P. 120.1 electrically locked signals and derails set normally against A.T.& S.F. track, operated by train crew. Be governed by instructions posted in box at crossing.

## 7. SIDING, SPURS AND FLAG STOPS NOT SHOWN ON SCHEDULE PAGE OF TIME TABLE.

Location	Mile Post Location	Car Capacity	Switch Connection	Flag Stops for Trains
<b>FIRST DISTRICT</b>				
Amity.....	479.2	43	East & West	Freight only
Koen.....	487.4	26	East & West	Freight only
<b>PUEBLO DISTRICT</b>				
Krammes.....	568.7	15	East & West	Freight only
Fayette.....	568.5	27	East & West	Freight only
Elder.....	580.1	42	East & West	Freight only
Dinsmore.....	606.6	43	East & West	Freight only
Gas Spur.....	608.9	13	East	Freight only
Pueblo Air Base.....	610.7	Yard	East & West	Freight only
<b>SECOND DISTRICT</b>				
La Junta Air Base...	91.4	Yard	West	Freight only
<b>GARDEN CITY DISTRICT</b>				
Hutchins Spur.....	123.5	7	East & West	Freight only
Oil Track.....	132.2	21	East & West	Freight only
Gano.....	140.5	21	East & West	Freight only

## 8. BULLETIN BOOKS.

**BOISE CITY**..... Passenger Station.  
**DODGE CITY**..... Conductors' Register Room, Roundhouse Register Room, and Reading Room.  
**GARDEN CITY**..... Passenger Station.  
**LA JUNTA**..... Roundhouse Register Room, Yard Office.  
**LAMAR**..... Passenger Station.  
**PUEBLO**..... Yard Office.  
**PUEBLO U.D.**..... D.& R.G.W. Telegraph Office.

## 9. STANDARD CLOCKS.

**BOISE CITY**..... Passenger Station.  
**DODGE CITY**..... Telegraph Office and Roundhouse Register Room.  
**LA JUNTA**..... Telegraph Office and Roundhouse Register Room.  
**PUEBLO**..... Yard Office.  
**PUEBLO U.D.**..... D.& R.G.W. Telegraph Office.  
**SCOTT CITY**..... Passenger Station.

## 10. STANDARD THERMOMETERS.

Avondale.	Cimarron.	Fowler.	Las Animas.	Rocky Ford.
Boise City.	Dodge City.	Garden City.	Manzanola.	Scott City.
Boene.	Florence.	La Junta.	NA. Tower.	Springfield.
Canon City.	Fort Lyon.	Lamar.	Pueblo Yard.	Swink.
				Syracuse.

## 11. STATUTORY REGULATIONS.

In Kansas, it is lawful for the Conductor to eject from the train any passenger who refuses upon demand to produce a proper ticket or other transportation, or pay fare to his destination, and he may be expelled at any point on the line of the road at which there is a station where the person ejected may at least get lodging.

The Kansas statutes prohibit gambling and the practice of any confidence games.

Drunken or disorderly persons may lawfully be expelled from the train at any place, provided the place is not such as to cause want or injury; this may be done whether fare has been paid or not.

In Oklahoma a passenger who refuses to pay his fare, or to conform to any lawful regulation of the carrier, may be ejected from the vehicle by the carrier. But this must be done with as little violence as possible, and at any usual stopping place, or near some dwelling house. After having ejected a passenger, a carrier has no right to require the payment of any part of his fare.

In Colorado, a railroad company has a right to eject from its train any passenger who refuses upon demand to produce a proper ticket or other transportation, or pay his fare to his destination, and he may be expelled at any station where suitable accommodation can be procured for his safety and comfort.

Drunken or disorderly persons, or others whose conduct or appearance is such as is calculated to operate as a serious annoyance to other passengers, or is disgusting, or a passenger who is guilty of gross misconduct, either by insulting or assaulting other passengers or train employes, who uses vile or profane language in the car, or who threatens to assault other passengers or train employes, may lawfully be expelled from the train at any station where suitable accommodation can be procured for his safety and comfort; this may be done upon a tender of refund of the unearned portion of the fare.

13 COLORADO DIVISION.

FREIGHT SCHEDULES.

WESTWARD.									Freight Train Terminals, and Junctions.  (Subject to Change Without Notice.)	EASTWARD.								
69	75	45	37	29	35	85	61	87		42	76	88	38	86	62	30	32	70
Way Freight.	Fast Freight. C. & S.	New Mexico, Colo., Fast Freight.	Mixed.	Way Freight.	Colo.- Kansas Fast Freight.	Mixed.	Way Freight.	Way Freight.		Colo.- Chicago and Texas Fast Freight.	Fast Freight C. & S.	Way Freight.	Mixed.	Mixed.	Way Freight.	Way Freight.	Fast Freight and Stock Express.	Way Freight.
Leave Mon., Wed. and Fri.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Ex. Sun.	Leave Daily.	Leave Mon. Wed. and Fri.	Leave Tues., Thurs. and Sat.	Leave Tues., Thurs. and Sat.	STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Mon., Wed. and Fri.	Arrive Daily.	Arrive Tues., Thurs. and Sat.	Arrive Mon., Wed. and Fri.	Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Tues., Thurs. and Sat.
AM 7.00					AM 6.00			AM 10.30 PM 2.00	DODGE CITY.	PM 3.15 PM		PM 7.00					AM 5.15 AM	PM 4.00
11.30 AM									GARDEN CITY.									12.30 PM
									SYRACUSE.			4.00						
									LAMAR.			12.30 PM						
			PM 3.08						LAS ANIMAS JCT.				AM 9.35					
		PM 6.30	4.00 PM		PM 12.10 12.55	AM 8.05	PM 1.00		LA JUNTA.	9.30 8.45			9.15 AM	PM 2.05	PM 10.00		10.30 9.45	
						8.15 AM			SWINK.					1.50 PM				
	PM 2.45								MINNEQUA.		PM 12.40							
	3.15 PM	8.45 PM		AM 8.00	3.20 PM		8.00 PM		PUEBLO.	6.30 AM	12.15 PM				3.00 PM	PM 4.00	6.30 PM	
				11.30 AM					CANON CITY.							12.30 PM		
Arrive Mon., Wed. and Fri.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Mon., Wed. and Fri.	Arrive Tues., Thurs. and Sat.	Arrive Tues., Thurs. and Sat.		Leave Daily.	Leave Daily.	Leave Mon., Wed. and Fri.	Leave Daily.	Leave Tues., Thurs. and Sat.	Leave Mon., Wed. and Fri.	Leave Daily Ex. Sun.	Leave Daily.	Leave Tues., Thurs. and Sat.

TRAINS SHOWN ON THIS PAGE HAVE NO TIME TABLE AUTHORITY.





# SANTA FE SAFETY FIRST



Every employe should report promptly to his foreman, some member of the Safety Committee, or other proper person, all unsafe conditions or practices.

(See General Rules E and F, Book of Rules.)

