TIME IS IMPORTANT
Take TIME To Be SAFE

TRAINMASTERS

A. W. KEITH.....Dunsmuir, Cal.
J. L. HARRISON.....Klamath Falls, Ore.
H. A. TEAL.....Klamath Falls, Ore.
D. R. ANDERSON.....Dunsmuir, Cal.
F. J. DEON.....Alturas, Cal.

ROAD FOREMEN OF ENGINES

J. E. PETERSON.....Dunsmuir, Cal.
A. L. SHOUPE.....Klamath Falls, Ore.

ASST. ROAD FOREMEN OF ENGINES

R. M. DICKSON.....Dunsmuir, Cal.
P. G. VAUGHAN.....Klamath Falls, Ore.
K. E. GREEN.....Alturas, Cal.

CHIEF TRAIN DISPATCHER

W. R. PETTY.....Dunsmuir, Cal.

J. C. SLADE
Assistant Superintendent, Dunsmuir, Cal.

SOUTHERN PACIFIC COMPANY

SHASTA DIVISION

TIMETABLE

60

EFFECTIVE SUNDAY, JANUARY 9, 1955
AT 12:01 A. M.
PACIFIC STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION OF EMPLOYES ONLY, WHO MUST ALSO CARRY COPY OF CURRENT ISSUE OF SPECIAL INSTRUCTIONS

R. E. HALLAWELL,
General Manager.

E. D. MOODY,
W. D. LAMPRECHT,
Assistant General Managers.

C. H. GRANT,
General Superintendent of Transportation.

J. M. HATCHER,
Superintendent of Transportation.

J. A. McKINNON,
Superintendent.

Timetable 59 eff 27 Sept 1953
61 25 Sept 1955?

HOSPITAL DEPARTMENT SURGEONS

LOCATION	NAME	TITLE
San Francisco	Dr. W. W. Washburn	Chief Surgeon
Dunsmuir	Dr. E. V. Anderson	District Physician and Surgeon
Dunsmuir	Dr. D. D. Todorovic	District Physician and Surgeon
Dunsmuir	Dr. J. W. Reynolds	Asst. Dist. Physician and Surgeon
Mt. Shasta	Dr. J. B. McGuire	District Physician and Surgeon
Hilt	Dr. R. W. Bayuk	District Physician and Surgeon
Hilt	Dr. F. R. Schlappi	District Physician and Surgeon
Ashland	Dr. H. A. Woods	District Physician and Surgeon
Ashland	Dr. J. W. Bradshaw	Asst. Dist. Physician and Surgeon
Ashland	Dr. B. A. Cope	Oculist and Aurist
Red Bluff	Dr. J. L. Faulkner	District Physician and Surgeon
Red Bluff	Dr. Don E. Thompson	Asst. Dist. Physician and Surgeon
Red Bluff	Dr. R. G. Frey	District Physician and Surgeon
Redding	Dr. J. L. Price	District Physician and Surgeon
Redding	Dr. H. R. McVickers	Asst. Dist. Physician and Surgeon
Redding	Dr. Alex J. Otten	Oculist and Aurist
Gerber	Dr. R. G. Frey	District Physician and Surgeon
Dorris	Dr. C. R. Drader	Emergency Surgeon
Klamath Falls	Dr. C. V. Rugh	Division Physician and Surgeon
Klamath Falls	Dr. Marvin Nerseth	District Physician and Surgeon
Klamath Falls	Dr. R. H. Engelecke	District Physician and Surgeon
Klamath Falls	Dr. John D. Merryman	District Physician and Surgeon
Klamath Falls	Dr. R. W. Stearns	Oculist and Aurist
Merrill	Dr. F. E. Trotman	Emergency Physician and Surgeon
Tule Lake	Dr. Isaac Spomer	District Physician and Surgeon
Alturas	Dr. J. Paul McKenney	District Physician and Surgeon
Alturas	Dr. Phillip W. McKenney	Asst. Dist. Physician and Surgeon
Lakeview	Dr. C. E. Leithead	District Physician and Surgeon
Yreka	Dr. D. L. Meamber	District Physician and Surgeon
Yreka	Dr. R. W. Bayuk	District Physician and Surgeon

Note.—Emergency Surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

HOSPITALS

GENERAL.....SAN FRANCISCO

EMERGENCY.....GERBER

WATCH INSPECTORS

San Francisco.....C. D. Fabrin, Manager of Time Service, 65 Market St.
Red Bluff.....Jones & Smith, G. C. Wilkins & Son
Redding.....Adolph F. Dobrowsky
Dunsmuir.....L. L. Huddle
Mt. Shasta.....V. M. Penserini
Weed.....J. N. Wilmarth
Ashland.....Jas. B. Madison, B & J Jewelers
Klamath Falls.....J. C. Renie
Alturas.....Virgil Pratt
Lakeview.....A. E. Rugg

AVERAGE WEIGHTS (IN TONS) OF PASSENGER CARS

INITIALS	KIND OF CAR	Inside Length	NON AIR CONDITIONED		AIR CONDITIONED							
					COOLING SEASON				NON-COOLING SEASON			
			Steel	Steel Under-Frame	ACI	ACEM	ACW	ACS	ACI	ACEM	ACW	ACS
Conventional Equipment:												
SP....	Box—Express.....	41′	24									
SP....	Baggage.....	60′	48	40								
SP....	Baggage.....	61′		45								
SP....	Baggage.....	66′	65	54								
SP....	Baggage.....	70′	63									
SP....	Baggage and Mail....	60′	56									
SP....	Baggage and Mail....	66′	68	60								
SP....	Baggage and Mail....	69′	64									
SP....	Baggage and Mail....	70′	66									
SP....	Baggage and Psgr....	60′	51									
SP....	Baggage and Psgr....	61′		58								
SP....	Baggage—Horse.....	70′	67									
SP....	Baggage—Horse.....	80′	75									
SP....	Postal.....	40′	42									
SP....	Postal.....	60′	59									
SP....	Postal—Storage.....	60′	54									
SP....	Postal—Storage.....	61′	61									
SP....	Club.....	75′			83				80			
SP....	Club.....	77′				100				92		
SP....	Chair.....	60′	53		70				67			
SP....	Chair.....	72′			82		80		79		80	
SP....	Chair.....	73′			78				75			
SP....	Chair.....	74′			90		85	98	87		85	90
SP....	Coach.....	60′	50		67				64			
SP....	Coach.....	70′			78		76		75		76	
SP....	Coach.....	72′	60		81		79		78		79	
SP....	Coach.....	74′			87				84			
SP....	All Day Lunch.....	60′	51		63				60			
SP....	Cafe—Lounge.....	72′			86				83			
SP....	Diner.....	73′	79									
SP....	Diner.....	77′			92	100	85		89	92	85	
SP....	Diner.....	79′					88				88	
SP....	Diner.....	80′				105				97		
SP....	Lounge.....	75′			85		80		82		80	
SP....	Lounge.....	80′			95		93		92		93	
SP....	Observation—Lounge.	75′					94				94	
SP....	Observation—Smoking	69′		78								
SP....	Observation—Smoking	72′			83				80			
SP....	Observation—Smoking	74′	78									
SP....	Official.....	Var.	79	79			96				96	
Pull...	Standard Sleeper.....	"			92	90		93	89	90		93
Pull...	Lounge.....	"			90	88		89	87	88		89
Pull...	Troop Sleeper.....	"	38									
Pull...	Troop Kitchen.....	"	39									
USA..	Kitchen.....	"	40									
USA..	Ward.....	"			90	87			87	79		
USA..	Dressing.....	"			86				83			
USA..	Mortuary.....	"	79									
USA..	Hospital (89200-01)...	"			84				81			
USA..	Hospital (89340-52)...	"			78				75			

INITIALS	KIND OF CAR	Inside Length	NON AIR CONDITIONED		AIR CONDITIONED							
					COOLING SEASON				NON-COOLING SEASON			
			Steel	Steel Under-Frame	ACI	ACEM	ACW	ACS	ACI	ACEM	ACW	ACS
Conventional Equipment—Con't.												
UP...	Box—Express.....	41′	22									
UP...	Baggage.....	69′	62									
UP...	Baggage.....	81′	68									
UP...	Baggage—Dormitory..	81′			76		79		73		79	
UP...	Chair.....	70′				86		89		78		86
UP...	Chair.....	74′						88				80
UP...	Club—Lounge.....	75′				92				83		
UP...	Diner.....	80′				95				87		
UP...	Lounge.....	70′						86				78
CNW.	Baggage.....	66′	68									
CNW.	Coach.....	66′					57				57	
CNW.	Diner.....	66′				88				87		
CRIP.	Express.....	41′	25									
CRIP.	Baggage.....	60′	53									
CRIP.	Baggage.....	66′	65									
CRIP.	Baggage.....	70′	68									
CRIP.	Dormitory.....	70′					78				78	
CRIP.	Chair.....	70′			82				79			
CRIP.	Coach.....	74′			82				79			
CRIP.	Club.....	75′			95				92			
CRIP.	Diner.....	80′					95				95	
Light Weight Equipment:												
SP....	Baggage.....	Var.	65									
SP....	Baggage—Postal.....	"	69									
SP....	Baggage—30 ft. Postal	"	69									
SP....	Baggage—60 ft. Postal	"	62									
SP....	Baggage—Dormitory..	"				71	64			61	64	
SP....	Chair.....	"				71	63	64		60	63	56
SP....	Chair (Articulated)...	"					99	95			99	88
SP....	Chair—Baggage.....	"						63				55
SP....	Diner.....	"				77	72	64		66	72	56
SP....	Diner (Triplex).....	"					159	174			159	150
SP....	Tavern.....	"					62	65			62	57
SP....	Coffee Shop—Lounge.	"				77	72			66	72	
SP....	Lounge.....	"				74	66			61	66	
SP....	Parlor.....	"						65				57
SP....	Parlor—Observation..	"					58	62			58	54
SP....	Sleeping Cars.....	"				80				70		
Pull...	Sleeping Cars.....	"				65	68	62		65	68	62
UP...	Bage—Dorm (C of SF)	82′					62				62	
UP...	Bage—Dorm (C of SF)	76′				79				71		
UP...	Chair.....	75′				64				56		
UP...	Club—Lounge.....	75′				66				58		
CRIP.	Baggage and Mail....	70′	52									
CRIP.	Dormitory.....	83′					61				61	
CRIP.	Chair.....	80′					61				61	
CRIP.	Diner.....	80′					64				64	
CRIP.	Diner.....	83′					68				68	
CRIP.	Coffee Shop—Lounge.	83′					69				69	

CODE: ACI: Air Conditioned—Ice System
ACEM: Air Conditioned—Electro-Mechanical System
ACW: Air Conditioned—Waukesha System
ACS: Air Conditioned—Steam Ejector System

EASTWARD

Timetable No. 60
January 9, 1955

Capacity of sidings	SECOND CLASS 624 Freight Leave Daily	622 Freight Leave Daily	620 Freight Leave Daily			FIRST CLASS 12 Cascade Leave Daily	10 Shasta Daylight Leave Daily	20 Klamath (c) Leave Daily	378 Pacific Coast Expediter Lv. Daily Ex. Sun., Mon.	Mile Post Location		STATIONS	Distance from Gerber
Gerber yard BKWOYP	PM 4.30	AM 8.30	AM 12.30			PM 9.20	AM 11.45	AM 2.25	AM 2.00	213.8	Automatic Block Signal System	TO-R GERBER	0.0
Gerber yard P										214.8		1.0 KISKA	1.0
										215.8		1.0 PROBERTA	2.0
98 P	4.43	8.43	12.43			9.26	11.50	2.33	2.08	218.9		3.1 RAWSON	5.1
Yd.Lmts. 54 P	4.54	8.54	12.54			9.31	AM 11.55	s 2.40		223.4		4.5 TO RED BLUFF	9.6
Yd.Lmts. 97 P	4.56	8.56	12.56					2.50	2.15	224.5		1.1 GLADE	10.7
97 P	5.06	9.06	1.06			9.37	PM 12.02	2.56	2.20	228.9		4.4 BLUNT	15.1
105 P	5.16	9.16	1.16			9.42	12.07	3.04	2.27	233.6		4.7 HOOKER	19.8
97 P	5.27	9.27	1.27			9.48	12.13	c 3.11	2.35	240.4		6.8 TO COTTONWOOD	26.6
104 P	5.33	9.33	1.33					3.15	2.39	244.2		3.8 CULP	30.4
100 P	5.38	9.38	1.38			9.54	12.19	c 3.18	2.42	247.1		2.9 TO ANDERSON	33.3
104 P	5.46	9.46	1.46			**9.59**	12.24	3.24	2.48	253.5		6.4 GIRVAN	39.7
E 177 Yard Limits W 93 BKWIP	5.55	AM 9.55	1.55			s 10.06	s 12.31	s 3.30	s 2.55	258.2		4.7 TO REDDING	44.4
102 WYP										263.0		4.8 SILVERTHORN	49.2
100 P										266.3		3.3 CENTRAL VALLEY	52.5
100 P										270.4		4.1 McCOLL	56.6
89 P										273.2		2.8 PITBRIDGE	59.4
120 P										277.6		4.4 O'BRIEN	63.8
100 P										281.2		3.6 MEAD	67.4
101 WYP								c		285.7		4.5 LAKEHEAD	71.9
104 WP										289.8 296.7		4.1 DELTA	76.0
110 P										300.2		3.5 LAMOINE	79.5
98 P										304.0		3.8 GIBSON	83.3
63 P										306.0		2.0 FISHER	85.3
106 WP										309.4		3.4 SIMS	88.7
108 P										313.1		3.7 CONANT	92.4
48 P										315.3		2.2 CASTELLA	94.6
Dunsmuir yard 115 P										318.3		3.0 CASTLE CRAG	97.6
Dunsmuir yard BKP	9.00 PM	1.00 PM	5.00 AM							321.2		2.9 TO-R DUNSMUIR YARD	100.5
Dunsmuir yard BDKWOTP						s 11.40 PM	s 2.01 PM	s 5.50 AM	s 5.00 AM	322.1	Centralized Traffic Control	0.9 TO-R DUNSMUIR	101.4
	Arrive Daily	Arrive Daily	Arrive Daily			Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun., Mon.			(101.4)	
	624	622	620			12	10	20	378				

RULE 5. Schedule time and train-order time at Gerber apply at station sign.

Schedule time and train-order time on westward first-class trains apply at train-order signal Redding.

Trains operate by CTC between Redding and Dunsmuir but at stations where time is shown must not depart ahead of time.

ADDITIONAL STATIONS

Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number
30 ..	316.1	Dirigo	14396
		Matheson Branch	
15W ..	262.3	Kesdam.....(Spur)	14654
.. ..	268.0	Motion	14660

Timetable No. 60
January 9, 1955

WESTWARD

FIRST CLASS

Mile Post Location	STATIONS	Station Number	Distance from Dunsmuir	11 Cascade	19 Klamath	9 Shasta Daylight	377 Pacific Coast Expediter
				Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun., Mon.
213.8	TO-R **GERBER** 1.0	11707	101.4	AM s 4.55	PM s 2.45	PM s 7.22	PM s 11.20
214.8	**KISKA** 1.0	14301	100.4				
215.8	**PROBERTA** 3.1	14302	99.4				
218.9	**RAWSON** 4.5	14305	96.3	4.46	2.30	7.14	11.09
223.4	TO **RED BLUFF** 1.1	14310	91.8	4.41	s 2.20	7.08	
224.5	**GLADE** 4.4	14311	90.7		2.16		11.01
228.9	**BLUNT** 4.7	14315	86.3	4.34	2.11	7.02	10.56
233.6	**HOOKER** 6.8	14320	81.6	4.29	2.05	6.57	10.50
240.4	TO **COTTONWOOD** 3.8	14327	74.8	4.23	s 1.52	6.51	10.42
244.2	**CULP** 2.9	14330	71.0		1.48		
247.1	TO **ANDERSON** 6.4	14333	68.1	4.16	s 1.40	6.45	10.30
253.5	**GIRVAN** 4.7	14340	61.7	4.11	1.33	6.40	**9.59**
258.2	TO **REDDING** 4.8	14344	57.0	s 4.07	s 1.25 PM	s 6.36	s 9.40
263.0	**SILVERTHORN** 3.3	14349	52.2				
266.3	**CENTRAL VALLEY** 4.1	14353	48.9				
270.4	**McCOLL** 2.8	14357	44.8				
273.2	**PITBRIDGE** 4.4	14359	42.0				
277.6	**O'BRIEN** 3.6	14364	37.6				
281.2	**MEAD** 4.5	14367	34.0				
285.7	**LAKEHEAD** 4.1	14372	29.5				
289.8 296.7	**DELTA** 3.5	14376	25.4				
300.2	**LAMOINE** 3.8	14380	21.9				
304.0	**GIBSON** 2.0	14383	18.1				
306.0	**FISHER** 3.4	14385	16.1				
309.4	**SIMS** 3.7	14389	12.7				
313.1	**CONANT** 2.2	14392	9.0				
315.3	**CASTELLA** 3.0	14395	6.8				
318.3	**CASTLE CRAG** 2.9	14398	3.8				
321.2	TO-R **DUNSMUIR YARD** 0.9	14401	0.9				
322.1	TO-R **DUNSMUIR**	14402	0.0	2.30 AM	11.25 AM	5.05 PM	8.00 PM
	(101.4)			Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun., Mon.
				11	19	9	377

Automatic Block Signal System

Centralized Traffic Control

RULE 5. Schedule time and train-order time at Gerber apply at station sign.

Schedule time and train-order time on westward first-class trains apply at train-order signal Redding.

Trains operate by CTC between Dunsmuir and Redding but at stations where time is shown must not depart ahead of time.

EASTWARD ↓

Capacity of sidings		Mile Post Location	Timetable No. 60 January 9, 1955 Matheson Branch STATIONS	Station Number	Distance from Coram
Yard Limits BKWIP		258.2	TO **REDDING**	14344	14.5
26		261.0	2.8 **MIDDLE CREEK**	14653	11.7
15	P	263.2	2.2 **KET T**	14655	9.5
	P	268.9 267.2	5.7 **MATHESON**	14659	3.8
27	P	271.0	3.8 **CORAM**	14663 ↑	0.0

WESTWARD

(14.5)

EASTWARD

Capacity of sidings		SECOND CLASS					FIRST CLASS				Mile Post Location	Timetable No. 60 January 9, 1955 STATIONS	Distance from Dunsmuir Yard
				634 Freight	632 Freight	630 Freight	12 Cascade	10 Shasta Daylight	20 Klamath (c)	378 Pacific Coast Expediter			
				Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Leave Daily	Lv. Daily Ex. Sun., Mon.			
Dunsmuir yard	BKP										321.2	TO-R **DUNSMUIR YARD**	0.0
Dunsmuir yard	BDKWOTP						PM 11.50	PM 2.10	AM 6.25	AM 5.10	322.1	0.9 TO-R **DUNSMUIR**	0.9
Dunsmuir yard	P										325.4	3.3 **SHASTA SPRINGS**	4.2
Dunsmuir yard 109	P										326.1	0.7 **SMALL**	4.9
	P										327.6	1.5 **CANTARA**	6.4
144	P										331.4	3.8 **MOTT**	10.2
116	P										333.5	2.1 **AZALEA**	12.3
94	WYP								s 7.05		336.7	3.2 **MOUNT SHASTA**	15.5
111	P										339.1	2.4 **UPTON**	17.9
116	P										342.0 342.3	2.9 **DEETZ**	20.8
Yard Limits 230	WYP			PM 7.10	AM 11.10	AM 3.10	AM 12.40	PM 2.53	c AM 7.30	AM 6.05	345.1 345.2	2.8 TO **BLACK BUTTE**	23.6
103	P			7.27	11.27	3.27	12.52	3.05	7.44	6.18	352.2	7.0 **HOTLUM**	30.6
102	P			7.40	11.40	3.40	**1.00**	3.13	7.53	6.27	357.2	5.0 **BOLAM**	35.6
103	P			7.48	AM 11.48	3.48	1.05	3.18	7.59	6.33	360.7	3.5 **ANDESITE**	39.1
107	P			8.01	PM 12.01	4.01	1.10	3.24	8.05	6.39	364.8	4.1 **COUGAR**	43.2
E 107 W113	WYP			8.10	12.10	4.10	1.17	**3.30**	8.12	6.45	368.5	3.7 TO **GRASS LAKE**	46.9
95	P			8.17	12.17	4.17	1.22	3.35	8.18	6.50	373.1	4.6 **ERICKSON**	51.5
107	P			8.23	12.23	4.23	1.26	3.39	8.22	6.55	377.2	4.1 **PENOYAR**	55.6
	YP								s 8.29		380.6	3.4 TO **LEAF**	59.0
100	WP			8.30	12.30	4.30	1.31	3.44	f 8.32	7.00	381.9	1.3 **BRAY**	60.3
73	P								8.38		386.0	4.1 **KEGG**	64.4
105	P			8.40	12.40	4.40	1.40	3.53	8.42	7.09	390.0	4.0 **JEROME**	68.4
90	WP			8.45	12.45	4.45	1.43	3.56	c **8.48**	7.13	394.0	4.0 **MT. HEBRON**	72.4
	P								s 8.52		396.7	2.7 TO **MACDOEL**	75.1
100	P			8.50	12.50	4.50	1.46	4.00	8.56	7.18	398.3	1.6 **SOMERSET**	76.7
104	P			8.55	12.55	4.55	1.50	4.04	9.01	7.23	402.6	4.3 **MAY**	81.0
114	P			9.01	1.01	5.01	1.54	4.08	s 9.08	7.28	407.1	4.5 TO **DORRIS**	85.5
101	P			9.15	1.15	5.15	2.03	4.17	9.21	7.38	415.6	8.5 **WORDEN**	94.0
96	P			9.23	1.23	5.23	2.09	4.22	9.27	7.45	422.3	6.7 **MIDLAND**	100.7
Klamath Falls yard	P			9.28	1.28	5.28	2.12	4.25	9.31	7.49	426.2	3.9 **TEXUM**	104.6
Klamath Falls yard	BDKWOTYP			9.35 PM	1.35 PM	5.35 AM					428.7	2.5 TO-R **KLAMATH FALLS YARD**	107.1
Klamath Falls yard	BDKWOTYP						s 2.20 AM	s 4.35 PM	s 9.40 AM	s 7.55 AM	429.5	0.8 TO-R **KLAMATH FALLS**	107.9
				Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun., Mon.		(107.9)	
				634	632	630	12	10	20	378			

Automatic Block Signal System — Centralized Traffic Control

Water Supply—Three-fourths mile east of Cantara.

RULE 5. Trains operate by CTC between Dunsmuir and Black Butte but at stations where time is shown must not depart ahead of time.

RULE 82-A. Authority for movement of second-class trains and sections thereof Dunsmuir Yard to Black Butte will be authorized by clearance and trains will register and display signals and indicators Dunsmuir Yard to Black Butte accordingly.

ADDITIONAL STATIONS

Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number
20W ..	335.1	Pioneer.....(Spur)	14414
211E ..	386.9	Kegg Pit.....(6 tracks)	14465

Timetable No. 60
January 9, 1955

WESTWARD

FIRST CLASS

Mile Post Location	STATIONS	Station Number	Distance from Klamath Falls	19 Klamath (c) Arrive Daily	9 Shasta Daylight Arrive Daily	377 Pacific Coast Expediter Ar. Daily Ex. Sun., Mon.	11 Cascade Arrive Daily
321.2	TO-R **DUNSMUIR YARD** 0.9	14401	107.9				
322.1	TO-R **DUNSMUIR** 3.3	14402	107.0	s AM 11.00	s PM 4.55	s PM 7.50	s AM 2.20
325.4	**SHASTA SPRINGS** 0.7	14405	103.7				
326.1	**SMALL** 1.5	14406	103.0				
327.6	**CANTARA** 3.8	14407	101.5				
331.4	**MOTT** 2.1	14411	97.7				
333.5	**AZALEA** 3.2	14413	95.6				
336.7	**MOUNT SHASTA** 2.4	14416	92.4	s 10.25			
339.1	**UPTON** 2.9	14418	90.0				
342.0 342.3	**DEETZ** 2.8	14421	87.1				
345.1 345.2	TO **BLACK BUTTE** 7.0	14424	84.3	c 10.10	4.06	6.52	1.20
352.2	**HOTLUM** 5.0	14431	77.3	9.56	3.54	6.39	1.08
357.2	**BOLAM** 3.5	14436	72.3	9.47	3.46	6.30	**1.00**
360.7	**ANDESITE** 4.1	14440	68.8	9.41	3.41	6.24	12.54
364.8	**COUGAR** 3.7	14444	64.7	9.35	3.35	6.18	12.48
368.5	TO **GRASS LAKE** 4.6	14447	61.0	9.29	**3.30**	6.12	12.43
373.1	**ERICKSON** 4.1	14452	56.4	9.22	3.22	6.05	12.37
377.2	**PENOYAR** 3.4	14456	52.3	9.15		5.58	12.32
380.6	TO **LEAF** 1.3	14460	48.9	s 9.07			
381.9	**BRAY** 4.1	14461	47.6	9.05	3.14	5.52	12.26
386.0	**KEGG** 4.0	14465	43.5	8.58		5.45	
390.0	**JEROME** 4.0	14469	39.5	8.52	3.05	5.37	12.16
394.0	**MT. HEBRON** 2.7	14473	35.5	c **8.48**		5.33	
396.7	TO **MACDOEL** 1.6	14476	32.8	s 8.43			
398.3	**SOMERSET** 4.3	14477	31.2	8.40	2.58	5.28	12.09
402.6	**MAY** 4.5	14482	26.9	8.36		5.23	
407.1	TO **DORRIS** 8.5	14486	22.4	s 8.30	2.51	5.18	12.02 AM
415.6	**WORDEN** 6.7	14495	13.9	8.16	2.42	5.08	11.53 PM
422.3	**MIDLAND** 3.9	14501	7.2	8.10	2.36	5.01	11.47
426.2	**TEXUM** 2.5	14505	3.3	8.03	2.32	4.55	11.44
428.7	TO-R **KLAMATH FALLS YARD** 0.8	14508	0.8				
429.5	TO-R **KLAMATH FALLS**	14509	0.0	7.55 AM	2.29 PM	4.50 PM	11.40 PM
	(107.9)			Leave Daily	Leave Daily	Lv. Daily Ex. Sun., Mon.	Leave Daily
				19	9	377	11

Automatic Block Signal System

Centralized Traffic Control

Water Supply—Three-fourths mile east of Cantara.

RULE 5. Trains operate by CTC between Black Butte and Dunsmuir but at stations where time is shown must not depart ahead of time.

EASTWARD

Capacity of sidings		FIRST CLASS 10 Shasta Daylight Leave Daily	20 Klamath Leave Daily	378 Pacific Coast Expediter Lv. Daily Ex. Sun., Mon.	12 Cascade Leave Daily	Mile Post Location	Timetable No. 60 January 9, 1955 STATIONS	Distance from Klamath Falls
Klamath Falls yd. BDKWOTYP		PM 4.46	AM 10.05	AM 8.30	AM 2.30	429.5	TO-R **KLAMATH FALLS**	0.0
P						431.9	2.4 **CHELSEA**	2.4
119 P						434.1	2.2 **WOCUS**	4.6
121 P						438.9	4.8 **ALGOMA**	9.4
121 P			c			447.2	8.3 **MODOC POINT**	17.7
121 WP			s 10.45			456.7	9.5 **CHILOQUIN**	27.2
140 P						465.3	8.6 **CALIMUS**	35.8
121 WYP						470.3	5.0 **KIRK**	40.8
121 P						474.5	4.2 **FUEGO**	45.0
121 WP						483.4	8.9 **LENZ**	53.9
P						488.2	4.8 **MAZAMA**	58.7
121 P						492.6	4.4 **YAMSAY**	63.1
121 P						498.0	5.4 **DIAMOND LAKE**	68.5
190 BKP		5.56	s AM 11.51		c 3.46	503.3	5.3 **CHEMULT**	73.8
YP						507.2	3.9 **PAUNINA**	77.7
130 P						514.8	7.6 **MOWICH**	85.3
121 P						524.0	9.2 **UMLI**	94.5
Yard Limits Psgr. 45 BKWOYP		6.23 PM	s 12.40 PM	10.40 AM	4.14 AM	528.6	4.6 TO-R **CRESCENT LAKE**	99.1
		Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun., Mon.	Arrive Daily		(99.1)	
		10	20	378	12			

Automatic Block Signal System

Centralized Traffic Control

RULE 5. Passenger siding at Crescent Lake is between main track and station building.

Freight trains on siding Chemult for passenger trains must provide passageway for passengers to station, member of crew to be stationed at the cut. Train must not be recoupled until all passengers have passed to station side.

Trains operate by CTC between Klamath Falls and Crescent Lake but at stations where time is shown must not depart ahead of time.

ADDITIONAL STATIONS

Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number
.. ..	442.6	Ouxy	14522
.. ..	451.8	Lobert	14531
.. ..	458.0	Pine Ridge	14537
.. ..	461.1	Braymill	14540
.. ..	478.6	Chinchalo	14558
66 ..	513.2	Gilchrist Jct	14593
.. ..	519.5	Kotan	14598

Timetable No. 60
January 9, 1955

WESTWARD

FIRST CLASS

Mile Post Location	STATIONS	Station Number	Distance from Crescent Lake	19 Klamath	9 Shasta Daylight	377 Pacific Coast Expediter	11 Cascade
				Arrive Daily	Arrive Daily	Ar. Daily Ex. Sun., Mon.	Arrive Daily
429.5	TO-R **KLAMATH FALLS** 2.4	14509	99.1	AM s 7.35	PM s 2.19	PM s 4.15	PM s 11.30
431.9	**CHELSEA** 2.2	14511	96.7	7.28	2.15	4.05	11.26
434.1	**WOCUS** 4.8	14513	94.5				
438.9	**ALGOMA** 8.3	14518	89.7				
447.2	**MODOC POINT** 9.5	14526	81.4				
456.7	**CHILOQUIN** 8.6	14536	71.9	s 6.59			
465.3	**CALIMUS** 5.0	14544	63.3				
470.3	**KIRK** 4.2	14549	58.3				
474.5	**FUEGO** 8.9	14553	54.1				
483.4	**LENZ** 4.8	14562	45.2				
488.2	**MAZAMA** 4.4	14567	40.4				
492.6	**YAMSAY** 5.4	14572	36.0				
498.0	**DIAMOND LAKE** 5.3	14577	30.6	c			
503.3	**CHEMULT** 3.9	14582	25.3	s 6.02			
507.2	**PAUNINA** 7.6	14586	21.4				
514.8	**MOWICH** 9.2	14594	13.8				
524.0	**UMLI** 4.6	14603	4.6				
528.6	TO-R **CRESCENT LAKE**	14608	0.0	5.30 AM	12.44 PM	2.20 PM	9.55 PM
	(99.1)			Leave Daily	Leave Daily	Lv. Daily Ex. Sun., Mon.	Leave Daily
				19	9	377	11

Automatic Block Signal System — Centralized Traffic Control

RULE 5. Passenger siding at Crescent Lake is between main track and station building.

Freight trains on siding Chemult for passenger trains must provide passageway for passengers to station, member of crew to be stationed at the cut. Train must not be recoupled until all passengers have passed to station side.

Trains operate by CTC between Klamath Falls and Crescent Lake but at stations where time is shown must not depart ahead of time.

BLACK BUTTE SUBDIVISION

EASTWARD

Capacity of sidings	SECOND CLASS 640 Freight Leave Daily	638 Freight Leave Daily	636 Freight Leave Daily	Mile Post Location	Timetable No. 60 January 9, 1955 STATIONS	Station Number	Distance from Ashland
Yard Limits 230 WYP	PM 4.30	AM 8.01	AM 12.01	345.2	TO **BLACK BUTTE**	14424	85.1
				347.0 / 345.8	1.8 **IGERNA**	14702	83.3
Yard Limits 51 BKWOYP	4.45	8.16	12.16	348.4	TO-R 2.6 **WEED**	14704	80.7
41 WYP	5.01	8.31	12.31	353.4	5.0 **EDGEWOOD**	14709	75.7
65 P	5.22	8.52	12.52	361.0	TO 7.6 **GAZELLE**	14717	68.1
77 P	5.35	9.05	1.05	369.1	8.1 **GRENADA**	14725	60.0
Yard Limits 62 BKP	5.49	9.20	1.20	375.5	TO 6.4 **MONTAGUE**	14732	53.6
61 P	5.57	9.28	1.28	380.7	5.2 **SNOWDON**	14737	48.4
49 P	6.13	9.44	1.44	386.2	5.5 **AGER**	14742	42.9
Yard Limits 71 WYP	6.34	10.05	2.05	393.1	TO 6.9 **HORNBROOK**	14749	36.0
46 P	7.06	10.37	2.37	401.8	TO 8.7 **HILT**	14758	27.3
55 P	7.24	10.55	2.55	407.4	5.6 **GREGORY**	14763	21.7
74 P	7.44	11.15	3.15	412.2	4.8 **SISKIYOU**	14768	16.9
52 WP	8.14	AM 11.45	3.45	419.3	7.1 **STEINMAN**	14775	9.8
66 P	8.30	PM 12.01	4.01	422.9	3.6 **MISTLETOE**	14779	6.2
Ashland yard BDKWOTP	8.55 PM	12.25 PM	4.25 AM	429.1	TO-R 6.2 **ASHLAND**	14785	0.0
	Arrive Daily	Arrive Daily	Arrive Daily		(85.1)		
	640	638	636				

Automatic Block Signal System

WESTWARD

GS and AC class engines not permitted to operate between Hornbrook and Ashland.

Water Supply:

MP 390.5
MP 403.6 (Emergency only)

ADDITIONAL STATIONS

Capacity and Direction of entry into spurs	Mile Post	NAME	Station Number
6E	426.8	Belleview ..... (Spur)	14783

EASTWARD Capacity of sidings	Mile Post Location	Timetable No. 60 January 9, 1955 STATIONS		Station Number	Distance from Klamath Falls	WESTWARD SECOND CLASS 651 Freight Arrive Daily	653 Freight Arrive Daily	655 Freight Arrive Daily
	456.9							
Yard Limits BKWOYP	458.3	TO-R	**ALTURAS**	13881	97.5	AM 5.40	PM 1.40	PM 9.40
Yard Limits 59	459.9		1.6 **JUNIPER**	14802	95.9			
69 P	470.6		10.7 **FLETCHER**	14812	85.2	5.10	1.10	9.10
94 WYP	477.7	TO	7.1 **CANBY**	14819	78.1	4.55	12.55	8.55
75 YP	485.4		7.7 **AMBROSE**	14827	70.4	4.35	12.35	8.35
74 WP	493.6		8.2 **HACKAMORE**	14835	62.2	4.05	12.05 PM	8.05
71 P	500.8		7.2 **MEARES**	14843	55.0	3.45	11.45 AM	7.45
98 WYP	506.1	TO	5.3 **PEREZ**	14848	49.7	3.30	11.30	7.30
71 P	515.4		9.3 **CORNELL**	14857	40.4	2.58	10.58	6.58
YP	521.9		6.5 **STALEY**	14864	33.9			
71 WP	524.3		2.4 **STRONGHOLD**	14866	31.5	2.38	10.38	6.38
I	525.4		1.1 **Great Northern Ry. Crossing**	. . .	30.4			
Yard Limits 39 P	529.7	TO	4.3 **TULE LAKE**	14871	26.1	2.28	10.28	6.28
96 P	533.2		3.5 **HATFIELD**	14875	22.6	2.20	10.20	6.20
71 P	537.9	TO	4.7 **MERRILL**	14880	17.9	2.10	10.10	6.10
71 P	547.1		9.2 **STUKEL**	14889	8.7	1.50	9.50	5.50
Klamath Falls yd. BDKWOTYP	555.0 428.7	TO-R	7.9 **KLAMATH FALLS YARD**	14508	0.8	1.30 AM	9.30 AM	5.30 PM
Klamath Falls yd. BDKWOTYP	429.5	TO-R	0.8 **KLAMATH FALLS**	14509	0.0			
			(97.5)			Leave Daily	Leave Daily	Leave Daily
						651	653	655

RULE 5. Schedule time and train-order time at Alturas apply at train-order office.

Take water at Hackamore and Stronghold only in emergency.

EASTWARD Capacity of sidings	Mile Post Location	Timetable No. 60 January 9, 1955 Lakeview Branch STATIONS		Station Number	Distance from Lakeview	WESTWARD
Yard Limits BKWOYP	458.3 456.8	TO-R	**ALTURAS**	13881	55.5	
14 P	466.9		10.1 **SURPRISE**	14910	45.4	
21 P	478.6		11.7 **DAVIS CREEK**	14922	33.7	
19 P	491.2	TO	12.6 **WILLOW RANCH**	14934	21.1	
Yard Limits WYP	512.3	TO-R	21.1 **LAKEVIEW**	14956	0.0	
			(55.5)			

ADDITIONAL STATIONS

Capacity and Direction of entry into Spurs	Mile Post	NAME	Station Number
		Alturas line	
. . . .	489.8	Boles	14832
34E . .	520.3	Copic (Spur)	14862
11 . .	525.6	Homestead	14867
16 . .	527.7	Tuber	14869
50 . .	536.0	Malone	14878
13E . .	541.0	Lost River (Spur)	14883
33 . .	543.8	Hosley	14886
4E . .	548.1	Gem (Spur)	14890
5E . .	550.3	Spring Lake (Spur)	14892
		Lakeview Branch	
. . . .	498.2	Fairport	14941

RULE 5. Schedule time and train-order time at Alturas apply at train-order office.

Water Supply: MP 485.8

CONDITIONAL FLAG STOPS, ETC., TO RECEIVE OR DISCHARGE TRAFFIC

Conditional flag stops, etc., are designated by "c" in schedule column, and are for traffic as shown below:

Train	STATION	KIND	FREQUENCY	FOR REVENUE PASSENGERS		FOR OTHER TRAFFIC
				RECEIVE TO (or beyond)	DISCHARGE FROM (or beyond)	
12	Chemult	Flag	Daily		Davis	
19	Diamond Lake	Flag	Monday	Any station		
19	Mt. Hebron	Stop if necessary	Daily except Sun.			To exchange U. S. Mail
19	Black Butte	Flag	Daily		Klamath Falls	
20	Cottonwood	Stop	Monday and day following Holidays			To exchange U. S. Mail
20	Anderson	Stop	Monday and day following Holidays			To exchange U. S. Mail
20	Lakehead	Stop if necessary	Daily			To dispatch parcel post
20	Any Station Gerber to Dunsmuir	Flag	Daily	Black Butte		
20	Black Butte	Flag	Daily	Klamath Falls	Sacramento	
20	Mt. Hebron	Stop	Daily except Sun. and Holidays			To exchange U. S. Mail
20	Modoc Point	Stop	Daily			To exchange U. S. Mail

RULE 5. Schedule times shown in small type indicate special instructions in the timetable govern movement.

RULE S-72. Westward trains are superior to trains of the same class in the opposite direction.

RULE 105. Sidings designated "E" in capacity of sidings column are assigned for use by eastward trains; those designated "W" are assigned for use by westward trains.

Capacity of sidings column indicates the number of cars of average length of 49 feet that siding will hold between fouling points, in addition to one steam engine and caboose.

SPECIAL INSTRUCTIONS—REDDING SUBDIVISION

RULE 83 (A). At the following stations, only the trains indicated will register:

Dunsmuir Yard ....
Dunsmuir ..... } Trains originating or terminating.

RULE 83 (B). At open train-order offices trains may register by ticket as follows:

Dunsmuir—Nos. 9, 10, 11 and 12.

RULE 105. Redding. Track on passenger station side next to main track is westward siding. Track on freight station side next to main track is eastward siding and extends from initial switch at west end to beginning of CTC.

RULE 221. Westward trains originating at Dunsmuir need not obtain clearance at Dunsmuir Yard. Eastward trains terminating at Dunsmuir need not obtain clearance at Dunsmuir Yard.

SPECIAL INSTRUCTIONS—BLACK BUTTE SUBDIVISION

RULE 83. Eastward trains must obtain train-order check of overdue superior trains at Black Butte, but may identify opposing trains between west and east switches Black Butte, and may identify eastward superior trains between train-order office and east switch Black Butte.

RULE 83 (A). At the following stations, only the trains indicated will register:

Dunsmuir Yard
Dunsmuir } Trains originating or terminating.

Klamath Falls Yard—Westward trains originating at Klamath Falls; eastward second-class and extra trains terminating at Klamath Falls.

Klamath Falls—All trains except westward extra freight trains originating.

Weed—Trains originating or terminating.

RULE 83 (B). At open train-order offices, trains may register by ticket as follows:

Dunsmuir—Nos. 9, 10, 11 and 12.

Klamath Falls Yard—Westward first-class trains and extra passenger trains.

Klamath Falls—Westward GNRy trains.

Operator Klamath Falls will repeat registration of eastward first-class trains to operator Klamath Falls Yard for entry in register. Registration must be repeated for verification.

RULE 105. Weed. Siding located east of station building on opposite side of main track.

Black Butte. Siskiyou siding extends from connection to controlled siding at west switch Black Butte to connection to controlled siding opposite east water column. West switch is dual controlled, east switch hand operated. Westward trains must not enter Siskiyou siding without permission from dispatcher.

Grass Lake. Track on station side of main track is westward siding. Westward trains taking siding, stop east of west switch house track. Track on opposite side of main track is eastward siding.

Siskiyou. When a westward train is holding main track to meet an eastward train and switch is open for train to enter siding, conductor of train holding main track will arrange to protect the eastward train against light engines or other trains occupying siding, and will give the eastward train sufficient room to avoid stopping engines in tunnel.

RULE 221. Eastward trains originating at Dunsmuir Yard and westward trains terminating at Dunsmuir Yard need not obtain clearance at Dunsmuir.

First-class trains will not obtain clearance at Klamath Falls Yard.

RULE 83. Westward extra trains will identify westward first-class trains between Crescent Lake and Klamath Falls.

RULE 83 (B). At open train-order offices, trains may register by ticket as follows:

Klamath Falls..... GNRy trains.
Crescent Lake..... First-class trains.

Operator Klamath Falls will repeat registration of eastward first-class trains to operator Klamath Falls Yard for entry in register.

Registration must be repeated for verification.

RULE 85. Sections of first-class schedules must not pass or run ahead of another section of the same schedule without first exchanging number and signals.

SPECIAL INSTRUCTIONS—MERRILL SUBDIVISION

RULE 221. Light will not be displayed in train-order signal at Willow Ranch except when train-order operator is on duty.

SPEED TABLE

TIME PER MILE	MILES PER HOUR
36″	100
37″	97.3
38″	94.7
39″	92.3
40″	90
41″	87.8
42″	85.7
43″	83.7
44″	81.8
45″	80
46″	78.3
47″	76.6
48″	75
49″	73.5
50″	72
51″	70.6
52″	69.2
53″	67.9
54″	66.7
55″	65.5
56″	64.3
57″	63.2
58″	62.1
59″	61
1′00″	60
1′01″	59
1′02″	58.1
1′03″	57.1
1′04″	56.2
1′05″	55.4
1′06″	54.5
1′07″	53.7
1′08″	52.9
1′09″	52.2
1′10″	51.4
1′11″	50.7
1′12″	50
1′13″	49.3
1′14″	48.6
1′15″	48
1′16″	47.4
1′17″	46.8
1′18″	46.2
1′19″	45.6
1′20″	45
1′25″	42.4
1′30″	40
1′35″	37.9
1′40″	36
1′45″	34.3
1′50″	32.7
1′55″	31.3
2′00″	30
2′15″	26.7
2′30″	24
2′45″	21.8
3′00″	20
3′30″	17.1
4′00″	15
5′00″	12
6′00″	10
7′00″	8.6
7′30″	8
8′00″	7.5
10′00″	6

MAP
OF THE
SHASTA DIVISION
SOUTHERN PACIFIC COMPANY