

JOINT TEXAS DIVISION HOSPITAL DEPARTMENT

SURGEONS

DR. T. L. HANSEN, Chief Surgeon, La Salle St. Station..... Chicago
DR. D. M. BUSH.....
DR. C. M. ROSSER, Consulting Surgeon.....
DR. CURTICE ROSSER, Consulting Surgeon.....
DR. J. O. McREYNOLDS, Oculist & Aurist..... Dallas, Texas
DR. W. C. DURINGER, General Surgeon & Examiner.....
DR. J. H. BROWN, Asst.....
DR. WEBB WALKER, Oculist, Aurist & Examiner.....
DR. GATLIN MITCHELL, Asst..... Fort Worth
DR. M. E. HASTINGS, Local Surgeon.....
DR. J. B. JENKINS, Local Surgeon..... Waxahachie
DR. FRED L. STORY, P. O. Ennis, Texas..... Bardwell
DR. W. T. SHELL, SR., Local Surgeon.....
DR. W. T. SHELL, JR., Local Surgeon..... Corsicana
DR. W. P. HARRISON, Local Surgeon..... Teague

B-RI RR HOSPITAL DEPARTMENT

SURGEONS

DR. A. PHILO HOWARD, Chief Surgeon.....
Houston Clinic Building
DR. M. B. STOKES, Asst. to Chief Surgeon.....
DR. P. R. CRUSE, Chief Medical Consultant.....
DR. G. C. FARRISH, Eye, Ear, Nose & Throat..... Houston
DR. W. P. HARRISON, Division Surgeon..... Teague
DR. ELBERT DUNLAP, Local Surgeon..... Dallas
DR. HODGES McKNIGHT, Local Surgeon.....
DR. JOHN J. O'REILLY, Local Surgeon.....
DR. R. J. WHITE, Local Surgeon..... Fort Worth
DR. W. A. CLARK, Local Surgeon.....
DR. W. B. THORNING, Local Surgeon.....
DR. A. W. L. TACKABERRY, Local Surgeon.....
DR. J. THOS. JONES, Local Surgeon.....
DR. N. A. KILGORE, Local Surgeon.....
DR. ANDERS P. OVERGAARD, Local Surgeon.....
DR. HOMER E. PRINCE, Local Surgeon.....
DR. F. E. McALISTER..... Houston
DR. O. T. CHRISTOFFER, Local Surgeon.....
DR. M. M. BROWN, Local Surgeon..... Mexia
DR. JOE ROGERS, Local Surgeon..... Normangeo
DR. J. E. BURNEY, Local Surgeon..... North Zulch
DR. G. C. SANDERS, Local Surgeon..... Richards
DR. F. A. YOUNG, Local Surgeon, P. O. Montgomery..... Dobbin
DR. G. R. McPHAIL, Local Surgeon..... Tomball

OFFICIAL HOSPITALS:

Name	Place	Telephone
St. Joseph's Hospital ..	Fort Worth, Tex., 1607 So. Main.....	4-1204
St. Joseph's Infirmary ..	Houston, Texas, 1910 Crawford.....	F-5151

EMERGENCY HOSPITAL:

Gaston Hospital Dallas, Texas, 3505 Gaston..... 8-5145

GENERAL CLAIM AGENTS:

C. E. MEKOTA, CRIP, Chicago, Ill.
O. W. PORTMAN, BRI, Fort Worth, Texas

CLAIM AGENTS:

D. W. McHUGH, CRIP, Fort Worth, Texas
R. E. EITEMAN, BRI, Houston, Texas

R. E. JOHNSON,
Superintendent

H. C. McCULLOUGH
Sup't Motive Power,
CRIP Kansas City.

C. L. FRANKLIN,
General Superintendent,
CRIP El Reno

G. W. RANEY,
Gen'l Mgr. CRIP

W. H. HILLIS
Operating Officer CRIP

Chicago, Rock Island & Pacific Railway

Fort Worth & Denver City Railway

JOINT TEXAS DIVISION

(CRIP Operating)

AND

Burlington-Rock Island Railroad Company



TIME TABLE

No. 8

Effective 12:01 A.M.

NEW CENTRAL STANDARD TIME

SUNDAY, JANUARY 14, 1945

Destroy All Time Tables of Previous Date

This Time Table is for the exclusive use and
Guidance of Employees.

CRIP — JOINT TEXAS DIVISION — BETWEEN TEAGUE AND DALLAS — FWDC

SOUTHWARD					Signs	Other Tracks	Capacity Siding	Mile Post	SUBDIVISION 1		Distance From Port Worth	Station Numbers	NORTHWARD				
Second Class		FIRST CLASS							STATIONS				FIRST CLASS			Second Class	
75	93	3	1	507					TIME TABLE No. 8				4	2	508	76	98
		Sam Houston Zephyr	Passenger	Twin Star Rocket					January 14, 1945			Sam Houston Zephyr	Passenger	Twin Star Rocket			
Daily	Daily	Daily	Daily	Daily					LEAVE								
P.M. 5.15	A.M. 3.15	P.M. 4.00		A.M. 8.00					Ft. Worth Passenger Station			P.M. 1.55		P.M. 9.50	A.M. 10.00	P.M. 9.00	
6.00	4.00						Yard		Ft. Worth Yard Ft. Worth	0.0	s 439				9.30	8.30	
		5.00	A.M. 10.15	9.00			Yard		UT..... DALLAS	35.5		1.05	P.M. 4.55	8.55			
7.45	6.00						Yard		CJ..... CADIZ ST. JCT.	36.1	s 474				6.45	6.50	
9.05	7.20	5.37	11.00	9.37					MKT JCT.	65.8		12.25	4.10	8.16	5.10	4.30	
9.10	7.45	5.39	11.05	9.39	FWY Yd R	267	Yard	A270.86	WK..... WAXAHACHIE TO	66.4	s 503	12.23	4.05	8.14	5.05	4.05	
								A270.37	TNO CROSSING ..UX	66.9							
9.21	8.00	5.46	11.14	9.46			7	A264.77	REAGOR SPRINGS	72.5	s 509	12.14	3.50	8.05	4.52	3.05	
9.30	8.12	5.52	11.23	9.52			36	60 A258.69	BM..... BARDWELL TO	78.7	s 515	12.08	3.42	8.00	4.43	2.50	
9.38	8.22	5.56	11.30	9.56	W		22	51 A253.44	ONION CREEK	83.9	s 520	12.04	3.33	7.56	4.35	2.35	
9.46	8.34	6.01	11.38	10.01			27	60 A248.37	EMHOUSE	89.1	s 526	11.59	3.26	7.51	4.28	2.22	
10.00	8.55	6.11	11.51	10.11	W Yd		192	Yard A239.89	CORNICANA	97.5	s 534	11.51	3.15	7.43	4.15	2.00	
			A.M.-4					A239.69	C..... SLSW CROSSING TO	97.7							
10.13	9.14	6.19	12.05	10.19			20	60 A231.52	NAVARRO	105.9	s 542	11.43	3.02	7.33	3.54	1.15	
10.26	9.29	6.26	12.20	10.26	W		53	92 A222.42	RN..... STREETMAN TO	115.0	s 551	11.36	2.49	7.25	3.42	12.55	
10.37	9.44	6.33	12.31	10.33			18	61 A214.65	KIRVIN	122.8	s 559	11.30	2.35	7.19	3.31	12.31	
10.46	10.01	6.38	12.40	10.38			9	A207.70	SIMSBORO	129.3	s 566	11.25	2.25	7.14	3.22	11.59	
11.00	10.25	6.42	12.45	10.43	RFWY T Yd		675	Yard 204.26	DX..... TEAGUE TO	133.1	s 570	11.21	2.20	7.09	3.15	11.45	
P.M.	A.M.	P.M.	P.M.	A.M.					133.1			A.M.	P.M.	P.M.	A.M.	A.M.	
									LEAVE			Daily	Daily	Daily	Daily	Daily	
3.15	4.25	1.42	2.30	1.43					SCHEDULE TIME			1.44	2.35	1.46	3.30	7.05	
29.8	22.0	57.4	39.0	56.8					Average Speed Per Hour			56.3	37.7	55.2	27.7	13.7	

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD EXCEPT No. 3 and No. 507 ARE SUPERIOR TO No. 2.

Second Class, extra trains and engines must clear the time of Nos. 3, 4, 507 and 508 not less than 15 minutes.

Time shown at Fort Worth, Dallas and Cadiz St. Jct. is for INFORMATION ONLY.

Time Table Rule 14a in effect.

Local Extra leaves Teague about 11:30 a. m. Monday, Wednesday and Friday for Waxahachie.

Local Extra leaves Waxahachie about 10:00 a. m. Tuesday, Thursday and Saturday for Teague.

BURLINGTON-ROCK ISLAND RAILROAD COMPANY

TEAGUE DIVISION—BETWEEN TEAGUE, HOUSTON AND GALVESTON

SOUTHWARD					Signs	Other Tracks	Capacity Siding	Mile Post	SUBDIVISION 2		Distance from Teague	Station Numbers	NORTHWARD					
Second Class		FIRST CLASS							STATIONS				FIRST CLASS		Second Class			
93	75	3	1	507					TIME TABLE No. 8				4	2	508	76	98	
		Sam Houston Zephyr	Passenger	Twin Star Rocket									Sam Houston Zephyr	Passenger	Twin Star Rocket			
Daily	Daily	Daily	Daily	Daily					LEAVE									
P.M.	A.M.	P.M.	P.M.	A.M.	FRT WY Yd	675 Yard	204.26	DX	TEAGUE	TO	0.0	208	A.M.	P.M.	P.M.	A.M.	A.M.	
12.01	12.01	6.43	12.50	10.44					-6.2				11.20	2.15	7.08	2.15	9.30	
12.14	12.12	6.49	1.00	10.50	12 63	198.15			-4.8		6.2	201	11.13	2.05	7.01	1.56	8.30	
12.25	12.22	6.56	1.07	10.54	W 20 63	193.31			-3.7		11.0	196	11.09	1.58	6.56	1.47	8.15	
12.40	12.36	7.04	1.20	11.02		21 70	184.60	NW	NEWBY	TO	19.7	188	11.02	1.45	6.48	1.34	7.55	
12.55	12.49	7.11	1.33	11.10		12 70	176.56		-3.0		27.7	180	10.54	1.33	6.41	1.21	7.38	
1.19	1.05	7.18	1.45	11.18		10 60	168.44		-3.2		35.9	172	10.46	1.19	6.34	1.05	7.20	
1.58	1.20	7.25	1.58	11.25		29 60	159.55	NG	NORMANGEE	TO	44.8	163	10.39	1.05	6.26	12.48	7.00	
2.24	1.33		2.07			30	151.79	NZ	NORTH ZULCH	TO	52.6	155		12.52		12.38	6.42	
2.30	1.37	7.32	2.12	11.33	W 6 51	149.73			-2.0		54.6	153	10.32	12.47	6.19	12.34	6.38	
2.45	1.50	7.38	2.24	11.40		6 52	141.33		-8.4		63.0	145	10.25	12.37	6.12	12.20	6.25	
3.05	1.59	7.43	2.31	11.45		4 69	136.11		-5.4		68.4	139	10.20	12.28	6.07	12.10	6.15	
3.30	2.08	7.47	2.40	11.50	W 22 52	130.49			-5.5		73.9	134	10.16	12.20	6.02	12.01	6.00	
3.45	2.17	7.52	2.47	11.55		25 68	125.27		-5.2		79.1	128	10.12	12.11	5.58	11.47	5.51	
4.05	2.27	7.57	2.56	12.01		25 51	119.03	CH	RICHARDS	TO	85.3	122	10.07	12.01	5.53	11.37	5.38	
4.28	2.39	8.03	3.06	12.06	W 13 64	111.76			-7.2		92.5	115	10.01	11.48	5.47	11.25	5.26	
4.45	2.49	8.08	3.15	12.11		36 64	105.85		-6.0		98.5	109	9.54	11.38	5.40	11.15	5.15	
							105.75	BN	GCSF CROSSING	TO	98.6							
5.05	3.03	8.16	3.27	12.20		13 52	97.17		-8.7	(Interlocked)	107.3	100	9.46	11.24	5.32	10.59	4.58	
5.27	3.12	8.21	3.34	12.25		13 69	91.68		-5.4		112.7	95	9.41	11.16	5.27	10.50	4.48	
5.45	3.25	8.26	3.45	12.30	FWY 166 110	84.76		CK	TOMBALL	TO	119.6	88	9.35	11.07	5.21	10.40	4.30	
6.25	3.36	8.31	3.53	12.35		10 75	78.31		-6.5		126.1	81	9.30	10.57	5.16	10.22	4.10	
6.40	3.47	8.36	4.01	12.40		3 78	71.39		-6.9		133.0	75	9.25	10.48	5.11	10.12	3.47	
7.00	4.00	8.41	4.09	12.46		18 77	64.95		-6.6		139.6	68	9.20	10.40	5.06	10.02	3.35	
8.30	4.30	8.48	4.20	12.55	RY Yd		57.28	NX	BELT JCT	TO	146.9	61	9.13	10.29	4.58	9.50	3.20	
		9.00 P.M.	4.40 P.M.	1.15 P.M.		Yard			-5.1		152.0	56	9.00 A.M.	10.15 A.M.	4.45 P.M.		A.M.	
9.30 P.M.	6.30 A.M.					Yard					158.4	49				9.00 P.M.	A.M.	
						Yard	0.0				206.61	0					11.00 P.M.	
														Daily	Daily	Daily	Daily	Daily
9.29	9.29	2.17	3.50	2.31					LEAVE				2.20	4.00	2.23	5.15	10.30	
									SCHEDULE TIME				65.1	38.0	63.7	30.2	19.7	
									Average Speed Per Hour									

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD, EXCEPT No. 3 and No. 507 ARE SUPERIOR TO No. 2.

Second Class, extra trains and engines must clear the time of Nos. 3, 4, 507 and 508 not less than 15 minutes.
 Time shown at Galveston Frt. Yd, New So. Yd. Houston and Houston Union Station is for INFORMATION ONLY.
 Time Table Rule 14a in effect.
 Local Extra works between Tomball, Karen and Belt Jct., Leaving Tomball about 1:30 p.m. daily except Sunday.
 Local Extra Leaves Teague about 11:30 a.m. Monday, Wednesday and Friday for Tomball.
 Local Extra Leaves Tomball about 7:00 a.m. Tuesday, Thursday and Saturday for Teague.

BURLINGTON-ROCK ISLAND RAILROAD COMPANY

MEXIA BRANCH

SOUTHWARD			Signs	Other Tracks	Capacity Siding	Mile Post	SUBDIVISION 2A	Distance from Teague	Station Numbers	NORTHWARD		
							STATIONS					
			TIME TABLE No. 8									
			January 14, 1945									
			YYd	150	Yard	217.92	M.....MEXIA.....TO	13.6	221			
						216.57	-----TNO CROSSING (Interlocked)-----	12.1				
				8		211.23	-----LIMESTONE-----	6.9	214			
			FWYT RYd	675	Yard	204.26	DX.....TEAGUE.....TO	0.0	208			

TRAINS NORTHWARD ARE SUPERIOR TO TRAINS OF THE SAME CLASS SOUTHWARD

Time Table Rule 14 in effect.

SPEED RESTRICTIONS

Maximum speed shown below must not be exceeded. Other speed restrictions must be fully complied with. **ENGINEMEN MUST USE GOOD JUDGMENT AND HANDLE THEIR TRAINS AT A SPEED THAT WILL INSURE ABSOLUTE SAFETY.**

Within the limits of municipalities, enginemen will operate their trains at a reasonable rate of speed, considering the conditions existing and to be expected, and with due regard to the safety of their trains and of the public generally.

Steam trains operating on Rocket train schedules will not exceed speed authorized for other passenger trains.

LOCATION	Passenger Trains		Freight Trains	
	Tangent	Curve	Tangent	Curve
ALL SUBDIVISIONS				
Consolidated and Mikado engines handling passenger trains	Authorized	Freight	Trains	in speed
Passenger trains handling freight equipment				
Gas-electric motor cars without trailers, or Diesel engines without cars, approaching home signal and between home signal limits	10	10	10	10
Through Switch Leads of Turnouts		10		10
Trains hauling dead engines, side rods up			25	15
Trains hauling dead engines, side rods down			15	15
Switch engines without engine trucks			18	18
Engines running forward light	10 Authorized	MPH	Less	Than
Engines with drivers blocked up	30	30	30	30
Limit of Locomotive or Car speeds in operation or when handled dead-in-train:				
260 HP Diesel-Electric Switchers, D-B-C-W	25	25	25	25
360 HP Diesel-Electric Switchers, D-B-C-W	25	25	25	25
600 HP Diesel-Electric Switchers, in 500 Series	35	35	35	35
900 HP Diesel-Electric Switchers, in 700 Series	35	35	35	35
275 HP Gas-Electric Motor Cars Nos. 9050-9051 with Freight Gears	35	35	35	35
Motor cars towed or handled in train	60	60	50	45
Trains hauling steam derricks, pile drivers, clam shells, steam shovels, coal hoists, ditcher spreaders and any similar machines, when moving on their own car or trucks:				
With boom supported			25	20
With boom removed or not supported			15	15

NOTE:

These instructions will not apply to wrecking derricks with boom supported when trained behind engine in wreck train service, in such cases freight train speed governs on Subdivision 2a., and on Subdivisions 1 and 2 must not exceed 40 M.P.H.

Wrecking derricks must always be separated from engine or heavy loads by two or more empty or lightly loaded cars.

LOCATION	Passenger Trains		Freight Trains	
	Tangent	Curve	Tangent	Curve
SUBDIVISION 1				
(Except as shown below)	70	60	50	45
Waxahachie between North Siding Switch and MKT Jct.	Restricted	Speed		
MP A271.4 to A269.7	20	20	20	20
MP A244-7 to A244-19		40		30
MP A240-15 to A240-22		30		20
MP A239.69 StLSW Crossing (between Home Signal Limits)	20	20	20	20
SUBDIVISION 2				
(Except as shown below)	70	60	50	45
MP 188-11 to 188-23		45		30
MP 181-29 to 182-10		40		30
MP 180-28 to 181-2		40		30
MP 175-27 to 176-13		40		30
MP 131-20 to 131-27		45		30
MP 126-19 to 126-34		45		30
MP 111-30 to 112-5		45		30
MP 105.75 GCSF Crossing between Home Signal Limits	20	20	20	20
MP 102-34 to 103-4		40		30
MP 102-0 to 102-11		45		30
MP 92-21 to 92-34		45		30
SUBDIVISION 2a	20	20	20	20

SPECIAL INSTRUCTIONS GOVERNING THE MAXIMUM SPEED OF ZEPHYR AND ROCKET TRAINS.

Distinctive roadway signs indicate maximum speeds of Zephyr and Rocket Trains.

A sign with crystal reflex letter "Z" indicates zone territory and the maximum speed is indicated by numerals thereon, which will govern until the next zone sign is reached.

Where the movement is from a lower to a higher speed zone, the zone sign is located at point where speed may be increased. Where movement is from a higher to a lower speed zone, the sign is located approximately 4,000 feet from the point where the lower speed becomes effective.

Where speed restrictions are required on curves within a zone, a sign with letter "C" and numerals thereon, located approximately 4,000 feet from point of curve, will indicate maximum speed permissible for that particular curve, after which zone speed may be resumed.

Approaching train order signal in stop indication will sound four short blasts of the whistle and must not exceed 60 MPH passing stations at which train orders or clearances are to be received.

On Zephyr and Rocket trains at points enroute where engine or train crews are changed, a train brake test must be made as follows:

The incoming engineer will apply the brakes with at least 50 lbs. brake cylinder pressure. The outgoing trainman will note that the brakes are applied on the rear car and signal the engineer with four (4) blasts of the communicating signal and the outgoing engineer will release the brakes; the trainman will then note that the brakes release on the rear car and signal this fact to the engineer with one blast of the signal whistle.

A running test must be made, with power shut off, after a speed of 15 MPH has been attained. After the trainman has noted that the brakes apply and release he will signal the engineer with one blast of the signal whistle.

OTHER RESTRICTIONS FOR ROCKET AND ZEPHYR TRAINS AS FOLLOWS:

SUBDIVISION 1	
Waxahachie, between North Siding switch and MKT Jct.	Restricted Speed
MP A239.69 StLSW Crossing between Home Signal Limits	20 MPH
SUBDIVISION 2	
MP 105.75 GCSF Crossing between Home Signal Limits	20 MPH

SPEED RESTRICTIONS—Concluded

When using any turnout, crossover, drawbridge, railroad crossing, or moving through towns or cities must not exceed speed designated for other passenger trains unless otherwise specified.

Headlight on Rocket and Zephyr trains must be burning dimly during daylight hours.

Mars Signal Lights on Rocket and Zephyr engines must be used at all times between the hours of sunset and sunrise, and during daylight hours on days that are dark, or during sleet, snow, fog or rain, such as would impair the vision of motorists and hinder them from observing approaching trains.

Passenger trains consisting of Rocket or Zephyr equipment hauled by steam locomotives of P-31, P-32, P-33, P-40 or M-50 series, or FW&DC steam locomotives of F-3-a, F-3a1, F-3a2 series, or CB&Q S-3, and passenger trains consisting of standard equipment hauled by Diesel passenger locomotives may operate at speed of 10 MPH less than speed authorized for Rocket and Zephyr trains, except will not be required to operate at a lower speed than authorized for steam passenger trains.

Such passenger trains will observe same speed restrictions shown in time table applicable to Rocket and Zephyr trains.

Diesel passenger engines operating light without cars must not exceed maximum speed of 55 MPH and where rule specifies a lower speed for steam passenger trains on curves, will be governed by such lower speed.

The following equipment must not be towed or operated under own power through water in excess of the maximum height of water above rail shown below. When towed or operated under own power through water of lesser depth than that shown below, a speed of 3 MPH must not be exceeded.

Maximum Height of Water Above Rail

Rocket & Zephyr Diesel power units and Diesel switchers	4½ Inches
Rocket & Zephyr train cars only	7 Inches
Gas-Electric motor cars	3 Inches
Conventional passenger cars	12 Inches

When operating under own power, controller should be in Series position.

SPECIAL INSTRUCTIONS

1. Waxahachie is initial station for Southward Trains Subdivision 1.
2. Restricted use of register books as follows:
Belt Jct. Freight trains only.
3. All trains register by form 1339 at Waxahachie.
4. Freight trains register by form 1339 at Belt Jct.
5. Bulletin Boards and General Order Books are located at:
 - Ft. Worth TP Passenger Station.
 - Ft. Worth FWDC Yard Office and Round House.
 - Ft. Worth CRIP Yard Office and Roundhouse.
 - Ft. Worth GCSF Yd., Office, 17th St.
 - Dallas Union Terminal Station.
 - Teague Passenger Station and Yard Office.
 - Houston HBT Union Station.
 - Houston HBT New South Yard and Roundhouse.
 - Galveston Yard Office.
 - Galveston Freight Depot.
- 5a. Conductors and Enginemen are not required to consult Bulletin Boards and General Order Books at intermediate stations on a subdivision.
- 5b. Conductors and Enginemen running over more than one division must consult Bulletin Board and General Order Book at the initial station on each division, except where they have consulted the Bulletin Board and General Order Book of such division at the initial station of run.
6. Standard clocks are located at:
 - Waxahachie
 - Teague
 - Houston Union Station
 - New South Yard
 - Galveston

8. "g" Conditional stops for revenue passengers only. Nos. 3, 4, 507, and 508 will stop on flag at Corsicana and Waxahachie to receive or discharge revenue passengers from and to Houston and beyond, or Dallas and beyond, and to receive and discharge passengers moving locally between Teague, Corsicana, and Waxahachie.

11. Railroad crossings at grade are protected by interlocking signals, Except as follows:

SUB-Div.	MP	Crossing	Remarks	Operated by
1	A270.37	TNO	All trains come to a stop before crossing.	

14. Following rule in effect on subdivisions where so specified in footnotes of Time Table.
Freight trains and mixed trains will be notified of following extras by the Train Dispatcher, who will issue train orders to all concerned as follows:

"C. & E. after (time) protect against Extra"

Preceding trains receiving this order will, after the specified time while occupying the main track at stations, protect according to Rule 99.

In the absence of this order, freight trains and mixed trains may occupy the main track between STATION SIGNS protecting against schedule trains only, and following extra trains must approach all stations prepared to stop at the STATION SIGN, and thereafter proceed as the way is seen or known to be clear.

- 14a. Following rule in effect on subdivisions where so specified in footnotes of schedule pages of time table.

When train order is received, eastward-northward (or westward-southward) extra trains (or eastward-northward or westward-southward extra trains) except extra ... wait at ... (a station in rear) until ... the train addressed is relieved from protecting its rear against such following extra trains or extra train until the time named in the order.

15. Between M-K-T Jct. (Waxahachie) and end of Double Track (Dallas), trains will be governed by rules, regulations and Time Table of M-K-T.

- 15a. Between end of Double Track and Dallas, trains will be governed by rules, regulations and Time Table of Dallas Union Terminal Company.

- 15b. Between Belt Jct., Houston Union Station, and New South Yard, Houston, trains will be governed by rules, regulations and Time Table of HBT Ry.

- 15c. Between New South Yard and Galveston, trains will be governed by rules, regulations and Time Table of GCSF Ry.

26. Diagram showing location of signs, their indications, is posted on General Order Boards.

28. Minimum clearance of bridges, tunnels, etc., height 18 feet; width 11 feet.

- 28a. All employees are hereby notified that it is dangerous to stand erect upon cars, especially cars of extraordinary height, while passing over, through or under the following named bridges or viaducts:

Subdivision	MP	Kind of Structure
1	A240.57	TNO Overhead Bridge
1	A251.36	Overhead Highway Bridge
1	A270.85	TE Viaduct Overhead
1	A271.05	Overhead Highway Bridge
2	88.30	I-GN Overhead Bridge
2	131.00	Overhead Highway Bridge
2	175.00	Overhead " "
2	183.38	I-GN Overhead Bridge
2	183.42	Overhead Highway Bridge
2A	218.04	Overhead " "

SPECIAL INSTRUCTIONS—Concluded

31. Industrial or spur tracks between stations are located at:

Sub-Div.	MP	Name	Station No.	Car Capacity
1	A-234	* Woolley Spur	S-540	4
2	68.37	† Fortune	71	12
2	68.56	† Carbon Spur	73	16
2	69.46	† Hudson	74	15
2	82.53	* Humble Oil Spur	86	17
2	95.00	† Mostyn	97	8
2	132.97	† Polk	136	6
2	133.26	† Puzzolani	137	10
2	155.30	*† George	159	3
2	175.01	*† Cullinan	177	6
2	183.34	† Koch	186	15
2A	214.25	† Holden	217	21

†—Spur connected at south end.

*—Spur connected at north end.

‡—Flag stop for trains 1 and 2.

32. Lights on train order signals will not be displayed when train order offices are closed.

32a. At interlocking stations where Train Order signal is operated by Signalman, Train Order signal will not be displayed in proceed indication for a train or engine until the route is set and Interlocking Signals cleared to permit its movement, when no train orders are held for delivery.

TRAIN DISPATCHERS

34. When heavy rains are reported train dispatchers will give train and enginemen notification of same by train order in following form:

"Heavy rains between and All trains run carefully watching for places likely to be affected."

TRAINMEN AND ENGINEMEN

34a. All trains must run carefully during and after heavy storms, particularly when the track is liable to be affected. When fogs, storms or other conditions obscure track or signals, speed of train must be reduced to permit strict observance of signals and INSURE ABSOLUTE SAFETY REGARDLESS OF TIME.

TABLE OF TRAIN SPEEDS

Seconds per Mile	Miles per Hour	Seconds per Mile	Miles per Hour	Seconds per Mile	Miles per Hour	Seconds per Mile	Miles per Hour
33	110.0	66	54.5	85	42.4	140	25.7
34	106.0	67	53.7	86	41.9	145	24.8
36	100.0	68	52.9	87	41.4	150	24.0
38	94.7	69	52.1	88	40.9	155	23.2
40	90.0	70	51.4	89	40.4	160	22.5
42	85.7	71	50.7	90	40.0	170	21.2
45	80.0	72	50.0	91	39.6	180	20.0
48	75.0	73	49.3	92	39.1	190	18.9
50	72.0	74	48.6	93	38.7	200	18.0
52	69.2	75	48.0	94	38.2	210	17.1
54	66.6	76	47.4	95	37.9	220	16.4
56	64.2	77	46.7	100	36.0	230	15.6
58	62.0	78	46.1	105	34.3	240	15.0
60	60.0	79	45.6	110	32.7	250	14.4
61	59.0	80	45.0	115	31.3	260	13.8
62	58.0	81	44.4	120	30.0	270	13.3
63	57.1	82	43.9	125	28.8	280	12.8
64	56.2	83	43.4	130	27.7	290	12.4
65	55.3	84	42.9	135	26.7		

The following letters in "station" and "signs" columns indicate

F—Fuel station.

P—Train dispatchers telephone.

R—Train register station.

T—Turn table.

W—Water station.

Y—Wye.

UX—Railroad crossing not protected by interlocking.

TO—Train order station.

Yd—Station where Yard Limit signs are maintained.

TRAIN ORDER OFFICES

Office Hours
Week Days

*Sundays and Holidays

From To

SUBDIVISION 1

Waxahachie	Continuous		
Bardwell	} 9:00 a.m. 12:01 p.m. 1:00 p.m. 6:00 p.m.		
StLSW Crossing-Corsicana		Continuous	
Streetman	} 9:00 a.m. 1:00 p.m. 2:00 p.m. 6:00 p.m. *11:45 a.m. 3:15 p.m.		
Teague		Continuous	

SUBDIVISION 2

Teague	Continuous		
Newby	} 8:00 a.m. 12:01 p.m. 1:00 p.m. 5:00 p.m. * Same		
Normangee		} 9:00 a.m. 11:30 a.m. 12:30 p.m. 6:00 p.m. * Same	
North Zulch	} 8:00 p.m. 11:30 p.m. 12:30 a.m. 5:00 a.m. * Same		
Richards		} 9:00 a.m. 12:30 p.m. 1:30 p.m. 6:00 p.m. * Same	
GCSF Crossing Dobbin	Continuous		
Tomball	Continuous		
Belt Jct	Continuous		

G. T. DAVIS, Trainmaster, Teague, Texas

J. M. KERWIN, Master Mechanic, Fort Worth, Texas

H. T. DEMPSEY, Road Foreman of Equipment
Fort Worth, Texas

A. H. WENDT, Chief Dispatcher, Teague, Texas

J. M. LONG

J. L. STOVER

C. C. GEROW

G. R. MULCAHY

} Train Dispatchers,
Teague, Texas.

H. H. HUDSON

} Relief Dispatcher
Teague, Texas