G. L. KENNEDY, Trainmaster.....Chillicothe, Ill.
T. O'TOOLE, Chief Dispatcher.....Chillicothe, Ill.
H. R. BEAUMONT, Asst. Chief Dispatcher.....Chillicothe, Ill.
H. E. McCORMICK, Asst. Chief Dispatcher.....Chillicothe, Ill.

TRAIN DISPATCHERS—CHILLICOTHE, ILL.

W. R. BABB.
A. MATHISEN.
J. H. HORAN.
M. A. BARBER.
L. E. REHBEIN.
G. M. HOBACK.
J. F. BRAND.
R. G. BUCKINGHAM.
A. D. ROOF.
R. F. SMITH.

G. W. SEARS, Trainmaster.....Corwith, Ill.
N. L. MINNIX, Trainmaster.....Corwith, Ill.
F. M. WARD, Asst. Trainmaster.....Chicago, Ill.

A. J. STROBEL, General Watch Inspector.....Topeka.

LOCAL TIME INSPECTORS—ILLINOIS DIVISION.

JOHN E. HESS.....1536 West 47th St.....Chicago.
SVERRE MYRE.....5155 S. Kedzie Ave.....Chicago.
P. W. KIENZLER.....74-76 N. Chicago St.....Joliet.
W. H. KERR.....308 E. Main St.....Streator.
L. A. BIRKENBUSCH.....420 Court St.....Pekin.
F. E. LYNDS.....203 N. 2nd St.....Chillicothe.
C. W. HALLSTROM.....24 South Cherry St.....Galesburg.
L. B. HARDY.....714 Avenue G.....Fort Madison.
J. H. MACE COMPANY.....Union Station.....Kansas City, Mo.

SURGEONS OF
THE A.T.&S.F. HOSPITAL ASSOCIATION.

DR. R. G. SMITH, Chief Surgeon.....Topeka.

LOCAL SURGEONS.

DR. T. J. KASTER, 608 S. Dearborn.....Chicago.
DR. R. B. CLARK, 1022 W. Argyle St.....Chicago.
DR. WM. D. FITZGERALD, 5158 W. Madison St.....Chicago.
DR. R. D. KEARNEY, 6235 So. Kedzie.....Chicago.
DR. ADOLPH FALLER, JR., 7449 Cottage Grove Ave..Chicago.
DR. HENRY MATTHEWS (Colored),
6252 S. Parkway.....Chicago.
DR. LAWRENCE MANN, Rwy. Exchange Bldg.....Chicago.
DR. G. T. BUTTICE, 120 E. Cermak Rd.....Chicago.
Dr. E. J. MIRMELLI, 3814 S. Kedzie Ave.....Chicago.
DR. T. J. BENTON.....Willow Springs.
DR. EDWARD G. McNAMARA.....Lemont.
DR. WM. A. MEADOWS.....Lockport.
DR. E. A. ALBERS.....Lockport.
DR. EARL R. STEEN.....Joliet.
DR. P. G. NICHOLSON.....Coal City.
DR. G. K. WILSON.....Streator.
DR. JOSEPH J. JERNEGAN.....Streator.
DR. R. J. DAVIES.....Roanoke.
DR. J. I. WEIMER.....Pekin.
DR. R. K. TAUBERT.....Pekin.
DR. MICHAEL SCHUBERT.....Toluca.
DR. S. A. SMITH.....Chillicothe.
DR. IVAR E. DOLPH.....Chillicothe.
DR. S. M. HANAUER.....Galesburg.
DR. J. G. SHERRICK.....Monmouth.
DR. HAROLD C. BOCK.....Stronghurst.
DR. G. C. McGINNIS, 709½ Avenue G.....Ft. Madison.
DR. F. L. LYMAN, 819½ Avenue G.....Ft. Madison.
DR. R. L. FEIGHTNER (Surgery Consultant).....Ft. Madison.
DR. E. C. TUCKER (Consulting Dentist).....Ft. Madison.

EYE, EAR, NOSE AND THROAT SPECIALISTS
AT LOCAL POINTS.

DR. ELZEAR LA MOTHE, 31 N. State St.....Chicago.
DR. HAROLD J. KOCH, 6235 S. Kedzie (Eye Only)..Chicago.
DR. O. E. VANALYEA, Ear, Nose and Throat
Consultant.....Chicago.
DR. GEO. WOODRUFF.....Joliet.
DR. H. S. LESTER.....Streator.
DR. A. C. RICHMOND.....Ft. Madison.

The Atchison, Topeka and Santa Fe Railway Co.

EASTERN LINES
Eastern District

ILLINOIS DIVISION

TIME TABLE No.

83

IN EFFECT

Sunday, April 2, 1950

At 12:01 A. M.
Central Standard Time.

This Time Table is for the exclusive use and guidance of Employes.

W. L. MORE,
General Manager,
Topeka, Kansas.

P. O'SULLIVAN,
Asst. General Manager,
Topeka, Kansas.

R. J. YOST,
Superintendent,
Chillicothe, Illinois.

R. D. CLOUSING,
Superintendent,
Chicago, Illinois.

Hall 3 50 5500 721

Timetable 82 eff 28 Aug 1949
84 28 January 1951

WESTWARD.

SIGNAL SYSTEM ONE IN EFFECT:

Stewart Avenue Crossing Interlocking to Willow Springs Interlocking, except Panhandle Crossing Interlocking.

East end Joliet U.S. Interlocking, M.P. 37.1 to Chillicothe.

SIGNAL SYSTEM TWO IN EFFECT:

Panhandle Crossing Interlocking.

Willow Springs Interlocking to east end Joliet U.S. Interlocking, M.P. 37.1.

RULE 251 IN EFFECT:

Stewart Ave. Crossing to Willow Springs.

Joliet U.S. to Pequot.

RULE 261 IN EFFECT:

Willow Springs to Joliet U.S.

Pequot to Chillicothe, including Main Track No. 3.

Trains must secure numbered clearance cards before leaving originating stations, except trains from Pekin District at Ancona.

Trains will be governed by C.& W.I. Time Table, Rules and Regulations between Chicago and C.& W.I. Jct.

Between Stewart Avenue Crossing and Panhandle Crossing, A.T.& S.F. trains (with other than 3460 class engines), may use Illinois Central Main Tracks with the current of traffic on signal indication from Stewart Avenue Crossing westward; on hand signals from the Switchtender from Panhandle Crossing eastward; and on signal indication in either direction with the current of traffic from Interlocking, M.P. 3.1. These tracks are in Yard Limits (see Rule 93) and protection per Rule 99 must also be provided.

Movements through slip switches east of Panhandle Crossing will be made only on hand signals from Switchtender. Signals will be given with yellow flag by day and yellow light by night.

Movements against current of traffic between Stewart Avenue Crossing and Chicago Belt Crossing, Nerska, may be made on message authority signed by Superintendent.

Main Track No. 3 between Kernan and Streator Coal Chute is first track south of eastward main track. Trains have no Time Table superiority.

Page 1 is blank

WESTWARD. First Class.

7	9	3	17	15	21	25	13	19	23	11	TIME TABLE No. 83, April 2, 1950.	Communications.	Mile Post.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Capacity of Sidings in 50 ft. Cars.
Fast Mail-Express.	Kansas City Chief.	California Limited.	Super Chief.	Texas Chief.	El Capitan.	Motor.	Motor.	The Chief.	The Grand Canyon.	The Kansas Cityan.						
Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Ex. Sun.	Leave Daily Ex. Sun.	Leave Daily.	Leave Daily.	Leave Daily.	STATIONS.					
PM 11.45	PM 10.00	PM 8.45	PM 7.00	PM 6.00	PM 5.45		PM 1.35	PM 1.30	PM 12.01	AM 9.30	**CHICAGO.** YL	C		0	FWT	
11.50	10.05	8.50	7.05	6.05	5.50		1.40	1.35	12.06	9.35	1.3 C. & W.I. Jct.		1.3	79.2		
											0.1 Stewart Ave. Crossing		1.4	26.4		
11.57	10.12	8.57	7.12	6.12	5.57		1.47	1.42	12.12	9.41	3.0 Panhandle Crossing.		4.4	0		
											1.5 I.N. Crossing.					
							f				**CORWITH.** YL	C	5.9		FW TY	
— AM —											1.3 Chicago Belt Crossing			0		
12.01	10.15	9.00	7.15	6.15	6.00		1.52	1.45	12.16	9.45	**NERSKA.** YL	C	7.2			
											5.5			0		
12.06	10.22	9.06	7.21	6.21	6.06		s 2.00	1.50	12.23	9.50	**McCOOK.**	C	12.7			76
											0.2 B. & O.C.T. Crossing.	C	12.9	0		
											4.5			0		
12.10	10.28	9.11	7.26	6.26	6.11		s 2.08	1.57	12.30	9.55	**WILLOW SPRINGS.**	C	17.4			78
							f 2.11				1.5 **SANTA FE PARK.**		18.9	0		
12.18	10.37	9.20	7.34	6.34	6.19		s 2.22	2.05	12.39	10.02	6.2 **LEMONT.**	C	25.1	0		
12.23	10.42	9.24	7.38	6.39	6.24		f 2.28	2.09	12.43	10.06	4.2 **ROMEO.**	C	29.3	13.7		71
12.27	10.46	9.27	7.42	6.42	6.27		s 2.33	2.13	12.47	10.09	3.4 **LOCKPORT.**	C	32.7	10.6		
											3.5 **JOLIET YARD.** YL	C	36.2	10.6	FWT	
											1.3 JOLIET U. S. YL C.R.I. & P. Crossing.	C	37.5	10.6		
s12.35	s10.55	s 9.40	7.50	s 6.50	6.35		s 2.45	2.20	s12.55	s10.15	4.0 **PLAINES.**	C	41.5	15.8		98
12.40	11.00	9.45	7.53	6.53	6.38		2.52	2.24	12.59	10.19	4.6 **MILLSDALE.**		46.1	14.5		
							f 2.57				2.1 **DRUMMOND.**		48.2	0		35
							f 3.00				4.6 **LORENZO.**	C	52.8	9.9		89
12.50	11.10	9.59	8.02	7.02	6.47		f 3.06	2.34	1.10	10.28	4.4 **PEQUOT.**	C	57.2	0		
12.54	11.14	10.04	8.05	7.05	6.51		3.12	2.38	1.14	10.31	1.0 **COAL CITY.**	C	58.2	0		
		s10.08					s 3.14				3.7 **GORMAN.**		61.9	4.7		
							f 3.19				4.2 **MAZON.**	C	66.1	0		
							s 3.26				4.7 **VERONA.**	C	70.8	0		103
1.05	11.27	10.22	8.16	7.16	7.02		s 3.33	2.50	1.26	10.42	4.0 **KINSMAN.**	C	74.8	0		
							s 3.39				4.9 **RANSOM.**	C	79.7	15.8		
							s 3.47				4.7 **KERNAN.**	C	84.4	15.8		
1.16	11.38	10.35	8.26	7.26	7.12		s 3.54	3.02	1.38	10.52	5.2 **STREATOR.** YL	C	89.6		FWT	
						PM					0.2 GM&O & NYC Crs'g.		89.8			
1.25	s11.50	s10.50	8.35	s 7.35	7.20	1.55	s 4.10	3.10	s 1.50	s11.00	0.4 Wabash Crossing.	C	90.2	0		
											3.7 **MOON.**		93.9	0		
						f 2.01	f 4.17				1.9 **ANCONA.**	C	95.8	0		
1.33	11.59	11.00	8.41	7.41	7.27	s 2.07	s 4.22	3.18	1.59	11.07	6.3 **LEEDS.**	B	102.1	21.1		
	— AM —					f 2.16	— PM —				7.8 **TOLUCA.**	C	109.9	25.2		87
1.44	s12.15	s11.15	8.52	7.52	7.37	s 2.26		3.30	2.13	11.17	6.1 **LA ROSE.**	C	116.0	26.4		
						s 2.37	Via Pekin District.				4.9 **WILBERN.**	B	120.9	26.4		
1.54	12.24	11.30	9.02	8.02	7.47	s 2.43		3.41	2.24	11.27	9.1 **CHILLICOTHE.** YL	C	130.1		FWT	
s 2.05 AM	s12.35 AM	s11.45 PM	9.10 PM	s 8.10 PM	7.55 PM	s 2.55 PM		3.50 PM	s 2.35 PM	s11.35 AM						
Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Ex. Sun.	Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(130.0)					
55.7	50.3	43.3	60.0	60.0	60.0	40.4	34.4	55.7	50.6	62.4	Average speed per hour.					

AUTOMATIC BLOCK SYSTEM — AUTOMATIC TRAIN CONTROL — C.&W.I. Ry. — TWO TRACKS — 3 Tracks — TWO TRACKS

SIGNAL SYSTEM ONE IN EFFECT:

Chillicothe to east end Joliet U.S. Interlocking, M.P. 37.1.

From Willow Springs Interlocking to Stewart Avenue Crossing Interlocking, except Panhandle Crossing Interlocking.

SIGNAL SYSTEM TWO IN EFFECT:

East end Joliet U.S. Interlocking, M.P. 37.1 to and including Willow Springs Interlocking.

Panhandle Crossing Interlocking.

RULE 251 IN EFFECT:

Pequot to Joliet U.S.

Willow Springs to Stewart Avenue Crossing.

RULE 261 IN EFFECT:

Chillicothe to Pequot, including Main Track No. 3.

Joliet U.S. to Willow Springs.

Trains must secure numbered clearance cards before leaving originating stations, except Nos. 18, 20 and 22 at Chillicothe, and Trains from Pekin District at Ancona.

Eastward trains leaving from Streator Yard tracks will use main track No. 3 unless instructed by clearance card endorsed "Use ..... Track."

Trains will be governed by C.& W.I. Time Table, Rules and Regulations between C.& W.I. Jct. and Chicago.

Between Panhandle Crossing and Stewart Avenue Crossing, A.T.& S.F. trains (with other than 3460 class engines), may use Illinois Central Main Track with the current of traffic on signal indication from Stewart Avenue Crossing westward; on hand signal from the Switchtender from Panhandle Crossing eastward; and on signal indication in either direction with the current of traffic from Interlocking M.P. 3.1. These tracks are in Yard Limits (see Rule 93) and protection per Rule 99 must also be provided.

Movements through slip switches east of Panhandle Crossing will be made only on hand signals from Switchtender. Signals will be given with yellow flag by day and yellow light by night.

Movements against current of traffic between Chicago Belt Crossing, Nerska, and Stewart Avenue Crossing, may be made on message authority signed by Superintendent.

Main Track No. 3 between Streator Coal Chute and Kernan is first track south of eastward main track. Trains have no Time Table superiority.

EASTWARD. First Class.

12	24	18	14	20	26	16	4	10	22	8	TIME TABLE No. 83, April 2, 1950.	Communications.	Mile Post.	Ruling Grade Ascending.	Capacity of Sidings in 50 ft. Cars.
The Chicagoan.	The Grand Canyon.	Super Chief.	Motor.	The Chief.	Motor.	Texas Chief.	California Limited.	Kansas City Chief.	El Capitan.	Fast Mail-Express.					
Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Except Sun.	Arrive Daily.	Arrive Daily Except Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	STATIONS.				
PM 9.45	PM 3.45	PM 1.45	PM 12.01	AM 11.30		AM 9.00	AM 8.30	AM 7.45	AM 7.15	AM 5.50	**CHICAGO.** YL	C			
9.40	3.40	1.40	PM 11.55	11.25		8.55	8.25	7.40	7.10	5.45	1.3 C. & W.I. Jct.		1.3	0	
											0.1 Stewart Ave. Crossing		1.4	79.2	
9.31	3.31	1.31	11.46	11.16		8.47	8.16	7.31	6.53	5.36	3.0 Panhandle Crossing.		4.4	26.4	
											1.5 I.N. Crossing.			0	
			f								**CORWITH.** YL	C	5.9		
9.27	3.27	1.27	11.42	11.10		8.42	8.12	7.27	6.50	5.32	1.3 Chicago Belt Crossing NERSKA. YL	C	7.2	0	
9.18	3.20	1.17	s11.33	11.02		8.34	8.05	7.15	6.40	5.15	5.5 McCOOK.	C	12.7	0	51 126
											0.2 B. & O.C.T. Crossing.	C	12.9	0	
9.13	3.14	1.11	f11.24	10.54		8.27	7.59	7.08	6.35	5.09	4.5 WILLOW SPRINGS.	C	17.4	0	194
			f11.21								1.5 SANTA FE PARK.		18.9	0	
9.05	3.05	1.03	s11.12	10.43		8.18	7.50	7.01	6.29	4.59	6.2 LEMONT.	C	25.1	13.7	
9.00	2.59	12.58	f11.05	10.38		8.12	7.44	6.54	6.23	4.54	4.2 ROMEO.	C	29.3	10.6	
8.57	2.55	12.54	s11.00	10.35		8.07	7.40	6.50	6.19	4.50	3.4 LOCKPORT.	C	32.7	10.6	
											3.5 JOLIET YARD. YL	C	36.2	10.6	
s 8.50	2.45	12.48	s10.50	10.27		s 8.00	s 7.30	s 6.40	6.10	4.40	1.3 JOLIET U. S. YL C.R.I. & P. Crossing.	C	37.5	15.8	
8.44	2.37	12.42	10.42	10.21		7.52	7.19	6.29	6.04	4.31	4.0 PLAINES.	C	41.5	14.5	
			f10.37								4.6 MILLSDALE.		46.1	0	
			f10.34								2.1 DRUMMOND.		48.2	9.9	
8.32	2.25	12.30	f10.28	10.08		7.40	7.06	6.15	5.52	4.19	4.6 LORENZO.	C	52.8	0	56
8.28	2.21	12.26	10.23	10.04		7.35	7.01	6.10	5.48	4.14	4.4 PEQUOT.	C	57.2	0	
			s10.21				s 6.57				1.0 COAL CITY.	C	58.2	4.7	
			f10.15								3.7 GORMAN.		61.9	0	
			s10.10							4.03	4.2 MAZON.	C	66.1	0	
8.18	2.07	12.14	s10.02	9.50		7.23	6.46	5.54	5.37	3.59	4.7 VERONA.	C	70.8	0	102
			s 9.56								4.0 KINSMAN.	C	74.8	0	
			s 9.48							3.50	4.9 RANSOM.	C	79.7	15.8	25
8.06	1.54	12.02 PM	s 9.40	9.38		7.11	6.34	5.40	5.25	3.45	4.7 KERNAN.	C	84.4	15.8	14
s 8.00	s 1.45	11.55	**9.30**[20] s**9.15**	**9.30**[14]	AM s 9.20	s 7.05	s 6.25	s 5.30	5.20	s 3.35	5.2 **STREATOR.** YL	C	89.6		
											0.2 GM&O & NYC Crs'g.		89.8		
											0.4 Wabash Crossing.	C	90.2	0	
			f 9.08		f 9.14						3.7 MOON.		93.9	0	
7.51	1.34	11.46	9.05 AM	9.20	f 9.10	6.56	6.13	5.17	5.10	3.20	1.9 ANCONA.	C	95.8	0	
					s 9.01						6.3 LEEDS.	B	102.1	21.1	
7.40	1.21	11.35		9.08	s 8.51	6.45	6.01	5.03	4.59	3.07	7.8 TOLUCA.	C	109.9	25.2	
			Via Pekin District.		s 8.41						6.1 LA ROSE.	C	116.0	26.4	
7.30	1.11	11.25		8.56	s 8.32	6.35	5.50	4.50	4.49	2.55	4.9 WILBERN.	B	120.9	26.4	
7.20 PM	1.00 PM	11.15 AM		8.45 AM	8.20 AM	6.25 AM	5.40 AM	**4.40**[22] AM	**4.40**[10] AM	2.45 AM	9.1 **CHILLICOTHE.** YL	C	130.0		
Leave Daily.	Leave Daily.	Leave Daily.	Lv. Daily Except Sun.	Leave Daily.	Lv. Daily Except Sun.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	(130.0)				
53.8	47.2	52.0	35.7	47.3	40.4	50.3	45.9	42.1	50.3	42.1	Average speed per hour.				

C. & W.I. Ry — AUTOMATIC BLOCK SYSTEM — TWO TRACKS

AUTOMATIC TRAIN CONTROL — 3 Tracks — TWO TRACKS

Trains must secure numbered clearance cards before leaving originating stations, except Nos. 17, 19 and 21 at Chillicothe.

First class trains except Nos. 17 and 25 must secure numbered clearance cards at Ft. Madison. Enginemen on westward trains are not required to secure clearance cards at Ft. Madison. Conductors securing clearance cards or train orders at Ft. Madison will deliver copy of same to Missouri Division engineman at Shopton.

SIGNAL SYSTEM ONE IN EFFECT:
Chillicothe to Shopton.

RULE 251 IN EFFECT:
Appleton to G.I. Tower.

RULE 261 IN EFFECT:
E. Ft. Madison to Shopton.

Chillicothe to Appleton.

G.I. Tower to E. Ft. Madison.

WESTWARD. First Class.

3	17	15	21	19	25	23	11	57	7	9	TIME TABLE No. 83, April 2, 1950.	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	Capacity of Sidings in 50 ft. Cars.
California Limited.	Super Chief.	Texas Chief.	El Capitan.	The Chief.	Motor.	The Grand Canyon.	The Kansas Cityan.	Motor.	Fast Mail-Express.	Kansas City Chief.				
Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Except Sun.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	STATIONS.			
PM 11.50	PM 9.10	PM 8.10	PM 7.55	PM 3.50	PM 2.55	PM 2.35	AM 11.35		AM 2.10	AM 12.40	CHILLICOTHE. YL		FWT	
AM 12.05	9.19	8.19	8.04	3.59	s 3.07	2.47	11.45		2.19	12.52	8.0 EDELSTEIN.	58.1		W 74
											6.2 C.R.I.& P. Crossing.	31.7		
					s 3.16						0.4 PRINCEVILLE.	0		
											3.6 MONICA.	31.7		E 69
12.17	9.27	8.27	8.12	4.07	s 3.21	2.57	11.53		2.27	1.03	C.B.& Q. Crossing.			W 69
					s 3.29						5.1 LAURA.	0		
							PM				4.9	13.5		E 79
12.27	9.35	8.35	8.20	4.15	s 3.35	3.06	12.01		2.35	1.13	WILLIAMSFIELD.		W	W110
					s 3.43						5.0 DAHINDA.	0		
											2.6 APPLETON.	8.4		
12.34	9.42	8.42	8.27	4.22	s 3.47	3.14	12.07		2.42	1.20	5.3 KNOX.	25.5		
					f 3.54						2.9 E. GALESBURG.	31.7		
					f 3.58						3.4	31.7		
s 12.55	9.55	s 8.55	8.40	4.35	s 4.10	s 3.30	s 12.20		2.55	s 1.40	GALESBURG. YL			
											2.5 G.I. TOWER. YL	21.9	FWY	E137 W138
					f 4.18						3.3 SURREY.	21.9		
1.07	10.04	9.04	8.49	4.47	s 4.23	3.41	12.28		3.04	1.53	2.7 CAMERON.	17.3		
					s 4.30						4.2 NEMO.	28.2		
											1.7	0		
1.14	10.09	9.09	8.54	4.53	s 4.34	3.47	12.33		3.10	1.58	ORMONDE.			E112 W 84
					f 4.42						5.2 PONEMAH.	0		
1.25	10.17	9.17	9.02	5.01	s 4.48	3.56	12.40		3.18	2.07	4.4 SMITHSHIRE.	23.2		
					s 4.53						3.1 MEDIA.	12.1		
											4.3	13.5		E 78
1.35	10.23	9.23	9.08	5.08	s 4.59	4.03	12.46		3.24	2.12	STRONGHURST.		W	W173
					f 5.03						3.6 DECORRA.	26.1		
											6.4	0		
1.46	10.32	9.32	9.17	5.17 25	s 5.17 19	4.13	12.54		3.32	2.21	LOMAX.			W106
					s 5.26						5.9 DALLAS CITY.	10.6		
					s 5.30						1.8 PONTOOSUC.	0		
2.01	10.45	9.44	9.29	5.24	s 5.37	4.25	1.04		3.43	2.33	4.3 E. FT. MADISON.	0		E 70
												21.1		
											1.8 YL	0		
s 2.20	10.50	s 9.50	s 9.35	s 5.30	s 5.50	s 4.35	s 1.10	AM 6.00	s 3.55	s 2.45	FORT MADISON			
											1.2 TOWER A. YL	0		
											0.5	0		
s 2.25 AM	s 10.55 PM	s 9.55 PM	s 9.40 PM	s 5.35 PM	5.55 PM	s 4.40 PM	s 1.15 PM	s 6.05 AM	s 4.00 AM	s 2.50 AM	SHOPTON. YL		FW TY	
Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily. Ex. Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(104.3)			
40.3	59.6	59.6	59.6	59.6	34.8	50.0	62.6	20.4	56.9	47.7	Average speed per hour.			

AUTOMATIC TRAIN CONTROL — TWO TRACKS — A. B. S.

EASTWARD.

First Class.

Communications.	Mile Post.	Ruling Grade Ascending.	TIME TABLE No. 83, April 2, 1950.	58	8	10	22	4	16	26	20	18	24	12
				Motor.	Fast Mail-Express.	Kansas City Chief.	El Capitan.	California Limited.	Texas Chief.	Motor.	The Chief.	Super Chief.	The Grand Canyon.	The Chicagoan.
			STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.
C	130.0		CHILLICOTHE. YL		AM s 2.40	AM s 4.35	AM 4.40	AM s 5.35	AM s 6.25	AM s 8.20	AM 8.45	AM 11.15	PM s 1.00	PM s 7.20
		31.7	8.0											
C	138.1		EDELSTEIN.		2.29	4.24	4.31	5.24	6.15	s 8.09	8.34	11.06	12.49	7.12
		31.7	6.2											
	144.3		C.R.I.& P. Crossing.											
		21.8	0.4											
C	144.7		PRINCEVILLE.							s 7.59				
		23.2	3.6											
			MONICA.											
C	148.3		C.B.& Q. Crossing.		2.19	4.13	4.22	5.13	6.06	s 7.51	8.23	10.56	12.38	7.05
		31.7	5.1											
C	153.4		LAURA.							s 7.44				
		19.3	4.9											
C	158.3		WILLIAMSFIELD.		2.10	4.03	4.14	5.03	5.58	s 7.37	8.13	10.48	12.27	6.58
		31.7	5.0											
	163.3		DAHINDA.							s 7.27				
		0	2.6											
C	165.9		APPLETON.		2.02	3.54	4.07	4.54	5.52	s 7.22	8.04	10.42	12.19	6.52
		0	5.3											
B	171.2		KNOX.							f 7.15				
		0	2.9											
	174.1		E. GALESBURG.							f 7.12				
		15.3	3.4											
C	177.5		GALESBURG. YL		s 1.50	s 3.40	3.55	s 4.40	s 5.40	s 7.05	7.50	10.30	s12.05 PM	s 6.40
		7.4	2.5											
C	180.0		G.I. TOWER. YL											
		7.4	3.3											
	183.3		SURREY.							f 6.50				
		0	2.7											
	186.0		CAMERON.		1.36	3.29	3.47	4.24	5.32	s 6.46	7.41	10.21	11.54	6.33
		5.7	4.2											
C	190.2		NEMO.							f 6.39				
		31.3	1.7											
C	191.9		ORMONDE.		1.32	3.24	3.42	4.20	5.27	s 6.36	7.36	10.16	11.49	6.29
		31.2	5.2											
B	197.1		PONEMAH.							s 6.29				
		12.1	4.4											
C	201.5		SMITHSHIRE.		1.23	3.16	3.34	4.12	5.19	s 6.22	7.28	10.08	11.41	6.22
		31.7	3.1											
C	204.6		MEDIA.							s 6.17				
		31.2	4.3											
C	208.9		STRONGHURST.		1.16	3.10	3.28	4.05	5.13	s 6.09	7.21	10.02	11.34	6.16
		20.4	3.6											
	212.5		DECORRA.							f 6.02				
		31.7	6.4											
C	218.9		LOMAX.		1.05	3.08	3.19	3.56	5.04	s 5.55	7.10	9.53	11.24	6.08
		18.0	5.9											
C	224.8		DALLAS CITY.							s 5.46				
		10.7	1.8											
	226.6		PONTOOSUC.							s 5.42				
		14.5	4.3											
C	230.9		E. FT. MADISON.		12.54	2.45	3.08	3.44	4.53	s 5.35	6.58	9.43	11.13	5.58
		0												
	232.4													
		23.9	1.8											
C	232.9		FORT MADISON. YL	AM s12.10	s12.50	s 2.40	s 3.05	s 3.40	s 4.50	5.30 AM	s 6.55	9.40	s11.10	s 5.55
		0	1.2											
C	234.1		TOWER A. YL											
		0	0.5											
C	234.6		SHOPTON. YL	12.05 AM	12.40 AM	2.35 AM	3.00 AM	3.35 AM	4.45 AM		6.50 AM	9.35 AM	11.05 AM	5.50 PM
			(104.3)	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Ex. Sun.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.
			Average speed per hour.	20.4	52.2	52.1	62.6	52.1	62.6	36.3	54.4	62.6	54.4	69.5

AUTOMATIC TRAIN CONTROL — TWO TRACKS

A. B. S.

Trains must secure numbered clearance cards before leaving originating stations. First class trains except No. 18 must secure numbered clearance cards at Ft. Madison.

SIGNAL SYSTEM ONE IN EFFECT:

Shopton to Chillicothe.

RULE 251 IN EFFECT:

Shopton to E. Ft. Madison.

G.I. Tower to Appleton.

RULE 261 IN EFFECT:

E. Ft. Madison to G.I. Tower.

Appleton to Chillicothe.

Trains must secure numbered clearance cards before leaving originating stations, except Ancona.

When train order signal at Eureka indicates "Stop," secure A.T.& S.F. in addition to T.P.& W. clearance cards.

Trains will be governed by T.P.& W. Time Table, Rules and Regulations between Streator Jct. and Pekin Jct.

No switch lights on Pekin District.

WESTWARD. Second Class.	WESTWARD. First Class.	Fuel, Water, Turn Tables and Wyes.	Ruling Grade Ascending.	TIME TABLE No. 83, April 2, 1950.	Ruling Grade Ascending.	Mile Post.	Communications.	EASTWARD. First Class.	EASTWARD. Second Class.	Capacity of Sidings in 50 ft. Cars.
47	13							14	48	
Way Freight.	Motor.							Motor.	Way Freight.	
Leave Daily Ex. Mon.	Leave Daily Ex. Sun.			STATIONS.				Arrive Daily Ex. Sun.	Arrive Daily Ex. Sun.	
AM 1.45	PM 4.22			ANCONA.			C	s AM 9.05	PM 1.00	
			0	2.7	0					
1.55	s 4.26			LONG POINT.		2.5	C	s 8.58	12.40	
			15.3	4.6	0					
2.10	s 4.35			DANA.		7.1	C	s 8.50	12.20	20
			31.7	5.8	0					
				I.C. Crossing.		12.9				
			0	0.1	0					
2.25	s 4.46			MINONK.		13.0	C	s 8.42	12.01 PM	19
			23.8	6.0	13.2					
2.45	s 4.56			BENSON.		19.0	C	s 8.31	11.20	14
			0	5.5	32.7					
3.05	s 5.06	W		ROANOKE.		24.5	C	s 8.23	11.00	16
			41.2	6.2	47.5					
3.25	5.18			STREATOR JCT. T.P.&W. R.R.		30.7		8.13	10.15	
			0	0.4	0					
3.35	5.23			EUREKA.		31.1	C	8.08	10.10	44
			47.5	5.5	26.4					
3.55	5.33			PEKIN JCT.		36.6		7.56	9.45	
			26.4	1.4	0					
4.00	s 5.38			WASHINGTON.		38.0	C	s 7.53	9.40	17
			31.7	3.0	31.7					
4.05	f 5.43			COOPER.		41.0		f 7.47	9.25	7
			31.7	2.4	52.8					
				CRANDALL. N.Y.C.& St.L. Crossing.		43.4				
4.20	f 5.48							f 7.43	9.10	
			0	2.3	29.0					
				I.T. Crossing.						
4.40	s 5.55			MORTON.		45.7	C	s 7.38	9.00	18
			0	0.1	0					
				P.R.R. Crossing.		45.8				
			42.2	3.6	0					
4.55	f 6.02			GROVELAND.		49.4		f 7.25	8.20	30
			0	7.4	81.8					
				EAST YARDS. YL						
5.10	6.14	FWT		G. M. & O. Crossing.		56.8	C	7.12	8.03	73
			0	0.9	82.9					
5.25 AM	6.20 PM			PEKIN. YL		57.7	C	7.00 AM	8.00 AM	
Arrive Daily Ex. Mon.	Arrive Daily Ex. Sun.			(57.9)				Leave Daily Ex. Sun.	Leave Daily Ex. Sun.	
15.7	29.7			Average speed per hour.				27.7	11.6	

WESTWARD. 47	51	59	49	41	39	37	Freight Train Terminals, and Junctions.	EASTWARD. 38	40	42	46	52	48
Way Freight.	Way Freight.	Northern California Fast Freight.	California Tex., Okla. Fast Freight.	Colo., Kans., Okla. Fast Frt.	Oklahoma Texas Fast Freight.	Oklahoma Texas Freight.		Fast Freight.	Perishable Express.	Colorado Chicago Fast Freight.	Texas-Chicago Fast Freight.	Way Freight.	Way Freight.
Leave Daily Ex. Mon.	Leave Daily Ex. Sun.	Leave Daily.	Leave Daily.	Leave Daily	Leave Daily.	Leave Daily.	STATIONS.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Ex. Sun.	Arrive Daily Ex. Sun.
	AM 6.45	AM 11.59	PM 11.00	AM 10.00	PM 6.00	PM 9.00	CORWITH	AM 12.01 AM	AM 12.45 AM	AM 5.30	PM 2.00 PM	PM 3.00	
	7.25						McCOOK.					2.15 PM	
	10.00 AM						JOLIET YARD.					9.30 AM	PM
AM 1.30							STREATOR.						1.20
1.45 AM		PM 5.00	AM 4.45	PM 3.45	9.20 AM	AM 2.00	ANCONA.						1.00 PM
							CHILLICOTHE.	7.00	7.45	12.15 AM	9.00		
		9.30 PM	10.00 AM	7.30 PM	12.15 AM	6.00 AM	SHOPTON	12.30 PM	3.30 PM	7.15 PM	2.00 AM		
Arrive Daily Ex. Mon.	Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.		Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Ex. Sun.	Leave Daily Ex. Sun.

TRAINS SHOWN IN THIS TABULATION HAVE NO TIME TABLE AUTHORITY.

Rules Nos. 509(a), 511, 660 and 1000(C) of the Rules, Operating Department, Revised 1948, are amended, as follows:

Rule 509(a). Amended to read: (a) On single track, wait five minutes, then proceed at restricted speed, except when view of track ahead is not clear for at least 800 feet at any location within the block, movement must be stopped and then protected by being preceded by a flagman. Engines so equipped must display red gyrating headlight.

Rule 511. Amended to read: A train or engine which has entered a block and is delayed in the block, must make movement beyond point of delay at restricted speed, until next governing signal can be seen to indicate other than "stop" and intervening track is seen to be clear.

Rule 660. Amended to read: A train or engine which has entered a block and is delayed in the block, must make movement beyond point of delay at restricted speed, until next governing signal can be seen to indicate other than "stop" and intervening track is seen to be clear.

Rule 1000(C). Amended to include: In the application of Operating Rule 1000-C the Federal Communications Commission has modified their rules to permit an employee, authorized by the Railway Company to do so, to operate a mobile radio unit without having passed an examination on the rules; but an employee must pass an examination before operating a fixed or base radio station.

1. Except as otherwise provided, Eastward Trains are superior to Westward Trains of the same class.

2. STATIONS LISTED BELOW ARE REGISTER STATIONS ONLY FOR TRAINS DESIGNATED. (Rule 83)

Station	Designated Trains.
Corwith	Originating or terminating Corwith Yard.
Streator	Originating or terminating or operating via Pekin District.
Chillicothe	All except first class.
Fort Madison	First class and originating.

Following trains will register by Form 903:

Fort Madison	17, 18.
Shopton	First class.

3. .....

4. JUNCTION SWITCHES. (Rule 98)

LOCATION	NORMAL POSITION
PEKIN DISTRICT	
Streator Jct.	T.P.& W. R.R.
Pekin Jct.	T.P.& W. R.R.

5. JOINT TRACK FACILITIES.

CHICAGO—A.T.& S.F. trains will use C.& W.I. tracks between C.& W.I. Jct. and Dearborn Station.

PLAINES-PEQUOT—A.T.& S.F. and G.M.& O. The movement of G.M.& O. trains will be governed by A.T.& S.F. rules in G.M.& O. time table.

PEKIN DISTRICT—A.T.& S.F. trains will use T.P.& W. track between Streator Jct. and Pekin Jct.

6. DOUBLE ARM HOME SIGNALS.

Where two or more arms on a home signal govern movements over an interlocked switch, top arm is assigned to the main track and lower arm the inferior route, except as follows:

CHICAGO, Stewart Avenue—A.T.& S.F. track, eastward with traffic:signal just west of crossing; red over red—stop, red over yellow—proceed to signal just east of crossing. I.C. track, eastward with traffic: signal just west of crossing; red over red—stop, yellow over red—proceed to signal just east of crossing, red over yellow—to all other routes. Eastward against traffic: signal just west of crossing; red—stop, yellow—proceed to 18th Street Yard and other routes. Eastward with traffic: signal just east of crossing; red over red over red—stop, yellow over red over red—assigned I.C. track, red over yellow over red—C& WI track, red over red over yellow— 18th Street Yard and other routes.

CHICAGO, Interlocking, M.P. 3.1—Eastward: first or top indication assigned G.M.& O., second indication A.T.& S.F., third indication I.C. main tracks, fourth or lower indication against traffic. Westward: top indication of double indication signals assigned A.T.& S.F., lower indication I.C. main tracks. First or top indication of four indication signals assigned G.M.& O., second indication A.T.& S.F., third indication I.C. main tracks, fourth or lower indication against traffic.

JOLIET U.S.—Top arms assigned the passenger or A.T.& S.F. main tracks. Lower arms the freight or the G.M.& O. main tracks.

7. TRAFFIC REVERSAL.

Between Willow Springs and Joliet U.S. Interlocking.

Operators will not display proceed signal for movement against current of traffic without train order authorizing.

If trains are to use the other main track without signal indication, move must be authorized by numbered clearance card endorsed. "Use .....Track."

If train or engine is stopped by a stop signal, it must stay until authorized to proceed by signal, or telephone advice from the operator. Be governed by Rule 509(c).

To avoid misunderstanding, instructions or information received by telephone must be repeated to employes from whom received, and names and occupations of employes stated.

Switch indicators are operative only with normal direction of traffic. At switches where there is no head out signal, obtain permission from operator before occupying main track regardless of position of switch indicator. If communication fails, main track may be used under flag protection with front and rear protected until next home signal is passed.

Except as affected by these rules, block signal and train rules remain in force.

8. AUTOMATIC TRAIN CONTROL.

Should the control cut in while approaching train control territory from the east or the Pekin District, seal may be broken by conductor and pneumatic feature cut out, reporting by wire from first open office. A westward train may then proceed to Pequot, and a train from the Pekin District may proceed to Ancona, where seal will be delivered to operator, train control equipment cut in and sealed, and test made before entering train control territory. Should test show train control inoperative, secure train order authority to proceed.

Should cut out not be obtained in leaving train control territory at Pequot or Ancona, or should train control cut in after leaving such territory, seal may be broken by conductor and pneumatic feature cut out. Report will be made at terminal and seal there delivered to operator.

9. .....

10. RAILROAD CROSSINGS AT GRADE.

CHICAGO—Stewart Avenue, I.C., C.& W.I. and P.R.R. Interlocking.

CHICAGO—Panhandle, P.R.R., B.& O.C.T. and C.J. Interlocking.

CORWITH—I.N. Interlocking. Maximum speed, passenger trains, 75 MPH eastward, 60 MPH westward.

NERSKA—Chicago Belt. Interlocking. Maximum speed, passenger trains, 75 MPH.

McCOOK—B.& O.C.T. Interlocking. Maximum speed eastward, passenger trains, 79 MPH, freight trains, 45 MPH.

JOLIET—C.R.I.& P. Interlocking.

STREATOR—G.M.& O. and N.Y.C. 0.1 mile west of station. Interlocking. Maximum speed 20 MPH.

STREATOR—Wabash 0.5 mile west of station. Interlocking.

PRINCEVILLE—C.R.I.& P. 0.4 mile east of station. Automatic Interlocking.

MONICA—C.B.& Q. Interlocking.

MINONK—I.C. 0.1 mile east of Station. Interlocking. Maximum speed 20 MPH. If home signal indicates "stop," authority to proceed must be obtained from Illinois Central operator. If so authorized member of crew must flag crossing until occupied by car or engine.

10. RAILROAD CROSSINGS AT GRADE (Cont'd.)

CRANDALL—N.Y.C.& St.L. Automatic Interlocking. Maximum speed 20 MPH. If train or engine finds home signal indicating "stop" and no train or engine is seen on opposing route, one of crew will go to crossing, place switch in "Off" position, note that all signals indicate "stop," then give proceed hand signal. After engine has passed home signal, move switch to "On" position, lock box and proceed.

MORTON—I.T. just east of station. Stop. See Rules 98, A, B, C and D.

MORTON—P.R.R. 0.1 mile west of station. Stop. See Rules 98, A, B, C and D.

EAST YARDS—G.M.& O. Interlocking.

11. MAXIMUM AUTHORIZED SPEED FOR TRAINS.

LOCATION	MILES PER HOUR			
	Light Engines Forward	All Engines Backward	Passenger	Freight and Mixed
FIRST DISTRICT:				
Chicago and Joliet	40	25	79	60
Joliet and Chillicothe	40	25	90	60
SECOND DISTRICT	40	25	90	60
PEKIN DISTRICT	30	20	45	30
FIRST DISTRICT.				
Chicago, Dearborn Station to 12th Street Viaduct			8	8
Chicago, Curve, 15th to 16th Streets			15	12
Chicago, Stewart Avenue Interlocking turnouts			10	10
Chicago, Stewart Ave. to Interlocking M.P. 3.1			30	30
Chicago, Interlocking, M.P. 3.1			20	15
Curve, M.P. 9.7 to 9.9, east of Bridge 9-C			40	35
Bridge 9-C, M.P. 9.9 to 10.0	3460 Class		20	20
	Other than 3460 Class		30	25
Curve, M.P. 11.9 to 12.3, east of McCook			60	50
Curve, M.P. 24.0 to 24.7			.....	50
Bridge 24-B, M.P. 24.7 to 24.8	3460 Class		20	20
	Other than 3460 Class		40	30
4 Curves, M.P. 24.8 to 25.9, (Lemont)			50	40
2 Curves, M.P. 27.4 to 28.7			65	50
Curve, M.P. 29.0 to 29.2, (Romeo)			70	55
Curve, M.P. 35.3 to 35.6, (west of Joliet Coal Chute)	Westward Track		.....	50
	Eastward Track		70	50
Curve, M.P. 36.3 to 36.7, (Basin Bridge 36-A)	Westward Track		60	40
	Eastward Track		45	30
Curve, M.P. 37.0 to 37.1			35	25
Curves, M.P. 37.2 to 37.8, Joliet, through turnouts			15	15
Curve, M.P. 43.6 to 43.9 Eastward Track			80	50
Curve, M.P. 57.0 to 57.3 Westward Track			75	50
Curve, M.P. 58.4 to 58.6, (Coal City)			60	50
Track No. 3, Kernan to Streator Coal Chute			40	30
2 Curves, M.P. 88.2 to 89.0, (east of Streator)	Westward Track		60	50
	Eastward Track		55	40
Streator, Main Street to Wabash Crossing			20	20
SECOND DISTRICT.				
2 Curves, M.P. 131.6 to 132.1			70	50
9 Curves, M.P. 132.6 to 136.8, (Edelstein Hill)			55	50
10 Curves, M.P. 161.6 to 170.3			75	.....
Galesburg, C.B.& Q. viaduct to Main Street			20	20
Curve, M.P. 224.7 to 225.0, (Dallas City)			60	50
Curve, M.P. 230.7 to 231.1			50	40
Mississippi River Bridge, M.P. 231.5 to 231.8			40	30
8 Curves, M.P. 231.8 to 234.1			30	30
PEKIN DISTRICT.				
2 Curves, M.P. 49.9 to 50.3, (Groveland)			35	.....
4 Curves, M.P. 54.5 to 55.8			35	.....

12. SPEED REGULATIONS, PASSENGER TRAINS.

Enginemen of trains in which are dining or cafe cars will, during meal hours, regulate speed and manipulate air, rounding curves and making station stops, so that train will move smoothly, without jar, and train conductors must observe that this is done.

13. MAXIMUM SPEED OF LOCOMOTIVES.

Diesel and Gas-Electric	Miles Per Hour	Light Forward: Miles Per Hour	Backing Or When Controlled From Rear Unit: Miles Per Hour	Dead-In-Train: Miles Per Hour
1-90, 300-305	100	45	45	90
306-312	85	45	45	80
168	95	45	45	90
M105-M189	60	60	25	60
M190	75	60	25	75
100-167, 169-241, 400-408, 2611	65	45	45	60
450-451	30	30	30	20
460-468	35	35	35	20
500-502, 525-533, 2200-2299, 2303-2304, 2310-2391, 2395-2399, 2403-2417, 2600-2606	45	45	45	45
2150-2153, 2300-2302, 2400-2402	40	40	40	30
Steam				
6-wheel and 8-wheel switch	20	20	20	
9440, 9442	30	30	25	
643, 664-684, 735, 761-768, 777, 781, 791, 795, 798-802, 804-820, 823, 827, 840, 849, 856, 900-984, 1600-1702, 1900-1991, 2526, 2536-2569, 3016-3027	35	35	25	
885-899, 3100-3158	45	35	25	
3800-3940	50	40	25	
2507-2525	55	40	25	
1001-1215, 1799-1886, 3160-3287, 4000-4115, 4197, 5000-5035	60	40	25	
3700-3750	70	40	25	
1272-1388, 1483-1554, 3409, 3443-3445, 3449, 3507-3534, 3751-3775	90	40	25	
1218, 1453, 1473, 2900-2929, 3400-3408, 3410-3442, 3446-3448, 3450-3465, 3776-3785	100	40	25	

14. MOVEMENTS OVER SUBMERGED TRACKS. (Rule 817)

Equipment listed below must not be moved through water above top of rail greater than the depths and not in excess of the speeds shown:

Types of Equipment	Depth Above Top of Rail (Inches)	Maximum Speed in Tow (M.P.H.)	Maximum Speed Under Own Power (M.P.H.)
Diesel Engines			
—Passenger	3	5	5
—Freight	5	5	5
—44 Ton Yard	2	5	5
—Other Yard	5	5	5
Diesel-Electric and Gas-Electric Motor Cars	3	5	5
Steam Engines			
—Roller Bearing	9	5	5
Passenger Cars			
—Roller Bearing	8	5	..
—Friction Bearing	12	5	..

15. DEAD ENGINES.

Dead engines must not be moved with side rods down or any driver suspended without special instructions.

16. STEAM WRECKING CRANES, ETC.

Trains handling wrecking outfits, derricks, steam shovels, clam shells, ditchers, pile drivers, spreaders (except spreaders with wings folded and fastened), and similar machinery moving on their own running gear must not exceed 30 MPH at any point on First and Second Districts and 24 MPH at any point on Pekin District. Such equipment must not be moved in any train except on authority of trainmaster.

17. SPRING SWITCHES, TURNOUTS AND CROSSOVERS.

In heading in or out over the following spring switches, turnouts and crossovers, trains or engines must not exceed indicated speeds. On other main track turnouts and crossovers not listed herein, trains or engines must not exceed 15 MPH. On all other turnouts or crossovers trains or engines must not exceed 10 MPH.

"I"—Interlocked Switch
"S"—Spring Switch

STATION	TYPE	LOCATION	MILES PER HOUR: Passenger	MILES PER HOUR: Freight and Mixed
FIRST DISTRICT				
Willow Springs	S	West end westward siding	15	15
	I	Crossovers	40	30
Romeo	I	Crossovers	40	30
Joliet Yard	I	Eastward head in	30	20
Plaines	I	G.M.& O. to A.T.& S.F.	40	30
	S	West end westward siding and west end connection G.M.& O. to A.T.& S.F.	25	20
Pequot	I	A.T.& S.F. to G.M.& O.	40	30
	I	Facing point crossover	30	20
	I	Trailing point crossover	40	30
Verona	I	Crossovers	40	30
	S	East end Eastward siding	25	20
	I	West end eastward siding	40	30
	I	East end westward siding	40	30
	S	West end westward siding	25	20
Kernan	I	Crossovers	40	30
Streator	I	Crossovers Wabash Crossing	30	20
	I	Eastward head in Wabash crossing	30	20
Ancona	I	Crossovers	40	30
	I	Pekin District turnout	30	20
Toluca	I	Trailing point crossover	40	30
	I	Facing point crossover	30	20
	S	West end westward siding	25	20
Chillicothe	I	Crossovers and turnouts east end yard	40	30
SECOND DISTRICT				
Chillicothe	I	Crossovers and turnouts west end yard	30	20
Edelstein	I	Crossovers	40	30
	S	West end westward siding	15	15
Monica	I	West end eastward siding	30	20
	I	Crossovers	40	30
	I	East end westward siding	30	20
Williamsfield	I	Crossovers	30	20
	S	West end westward siding	15	15
	S	East end eastward siding	25	20
Appleton	I	Facing point crossover	30	20
G.I. Tower	I	Crossovers	30	20
	I	East end westward siding	30	20
	S	East end eastward siding	25	20
Ormonde	I	Facing point crossover	30	20
	I	Trailing point crossover	40	30
	S	West end westward siding	25	20
Smithshire	I	Facing point crossover	30	20

17. SPRING SWITCHES, TURNOUTS AND CROSSOVERS.—(Cont'd).

"I" Interlocked Switch
"S"—Spring Switch

STATION	TYPE	LOCATION	MILES PER HOUR: Passenger	MILES PER HOUR: Freight and Mixed
SECOND DISTRICT—Cont'd				
Stronghurst	S	East end eastward siding	15	15
	I	Crossovers	40	30
	I	East end westward siding	30	20
	S	West end westward siding	25	20
Lomax	I	Crossovers	40	30
	S	West end westward siding	25	20
E. Ft. Madison	I	Crossovers	30	20
Tower A	I	Crossover	30	20
	I	Westward freight head in	30	20
	I	Eastward freight head out	30	20

18. YARD LIMITS.

Chicago (includes Corwith and Nerska). All movements between Panhandle Crossing and Stewart Avenue Crossing must be protected as per Rule 99.

Joliet U. S. (includes Joliet yard.)
Streator.
Chillicothe.
Galesburg (includes G.I. Tower.)
Fort Madison (includes Shopton.)
Pekin (includes East Yards.)

19. BULLETIN BOOKS.

Chicago.....Dearborn Station, 18th Street Yard and Roundhouse Offices.
Corwith.....Telegraph, Roundhouse, No. 1 and No. 6 Yard Offices.
Joliet Yard....Yard Office.
Streator.....Telegraph and Roundhouse Offices.
Chillicothe.....Telegraph and Roundhouse Offices and Reading Room.
G.I. Tower.....Coal Chute Office.
Fort Madison..Trainmen's Locker Room.
Shopton.....Yard and Roundhouse Offices.
Pekin.....Station and Roundhouse Offices.

20. STANDARD CLOCKS.

Chicago.....Dearborn Station, 18th Street Yard Office and Roundhouse Office.
Corwith.....Telegraph, No. 1 Yard and Roundhouse Offices.
Joliet Yard....Yard Office.
Streator.....Telegraph Office.
Chillicothe.....Telegraph Office.
Fort Madison..Telegraph Office.
Shopton.....Yard and Roundhouse Offices.

21. STANDARD THERMOMETERS.

Chicago, 18th St. Yard Office.	Streator.		Nemo.
Corwith.	Joliet Yard.	Chillicothe.	Shopton.
McCook.	Plaines.	G.I. Tower.	

22. OVERHEAD OBSTRUCTIONS. (Rule 761)

Mile Post	Bridge Number	Name
		FIRST DISTRICT
35.4	35-A	Railroad Viaduct.
116.9	116-D	Railroad Viaduct.
		SECOND DISTRICT
136.1	136-A	Highway Viaduct.
175.3	175-C	Highway Viaduct.
176.1	176-A	Highway Viaduct.
176.6	176-D	Railroad Viaduct.

23. INDUSTRY AND OTHER TRACKS NOT ON SCHEDULE PAGE.

Name	Location	Capacity
FIRST DISTRICT		
Waterways Terminal (spur)	M.P. 9.7	72 cars
Sanitary District (spur)	M.P. 10.1	
Argonne National Laboratory Track	M.P. 22.8	60 cars
Lemont Refinery (spur)	M.P. 27.8	132 cars
Blodgett Ordnance Plant (spur)	M.P. 50.3	
Northern Illinois Coal Co. Tipple, Wye	M.P. 55.0	Yard
Northern Illinois Dell Abbey	M.P. 56.3	Yard
SECOND DISTRICT		
Dahinda, Stanolind (spur)	M.P. 163.9	17 cars

24. STATUTORY REGULATIONS.

IN ILLINOIS, it is lawful for the conductor to remove from the train, using no unnecessary force, any passenger who shall refuse, upon reasonable demand, to pay his lawful fare, or who shall upon the train or car use any abusive, vulgar, threatening, obscene or profane language thereon, or shall so conduct himself as to make his presence offensive or unsafe to passengers thereon; and when any passenger shall be guilty of disorderly conduct or use any obscene language to the annoyance and vexation of passengers, or play any game of cards or other games of chance for money or other valuable thing upon any railroad train, the conductor is authorized to stop his train at any place where such offense has been committed and eject such passenger from the train, using only the force which may be necessary to accomplish the removal, but before doing so shall tender to such passenger such proportion of the fare he has paid as

24. STATUTORY REGULATIONS—(Cont'd).

the distance he then is from the place to which he has paid his fare bears to the whole distance for which he has paid his fare. Conductor may command the assistance of other employes of the railroad, or any of the passengers to assist in such removal.

25. SPEED TABLE.

Table of speeds (minutes and seconds per mile, in terms of miles per hour).

Time Per Mile Min.	Sec.	Miles Per Hour	Time Per Mile Min.	Sec.	Miles Per Hour	Time Per Mile Min.	Sec.	Miles Per Hour
..	36	100	..	58	62.1	1	40	36.0
..	37	97.3	..	59	61.0	1	42	35.3
..	38	94.7	1	..	60.0	1	44	34.6
..	39	92.3	1	02	58.0	1	46	34.0
..	40	90.0	1	04	56.2	1	48	33.3
..	41	87.8	1	06	54.5	1	50	32.7
..	42	85.7	1	08	52.9	1	52	32.1
..	43	83.7	1	10	51.4	1	54	31.6
..	44	81.8	1	12	50.0	1	56	31.0
..	45	80.0	1	14	48.6	1	58	30.5
..	46	78.3	1	16	47.4	2	..	30.0
..	47	76.6	1	18	46.1	2	05	28.8
..	48	75.0	1	20	45.0	2	10	27.7
..	49	73.5	1	22	43.9	2	15	26.7
..	50	72.0	1	24	42.9	2	30	24.0
..	51	70.6	1	26	41.9	2	45	21.8
..	52	69.2	1	28	40.9	3	..	20.0
..	53	67.9	1	30	40.0	3	30	17.1
..	54	66.6	1	32	39.1	4	..	15.0
..	55	65.5	1	34	38.3	4	30	13.3
..	56	64.2	1	36	37.5	5	..	12.0
..	57	63.2	1	38	36.8	6	..	10.0

CONDITIONAL STOPS SHOWN BELOW WILL BE MADE ONLY FOR REVENUE PASSENGERS.

The term "beyond" refers to regular, flag or conditional stops authorized herein.

TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM
3	In Illinois	Kansas City and beyond	
	Verona Strong City	Beyond Newton	Chicago and beyond Emporia and beyond
4	Newton to Kansas City		Wichita and beyond
	East of Kansas City		Beyond Kansas City
	Toluca	Chicago and beyond	
	Ransom Kinsman Verona Mazon	Beyond Chicago	
8	Ottawa Jct.		Beyond Emporia
15	La Plata Marceline	Tulsa, Wichita and beyond	Chicago
16	Marceline La Plata		Wichita and beyond
17—18	Galesburg	Scheduled stops in California	Scheduled stops in California
19—20	Joliet Streator Chillicothe Galesburg La Plata Marceline Carrollton Emporia	New Mexico Arizona California	California Arizona New Mexico
21—22	Joliet Streator Chillicothe Galesburg	Scheduled stops in California	Scheduled stops in California
23	Chicago to Wellington	Belen and beyond Between La Junta and Denver	
	Carrollton		Chicago
24	Wellington to Chicago Carrollton	Chicago	California Arizona Between La Junta and Denver
123	Between Kansas City and Newton	Albuquerque and West Between La Junta and Denver	
124	Between Kansas City and Newton		Albuquerque and West Between La Junta and Denver
211—212	Collinsville	Kansas City and beyond	Kansas City and beyond

Attendants accompanying live-stock or other shipments, may be carried on the train handling shipment of which they are in charge, when provided with proper transportation.

E. L.

SANTA FE SAFETY FIRST

Every employe should report promptly to his foreman, some member of the Safety Committee, or other proper person, all unsafe conditions or practices.

2134
148
76

(See General Rules E and F, Book of Rules.)



BULLETIN NO. 186

Office Open Part Time — Hours of offices not open continuously: (No Prefixes Daily; M/F Monday to Friday Inclusive; W Week Days Only; Sat Saturday; Sun Sunday). Location of phones and emergency train control tube kits.

FROM	TO	LOCATION OF PHONES AND TUBE KITS
		Phones located at or adjacent to all hand throw main track switches between Nerska and Joliet Yard.
W- 7:00A	4:00P	Lemont
		Willow Springs: On pole, MP-20 plus 2640 feet.
M/F-7:00A	4:00P	Romeo: Side of Station.
W- 7:00A	4:00P	Lockport.
		Joliet: Mile Posts 38, 39, 40, 43, 44, 45, and 47. Millsdale, Drummond, MP 50.3 on pole.
W- 7:00A	4:00P	Lorenzo: North side station, west end westward siding. Mine switches, Mile Post 54.7.
M/F-6:30A	3:30P	Coal City: Tube kit on pole opposite station; west end storage track and crossing flagman's house.
M/F-7:00A	4:00P	Mazon.
M/F-8:00A 7:30P	4:00P 3:30A	Verona: Tube kit in freight room. East end eastward siding, west end westward siding.
M/F-7:00A	4:00P	Kinsman, Ransom.
		Streator: Tube kit in telegraph office.
M/F-8:00A	5:00P	Ancona: On home signal poles, Leeds: Booth south of station.
		Toluca: Tube kit in motor car house. West end siding.
M/F-7:30A	4:30P	LaRose: MP-118. Wilbern: Booth west of station; 10 poles west of MP-124.
		Phones located 18 poles west MP 133; 9 poles west MP 134; 3 poles west MP 135; 11 poles west MP 136; 24 poles west MP 137.
M/F-7:00A	4:00P	Edolstein: West end siding; on home signal poles.
M/F-8:00A	5:00P	Monica.
M/F-7:00A	4:00P	Laura.
		Williamsfield: Tube kit in freight house. East end eastward siding; west end westward siding; 1700 ft west MP-161. Dahinda: in booth near tool house.
M/F-7:00A	4:00P	Appleton: Booth near tool house. 1900 ft west MP-168. Knox: in booth near tool house. 1100 ft west MP 171. 1500 ft west MP-174.
		Galesburg: Tube kits in bldg near Henderson St and GI Tower. MP-179 plus 1500 ft. Booth near tool house, Surrey.
M/F-8:00A	5:00P	Ormonde: Near home signals; booth near tool house, Ponemah.
M/F-6:00A	3:00P	Smithshire, Media.
		Stronghurst: Tube kit east end station. Phone near section tool house, Decorra.
M/F-9:00A	6:00P	Dallas City: Booth near tool house.
M/F-9:00A	6:00P	East Ft. Madison: Phones at home signals. Phone on draw span, Mississippi River Bridge.
M/F-8:30A	5:30P	Long Point, Dana.
M/F-8:00A	5:00P	Minonk.
M/F-8:15A	5:15P	Benson.
M/F-8:00A	5:00P	Roanoke. Washington.
W- 6:30A	3:30P	Morton.
M/F-6:15A	3:15P	Pekin. GM&O Tower open continuously.

BULLETIN NO. 187

Chillicothe, Illinois,
March 27, 1950.

ALL CONCERNED:

Effective 12:01 AM, Sunday, April 2nd, Bulletin No. 147 is cancelled, and the following applies:

Train No. 3 will not exceed 40 miles per hour passing Pequot, Mazon, and Verona daily; Media, Stronghurst and Lomax on Sunday only, to avoid damage to mail and papers. Train No. 3 will stop at Ransom on Fridays and Saturdays only to discharge passengers from Chicago.

Train No. 4 will not exceed 15 miles per hour passing Kinsman on Sundays to discharge papers.

No. 25 will wait at Streator for connection from No. 23.

No. 26 will stop at East Galesburg.

No. 47 and 48, while running extra between Ancona and Streator, will display classification lights only.

R. J. YOST,

Superintendent.