

DIVISION OFFICERS

L. V. HOBBS.....Superintendent.....Falls City, Neb.
E. H. CAMPBELL..Superintendent,
Kansas City Terminal
Div.....Kansas City, Mo.
G. H. NEEDHAM..Assistant Superintendent,
Kansas City Terminal
Div.....Kansas City, Mo.
W. CRIMM.....Trainmaster,
Kansas City Terminal
Div.....Kansas City, Mo.
R. F. HICKERSON..Trainmaster,
Kansas City Terminal
Div.....Kansas City, Mo.
J. E. BERNHARDT, JR.
.....Assistant Trainmaster,
Kansas City Terminal
Div.....Kansas City, Mo.
W. A. CATLETT...Assistant Superintendent....Atchison, Kan.
J. F. HUBBARD...Trainmaster,
Omaha Terminal.....Omaha, Neb.
A. W. REES.....Assistant Trainmaster.....Atchison, Kan.
All Subdivisions
T. F. CHESHIER...Road Foreman of Engines..Falls City, Neb.
H. H. WALKER.....Road Foreman of Engines,
Kansas City Terminal
Div.....Kansas City, Mo.
R. B. MERRIMAN..Division Trainmaster.....Atchison, Kan.

SAFETY FIRST



MISSOURI PACIFIC RAILROAD COMPANY

OMAHA AND NORTHERN KANSAS DIVISIONS

TIMETABLE No. 35

Effective 12:01 a. m. Sunday, March 2, 1958

CENTRAL STANDARD TIME

Supersedes Timetable No. 34, effective March 27, 1955,
and all Supplements thereto.

FOR THE INFORMATION AND GOVERNMENT OF
EMPLOYEES CONCERNED, WHO MUST ALSO CARRY
COPY OF SPECIAL INSTRUCTIONS No. 13, THIS
DIVISION, EFFECTIVE AUGUST 15, 1954, AND
MUST ALSO CARRY COPY OF KANSAS CITY
TERMINAL DIVISION SPECIAL INSTRUCTIONS
No. 8, EFFECTIVE NOVEMBER 15, 1954.

The Railroad Company Reserves the Right to Vary Therefrom
as Circumstances May Require.

L. A. GREGORY, Vice President-Operation.

E. C. SHEFFIELD, Assistant Vice President-Operation.

M. L. SMITH, General Superintendent Transportation.

C. F. DOUGHERTY, General Manager.

G. M. HOLZMANN, Assistant General Manager.

SPECIAL INSTRUCTIONS

The following rules are repeated from the Uniform Code of Operating Rules for emphasis:

GENERAL NOTICE (in part): SAFETY is of the FIRST importance in the discharge of duty.

RULE B: Employees must have a proper understanding and working knowledge of and obey all rules and instructions in whatever form issued, applicable to or affecting their duties. If in doubt as to their meaning, employees must apply to the proper officer for an explanation.

When properly authorized, rules may be cancelled, superseded or changed by:

- (1) General Order,
- (2) Special instructions in the timetable or in pamphlet form,
- (3) Paster in the book of rules.

RULE E (in part): Employees must render every assistance in their power in carrying out the rules and instructions. Courteous cooperation between employes is required for proper functioning under the rules and instructions.

RULE 107 (in part): Conductors and engineers must bring about cooperation between all members of the crew.

Both the conductor and engineer are responsible for the safety of the train and the observance of the rules.

Although engineers are under the direction of the conductor regarding the supervision of trains, they will not comply with any instructions which imperil the safety of the train or involve a violation of the rules.

When safety of trains and observance of rules are involved, brakemen and firemen are responsible to the extent of their ability to prevent accident or violation of rules. They will not comply with any instructions which imperil the safety of the train or involve a violation of the rules.

RULE 108: In case of doubt or uncertainty, the SAFE course MUST be taken.

RULE 101 (in part): Conductors and engineers must inform themselves of conditions, and during and after excessive rains, heavy storms, fogs, or any condition which may restrict visibility or affect condition of track, must restrict speed of their train to insure ABSOLUTE SAFETY, and if in doubt of being able to proceed safely, train must be placed in siding until it is safe to proceed.

When storms, fogs or other conditions obscure track or signals from points where they are plainly seen under normal conditions, speed must be restricted to insure seeing and complying with indications of any and all signals, REGARDLESS OF LOSS OF TIME.


RULES 2 and 3 of Rules and Instructions for Train Dispatchers:

The train dispatcher is in position to render valuable service in bringing about compliance with the rules; first, by habitually conforming to the rules in the daily performance of his own duties; second, by requiring compliance with the rules on the part of operators, trainmen and others with whom his duties bring him in daily contact; and, third, by immediately reporting any rule violation, any negligence of duty or any irregularity relating to the movement of trains and the handling and execution of train orders.

Train dispatcher must bear in mind that his more extended means of communication and consequent knowledge of conditions give him a point of view not available to any other person connected with train, engine or yard movements, and that it is his duty to impart that knowledge to others, when it will promote safety, or, without sacrificing safety, will expedite movement of trains.

NOTE WELL AND REMEMBER:

1. No officer or employe has the authority to violate a rule.
2. No officer or employe has the authority to tell anyone to violate a rule.



General Manager

ATTENTION TRAIN AND ENGINE CREWS

Always keep in mind that the revenue passenger is the BUYER, and that it is your job to make every Buyer a satisfied customer. To that end, the following matters deserve your constant attention.

1. If an error or misstatement has been made somewhere along the route, put forth every effort to correct it. Nothing should be considered too trivial.

2. Ever be alert to the safety and comfort of your passengers, and freely give information and advice when requested. The aged, infirm and the young passenger traveling unaccompanied require special attention. Be helpful to them in every way possible, particularly in assisting them on and off trains, and occasionally inquire as to their comfort.

3. Protect both coach and sleeper passengers against undue noise or disturbance, particularly at night. Remember they pay to sleep.

4. The avoidance of arguments or friction with passengers is a test of your diplomacy. A calm and pleasant manner, regardless of the circumstances, is the best assurance of your success.

5. Keep posted on connecting line train service, arbitrary holds they have in effect for our trains, and advise passengers so as to avoid, as far as possible, any uneasiness on their part about missing connections, and when same is unavoidable, tell them what time the next connection is due to depart.

6. Cheerfully offer explanation of unusual delays and pass such information to other members of your crew — Brakeman, Porter, Pullman and Dining Car employes — so they too may advise passengers. Generally speaking, passengers will gladly accept a condition which they understand, but on the contrary are irritated when kept in ignorance.

7. Neatness of appearance and courtesy bespeak pride in your job, and create good-will for the railroad.

8. Being considerate of others is the key to popularity. This applies to the institution and individual alike. Many of your passengers may be riding a train for their first time. This is especially true of the younger generation. Kind and attentive treatment to make them feel at home creates additional passenger traffic.

9. Remember that people traveling on passes have a right to that privilege, and are entitled to the same courteous treatment as other passengers. A satisfied "free-transportation" passenger is always a booster.


10. On crowded trains, Missouri Pacific employes riding on passes should, and will, if properly approached, cheerfully cooperate in seeing that revenue passengers are given every possible consideration.

11. Train Porter should keep coaches clean and in tidy condition at all times. Toilets particularly are the source of adverse comment. Inspect them frequently.

12. AVOID ROUGH HANDLING OF YOUR TRAIN. Missouri Pacific enginemen have an enviable reputation for smooth starting, running and stopping of their trains. Never lose sight of this feature, as passengers are more disposed to avoid the route that does not give them a smooth ride, than they are to exert the effort involved in registering complaints about it.

13. Of equal importance is SMOOTH HANDLING OF FREIGHT TRAINS. Rough handling results in damaged lading and delays due to damaged equipment, which creates dissatisfied customers.

14. On-time delivery of passengers and freight at destination is what the customers pay for and expect. Your best efforts, always within the zone of safety, should be extended to keep your trains on time.



Vice President-Operation

ARBITRARY HOLDS — PASSENGER TRAINS

Station	Train Number	Hold for Train	Hold Until	Hold If On Time	Remarks
Kansas City.....	Omaha Div... 119	All Connecting Lines.....	1:10 a. m.	30 Min.	For revenue passengers.
" ".....	" " ..105	Eastern Div.....	Indefinitely	For connection.
" ".....	Eastern Div... 6	Omaha Div... 106	Indefinitely	For connection.
" ".....	M-K-T... 27	" " ..110	9:50 p. m.	10 Min.	For revenue passengers.
Atchison.....	N. K. Div... 519	Omaha Div... 119	Indefinitely	For connection.
".....	Omaha Div... 110	N. K. Div... 510	9:00 p. m.	1 Hr.	" "
Union.....	" " ..110	Midwest Bus Lines... 410	5:20 p. m.	25 Min.	For passengers and express.
".....	Midwest Bus Lines... 405	Omaha Div... 105	Indefinitely	For passengers and express.
".....	" " ..419	" " ..106	Indefinitely	" " " "
".....	" " ..405	" " ..110	Indefinitely	" " " "
".....	Omaha Div... 106	Midwest Bus Lines... 406	9:00 a. m.	15 Min.	For revenue passengers.
Omaha.....	" " ..106	All Connecting Lines.....	8:10 a. m.	10 Min.	" " "

EXPLANATION OF CHARACTERS

- Ⓜ—Radio Base Station.
 - D—Diesel Fuel Oil.
 - e—Eastward.
 - w—Westward.
 - W—Water.
 - Y—Wye Track.
 - ‡—Track Scales.
 - *—Mail Crane.
 - CS—Continuous Train Order Office.
 - LS—Limited Train Order Office (Hours of Service Specified by General Order.)
 - P—Telephone Communication only.
 - TP—Telegraph or Telephone Office; not a Train Order Office.
- Register stations are shown in full-faced type.

EXPLANATION OF STOPS

- s—Regular Stop.
- f—Stop on signal for passengers, mail, baggage and express.
- a—Stop on signal to receive or discharge revenue passengers.

TABLE OF SPEEDS

MILES PER HOUR	ONE MILE IN	
	Minutes	Seconds
5.....	12	0
8.....	7	30
10.....	6	0
12.....	5	0
15.....	4	0
18.....	3	20
20.....	3	0
25.....	2	24
30.....	2	0
35.....	1	43
40.....	1	30
45.....	1	20
49.....	1	14
50.....	1	12
55.....	1	5
59.....	1	2
60.....	1	0
65.....	0	55
70.....	0	51
75.....	0	48
79.....	0	46

STATIONS NOT SHOWN IN TIMETABLE WILL BE SERVED BY TRAINS INDICATED BELOW:

Station	Miles from St. Louis	Train Numbers			
Omaha Subdiv.:					
Mynard.....	458.85	f119			
Concordia Subdiv.:					
Monrovia.....	345.16	f510	f519		
Hastings Subdiv.:					
Muriel.....	573.77	f692	f699		

ATCHISON SUBDIV.—BETWEEN KANSAS CITY AND FALLS CITY YARD

3

TRAINS WESTWARD				Miles from St. Louis	TIMETABLE		Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD				
FIRST CLASS					No. 35				FIRST CLASS				
901 C. G. W. Passenger Daily Ex. Saturday	105 Passenger Daily	519 Passenger Daily	119 Passenger Daily		MARCH 2, 1958								
				STATIONS									
	8 50AM				ST. LOUIS	0			5 40PM				6 50AM
11 30PM	2 40PM		12 40AM	283.03	CS..... KANSAS CITY (Union Sta.)..WD	282		11 59AM	1 45PM				9 20PM
				285.91	KANSAS CITY, KAN. (Central Ave.)	B 8							
				286.28	P. KANSAS CITY TERM. RY. CONN.								
				286.31	P. (U. P. Conn.)								
				286.46	HIGH LINE CONN.								
				286.67	WYANDOTTE (U. P. Conn.)								
				286.85	CS. MINNESOTA AVE.								
				286.98	EAST YARD JCT.								
				287.23	P.M.P INDUSTRIAL CROSS.								
				287.95	P. EDGEWATER JCT.								
				287.50	P. NEARMAN	O 10	125						
				292.78	P. WOLCOTT	O 16	116 174						
				298.82	P. POPE	O 20	114						
				302.42	U. P. JCT.								
				305.64	P. COCHRANE	O 23	118						
				305.65	P. EAST LEAVENWORTH		67						
12 07AM				308.80	P. C. G. W. CONN.				12 56PM				
				309.28	C. G. W. CROSSING								
				309.56	CS. BB TOWER								
				309.57	C. B. & Q. CROSSING								
				309.58	P. LEAVENWORTH..WD	O 27	80	\$ 11 18					\$ 8 30
	\$ 3 15		\$ 1 35	309.67	TP FORT LEAVENWORTH*	O 30		\$ 11 13					\$ 8 20
				312.30	P. WADE	O 32	102						
				314.20	P. OAK MILLS	O 38	114 174						
				320.53	P. DALBEY	O 43	115						
				325.59	P. LOWER YARD (East Switch)		110						
				329.92	CS. ATCHISON (Union Depot)			\$ 10 54					7 00PM
	\$ 3 42	3 00AM	\$ 2 20	330.70	A. T. & S. F. JCT.								\$ 8 00
				330.80	CS. UPPER YARD (West Switch)	O 48	Yd.						
				331.68	P. NK JCT.								6 40PM
		3 05AM		332.33	P. SHANNON	O 56	125	10 40					7 37
	3 52		2 35	338.12	LS. LANCASTER	O 59							
			f 2 42	341.35	P. HURON	O 64	125	10 32					7 28
	4 00		f 2 51	346.71	LS. EVEREST	O 69	83	10 27					7 23
	4 05		f 3 01	351.74	TP. WILLIS	O 76	125	10 21					7 15
	4 11		f 3 12	358.26	BAKER	O 80							
			f 3 17	362.26	P. U. P. CROSSING								
			f 3 45	369.77	CS. HIAWATHA	O 88	97	\$ 10 09					\$ 7 00
	\$ 4 24		f 3 55	370.30	TP. PADONIA	O 93							
			f 4 02	375.37	LS. RESERVE, KAN.	O 97	96	10 00					6 48
	4 33		f 4 02	379.13	P. FALLS CITY YARD, NEB. W	O 102	Yd.	9 54AM					6 42PM
	4 40PM		4 08AM	384.36									
Daily Ex. Saturday	Daily	Daily	Daily		101.78			Daily	Daily Ex. Sunday	Daily		Daily	Daily

Signal Indication, both Opposing and Following Movements

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.
 Two mile post locations shown at Edgewater Jct. are one and the same point; 287.95 is mileage via Kansas City Union Station, and 287.50 is mileage via Cypress and is the same as painted on telegraph poles.

4 ATCHISON SUBDIV.—KANSAS CITY TO FALLS CITY YARD

Station Nos.		Miles from St. Louis		TIMETABLE							
				No. 35				TRAINS WESTWARD			
				MARCH 2, 1958				SECOND CLASS			
STATIONS				173	973			971	163	975	183
				Red Ball Freight	C. G. W. Freight			Un. Pacific Freight	Red Ball Freight	C. G. W. Freight	Red Ball Freight
				Daily	Daily			Daily Ex. Sunday	Daily	Daily	Daily Ex. Saturday
				ST. LOUIS	2 00PM				1 30AM		1 30AM
		280.03		KANSAS CITY EAST YARD (West End) W@DY\$	4 00AM				6 30PM		9 00PM
		282.08	P	K. C. S. CROSSING							
		283.10	TP	BROADWAY, MO.							
		284.57	P	KAW POINT, KAN.		7 00AM				7 00PM	
		284.72		KAW RIVER JCT.							
		284.74		U. P. CROSSING							
		284.84		U. P. CROSSING							
		284.87		U. P. CROSSING							
		285.88		P. EDGEWATER JCT.							
		287.50		NEARMAN							
O 10		292.78		WOLCOTT							
O 16		298.82		POPE							
O 20		302.42		U. P. JCT.				8 25AM			
		305.64		COCHRANE							
O 23		305.65		EAST LEAVENWORTH							
		308.80		C. G. W. CONN.		7 58AM				7 58PM	
		309.28		C. G. W. CROSSING							
		309.56		CS. BB TOWER							
		309.57		C. B. & Q. CROSSING							
O 27		309.67		LEAVENWORTH, WD\$				8 45AM			
O 30		312.30		TP. FORT LEAVENWORTH*							
O 32		314.20		WADE							
O 38		320.63		OAK MILLS							
O 43		325.69		DALBEY							
		329.92		LOWER YARD (East Switch) \$							11 50PM
		330.70		CS. ATCHISON (Union Depot)							
		330.80		A. T. & S. F. JCT.							
O 48		331.68		CS. UPPER YARD (West Switch)							
		332.33		NK JCT							
O 56		338.12		SHANNON	6 05				9 15		
O 59		341.35		LANCASTER							
O 64		346.71		HURON	6 20				9 35		
O 69		351.74		EVEREST	6 28				9 45		
O 76		358.26		WILLIS	6 38				10 00		
O 80		362.26		BAKER							
		369.77		U. P. CROSSING							
O 88		370.30		HIAWATHA	6 58				10 22		
O 93		375.37		PADONIA							
O 97		379.13		RESERVE, KAN.	7 15				10 38		
O 102		384.36		FALLS CITY YARD, NEB W\$	7 30AM				10 50PM		
				101.78	Daily	Daily			Daily Ex. Sunday	Daily	Daily Ex. Saturday

Signal Indication, both Opposing and Following Movements

A B S

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual. Two mile post locations shown at Edgewater Jct. are one and the same point; 285.88 is mileage via East Yard (freight); and 287.50 is mileage via Cypress and is the same as painted on telegraph poles.

ATCHISON SUBDIV.—FALLS CITY YARD TO KANSAS CITY

5

TIMETABLE

No. 35

MARCH 2, 1958

TRAINS EASTWARD

SECOND CLASS

Siding Capacity in Cars	Miles from St. Louis	STATIONS	976	970	172	974	188	162	
			C. G. W. Freight Daily	Un. Pacific Freight Daily Ex. Sunday	Red Ball Freight Daily	C. G. W. Freight Daily	Red Ball Freight Daily Ex. Sunday	Red Ball Freight Daily	
		ST. LOUIS							
		KANSAS CITY EAST YARD (West End) @DY\$			6 30AM		6 30AM	6 00PM	
	280.03	2.05			5 15PM		8 00PM	5 00AM	
	282.08	P. K. C. S. CROSSING							
	283.10	TP. BROADWAY, MO.							
	284.57	P. KAW POINT, KAN.	4 14AM			2 14PM			
	284.72	KAW RIVER JCT.							
	284.74	U. P. CROSSING							
	284.84	U. P. CROSSING							
	284.87	U. P. CROSSING							
	285.88	P. EDGEWATER JCT.							
	287.50	5.28							
125	292.78	P. NEARMAN							
		6.04							
e 116 w 74	298.82	P. WOLCOTT							
		3.60							
114	302.42	P. POPE							
		3.22							
	305.64	U. P. JCT.		11 08AM					
		0.01							
118	305.65	P. COCHRANE							
		3.15							
67	308.80	P. EAST LEAVENWORTH							
		0.48							
	309.28	P. C. G. W. CONN.	3 30AM			1 30PM			
		0.28							
	309.56	C. G. W. CROSSING							
		0.01							
	309.57	CS. BB TOWER @							
		0.01							
	309.58	C. B. & Q. CROSSING							
		0.09							
80	309.67	P. LEAVENWORTH WD\$		11 00AM					
		2.63							
	312.30	TP. FORT LEAVENWORTH *							
		1.90							
102	314.20	P. WADE							
		6.33							
e 1141 w 74	320.53	P. OAK MILLS							
		5.06							
115	325.59	P. DALBEY							
		4.33							
110	329.92	P. LOWER YARD (East Switch) \$			1 30		5 00PM	12 50AM	
		0.78							
	330.70	CS. ATCHISON (Union Depot)							
		0.10							
	330.80	A. T. & S. F. JCT.							
		0.88 W@DY\$							
Yd.	331.68	CS. UPPER YARD (West Switch)							
		0.65							
	332.33	P. NK JCT.							
		5.79							
125	338.12	P. SHANNON			1 00			12 33	
		3.23							
	341.35	LS. LANCASTER *							
		5.36							
125	346.71	P. HURON *			12 45			12 22	
		5.03							
83	351.74	LS. EVEREST *			12 37			12 15	
		6.52							
125	358.26	TP. WILLIS *			12 27			12 07AM	
		4.00							
	362.26	BAKER							
		7.51							
	369.77	P. U. P. CROSSING							
		0.53							
97	370.30	CS. HIAWATHA			12 05PM			11 52PM	
		5.07							
	375.37	TP. PADONIA							
		3.76							
96	379.13	LS. RESERVE, KAN. *			11 45AM			11 40	
		5.23							
Yd.	384.36	P. FALLS CITY YARD, NEB. W\$			11 35AM			11 30PM	
		101.78							
			Daily	Daily Ex. Sunday	Daily	Daily	Daily Ex. Sunday	Daily	

Signal Indication, both Opposing and Following Movements

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.
 Two mile post locations shown at Edgewater Jct. are one and the same point; 285.88 is mileage via East Yard (freight); and 287.50 is mileage via Cypress and is the same as painted on telegraph poles.

OMAHA SUBDIV.—FALLS CITY YARD TO OMAHA

Station Numbers	Miles from St. Louis	TIMETABLE No. 35 MARCH 2, 1958	TRAINS WESTWARD					
			FIRST CLASS		SECOND CLASS			
			119 Passenger	105 Passenger	193 Local Freight	173 Red Ball Freight	163 Red Ball Freight	
		STATIONS	Daily	Daily	Daily Ex. Saturday	Daily	Daily	
O102	384.36	P... FALLS CITY YARD... WS	4 08AM	4 40PM	6 00AM	7 45AM	11 20PM ¹⁶²	
	384.75	CS... C. B. & Q. CROSSING... 0.39						
	384.85	FALLS CITY... 0.10	s 4 16	s 4 42				
O107	389.56	P... STRAUSSVILLE... 4.71	4 23	4 47	6 15	8 05	11 40	
O112	394.87	LS... VERDON... 5.31	* s 4 30	4 52	6 25	8 12	11 47PM	
O119	401.27	LS... STELLA... 6.40	* s 4 40	4 58	6 35	8 20	12 10AM	
O126	408.49	P... HOWE... 7.22	* f 4 48	5 05	6 45	8 30	12 30	
	414.16	LS... AUBURN... 5.67	s 5 00	s 5 11	7 15	8 37	12 40	
	416.44	P... MX JCT... 2.28	5 03	5 13	7 20	8 40	12 45	
O141	423.57	TP... JULIAN... 7.13	* s 5 13	5 20	7 30	8 50	12 57	
O146	428.78	LS... PAUL... 5.21	* f 5 23	5 31 ¹¹⁰	7 40	9 08 ¹⁰⁸	1 07	
O151	433.52	P... KD SIDING... 4.74	5 28	5 35	7 50	9 15	1 20	
	435.81	P... C. B. & Q. CROSSING... 2.29						
O153	436.02	LS... NEBRASKA CITY... 0.21	s 5 40	s 5 40	8 25	9 22	1 25	
O155	437.72	P... WX SIDING... 1.70	5 44	5 44	8 30	9 36 ¹⁷²	1 30	
O159	441.76	P... WYOMING... 4.04	5 51	5 48	8 51 ¹⁰⁶	9 50 ¹⁹⁴	1 38	
O165	447.47	CS... UNION... WY 5.71	s 6 08	s 5 55	9 12 ¹⁷² 9 30 ¹⁹⁴	10 03	2 00	
O170	452.32	P... TODDS... 4.85	6 15	6 01	9 45	10 13	2 15	
O172	454.83	LS... MURRAY... 2.51	* f 6 19	6 04	9 55	10 18	2 20	
O180	462.38	LS... PLATTSMOUTH... 7.55	* s 6 29	a 6 11	10 10	10 28	2 30	
	465.22	P... C. B. & Q. CROSSING... 2.84						
	465.51	P... C. B. & Q. CROSSING... 0.29						
O185	467.11	P... LA PLATTE... 1.80	6 36	6 16	10 25	10 35	2 40	
O189	471.35	LS... FORT CROOK... 4.24	* f 6 43	a 6 22				
	471.97	P... GB JCT... 0.62	6 46	6 25	10 35	10 45	2 50	
	473.07	P... OM JCT... 1.10						
O191	473.18	CS GILMORE JCT.(U.P.Conn.) 0.11	6 50	6 29	10 40	10 50	3 00	
O190a	481.35	CS. OMAHA (UNION STATION)	7 20AM	6 55PM				
	477.66	N STREET (U. P. Conn.) 0.36						
O195	478.02	P... SOUTH OMAHA... 0.68			11 00AM	11 15AM	3 30	
	478.70	C. & N. W. CROSSING... 2.99						
O199	481.69	P... WS JCT... 5.01						
	486.70	OMAHA (LOCUST ST.) 0.58						
O205	487.28	LS... OMAHA (GRACEST.) W@D			1 30PM	2 00PM	6 15AM	
		Passenger	Daily	Daily	Daily Ex. Saturday	Daily	Daily	
		Freight						

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.

OMAHA SUBDIV.—OMAHA TO FALLS CITY YARD

Siding Capacity in Cars		Miles from St. Louis		TIMETABLE No. 35 MARCH 2, 1958	TRAINS EASTWARD								
					FIRST CLASS		SECOND CLASS						
					106 Passenger	110 Passenger			172 Red Ball Freight	194 Local Freight	162 Red Ball Freight		
STATIONS				Daily	Daily			Daily	Daily Ex Sunday	Daily			
Yd.	384.36			P... FALLS CITY YARD ... W S	9 54AM	6 42PM			11 20AM	1 00PM	11 20PM ¹⁹³		
	384.75			CS... C. B. & Q. CROSSING									
	384.85			FALLS CITY	s 9 53	s 6 40							
79	389.56			P... STRAUSSVILLE	9 47	6 27			11 00	12 40	11 11		
125	394.87			LS... VERDON	9 42	6 20			10 50	12 25	11 04		
78	401.27			LS... STELLA	9 36	a 6 11			10 40	12 15	10 56		
78	408.49			P... HOWE	9 29	6 01			10 30	12 01PM	10 47		
125	414.16			LS... AUBURN	s 9 23	s 5 53			10 20	11 45AM	10 40		
	416.44			P... MX JCT.	9 19	5 44			10 15	11 15	10 36		
78	423.57			TP... JULIAN	9 13	5 36			10 05	11 05	10 27		
78	428.78			LS... PAUL	9 08 ¹⁷³	5 31 ¹⁰⁵			9 58	10 55	10 20		
78	433.52			P... KD SIDING	9 03	5 20			9 48	10 40	10 12		
	435.81			P... C. B. & Q. CROSSING									
25	436.02			LS... NEBRASKA CITY	s 8 59	s 5 13			9 41	10 30	10 08		
78	437.72			P... WX SIDING	8 55	5 07			9 36 ¹⁷³	9 58	10 04		
78	441.76			P... WYOMING	8 51 ¹⁹³	5 02			9 23	9 50 ¹⁷³	9 59		
103 w 75	447.47			CS... UNION WY	s 8 45	s 4 55			9 12 ¹⁹³	9 30 ¹⁹³	9 50		
77	452.32			P... TODDS	8 39	4 43			9 01	9 15	9 43		
79	454.83			LS... MURRAY	8 36	4 40			8 56	9 10	9 40		
77	462.38			LS... PLATTSMOUTH	a 8 28	s 4 32			8 45	8 55	9 30		
	465.22			P... C. B. & Q. CROSSING									
	465.51			P... C. B. & Q. CROSSING									
78	467.11			P... LA PLATTE	8 22	4 25			8 35	8 45	9 23		
	471.35			LS... FORT CROOK	a 8 18	f 4 20							
	471.97			P... GB JCT.	8 17	4 17			8 25	8 35	9 17		
	473.07			OM JCT.									
	473.18			CS... GILMORE JCT. (U.P. Conn.)	8 15	4 15			8 20	8 30	9 15		
	481.35			CS... OMAHA (UNION STATION)	8 00AM	4 00PM							
	477.66			N STREET (U. P. Conn.)									
Yd.	478.02			P... SOUTH OMAHA					6 45	8 00	9 00		
	478.70			C. & N. W. CROSSING									
	481.69			P... WS JCT.									
	486.70			OMAHA (LOCUST ST.)									
Yd.	487.28			LS... OMAHA (GRACE ST.) W @ D S					6 00AM	7 00AM	8 00PM		
				Passenger	96.89	Daily	Daily		Daily	Daily Ex. Sunday	Daily		
				Freight	102.92								

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.

LOUISVILLE SUBDIV.—BETWEEN OTOE AND WS JCT.

TRAINS WESTWARD SECOND CLASS				Miles from St. Louis	TIMETABLE No. 35 MARCH 2, 1958		Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD SECOND CLASS				
			691 Local Freight Daily Ex. Sunday		STATIONS				690 Local Freight Daily Ex. Sunday				
				444.10		OTOE	OD 30						
				449.22	TP	AVOCA	OD 35						
				454.00	P	NW JCT.							
			11 55AM		LS	WEeping WATER				11 35AM			
			12 01PM	456.04	P	WW JCT				11 30AM			
			12 20	459.93		MANLEY	OD 46	25		11 15			
			2 00	465.67	LS	LOUISVILLE	OD 52	22		11 00			
				465.96		C. B. & Q. CROSSING							
				467.22		C. R. I. & P. CROSSING							
			2 30	471.69	LS	SPRINGFIELD	OD 58	36		9 50			
				479.53		U. P. CROSSING							
				483.63		SEYMOUR PARK	OD 69						
				485.69		C. & N. W. CROSSING							
			3 10	487.26		LEAVENWORTH ST. YARD	OD 74			9 05			
			3 15PM	488.25	P	WS JCT.	O 199			9 00AM			
			4 00PM		LS	OMAHA (GRACE ST.) W@D				8 30AM			
			Daily Ex. Sunday			44.15				Daily Ex. Sunday			

CRETE SUBDIV.—BETWEEN MX JUNCTION AND CRETE

TRAINS WESTWARD				Miles from St. Louis	TIMETABLE No. 35 MARCH 2, 1958		Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD				
					STATIONS								
				414.18		AUBURN							
				416.44	P	MX JCT.							
				423.22		BROCK	OD 9						
				427.96	LS	TALMAGE	OD 14	37					
				437.84	LS	COOK	OE 9						
				445.63	TP	BURR	OE17						
				451.49	TP	DOUGLAS	OE23						
				458.53		PANAMA	OE30						
				465.63	LS	HICKMAN	OE37						
				466.65		C. B. & Q. CROSSING							
				472.91		SPRAGUE	OE44						
				480.30		KRAMER	OE52						
				486.11	LS	CRETE	OE58						
						69.67							

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.

10 CONCORDIA SUBDIV.—BETWEEN NK JCT. AND CONCORDIA

TRAINS WESTWARD			Miles from St. Louis	TIMETABLE			Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD		
SECOND CLASS		FIRST CLASS		No. 35					FIRST CLASS	SECOND CLASS	
	593 Local	519 Passenger		MARCH 2, 1958					510 Passenger	592 Local Freight	
	Sun., Tue., Thur.	Daily		STATIONS			Daily	Mon., Wed., Fri.			
	11 55PM		331.68	CS.....	UPPER YARD... W@DYs			11 30PM			
	11 59	3 05AM	332.33	P.....	NK JCT.....		6 40PM	7 22			
	12 02AM	3 06	332.61	P.....	OB SIDING.....	55	6 37	7 20			
	12 14	f 3 16	337.05	P.....	PARNELL.....	S 7	f 6 31	7 13			
	12 24	f 3 24	343.06	P.....	FARMINGTON.....	S 13	f 6 23	7 03			
	12 32	s 3 34	347.93	LS.....	EFFINGHAM.....	S 17	s 6 17	6 53			
	12 44	s 3 45	355.27	LS.....	MUSCOTAH.....	S 25	s 6 03	6 42			
	12 54	s 3 56	361.46	TP.....	WHITING.....	S 31	s 5 51	6 32			
	1 03	s 4 10	367.31	TP.....	NETAWAKA.....	S 37	s 5 43	6 22			
	1 13	s 4 21	372.89	TP.....	WETMORE.....	S 42	s 5 34	6 12			
	1 25	s 4 32	379.89	LS.....	GOFF.....	S 49	s 5 23	6 00			
	1 36	s 4 46	385.74	TP.....	CORNING.....	S 55	s 5 13	5 50			
	1 50	s 5 01	392.93	LS.....	CENTRALIA.....	S 62	s 5 01	5 35			
	2 04	s 5 13	400.41	TP.....	VERMILLION.....	S 70	s 4 49	5 22			
	2 11	s 5 19	404.06	P.....	VLIETS.....	S 74	s 4 41	5 15			
	2 21	s 5 31	408.87	LS.....	FRANKFORT.....	S 78	s 4 32	5 05			
	2 36	s 5 43	409.12		U. P. CROSSING.....						
	2 47	s 5 57	415.45	P.....	BIGELOW.....	S 85	s 4 20	4 50			
	2 54	s 6 07	419.76		U. P. CROSSING.....						
	3 04	s 6 20	421.71	LS.....	IRVING.....	S 91	s 4 08	4 39			
	3 17	s 6 33	425.67	LS.....	BLUE RAPIDS.....	S 95	s 4 01	4 32			
	3 28	s 6 45	430.59	LS.....	WATERVILLE.....	S100	s 3 52	4 22			
	3 40	s 6 57	437.76	P.....	BARNES.....	S107	s 3 40	4 07			
	3 50	s 7 08	443.65	LS.....	GREENLEAF.....	S113	s 3 31	3 55			
	3 58	f 7 15	443.88		WN JCT.....						
	4 08	s 7 23	450.68	LS.....	LINN.....	S120	s 3 19	3 42			
	4 18	s 7 37	455.48	P.....	PALMER.....	S125	s 3 09	3 22			
	4 24	s 7 43	459.53		DAY.....	S129	f 3 01	3 14			
	4 34	s 7 53	464.48	LS.....	CLIFTON.....	S134	s 2 53	3 05			
	4 38	s 7 53	466.06		C. R. I. & P. CROSSING.....						
	4 48	s 7 37	471.01	LS.....	CLYDE.....	S141	s 2 42	2 55			
	4 54	s 7 43	473.84	P.....	AMES.....	S143	s 2 36	2 50			
	5 00AM	8 05AM	479.86	P.....	RICE.....	S149	s 2 28	2 40			
			485.12		A. T. & S. F. CROSSING.....						
			485.13		C. B. & Q. CROSSING.....						
			485.43	LS.....	CONCORDIA..... WD	S155	2 20PM	2 30PM			
			153.10				Daily	Mon., Wed., Fri.			

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.

DOWNS SUBDIV.—BETWEEN CONCORDIA AND STOCKTON

11

TRAINS WESTWARD				Miles from St. Louis	TIMETABLE		Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD			
SECOND CLASS			FIRST CLASS		No. 35				FIRST CLASS	SECOND CLASS		
699 Local Freight	595 Local Freight	519 Passenger	519 Passenger		MARCH 2, 1958				510 Passenger	594 Local Freight	692 Local Freight	
Mon., Wed., Fri.	Mon., Wed., Fri.	Daily	Daily	STATIONS		Daily	Tue., Thur., Sat.	Tue., Thur., Sat.				
9 00AM	6 30AM	8 25AM	485.43	LS.....	CONCORDIA.....	WD	S 155	41	2 00PM	11 30AM	11 00AM	
9 10AM	6 39	8 32	490.27	HA JCT.....	Y			1 53	11 17	10 45AM	
	6 40	f 8 33	490.28	P.....	YUMA.....		S 160	47	f 1 52	11 15		
			496.34	BO JCT.....							
	6 50	s 8 41	496.42	LS.....	JAMESTOWN.....		S 166	27	s 1 44	11 05		
	7 00	s 8 49	502.88	TP.....	SCOTTSVILLE.....		S 172	35	s 1 35	10 50		
	7 11	f 8 59	509.58	P.....	GILBERT.....		S 179		f 1 26	10 30		
			514.22	U. P. CROSSING.....							
	7 19	s 9 15	514.45	LS.....	BELOIT.....		S 184	33	s 1 19	10 15		
	7 27	s 9 23	519.30	TP.....	SOLOMON RAPIDS.....		S 189		s 1 11	9 48		
	7 37	s 9 33 594	525.61	LS.....	GLEN ELDER.....		S 195	32	s 1 03	9 33 519		
	7 48	s 9 43	532.94	LS.....	CAWKER CITY.....		S 202	20	s 12 53	9 10		
	8 10	10 00AM	538.04	LS.....	DOWNS.....	WY§	S 208	40	12 45PM	9 00AM		
			538.71	QN JCT.....							
	8 55		548.53	LS.....	OSBORNE.....		SF 10			8 05		
	9 10		553.73	BLOOMINGTON.....		SF 15			7 54		
	9 30		562.17	LS.....	ALTON.....		SF 23			7 37		
	9 55		570.46	LS.....	WOODSTON.....		SF 32			7 20		
	10 30AM		580.42	LS.....	STOCKTON.....	WY	SF 42			7 00AM		
Mon., Wed., Fri.	Mon., Wed., Fri.	Daily	94.99						Daily	Tue., Thur., Sat.	Tue., Thur., Sat.	

LENORA SUBDIV.—BETWEEN QN JCT. AND LENORA

TRAINS WESTWARD				Miles from St. Louis	TIMETABLE		Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD			
SECOND CLASS			697 Local Freight		No. 35				698 Local Freight	SECOND CLASS		
			Mon., Wed., Fri.		MARCH 2, 1958				Tue., Thur., Sat.			
			8 30AM	STATIONS		8 50AM						
			538.64	LS.....	DOWNS.....	WY§	S208	40	8 50AM			
			538.71	QN JCT.....				8 48			
			547.76	LS.....	PORTIS.....		S217		8 28			
			552.95	HARLAN.....		S222		8 17			
			557.85	LS.....	GAYLORD.....		S227		8 07			
			563.05	TP.....	CEDAR.....		S233		7 46			
			572.66	LS.....	KIRWIN.....		S242		7 07			
			583.13 583.53	TP.....	GLADE.....		S253		6 46			
			589.88	SPEED.....		S259		6 20			
			598.56	LS.....	LOGAN.....		S268		5 45			
			608.34	DENSMORE.....		S278		5 05			
			612.91	TP.....	EDMOND.....		S282		4 45			
			623.33	LS.....	LENORA.....	W	S293		4 00AM			
Mon., Wed., Fri.			84.22						Tue., Thur., Sat.			

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.
 Two mile post location shown at Glade are one and the same point, 583.53 is old mileage and 583.13 is new mileage account line change made in February, 1954.

HASTINGS SUBDIV.—BETWEEN HA JCT. AND HASTINGS

TRAINS WESTWARD SECOND CLASS 699 Local Freight Mon., Wed., Fri.	Miles from St. Louis	TIMETABLE No. 35 MARCH 2, 1958	Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD SECOND CLASS 692 Local Freight Tue., Thur., Sat.
STATIONS					
9 10AM	490.27	HA JCT	Y S 160		10 45AM
	492.37	A. T. & S. F. CROSSING			
9 40	497.85	NORWAY	SD 8		10 00
	504.17	C. R. I. & P. CROSSING			
10 10	504.83	LS... SCANDIA	SD 15		9 40
	513.82	LS... REPUBLIC	SD 24		9 22
11 10	520.93	WARWICK, KAN	SD 31		9 07
	528.55	C. & N. W. CROSSING			
11 50AM	529.61	LS... SUPERIOR, NEB.	SD 39		8 49
	530.17	C. B. & Q. CROSSING			
12 25PM	538.40	AEDAL	SD 48		8 31
1 05	540.44	MT. CLARE	SD 56		8 14
	555.37	C. B. & Q. CROSSING			
1 30	555.53	LAWRENCE	SD 65		7 54
2 00	567.10	PAULINE	SD 77		7 30
2 50PM	580.31	LS... HASTINGS	SD 89		7 00AM
Mon., Wed., Fri.		90.04			Tue., Thur., Sat.

WASHINGTON SUBDIV.—BETWEEN WN JCT. AND WASHINGTON

TRAINS WESTWARD	Miles from St. Louis	TIMETABLE No. 35 MARCH 2, 1958	Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD
STATIONS					
	443.65	LS... GREENLEAF	S 113		
	443.88	WN JCT			
	450.58	LS... WASHINGTON	SC 7		
		6.70			

BURR OAK SUBDIV.—BETWEEN JAMESTOWN AND BURR OAK

TRAINS WESTWARD	Miles from St. Louis	TIMETABLE No. 35 MARCH 2, 1958	Station Numbers	Siding Capacity in Cars	TRAINS EASTWARD
STATIONS					
	496.42	LS... JAMESTOWN	S 166	27	
	506.67	TP... RANDALL	SE 11		
	512.97	LS... JEWELL	SE 17		
	521.53	LS... MANKATO	SE 26		
	529.74	TP... BURR OAK	SE 34		
		33.32			

Miles from St. Louis, shown above, are miles painted on telegraph poles and are not actual.

SPECIAL INSTRUCTIONS

1. Eastward regular trains are superior to trains of the same class in the opposite direction, except: Downs Subdiv.: No. 519 is superior to No. 510.

2. MAXIMUM SPEED:

The highest speed authorized for the operation of trains on main tracks, subject to LOWER speeds specified in Section 3 of these instructions, entitled "SPEED RESTRICTIONS", and lower speeds prescribed by train orders, restrictive signals and operating rules.

2-A. MAXIMUM TRAIN SPEED: (Where maximum engine speed is LOWER, it will govern)

The consist of a train includes the engine, or engines, and cars in the train. Members of the crew must know the consist of train.

The speed shown below is the highest speed authorized for the operation of trains of the specified consist:

CONSIST "A"... Diesel engines with one or more, or all, cars equipped with freight car trucks.

CONSIST "B"... Diesel engines with one or more conventional type standard weight high center of gravity passenger cars in train of all passenger cars.

CONSIST "C"... Diesel engines with Streamlined—HIGH center of gravity cars (equipped with electro-pneumatic brakes, tightlock couplers and roller bearing trucks) with or without one or more Streamlined—LOW center of gravity cars.

Passenger cars MP 6330, 6331, 6332, 6333, 6334, 6335, and 6336, Sleepers Shrine Tower, Beacon Tower, Temple Tower, Baggage Cars 4255, 4256, 4257, 4258, 4259, Diner 10242 and Office Car "The Eagle" are streamlined — HIGH center of gravity cars.

CONSIST "D"... Diesel engines with Streamlined, lightweight — LOW center of gravity cars only.

MP passenger cars of the 700 and 800 series, T&P passenger cars of the 100, 200, 300, 400, and 500 series, and Sleepers with "Eagle" and "Cascade" prefix or "River" suffix, are streamlined — LOW center of gravity cars.

SPECIAL INSTRUCTIONS

	MILES PER HOUR							
	Consist "A"	Consist "B"	Consist "C"			Consist "D"		
	Track without slow speed signs	Track without slow speed signs	Straight track without slow speed signs	Curves without slow speed signs	Curves with slow speed signs	Straight track without slow speed signs	Curves without slow speed signs	
Kansas City Terminal Division: Between Edgewater Jct. and Kansas City Terminal Ry. connection.....		40	40	40		40	40	
Atchison Subdivision	50	75	79	79		79	79	Five Miles
Omaha Subdivision: Between Falls City Yard and Gilmore Jct... Between Omaha (Grace St.) and South Omaha.....	50 25	75 25	79 25	79 25	Speed	79 25	79 25	
Lincoln Subdivision	35	35	35	35		35	35	per Hour
St. Joseph Subdivision: Between Atchison and Winthrop (via Atchison and Eastern Bridge Co.)..... Between Winthrop and Donovan (via C. R. I. & P.)..... Between Donovan and St. Joseph.....	15 35 15	15 45 15	15 45 15	15 45 15		15 45 15	15 45 15	above speed
Louisville Subdivision	25	25	25	25		25	25	
Crete Subdivision	30	30	30	30		30	30	shown on
Concordia Subdivision: Between NK Jct. and Netawaka..... Between Netawaka and Clifton..... Between Clifton and Concordia.....	40 35 40	50 45 50	50 45 50	50 45 50		50 45 50	50 45 50	
Downs Subdivision: Between Concordia and Downs..... Between Downs and Stockton.....	40 30	50 30	50 30	50 30		50 30	50 30	slow speed
Washington Subdivision	15	15	15	15		15	15	
Burr Oak Subdivision	25	25	25	25		25	25	signs
Hastings Subdivision: Between HA Jct. and MP 578 Pole 20..... Between MP 578 Pole 20 and Hastings.....	30 15	30 15	30 15	30 15		30 15	30 15	
Lenora Subdivision: Between Downs and MP 582 Pole 35..... Between MP 582 Pole 35 and Lenora.....	30 15	30 15	30 15	30 15		30 15	30 15	

2-B. MAXIMUM ENGINE SPEED: (Where maximum train speed is LOWER, it will govern).

Speed shown below is the highest speed at which an engine can be operated without damage to engine or track, but does not authorize operation of engine at speed higher than maximum train speed.

MO. PAC. DIESEL ENGINES		T&P DIESEL ENGINES	
Diesel	MPH	Steam	MPH
201 to 208	65	1100 to 1130	65
301 to 392	65	1500 to 1582	65
501 to 626	65	2000 to 2017	85
800 to 815	30		
4100 to 4101	35		
4102 to 4103	75		
4104 to 4371	65		
4501 to 4526	65		
7000 to 7021	98		
	7100		
	9001 to 8036		
	9000 to 9022		
	9102 to 9191		
	9200 to 9239		

MV-KO&G-OCAA DIESEL ENGINES	
751 to 756	65

Motor Cars:	
Passenger Motor	
Car No. 670, with	
mechanical drive	70

3. SPEED RESTRICTIONS: (Where maximum train or engine speed is LOWER, it will govern).

Miles
Per
Hour

3-A. ENGINES LIGHT MOVING FORWARD:

Blank.

3-B. ENGINES MOVING BACKWARD, OR MOVING FORWARD SHOVING CARS:

DIESEL engines moving backward without pilot on end facing direction of movement; or moving forward shoving cars:

Atchison, Omaha, Lincoln, Concordia Subdivs., and Downs Subdiv. between Concordia and Downs	25
Louisville, Crete, Hastings Subdiv., and Downs Subdiv. between Downs and Stockton	20
Washington, Burr Oak and Lenora Subdivs.	15

3-C. THROUGH TURNOUTS AND CROSSOVERS, AND SPRING SWITCHES:

Through No. 10 lateral turnouts and crossovers, entire train	15
Through Nos. 15, 16 and 20 lateral turnouts and crossovers, entire train	30
Through No. 20 equilateral turnouts, entire train	50
In straightaway movement when moving points of No. 10 Spring Switch	15
In straightaway movement when moving points of Nos. 15, 16 and 20 Spring Switches	30

(In straightaway movement when lead wheels have passed over points of Spring Switches, normal speed may be resumed).

3-D. SPECIFIC LOCATIONS WHERE SPEED IS RESTRICTED:

Miles Per Hour
Consist "A" Consist "B-C-D"

Kansas City Terminal Railway:

Rule 600 Kansas City Terminal Railway Operating Rule Book governs speed.

Kansas City, Kan., over MP Industrial Crossing	30	30
Atchison, Between Lower Yard and Upper Yard	20	20
Atchison—Around Curve at Union Depot	10	10
Atchison—Through connection between Atchison Subdiv. and A&E Bridge Co.	10	10
Omaha, Over All Street Crossings, Both Tracks, Both Directions, Commercial Avenue to 30th St., inclusive.	10	10
52nd Street	15	15
Seymour Park. Engines heavier than E-45 over steel span bridge 276-A.	15	15
At South Omaha, Over Tracks of South Omaha Terminal Railroad, Between "L" and "N" Streets	10	10
Lincoln, between 33rd St. (Pecks Grove), and C. & N. W. Jct.	18	18
Lincoln, while passing over 14th Street and between C. & N. W. Jct. and Passenger Station	10	10
Weeping Water, over First Street crossing east of depot.	10	10
Concordia—Over Cedar Street Crossing	15	15

Trains have no superiority and will run at restricted speed between following locations:

Between MP 514 Pole 7 and MP 514 Pole 11, Downs Subdivision.

LOCATIONS DESIGNATED BY MILE POST NUMBERS AND PROTECTED BY PERMANENT SLOW SPEED AND RESUME SPEED SIGNS:

Permissible Speed in Miles Per Hour	Eastward				Westward			
	From		To		From		To	
	Mile Post	Pole	Mile Post	Pole	Mile Post	Pole	Mile Post	Pole

Atchison Subdiv:

35	291	25	291	05	35	291	05	291	25
60	292	35	292	28	60	292	28	292	35
50	300	12	300	02	50	300	02	300	12
70	300	25	300	15	70	300	15	300	25
60	302	34	302	20	60	302	20	302	34
70	304	31	304	10	70	304	10	304	31
50	309	21	308	14	50	308	14	309	21
30	309	36	309	22	30	309	22	309	36
65	311	39	310	02	65	310	02	311	39
50	312	19	311	39	50	311	39	312	19
70	314	05	313	32	70	313	32	314	05
70	316	04	315	32	70	315	32	316	04
55	316	11	316	04	55	316	04	316	11
70	318	15	318	08	70	318	08	318	15

SPECIAL INSTRUCTIONS

3-D. SPECIFIC LOCATIONS WHERE SPEED IS RESTRICTED (Continued):
LOCATIONS DESIGNATED BY MILE POST NUMBERS AND PROTECTED BY PERMANENT SLOW SPEED AND RESUME SPEED SIGNS:

Permissible Speed in Miles Per Hour	Eastward				Westward				
	From		To		From		To		
	Mile Post	Pole	Mile Post	Pole	Mile Post	Pole	Mile Post	Pole	
Atchison Subdiv: (Continued)									
65	322	13	321	11	65	321	11	322	13
35	322	36	322	19	35	322	19	322	36
60	324	16	322	37	60	322	37	324	16
55	326	12	325	34	55	325	34	326	12
65	327	29	327	21	65	327	21	327	29
50	328	14	328	03	50	328	03	328	14
20	332	08	329	19	20	329	19	332	08
60	337	07	332	09	60	332	09	337	07
70	341	09	340	35	70	340	35	341	09
65	349	37	347	09	65	347	09	349	37
50	350	39	350	23	50	350	23	350	39
65	352	14	352	03	65	352	03	352	14
70	354	01	353	26	70	353	26	354	01
65	355	15	354	36	65	354	36	355	15
65	360	21	360	03	65	360	03	360	21
70	363	27	363	14	70	363	14	363	27
60	364	22	364	12	60	364	12	364	22
70	365	16	365	10	70	365	10	365	16
50	367	14	366	13	50	366	13	367	14
50	371	18	369	01	50	369	01	371	18
65	374	00	373	08	65	373	08	374	00
70	376	03	375	41	70	375	41	376	03
60	384	00	383	28	60	383	28	384	00

Omaha Subdiv:

50	385	27	385	19	50	385	19	385	27
50	386	32	386	23	50	386	23	386	32
45	387	30	387	09	45	387	09	387	30
60	389	13	387	36	60	387	36	389	13
70	391	04	390	31	70	390	31	391	04
70	394	32	392	37	70	392	37	394	32
70	398	35	398	14	70	398	14	398	35
70	407	09	407	00	70	407	00	407	09
65	409	00	408	33	65	408	33	409	00
70	410	04	409	03	70	409	03	410	04
70	411	26	411	15	70	411	15	411	26
60	413	00	412	27	60	412	27	413	00
55	416	32	416	17	55	416	17	416	32
70	419	18	419	10	70	419	10	419	18
60	420	11	419	24	60	419	24	420	11
70	421	33	420	27	70	420	27	421	33
70	422	18	422	09	70	422	09	422	18
60	422	35	422	23	60	422	23	422	35
55	425	28	425	19	55	425	19	425	28
70	426	36	426	24	70	426	24	426	36
65	429	20	429	09	65	429	09	429	20
50	435	18	431	27	50	431	27	435	18
25	437	00	435	18	25	435	18	437	00
50	440	11	437	20	50	437	20	440	11
70	440	27	440	11	70	440	11	440	27
70	441	20	441	13	70	441	13	441	20
70	443	27	442	15	70	442	15	443	27
60	446	29	444	11	60	444	11	446	29
30	447	34	447	15	30	447	15	447	34
60	448	17	448	06	60	448	06	448	17
70	449	34	449	17	70	449	17	449	34
60	450	30	450	23	60	450	23	450	30
70	451	22	451	06	70	451	06	451	22
70	452	18	452	10	70	452	10	452	18
70	454	05	453	32	70	453	32	454	05
60	454	24	454	18	60	454	18	454	24
70	455	11	455	03	70	455	03	455	11
70	459	30	459	23	70	459	23	459	30
60	460	30	459	34	60	459	34	460	30
50	461	35	461	06	50	461	06	461	35
55	462	23	461	35	55	461	35	462	23

3-D. Concluded:
LOCATIONS DESIGNATED BY MILE POST NUMBERS AND PROTECTED BY PERMANENT SLOW SPEED AND RESUME SPEED SIGNS:

Permissible Speed in Miles Per Hour	Eastward				Westward				
	From		To		From		To		
	Mile Post	Pole	Mile Post	Pole	Mile Post	Pole	Mile Post	Pole	
Omaha Subdiv: (Continued)									
55	464	08	463	35	55	463	35	464	08
45	466	29	466	08	45	466	08	466	29
70	467	11	466	39	70	466	39	467	11
55	469	15	468	38	55	468	38	469	15
60	470	31	470	14	60	470	14	470	31
65	471	39	471	27	65	471	27	471	39

Louisville Subdiv:

15	450	15	450	18	15	450	18	450	15
----	-----	----	-----	----	----	-----	----	-----	----

Concordia Subdiv:

30	367	28	366	34	30	366	34	367	28
35	400	20	400	13	35	400	13	400	20
20	409	12	Over Crossing	U. P.	20	409	12	Over Crossing	U. P.
35	437	30	437	18	35	437	18	437	30

3-E. SPEED RESTRICTIONS FOR PASSENGER CARS HAVING SLID FLAT WHEELS:

No speed limitations are necessary for the safe operation of slid flat wheels under passenger train cars if the length of the flat spot does not exceed the maximum length stated below:

Four wheel truck cars:

All types including BX cars..... 3.25 inches

Six wheel truck cars:

Coaches..... 3.50 inches
 All other..... 3.25 inches

If the length of the flat spot is greater than the stated figure, the operating speed must not exceed 10 miles per hour to prevent serious rail and wheel damage.

3-F. TRAINS HANDLING DISABLED ENGINES AND ENGINES IN TOW:

Miles Per Hour

All Diesel Engines and Motor Cars dead in tow and disabled in Charge of Crew:

With trucks and traction motors in good running condition..... Maximum Train Speed, or Maximum Engine Speed for particular Engine whichever is lower (See Item 2-B)

With trucks or parts of same not in good running condition..... As Authorized By Superintendent

Diesel engines (road or switch) for movement dead in tow must have cut-out cock in supply line to control air reservoir closed, control air reservoir drained, and drain cocks left open; all switches opened; battery fuses removed; reverser drums and main power contactors blocked. Messenger will be provided at the discretion of Superintendent or Master Mechanic.

With flat spot 2 3/4" or more in length for 36" diameter wheels used in E. M. D. passenger diesels..... 10

With flat spot 3" or more in length for 40" and 42" diameter wheels used on all road and switch diesels.... 10

No restrictions for flat spots shorter than above specified lengths.

3-G. TRAINS HANDLING WORK EQUIPMENT, DERRICKS, CRANES, ETC.: (Continued)	Miles Per Hour
Pile Drivers.....	25
Steam Shovels.....	25
Bridge Derrick Cars (non-revolving).....	30
<p>Bridge derrick cars (non-revolving) must be coupled to flat car and support provided for boom; boom must be chained or cabled to car stake irons with sufficient play to allow for not less than 3 inches nor more than 6 inches lateral movement; and uncoupling levers must be disconnected between derrick car and idler car. Derrick cars may be handled in train with boom ahead or trailing as requested by messenger accompanying.</p>	
Bridge Derrick-Pile Driver (combination machine). Bridge derrick-pile driver (combination machine) may be shipped either as a derrick or as a pile driver. When shipped as a derrick, its movement shall be governed by the regulations applying to wrecking cranes. When shipped as a pile driver, its movement shall be governed by the regulations applying to pile drivers.	25
American Ditchers (self-propelling).....	25
<p>American ditchers, self-propelling, must be coupled to flat car and uncoupling levers between machine and flat car must be disconnected. Boom must be supported exclusively by its cables. Bucket must be raised to clear idler car approximately eight inches and shored firmly against boom through 4 inch by 6 inch timber with all slack taken out of hoist cable. Water tank and boiler should be drained and rear of machine must be faced toward front of train. Side rods and cranks must be removed from trucks.</p>	
Locomotive Cranes or Clam Shells.....	25
<p>Locomotive cranes or clam shells must be coupled to flat car and uncoupling levers between machine and flat car must be disconnected. Boom must be disconnected from rotating portion of machine and supported entirely upon flat car. Cables need not be removed from boom, but must be left slack between machine and boom. Water tank and boiler should be drained and coal bunker should be emptied. The rear of machine must face toward front of train, except when machine is accompanied by tender for use on bridge construction work and reversal is necessary from junction point to job to place it in working position upon arrival at destination.</p>	
American Ditchers, loaded on flat cars.....	25
Yard (clam shell) and "Burro" Cranes, loaded on flat cars.....	25
Jordan Spreaders and Spreader-Ditchers.....	25
<p>Jordan spreaders and spreader-ditchers must be headed in working direction, otherwise speed must not exceed 15 miles per hour until machine is headed in working direction at nearest point where turning facilities are available. The plows' wings and braces must be secured in shipping position by the pins, bolts, chains, etc., provided for this purpose.</p>	
Wrecking Cranes (non-self-propelling).....	25
<p>Note—Where maximum train speed is 25 miles per hour or less, speed of trains handling above work equipment must be restricted to five miles per hour less than such maximum freight train speed.</p>	

3-G. TRAINS HANDLING WORK EQUIPMENT, DERRICKS, CRANES, ETC.: (Concluded) Miles Per Hour

Wrecking Cranes (self-propelling):

The speed of trains handling wrecking cranes (self-propelling) shall be restricted according to maximum permissible speed of freight trains, Consist "A", thus:

Maximum Freight Train Speed	Permissible Speed When Handling Self-propelled Wrecking Cranes
MPH	MPH
15	10
20	15
25	15
30	20
35	20
40	25
45	30
49	30
50	30
55	35

Chemical Spray Cars, when side spray booms have been removed, or raised and fastened in vertical position..... Maximum Train Speed Consist "A"

Scale Test Cars (Except MPX 5121)..... 30
 Scale Test Car MPX 5121..... Maximum Train Speed, Consist "A"

Scale test cars must be handled next to caboose.

3-H. TRAIN ORDER, FORM X, REQUIRED WHEN HANDLING RESTRICTED EQUIPMENT:

When there is to be handled any unit of equipment mentioned in Items 3-E and 3-F and 3-G, above, causing the speed of the train handling to be restricted below the maximum train speed, a Train Order, Form X, must be issued, specifying the speed restriction. Conductors must require such an order before leaving the station from which such restricted equipment is handled.

3-I. STEAM ENGINES - MAXIMUM ENGINE SPEED AND SPEED RESTRICTIONS:

Because of 100% Dieselization of motive power on this division, this timetable does not include maximum engine speed and speed restrictions for steam engines. Manner of handling steam engines, either in service or in tow, will be governed by instructions issued by Superintendent or Trainmaster at the time of handling.

LOCATION OF HOSPITALS, EMERGENCY STATIONS, DIVISION AND LOCAL SURGEONS

NAME	LOCATION	STREET ADDRESS OFFICE	OFFICE TELEPHONE	STREET ADDRESS RESIDENCE	RESIDENCE TELEPHONE
HOSPITAL	St. Louis, Mo.....	Grand and Shaw.....	{Prospect 1-0500 {Main 1-1000.		
HOSPITAL , St. Mary's Hospital.....	Kansas City, Mo.....	101 Memorial Drive.....	Westport 1-0461.		
★Dr. J. E. Castles, District Surgeon.....	Kansas City, Mo.....	1002 Argyle Bldg., 12th and McGee.	Harrison 1-5037 & 1-5038.....	620 Dartmouth Road.....	Jackson 3-4027.
Dr. H. M. Parker.....	Kansas City, Mo.....	928 Argyle Bldg., 12th and McGee.	{Victor 2-4100, Station 467 {Victor 2-3233.....	110th and State Line.....	Willow 2-3355.
Dr. L. A. O'Brien.....	Kansas City, Mo.....	1002 Argyle Bldg., 12th and McGee.	Harrison 1-5037 & 1-5038.....	5401 Wyandotte.....	DElmar 3-2173.
Dr. J. R. Whiteman.....	Kansas City, Mo.....	6314 Brookside Plaza.....	Hiland 4-6607.....	4919 West Fifty-eighth.....	HEdrick 2-5500.
Dr. M. M. Krahenbuhl.....	Kansas City, Mo.....	1002 Argyle Bldg., 12th and McGee.	Harrison 1-5037 & 1-5038.....	4236 West Seventy-fourth Prairie Village.....	ENdicott 2-2980.
Dr. G. O'Connell.....	Kansas City, Mo.....	1002 Argyle Bldg., 12th and McGee.	Harrison 1-5037 & 1-5038.....	13516 Parker, Grandview, Mo.....	SOuth 1-1144.
Dr. L. M. Roberts.....	Kansas City, Mo.....	1002 Argyle Bldg., 12th and McGee.	Harrison 1-5037 & 1-5038.....	3906 East Fiftieth St. North.....	GLadstone 2-2594.
FIRST AID STATION	{Kansas City, Mo. {Shops, East Bottoms.				
NOTE—Office hours of Dr. Castles as follows: 9:00 a.m. to 5:00 p.m.					
Note—Hours of First Aid Station, East Bottoms Shops, Kansas City, Mo., as follows: 8:30 a.m. to 5:00 p.m., daily except Sunday and Legal Holidays.					
★Dr. G. R. Combs.....	Leavenworth, Kan.....	Fifth and Delaware.....	MUtual 2-1933.....	211 Arch.....	MUtual 2-0478.
★Dr. P. S. Combs.....	Leavenworth, Kan.....	Fifth and Delaware.....	MUtual 2-1933.....	419 Arch.....	MUtual 2-0242.
EMERGENCY STATION	Atchison, Kan.....	Atchison Hospital.....	3300.....	1308 North Second.....	
★Dr. F. K. Bosse, Division Surgeon.....	Atchison, Kan.....	Blair Bldg., Sixth and Commercial	278.....	1301 Riverview Drive.....	736.
★Dr. W. L. Anderson, Division Surgeon.....	Atchison, Kan.....	Blair Bldg., Sixth and Commercial	352.....	1202 Ridge Road.....	2736.
★Dr. G. M. Edmonds.....	Horton, Kan.....	103 West Eighth, Horton Clinic.....	18.....	200 East Fourteenth.....	24.
★Dr. R. T. Nichols.....	Hiawatha, Kan.....	530½ Oregon.....	449.....	411 North Seventh.....	452.
★Dr. C. L. Hustead, Asst. Surgeon.....	Falls City, Nebr.....	First National Bank Bldg.....	4226.....	2507 Lane.....	3818.
★Dr. W. Glenn, Asst. Surgeon.....	Falls City, Nebr.....	116 West Nineteenth.....	3434.....	804 East Sixteenth.....	4317.
★Dr. D. E. Wilkinson, Local Surgeon.....	Falls City, Nebr.....	116 West Nineteenth.....	3434.....	1603 Barada.....	2507.
★Dr. L. V. Brennan, Resident Surgeon.....	Falls City, Nebr.....	216 East Sixteenth.....	3232.....	1603 Lane.....	2554.
★Dr. J. R. Thompson.....	Auburn, Nebr.....		940.....	Box 27, Auburn, Neb.....	1040.
★Dr. W. S. Ramasciotti.....	Nebraska City, Nebr.....	105 North Tenth.....	335.....	1602 First.....	90.
★Dr. A. H. Bonebrake, Local Surgeon.....	Nebraska City, Nebr.....	105 North Tenth.....	335.....	105½ North Tenth.....	117.
★Dr. L. S. Pueelik, Local & Disp. Surgeon.....	Plattsmouth, Neb.....	617 Main.....	74.....	306 North Third.....	110.
EMERGENCY STATION	Omaha, Nebr.....	St. Joseph Hospital.....	JACKSON 4895.....		
★Dr. W. T. Rance, Division Surgeon.....	Omaha, Nebr.....	730 City National Bank Bldg.....	ATLantic 1230.....	707 North Thirty-sixth.....	HARney 1240.
★Dr. J. E. Courtney, Asst. Div. Surgeon.....	Omaha, Nebr.....	730 City National Bank Bldg.....	ATLantic 1230.....	2027 Dodge.....	JACKSON 6624.
Dr. J. B. Swoboda, Local & Disp. Surgeon.....	South Omaha, Nebr.....	4824 South Twenty-fourth.....	MARKet 2560.....	4711 Walnut, Omaha, Nebr.....	GLendale 2590.
★Dr. C. T. Gritzka, Local & Disp. Surgeon.....	Tallmage, Nebr.....	Fourth and Main.....	29-W-2.....	Fourth and Cedar.....	29-W-3.
★Dr. R. W. Homan.....	Crete, Nebr.....	Crete State Bank Bldg.....	16.....	1107 Grove.....	168.
★Dr. R. R. Anderson.....	Nehawka, Nebr.....		2481.....		2541.
★Dr. L. N. Kunkel, Local Surgeon.....	Weeping Water, Nebr.....		163.....		163.
★Dr. O. E. Liston.....	Elmwood, Nebr.....		56 — Two Rings.....		56 — Three Rings.
EMERGENCY STATION	Lincoln, Nebr.....	General Hospital.....	3-2391.....		
★Dr. K. S. J. Hohlen.....	Lincoln, Nebr.....	914 Federal Securities Bldg.....	2-1560.....	2961 Sheridan.....	3-2646.
★Dr. N. R. Miller.....	Lincoln, Nebr.....	914 Federal Securities Bldg.....	2-3064.....	3454 Pershing Road.....	3-6981.
★Dr. F. G. Tompison, Jr.....	St. Joseph, Mo.....	825 Charles.....	2-8808.....	825 Charles.....	2-8808.
★Dr. J. K. Griffith, Local & Disp. Surgeon.....	Effingham, Kan.....		99.....		97.
★Dr. R. E. Capsey, Local Surgeon.....	Centralia, Kan.....		4.....		190.
★Dr. M. A. Brawley.....	Frankfort, Kan.....	S. E. Cor. Third and Kansas	6.....	S. E. Cor. Third and Kansas	6.
★Drs. G. I. & L. K. Thacher, Local & Disp. Surgeons.....	Wateville, Kan.....		53.....		31.
★Dr. L. J. L'Ecuver, Resident Surgeon.....	Greenleaf, Kan.....		141.....		141.
EMERGENCY STATION	Concordia, Kan.....	St. Joseph's Hospital.....			
★Dr. J. H. Lathrop, Local Surgeon.....	Concordia, Kan.....	812 Washington.....	666.....	1220 Broadway.....	909.
★Dr. L. E. Haughey, Resident Surgeon.....	Concordia, Kan.....	Calvin and Haughey Clinic.....	52.....	132 West Ninth.....	105.
★Dr. H. B. Vallette, Local & Disp. Surgeon.....	Beloit, Kan.....	Brewer Bldg.....	79.....	920 North Hersey.....	240.
★Dr. W. W. Weltmer, Local Surgeon.....	Beloit, Kan.....	112 West Main.....	74.....	715 North Campbell.....	135.
★Dr. C. A. Nystrom, Local Surgeon.....	Cawker City, Kan.....		16.....		2.
EMERGENCY STATION	Downs, Kan.....	Hodgson Hospital.....	254.....		
★Dr. J. E. Hodgson, Resident Surgeon.....	Downs, Kan.....	Lipton Hotel.....	254.....		252.
★Dr. E. F. Steichen.....	Lenora, Kan.....	Exchange Bank Bldg.....	16.....		92.
★Dr. C. G. McMahon.....	Superior, Neb.....	448 Central.....	60.....	1155 Idaho.....	428-W.
★Dr. A. A. Smith.....	Hastings, Neb.....	City National Bank Bldg.....	24310.....	1136 North St. Joseph.....	2-2210.
★Dr. R. C. Smith.....	Hastings, Neb.....	City National Bank Bldg.....	2-4310.....	1241 Turner.....	2-7109.
★Dr. J. E. Henshall.....	Osborne, Kan.....	Henshall Bldg.....	90.....		87.
★Dr. W. L. Votapka.....	Stockton, Kan.....	623 South Second.....	HA 5-6280.....	222 North Cypress.....	HA 5-6159.
★Dr. H. Mauck.....	Stockton, Kan.....	623 South Second.....	HA 5-6280.....	414 North Sixth.....	HA 5-6100.
★Dr. R. M. Owensby.....	Mankato, Kan.....		482.....		374.

★ Medical Examiners for Examination of all Applicants.
 ★★ Medical Examiners for Examination of Applicants not required to take color perception tests.