

PEA RIDGE SUBDIV. — ARKANSAS DIVISION

MPH Maximum Speed
(Except as shown below) 50
Grand Ave. and HI Jct. Turnout.
Between Grand Ave. and HI Jct. (except as below) 35
10 HI Jct. Turnout.
15 Between HI Jct. and Davis Jct.
15 Davis Jct.
25 thru turnouts
15 Davis Jct.
15 Rule 99 (d) in effect.
Yard Limits: MP 57-25 to MP 59-0
Maximum Speed
(Except as below) 35 MPH
MP 58-0 to MP 58-25 20 MPH

Miles	Stations	Station Numbers	Cars	Feet
83.1	PEA RIDGE	XA-84		25.4
72.4	INDIAN CREEK	XA-72		
58.6	New Fountain Farm	XA-58		
57.7	CADET	X-57		

Remote control switches are No. 15, 16 or 20 except HI Jct.

Two main tracks between Grand Ave. and JB Jct. designated East track and West track — Rules 450 to 453 inc. in effect — signal for movement in one direction only. Trains before leaving Poplar must be known cars or equipment over this portion of the rail. HI Jct. and St. Louis. Descending trains clearance at Carroll St. Inading clearance secure road.

DE SOTO SUBDIV. — ARKANSAS DIVISION

Miles	Stations	Station Nos.	Cars	Feet
165.5	POPULAR BLUFF	X-165	YA	
163.3	POPULAR BLUFF	X-166	YA	
164.6	BB JCT.	X-165	84	4385
156.4	WILEY	X-155	84	4385
149.4	WILMINGTONVILLE	X-146	85	4471
134.5	MILL SPRING	X-135	87	4544
124.4	FREDMONT	X-127	126	6570
117.7	GADS HILL	X-120	83	4348
111.8	NORTH DRS AFB	X-112		
107.9	ANNAPOLIS	X-108	87	4554
100.1	CHLOEBIE	X-101	85	4423
97.8	GLOVER	X-99		
91.8	TIP TOP	X-92	81	4244
88.6	ARGADVA-IRONTON	X-89		
83.1	MIDDLEBROOK	X-83	87	4574
78.3	BISMARCK	X-75	96	5023
69.5	IRONDALE	X-70		
60.9	MINERAL POINT	X-61	84	4390
57.0	CADET	X-57	89	4630
51.0	BLACKWELL	X-51	84	4404
42.2	DE SOTO	X-42	122	6370
38.6	HEMATITE	X-36	94	4906
28.6	RIVERSIDE	X-27	95	4933
18.7	WICKES	X-19	93	4842
9.5	BB JCT.	X-10		
10.6	DAVIS JCT.	X-10	6.81	
3.7	GRAND AVE.	X-1		
0.5	ST. LOUIS	X-1		

LITTLE ROCK TERMINAL DIVISION

MPH Maximum Speed
(Except as below) 60
MP 224-15 — MP 227-30 50
MP 238-1 50
MP 261-20 50
MP 261-20 — MP 262-16 40
MP 263-16 50
MP 264-5 50
MP 288-5 50
MP 288-25 40
MP 292-27 40
MP 293-3 55
MP 340-30 40
MP 343-5 40
MP 345-5 40
MP 345-7 80

Miles	Stations	Station Nos.	Cars	Feet
180.4	NEELYVILLE	X-180		
186.2	NAVIGOR	XE-6		
191.2	OXLEY	XE-11		
200.3	DONIPHAN	XE-20		

Business Tracks: MP 224-15 to MP 227-30
MP 238-1 to MP 261-20
MP 261-20 to MP 262-16
MP 263-16 to MP 264-5
MP 288-5 to MP 288-25
MP 292-27 to MP 293-3
MP 340-30 to MP 343-5
MP 345-5 to MP 345-7

Remote control switches are No. 15, 16 or 20 except HI Jct.

Two main tracks between Grand Ave. and JB Jct. designated East track and West track — Rules 450 to 453 inc. in effect — signal for movement in one direction only. Trains before leaving Poplar must be known cars or equipment over this portion of the rail. HI Jct. and St. Louis. Descending trains clearance at Carroll St. Inading clearance secure road.

HOXIE SUBDIV. — ARKANSAS DIVISION

Miles	Stations	Station Nos.	Cars	Feet
165.5	POPULAR BLUFF	X-165	YA	
163.3	POPULAR BLUFF	X-166	YA	
164.6	BB JCT.	X-165	84	4385
156.4	WILEY	X-155	84	4385
149.4	WILMINGTONVILLE	X-146	85	4471
134.5	MILL SPRING	X-135	87	4544
124.4	FREDMONT	X-127	126	6570
117.7	GADS HILL	X-120	83	4348
111.8	NORTH DRS AFB	X-112		
107.9	ANNAPOLIS	X-108	87	4554
100.1	CHLOEBIE	X-101	85	4423
97.8	GLOVER	X-99		
91.8	TIP TOP	X-92	81	4244
88.6	ARGADVA-IRONTON	X-89		
83.1	MIDDLEBROOK	X-83	87	4574
78.3	BISMARCK	X-75	96	5023
69.5	IRONDALE	X-70		
60.9	MINERAL POINT	X-61	84	4390
57.0	CADET	X-57	89	4630
51.0	BLACKWELL	X-51	84	4404
42.2	DE SOTO	X-42	122	6370
38.6	HEMATITE	X-36	94	4906
28.6	RIVERSIDE	X-27	95	4933
18.7	WICKES	X-19	93	4842
9.5	BB JCT.	X-10		
10.6	DAVIS JCT.	X-10	6.81	
3.7	GRAND AVE.	X-1		
0.5	ST. LOUIS	X-1		

Hot Box Detectors located at MP 188-24 and MP 312-10.
BUSINESS TRAILS
Sta. No. 178 X-178 Hartell
123.4 X-232 Miniunt
228.8 X-270 Olyphant
288.2 X-283 Wisconsin
282.6 X-283 Higginson
299.7 X-300 Garner
305.4 X-303 Metairie
317.6 X-318 Ward
323.0 X-323 Cabot
336.1 X-336 Valentine
ABS—CTC between Poplar Bluff and Little Rock.
Two Main Tracks designated East and West track between Poplar Bluff and Hartell.
AA Jct. & BXB Jct., POP Jct. & CC Jct., EE Jct., GG Jct. & HH Jct. & II Jct. & JJ Jct. & KK Jct. & LL Jct. & MM Jct. & NN Jct. & OO Jct. & PP Jct. & QQ Jct. & RR Jct. & SS Jct. & TT Jct. & UU Jct. & VV Jct. & WW Jct. & XX Jct. & YY Jct. & ZZ Jct.
Trains originating at Poplar Bluff, No. Little Rock and Little Rock receive clearance and Little Rock trains order being here.
Office only for trains originating here.

NORMAN SUBDIV.—ARKANSAS DIVISION 11

Miles		Station Numbers	
495.9	NORMAN	XL-60	T
490.7	ODDO GAP	XL-54	
473.5	GLENWOOD	XL-47	
463.3	AMITY	XL-39	
454.0	GRAVONIA	XL-28	
446.5	DELIGHT JCT.	XL-20	
441.0	OKONA	XL-15	
426.3	GURDON	X-426	WLT
SOUTH STATIONS		Station Numbers	
Yard Limits — Gordon to MP 429 pole 10.			
Maximum Speed 30 MPH except 15 MPH MP 472.0 — MP 473.2.			
Rule 99 (d) in effect.			
Delight	453.1	ER-6	
Antoine	447.0	ER-1	
Delight Jct.—Delight			
Delight Industrial Lead:			
Birds Hill	478.9	XL-52	
Summit	433.1	XL-7	
Business Tracks	MP, Sta. No.		

NASHVILLE SUBDIV.—ARKANSAS DIVISION

Miles		Station Numbers	
457.7	HOPE	X-458	WLT
483.1	NASHVILLE	X-426	G&A
493.1	PERKINS	X-136	
457.7	HOPE	X-458	WLT
Plaswood, Int. lead 1.75 miles breaks out of Main Track at MP 462 Pole 10 max. wt. 220,000 lbs.			
North Hope — X-14.			
Plaswood Station Number X-15.			
SOUTH STATIONS		Station Numbers	
Yard Limits — Hope: Little Rock Subdiv. Conn. to MP 459.23; Nash-ville: MP 481.5 to MP 484.13; Fer-ris: MP 492.0 to End of Subdiv.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

GURDON SUBDIV.—ARKANSAS DIVISION

Miles		Station Numbers	
426.3	GURDON	X-426	WLT
437.6	READER	E-11	
452.4	LESTER	E-26	
459.8	CAMDEN	E-33	
460.8	ST. L.S.W.	E-35	
461.3	CB SIDING	E-35	
463.1	CULLENDALE	E-37	
474.5	LOUVAN	E-48	
478.8	SMACKOVER	E-52	
484.5	NORFLEET	E-58	
487.5	GG SIDING	E-61	
492.2	EL DORADO	E-66	WLT
SOUTH STATIONS		Station Numbers	
Yard Limits — Gordon: Little Rock Subdiv. Conn. to MP 428.10; MP 457.17 to MP 468.20; El Dorado: MP 491.5 to MP 493.29.			
Rock Subdiv. Conn. to MP 428.10; MP 457.17 to MP 468.20; El Dorado: MP 491.5 to MP 493.29.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

TIMETABLE NO. 2

Miles		Station Numbers	
492.2	EL DORADO	E-66	WLT
487.5	GG SIDING	E-61	
484.5	NORFLEET	E-58	
478.8	SMACKOVER	E-52	
474.5	LOUVAN	E-48	
463.1	CULLENDALE	E-37	
461.3	CB SIDING	E-35	
460.8	ST. L.S.W.	E-35	
459.8	CAMDEN	E-33	
452.4	LESTER	E-26	
437.6	READER	E-11	
426.3	GURDON	X-426	WLT
SOUTH STATIONS		Station Numbers	
Yard Limits — Gordon: Little Rock Subdiv. Conn. to MP 428.10; MP 457.17 to MP 468.20; El Dorado: MP 491.5 to MP 493.29.			
Rock Subdiv. Conn. to MP 428.10; MP 457.17 to MP 468.20; El Dorado: MP 491.5 to MP 493.29.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

10 LITTLE ROCK SUBDIV.—ARKANSAS DIVISION

Miles		Station Nos.	
345.6	LITTLE ROCK	X-346	WLT
346.0	O.R.I. & P.	X-346	
351.7	ENSON	X-352	
358.9	ALEXANDER	X-359	
364.1	BAUXITE JCT.	X-364	
368.3	BN JCT.	X-369	
370.2	M.M. JCT.	X-373	
373.3	HASKELL C.H.I. & P.	X-373	
377.3	TRASKWOOD	X-377	
394.6	GIEFORD	X-385	
398.7	MALVERN C.H.I. & P.	X-389	
392.2	ABCO	X-390	
399.6	DONALDSON	X-400	
406.6	WITHERSPHON	X-406	
411.0	ARKADELPHIA	X-411	
422.3	HR. JCT.	X-426	WLT
426.3	GURDON	X-426	WLT
429.3	BOD JCT.	X-438	
437.6	BOUGHTON	X-438	
442.4	FRESCOTT	X-442	
449.6	EMMETT	X-450	
457.7	HOPE S.L.S.F.	X-458	
463.0	GUEHNSBY	X-463	
471.3	FULTON	X-471	
477.7	HOMAN	X-478	
480.4	CLEAR LAKE JCT.	X-491	
490.2	TEXARKANA	X-491	
493.1	BIERNE	X-491	
SOUTH STATIONS		Station Nos.	
Yard Limits — Benton: Little Rock Subdiv. Conn. to MP 345.6; Nash-ville: MP 481.5 to MP 484.13; Fer-ris: MP 492.0 to End of Subdiv.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

Miles		Station Nos.	
345.6	LITTLE ROCK	X-346	WLT
346.0	O.R.I. & P.	X-346	
351.7	ENSON	X-352	
358.9	ALEXANDER	X-359	
364.1	BAUXITE JCT.	X-364	
368.3	BN JCT.	X-369	
370.2	M.M. JCT.	X-373	
373.3	HASKELL C.H.I. & P.	X-373	
377.3	TRASKWOOD	X-377	
394.6	GIEFORD	X-385	
398.7	MALVERN C.H.I. & P.	X-389	
392.2	ABCO	X-390	
399.6	DONALDSON	X-400	
406.6	WITHERSPHON	X-406	
411.0	ARKADELPHIA	X-411	
422.3	HR. JCT.	X-426	WLT
426.3	GURDON	X-426	WLT
429.3	BOD JCT.	X-438	
437.6	BOUGHTON	X-438	
442.4	FRESCOTT	X-442	
449.6	EMMETT	X-450	
457.7	HOPE S.L.S.F.	X-458	
463.0	GUEHNSBY	X-463	
471.3	FULTON	X-471	
477.7	HOMAN	X-478	
480.4	CLEAR LAKE JCT.	X-491	
490.2	TEXARKANA	X-491	
493.1	BIERNE	X-491	
SOUTH STATIONS		Station Nos.	
Yard Limits — Benton: Little Rock Subdiv. Conn. to MP 345.6; Nash-ville: MP 481.5 to MP 484.13; Fer-ris: MP 492.0 to End of Subdiv.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

Miles		Station Nos.	
345.6	LITTLE ROCK	X-346	WLT
346.0	O.R.I. & P.	X-346	
351.7	ENSON	X-352	
358.9	ALEXANDER	X-359	
364.1	BAUXITE JCT.	X-364	
368.3	BN JCT.	X-369	
370.2	M.M. JCT.	X-373	
373.3	HASKELL C.H.I. & P.	X-373	
377.3	TRASKWOOD	X-377	
394.6	GIEFORD	X-385	
398.7	MALVERN C.H.I. & P.	X-389	
392.2	ABCO	X-390	
399.6	DONALDSON	X-400	
406.6	WITHERSPHON	X-406	
411.0	ARKADELPHIA	X-411	
422.3	HR. JCT.	X-426	WLT
426.3	GURDON	X-426	WLT
429.3	BOD JCT.	X-438	
437.6	BOUGHTON	X-438	
442.4	FRESCOTT	X-442	
449.6	EMMETT	X-450	
457.7	HOPE S.L.S.F.	X-458	
463.0	GUEHNSBY	X-463	
471.3	FULTON	X-471	
477.7	HOMAN	X-478	
480.4	CLEAR LAKE JCT.	X-491	
490.2	TEXARKANA	X-491	
493.1	BIERNE	X-491	
SOUTH STATIONS		Station Nos.	
Yard Limits — Benton: Little Rock Subdiv. Conn. to MP 345.6; Nash-ville: MP 481.5 to MP 484.13; Fer-ris: MP 492.0 to End of Subdiv.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

TIMETABLE NO. 2

Miles		Station Nos.	
345.6	LITTLE ROCK	X-346	WLT
346.0	O.R.I. & P.	X-346	
351.7	ENSON	X-352	
358.9	ALEXANDER	X-359	
364.1	BAUXITE JCT.	X-364	
368.3	BN JCT.	X-369	
370.2	M.M. JCT.	X-373	
373.3	HASKELL C.H.I. & P.	X-373	
377.3	TRASKWOOD	X-377	
394.6	GIEFORD	X-385	
398.7	MALVERN C.H.I. & P.	X-389	
392.2	ABCO	X-390	
399.6	DONALDSON	X-400	
406.6	WITHERSPHON	X-406	
411.0	ARKADELPHIA	X-411	
422.3	HR. JCT.	X-426	WLT
426.3	GURDON	X-426	WLT
429.3	BOD JCT.	X-438	
437.6	BOUGHTON	X-438	
442.4	FRESCOTT	X-442	
449.6	EMMETT	X-450	
457.7	HOPE S.L.S.F.	X-458	
463.0	GUEHNSBY	X-463	
471.3	FULTON	X-471	
477.7	HOMAN	X-478	
480.4	CLEAR LAKE JCT.	X-491	
490.2	TEXARKANA	X-491	
493.1	BIERNE	X-491	
SOUTH STATIONS		Station Nos.	
Yard Limits — Benton: Little Rock Subdiv. Conn. to MP 345.6; Nash-ville: MP 481.5 to MP 484.13; Fer-ris: MP 492.0 to End of Subdiv.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			
Rule 99 (d) in effect.			
Max speed 25 MPH except 10 MPH on Plaswood Ind. lead.			

Station Numbers	Miles	STATIONS NORTH	STATIONS SOUTH
380.7	MP	MEMPHIS (Sargeant Yard) @DWT@	XG-93
380.6	RC JOT @SOU @DWT@		Yd.
378.3	BROADWAY		
378.2	TEXAS ST @IO		
378.1	KENTUCKY ST @MP@@@		
375.8	BRIDGE JOT @S.T.S.F.		
375.2	BIHARK		
372.1	LIMONT		
370.0	PRESLEY JOT @S.T.S.F.		
368.0	GAVIN		
361.5	ORAWOODSVILLE		
352.1	BARLE		
346.3	DUNN		
337.5	LEVESQUE		
332.4	WYNN @MP @WT@		
332.0	MD SINDG		
318.8	FAIR OAKS @S.T.S.W.		
309.3	MCOROHY		
300.0	NEW ADGUSTA		
298.5	WHITE RIVER		
292.8	BG SINDG		
287.8	BALD KNOB		
270.0	St. No. XG-85		

ABS — Between Bald Knob and Kentucky St. CTC — Two main tracks between Brink and Kentucky St. Maximum Speed: 50 MPH except MP 298-8 to MP 299-3 40 MPH Over street crossings, Wayne until last crossing occupied, 40 MPH. 20 MPH between Brink and Kentucky St. Southward trains will give clearance Kentucky St. Movement of trains and engines between Sargeant Yard and Kentucky St. must be made at low speed and only on authority of yardmaster Sargeant yard, subject to interlocking rules, verbal and hand signals by opt-switch tender Kentucky St. Stop must be made not less than 50 feet from ICR crossing, Texas St. and movement made on green indication of traffic signal light located north side of crossing. Business Tracts MP No. Sta. 2266 XG-64 @ 3618 Memphis Ind. Leads max speed 20 mph, except 15 mph on Presidential lead and auxiliary tracks. Max. Wt. Leewood Yd. to Federal Compress and Calcium Ave. to Parkway Yd. 240,000 lbs. North Yd., Sargeant Yd. to Max. Wt. Leewood Yd. to Federal Compress and Calcium Ave. to Parkway Yd. 240,000 lbs. West Memphis Ind. Lead MP 370.0 Sta. No. XG-85.

Yard Limits: MP 330-05 — MP 333-17. Remote control switches No. 16 turnouts at Briark and crossovers on Mississippi River Bridge. Operation over railroad crossing at grade on industrial leads at Memphis. Location Walker Ave. at Southern Cotton Oil Mill. Southern Type of Protection Location at Georgia Street. Yard at North Wye. CHIP Stop must be made before crossing CHIP track and member of crew must precede movement and flag crossing. South Memphis Lead. SLSF West of East Parkway. L&N Manual interlocking. Poplar Avenue. L&N Gate—Normal position against L&N. Mill Avenue. IC Gate—Normal position against Missouri Pacific.

HUGHES SUBDIV.—ARKANSAS DIVISION

Station Numbers	Miles	STATIONS NORTH	STATIONS SOUTH
355.6	O. B. I. & P. JOT		
354.5	TENARK		
343.3	HUGHES		
335.0	BRIAR		
325.0	BUSINESS TRACKS		
324.0	MP No. 81A		
323.5	CH-27		
323.0	CH-28		
322.5	CH-28		
322.0	CH-33		
321.5	CH-33		
321.0	CH-39		

Maximum Speed 30 MPH—Except Brink to CHIP Jct. Rule 99 (d) in effect between CHIP Jct. and Hughes only. BUSINESS TRACKS MP No. 81A. CHIP Jct. and Brink to CHIP Jct. in effect between CHIP Jct. and Hughes only.

TIMETABLE NO. 2

Station Numbers	Miles	STATIONS NORTH	STATIONS SOUTH
75.3	BISMARCK @DWT@		
86.9	DE LASSUS		
94.9	KNOB LICK		
101.6	MINE LA MOTTE		
104.4	FREDERICKTOWN		
118.0	MARQUAND		
130.2	GLEN ALLEN		
133.4	LUTSEVILLE		
144.6	WHITE WATER		
147.1	ALLENVILLE		
163.2	JACKSON		
147.1	ALLENVILLE		
149.3	INDUSTRIAL LEAD		
149.4	DELTA @S.T.S.W. @G		
157.4	@S.T.S.F.		
158.1	ORAN		
162.0	MORLEY		
173.5	DEHLSSTADT		
178.3	CHARLESTON @JT@		
219.5	BERTRAND		
214.5	MINER		
211.4	SIREXTON @ @G		
211.0	@S.T.S.F.		
205.4	MORHOUSE		
196.6	ESSEX		
191.3	DEXTER JOT @S.T.S.W. @G		

Rule 99 (d) in effect. Cars or Equipment with height in excess of 15 ft. 4 inches above Top of Rail must not be handled through Glen Allen Tunnel MP 127.74. Maximum Speed Between Bismarck and Charleston MP 129-8 — MP 157-0. MP 162-7 — MP 173-25. MP 162-7 — MP 173-25. Trains handling cars which are 15' 4" above top of rail thru Glen Allen Tunnel must be handled through Glen Allen Tunnel MP 127.74.

Yard Limits: MP 101-11 to MP 101-24; MP 209-10 to MP 215; MP 224 to Charleston and MP 177-3 to Charleston. Permission must be secured from SLSW Dispatcher before occupying SLSW siding or lead track to Sliding Delta.

CAPE GIRARDEAU SUBDIV.—ARKANSAS DIVISION

Station Numbers	Miles	STATIONS NORTH	STATIONS SOUTH
122.8	CAPE DEAU JOT		
125.8	MASSXY JOT		
127.0	MARQUETTE		
127.6	CEMENT CO.		
128.6	@S.T.S.F.		
129.6	@S.T.S.F. MO. BR. ST-SF @G		
130.2	CAPE GIRARDEAU @G		

Maximum Speed 25 MPH. BUSINESS TRACKS MP No. 81A. Back No. 124.6 CF-9. Yard Limits: Entire Subdiv.

TIMETABLE NO. 2

ABS CTC between CHIP Jct. and Brink via CHIP R.R.

14 COTTER SUBDIV.—ARKANSAS DIVISION

	SOUTH		SECOND CLASS		Miles	STATIONS		Station Numbers	Cars	Feet	Daily Ex. Sun.
	201	741	202	740		Daily	Ex. Sun.				
AM	11 45	981.5	6 20	6 20	AM	Yd.	WR-125	WR-125	6	20	6 20
AM	12 13	357.4	5 47	5 47	AM	WR-102	WR-102	WR-102	5	47	5 47
AM	12 43	339.5	5 23	5 23	AM	WR-83	WR-83	WR-83	4	23	5 23
AM	12 57	329.6	5 09	5 09	AM	WR-73	WR-73	WR-73	5	09	5 09
AM	1 21	312.4	4 44	4 44	AM	WR-56	WR-56	WR-56	4	44	4 44
AM	1 32	304.9	4 34	4 34	AM	WR-49	WR-49	WR-49	4	34	4 34
AM	1 48	293.0	4 18	4 18	AM	WR-36	WR-36	WR-36	4	18	4 18
AM	2 03	285.1	4 07	4 07	AM	WR-28	WR-28	WR-28	4	07	4 07
AM	2 35	265.5	3 40	3 40	AM	WR-14	WR-14	WR-14	3	40	3 40
AM	2 48	258.8	3 30	3 30	AM	X-259	X-259	X-259	3	30	3 30

No. 201 is Superior to northward trains.
 Clearance received by No. 202 at Bald Knob or Newport will fulfill requirements of last part of Rule 83(a) at Diaz.
 Clearance received by No. 740 at Newport will fulfill requirements of last part of Rule 83(a) at Diaz.
 Yard Limits: Diaz to MP 260.5; MP 263.12 to 268.07; MP 311.20 to 312.29; MP 380.20 to 382.19.
 No. 741 will not require Clearance Gulfon.
 Engs. must not go beyond Midwest Lake Co. loading chute on Midwest Spur Batesville.

MP	MP	MP	MP	MP	MP	MP	MP	MP	MP
MP 380-27	MP 881-15	MP 258-30	MP 881-15	MP 271-21	MP 278-26	MP 264-12	MP 884-15	MP 284-12	MP 884-15
MP 869-00	MP 860-00	MP 286-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 840-21	MP 840-24	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 818-20	MP 819-11	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 805-21	MP 806-18	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
Batesville Over Central St.	10	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 805-21	MP 806-18	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 840-21	MP 840-24	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 869-00	MP 860-00	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15
MP 880-27	MP 881-15	MP 288-10	MP 288-18	MP 287-21	MP 278-26	MP 284-12	MP 884-15	MP 284-12	MP 884-15

TIMETABLE NO. 2

Miles	Station No.	Station Name	Cars	Feet	Bldgs
408.1	C-432	MCGEE	Yd.	2574	
424.1	K-118	MAOON LAKE			
431.3	K-126	LAKE VILLAGE			
446.8	K-141	EDDORA, ARK.			
457.7	K-152	MILLIKIN, IA.			
470.1	K-165	LAKE PROVIDENCE			
487.4	K-182	SONDHEIMER			
498.4	K-194	TALLOVAH @ I.O.			
511.6	K-207	GIMBY			
523.3	K-219	NEWELLTON			
533.7	K-229	ST. JOSEPH			
546.1	K-242	WATERBROOK			
557.2	E-211	CLAYTON JCT			

SOUTH STATIONS
 Rule 99 (d) in effect between Eudora and Clayton Jct. only.
 Maximum Speed 30 MPH.
BUSINESS TRACKS
 MP No. 814
 Type K-106
 Chicut 440.0 K-185
 Shelbyton 403.1 K-178
 Holidaybrook 474.4 K-168
 Transylvania 478.6 K-173
 Alabala 482.8 K-178
 Chicago 500.6 K-188
 Somerset 510.0 K-212
 Goldens 544.4 K-240
 Arcurens 549.4 K-245

LAKE PROVIDENCE SUBDIV.—LOUISIANA DIVISION

Miles	Station No.	Station Name	Cars	Feet	Bldgs
446.8	K-141	EDDORA, ARK.			
456.1	K-141	KIRBOURNE, IA.			
465.4	KE-8	OAK GROVE			
478.7	KE-32	DANIEL			
484.0	KE-37	INDIAN			
494.2	KE-48	WARREN STARCH			

SOUTH STATIONS
 Rule 99 (d) in effect.
 MP 447.95; MP 493.10 to MP 447.95; MP 493.10 to MP 447.95.
 Maximum Speed 30 MPH
 except between MP 465-10 and MP 484-0 — 25 MPH and MP 484-0 and end of track 15 MPH.
 Max. Wt. 220,000 lbs.
BUSINESS TRACKS
 MP No. 814
 Oklawaha 461.0 KE-4
 Indian 481.0 KE-4
 Pioneer 474.2 KE-28
 Forest 470.8 KE-34
 Co. Spur 489.7 KE-20

EUDDORA SUBDIV.—LOUISIANA DIVISION

Miles	Station No.	Station Name	Cars	Feet	Bldgs
560.4	C-505	COLLINGTON			
567.5	E-141	OAK RIDGE			
577.9	E-151	BAVILLIE @ I.O.			
589.6	E-163	MANGHAM			
600.3	E-174	WINNSBORO			
614.4	E-188	WISNER			
623.5	E-197	SOULEY ISLAND			
635.9	E-211	TENSAS RIVER			
637.2	E-216	CLAYTON JCT			
642.7	E-216	FERRIDAY			

SOUTH STATIONS
 Rule 99 (d) in effect.
 Maximum Speed: MPH (except as below) 80
 MP #10 Turnout) ... 15
 MP 641.26
 Vidalia Ind. Lead 20 MPH
 Vidalia Ind. Lead 20 MPH
 Receipt 10 MPH over
 Eudora Ind. Lead
 (Except as below) ... 80
 MP 558-26
 MP 561-25
 MP 560-0—MP 561-25;
 MP 637-05—Friday
BUSINESS TRACKS
 MP No. 814
 Bastrop @ 553.6 E-127
 Archibald 598.6 E-180
 Bashin 598.6 E-187
 Chase 608.5 E-179
 Gilbert 608.5 E-188
 Peak 618.2 E-192
 Concoria Jct. 643.4 E-217
 Vidalia @ 651.6 E-228
 Natchez E-227

COLLINGTON SUBDIV.—LOUISIANA DIVISION 15

TIMETABLE NO. 2

18 HATTIG SUBDIV.—LOUISIANA DIVISION

Table with columns for Station Numbers, Miles, and Maximum Speed MPH. Includes stations like EL DORADO, URBANA, STRONG, DOLLAR JOT, HATTIG ARK, LYBON, LA, HAILE, QUACHITA RIVER, STRAHLINGTON, MALTAL BEND, NAPOLION, MTRIOK, and MONROE.

Rule 99 (d) in effect.— (Between Sterling and El Dorado only.) Yard Limits: MP 491.5 to MP 495.25; MP 526.5 to MP 528.0; MP 552.15 to MP 556.20; MP 667.10 to Monroe Subdiv.

HAMBURG SUBDIV.—LOUISIANA DIVISION

Table with columns for Station Numbers, Miles, and Maximum Speed MPH. Includes stations like MONROSE, SNYDER, MIST, HAMBURG, GROSSELT, and WARREN.

WARREN SUBDIV.—LOUISIANA DIVISION

Table with columns for Station Numbers, Miles, and Maximum Speed MPH. Includes stations like DERMOTT, MONTEBELLO, WARREN, and BUSINESS TRACKS.

19 RIVER SUBDIV.—NORTHERN DIVISION

Table with columns for Class (West, Second, Daily), Miles, Station Numbers, Sidings, and Maximum Speed MPH. Includes stations like JEFFERSON CITY, SANDY HOOK, BOONVILLE, and NEFF YARD.

ABS—Between Jefferson City and Rock Creek Jct. Signal indication, with current of traffic between JJ Jct. and Congo and Congo and Neff Yard. Operation on AT&SF, two main tracks between Eton Jct. and between Item 7 (a) Special Instructions.)

WEBB CITY SUBDIV.—NORTHERN DIVISION

Table with columns for Station Numbers, Miles, and Maximum Speed MPH. Includes stations like CONGO, MIDAS, and WEBB CITY.

TIMETABLE NO. 2

TIMETABLE NO. 2

Atlas — County road A.A., stop and protect.

Table with columns for Station Numbers, Miles, and Maximum Speed MPH. Includes stations like WEBB CITY, WARREN, and BUSINESS TRACKS.

SEDALIA SUBDIV.—NORTHERN DIVISION 21

SPECIAL INSTRUCTIONS—SEDALIA SUBDIV.

Sta. No.	MP	Business Tracks:
Maplewood	7.0	Take Jct.
Webster Groves	8.0	Take Jct.
Barretts	16.5	Between Grand Ave. and HJ Jct.
Valley Park	18.9	
Jedburg	23.9	
Dureka	27.9	
Pacific @ W & S	34.8	
Gray Summit	39.9	
West Labadie	43.7	
Washington W @	51.7	
New Haven	67.3	
Berger	75.1	
Hermann	81.0	
Gasconade	88.5	
Morrison	92.9	
Bonnot's Mill	113.1	
Algon Farms	118.5	
Shell Spur	151.5	
Monserat	211.5	
Western Electric Spur	261.0	
Unity Spur	262.8	

ABS—St. Louis to Rock Creek Jct.
 CTC—MA to SR Jct., Strasburg to Rock Creek Jct.
 Item 11, paragraph 3, Special Instructions will not apply between JC and SR Jct.
 Two main tracks between Grand Ave. and SR Jct., except between KK Jct and GH Jct.—LT Jct. and Usage Jct.
 Signal indication with Curcuit of Traffic between Grand Ave. and MA; Rules 450 to 453 incl. in effect.
 Yard Limits: Grand Ave. to MP 6-29.
 St. Louis Terminal Div. jurisdiction between St. Louis, Jefferson City, Kansas City or Neff Yard.
 Trains must secure clearance before leaving St. Louis, Jefferson City, Kansas City or Neff Yard.
 Rock Creek Jct. is train order office for eastward trains only.
 No. 201 and No. 501 must secure clearance Neff Yd. addressed to "C&E Ex-tn East and No. 201" to cover movement over Sedalia Subdiv. Operation over Kansas City Terminal Ry. between Rock Creek Jct. and Kansas City.

Braking Equipment Detectors are located at MP 84-13, MP 92-22, MP 113-22 and MP 120-32. Color Light Detector Units, normally dark, are located on signal masts at KK Jct. GH Jct., LT Jct. and Usage Jct. When unit displays flashing HBD trains must stop and inspect entire train for dragging equipment. After inspection completed operate pushbutton in detector box.

Hand Throw Crossovers Between Main Tracks:
 PacificMP 34-20
 WashingtonMP 55-22
 New HavenMP 67-17
 HermannMP 81-07
 Jefferson CityMP 135-02

MPH
 Pgr. Ft.
 Maximum Speed

MPH	Pgr. Ft.	Maximum Speed
65	60	Grand Ave.—Kirkwood
60	45	Third Grand Ave. Interlocking
45	10	Between Grand Ave. and HJ Jct.
50	40	MP 7-21—MP 7-34
40	40	MP 9-29—MP 10-80
30	30	MP 18-13—MP 13-25
50	50	MP 13-36—MP 14-12
60	60	MP 21-02—MP 21-22
60	60	MP 27-03—MP 27-31
50	60	MP 34-28—MP 35-07
60	60	MP 61-28—MP 62-00
60	60	MP 63-15—MP 65-12
55	55	MP 67-00—MP 67-17
60	60	MP 69-15—MP 65-12
60	60	MP 81-09—MP 81-16
55	55	MP 83-35—MP 84-35
60	60	MP 88-09—MP 87-33
45	45	MP 87-36—MP 88-07
45	45	MP 88-10—Gasconade River Bridge
45	45	MP 88-15—MP 89-10
45	45	MP 89-14—MP 89-26
55	55	MP 92-27—MP 93-02
55	55	MP 97-24—MP 97-29
60	60	MP 106-33—MP 107-01
60	60	MP 115-00—MP 276-30
65	65	(Except as below)
55	55	MP 115-29—MP 116-25
55	55	MP 117-02 Osage River Bridge
50	50	MP 117-26—MP 118-22
45	45	MP 124-21—MP 126-24
55	55	MP 126-24—MP 139-33
55	55	MP 129-35—MP 135-32
60	60	MP 136-22—MP 139-00
50	50	MP 139-00—MP 143-34
60	60	MP 146-22—MP 147-22
50	50	MP 150-06—MP 150-30
60	60	MP 154-14—MP 155-36
50	50	MP 162-05—MP 163-01
50	50	MP 168-13—MP 169-25
55	55	MP 170-20—MP 171-06
55	55	MP 173-22—MP 174-12
60	60	MP 178-08—MP 178-27
60	60	MP 187-30—MP 190-05
40	40	MP 181-31—MP 192-18
60	60	MP 200-30—MP 201-05
55	55	MP 208-03—MP 208-07
55	55	MP 210-30—MP 218-30
35	35	MP 218-30—MP 220-09
55	55	MP 220-38—MP 221-15
60	60	MP 221-33—MP 222-16
60	60	MP 232-27—MP 233-08
45	45	MP 248-20—MP 249-15
65	65	MP 258-16—MP 259-31
45	45	MP 272-36—MP 276-30

Remote control switches are No. 15, 16 or 20 except det. switch with Carriage Subdiv. at Pleasant Hill.
 Between 7:00 a.m. and 7:00 p.m. Whistle Signal 14 (1) must be sounded for Rock Hill Road MP 10-18 and MP 10-19.

TIMETABLE NO. 2

SEDALIA SUBDIV.—NORTHERN DIVISION 20

TIMETABLE NO. 2

First Class	16	Page	Daily	PM	7 55	Miles	STATIONS	Station Numbers	Cars	Feet	11 15	AM	5 30
WEST	16	Page	Daily	PM	7 55		ST. LOUIS	1	1		11 15	AM	5 30
						0.5	3rd STREET	1	1				
						2.3	GRAND AVE.	1	1				
						3.6	HJ JCT	1	1				
						6.8	MA	1	1				
						10.8	WV	1	1				
						11.8	BR	1	1				
						13.4	KIRKWOOD	13	13				
						18.7	PA	1	1				
						22.8	BY	1	1				
						32.2	DO	1	1				
						37.0	GS	1	1				
						46.5	HD	1	1				
						57.7	WG	1	1				
						86.2	KR JCT	1	1				
						90.9	GH JCT	1	1				
						100.2	OHAMMOIS	1	1				
						116.7	LT JCT	1	1				
						117.3	OSAGE JCT	1	1				
						124.3	JO	1	1				
						125.3	Jefferson City	125	125				
						127.9	SH JCT	1	1				
						140.2	CENTERTOWN	140	140				
						144.7	MCGIBIK	144	144				
						150.3	CALIFORNIA	150	150				
						156.6	CLARKSBURG	156	156				
						162.8	TIPTON	162	162				
						168.1	SYRACUSE	168	168				
						175.7	OLTERVILLE	175	175				
						181.1	SMITHTON	181	181				
						187.7	SMKT	187	187				
						188.9	SEDALIA	188	188				
						195.7	DRESDEN	195	195				
						200.9	LAMONTE	200	200				
						208.1	KNOXOSTER	208	208				
						218.4	WARRENSTOWN	218	218				
						224.4	CENTERVIEW	224	224				
						232.8	HOLDEN	232	232				
						237.5	KINGSVILLE	237	237				
						243.0	STRASBURG	242	242				
						249.2	PLEASANT HILL	249	249				
						252.3	AVON	252	252				
						259.8	LEE'S SUMMIT	259	259				
						265.1	LB SIDING	265	265				
						273.2	INDEPENDENCE	273	273				
						276.8	BOOK CREEK JCT	276	276				
						283.0	KANSAS CITY	282	282				

Between 7:00 a.m. and 7:00 p.m. Whistle Signal 14 (1) must be sounded for Rock Hill Road MP 10-18 and MP 10-19.


Miles	WEST STATIONS		East	Miles	WEST STATIONS		East
	West	East			West	East	
492.0	WICHITA	①②③④⑤⑥⑦⑧⑨⑩⑪⑫⑬⑭⑮⑯⑰⑱⑲	H-183	492.0	GENESEO	①②③④⑤⑥⑦⑧⑨⑩⑪⑫⑬⑭⑮⑯⑰⑱⑲	524.5
482.4	S. I. S. F.	0.8	Yd.	482.4	S. I. S. F.	0.8	550.6
482.6	C. R. I. & P.	0.2	Yd.	482.6	C. R. I. & P.	0.2	550.6
483.0	W. T. A.	0.0	Yd.	483.0	W. T. A.	0.0	550.6
483.0	A. T. & S. F.	0.0	Yd.	483.0	A. T. & S. F.	0.0	550.6
483.0	A. T. & S. F.	2.9	Yd.	483.0	A. T. & S. F.	2.9	550.6
485.5	RD JOT	9.1	Yd.	485.5	RD JOT	9.1	550.6
495.0	MAIZE	4.1	Yd.	495.0	MAIZE	4.1	550.6
499.1	GOLDWICH	5.1	Yd.	499.1	GOLDWICH	5.1	550.6
504.2	ZANDALE	5.7	Yd.	504.2	ZANDALE	5.7	550.6
509.9	MT. HOPE	6.9	Yd.	509.9	MT. HOPE	6.9	550.6
516.9	HAVEN	6.9	Yd.	516.9	HAVEN	6.9	550.6
522.4	YODER	5.4	Yd.	522.4	YODER	5.4	550.6
531.5	A. T. & S. F.	9.1	Yd.	531.5	A. T. & S. F.	9.1	550.6
531.5	A. T. & S. F.	0.1	Yd.	531.5	A. T. & S. F.	0.1	550.6
531.6	A. T. & S. F.	0.4	Yd.	531.6	A. T. & S. F.	0.4	550.6
532.0	C. R. I. & P.	0.5	Yd.	532.0	C. R. I. & P.	0.5	550.6
532.0	O. R. I. & P.	0.5	Yd.	532.0	O. R. I. & P.	0.5	550.6
532.6	HUTCHINSON	0.9	Yd.	532.6	HUTCHINSON	0.9	550.6
533.5	A. T. & S. F.	0.9	Yd.	533.5	A. T. & S. F.	0.9	550.6
537.5	YA JOT	3.9	Yd.	537.5	YA JOT	3.9	550.6
VIA A. T. & S. F. 13.09							
550.6	ST JOT	0.5	Yd.	550.6	ST JOT	0.5	550.6
551.1	STERLING	5.1	Yd.	551.1	STERLING	5.1	550.6
559.2	S. I. S. F.	1.8	Yd.	559.2	S. I. S. F.	1.8	550.6
560.5	LYONS	0.5	Yd.	560.5	LYONS	0.5	550.6
561.0	A. T. & S. F.	12.2	Yd.	561.0	A. T. & S. F.	12.2	550.6
524.5	GENESEO	①②③④⑤⑥⑦⑧⑨⑩⑪⑫⑬⑭⑮⑯⑰⑱⑲	59	524.5	GENESEO	①②③④⑤⑥⑦⑧⑨⑩⑪⑫⑬⑭⑮⑯⑰⑱⑲	3841

Yard Limits: Wichita to MP 487-23; MP 530-19 to MP 537-13; MP 558-4 to Geneseo.
 Kansas Ind. lead — Geneseo to Kanopolis 14.30 miles. Max. speed this lead 35 mph.
 Operation via AT&SF Ry. between YA Jct. and ST Jct. (See Item 7(a) Special Instructions.
 Westward trains, before leaving Hutchinson and Eastward trains before leaving Lyons
 must secure AT&SF numbered clearance card.
 Before entering AT&SF tracks at YA Jct. verbal permission must be obtained
 from AT&SF Train Dispatcher. When train is clear of AT&SF tracks, AT&SF Train Dispatcher
 must be notified.
 Hutchinson: Stop and protect Main St. crossing.
 Hutchinson: In yard @ CRISP-G.

STANDARD TIME	MOUNTAIN		STATIONS	Miles	WEST		SECOND CLASS
	Daily	Daily			Daily	Daily	
10 05	AM	4 15	HORACE	730.8	PM	2 45	11 40
10 17	AM	4 26	WALKINGHOOD, KAN.	740.5	PM	2 18	11 28
10 26	AM	4 33	TOWNER, COLO.	746.6	PM	2 11	11 21
10 34	AM	4 40	STUART	752.5	PM	2 04	11 14
10 43	AM	4 46	SHERIDAN LAKE	758.1	PM	2 04	11 14
10 59	AM	5 01	CHIVINGTON	771.8	PM	1 42	10 52
11 16	AM	5 17	EADS	785.8	PM	1 25	10 36
11 50	AM	5 43	HASWELL	807.7	PM	1 20	10 30
12 20	AM	6 09	HEATH	830.8	PM	1 20	10 30
12 32	AM	6 21	SUGAR CITY	841.2	PM	1 20	10 30
12 38	AM	6 27	ORDWAY	846.4	PM	1 18	10 28
12 58	AM	6 46	PULLNEY	863.1	PM	1 18	10 28
1 07	AM	6 55	NA JOT	869.2	PM	1 18	10 28
1 07	AM	7 00	AVONDALE	891.6	PM	1 18	10 28
1 07	AM	7 00	DEVINE	899.6	PM	1 18	10 28
1 07	AM	7 00	BAXTER	903.8	PM	1 18	10 28
1 07	AM	7 00	PUEBLO JOT	903.8	PM	1 18	10 28
1 07	AM	7 00	PUEBLO	905.8	PM	1 18	10 28
1 07	AM	7 00	NA JOT	905.8	PM	1 18	10 28

ABS—Horace to Pueblo, CTC—Between NA Jct. and Pueblo Jct. over joint MP-AT&SF
 track controlled by AT&SF except at Laramie. Uniform Code of Operating Rules apply except
 both ends sidings Baxter and Avondale.
 AT&SF mileage and mile post numbers used between NA Jct. and Pueblo Jct.
 Operation in Pueblo Union Depot.
 MP trains must secure MP clearance before leaving Pueblo (AT&SF clearance not required).
 Hot Box Detector located MP 792-5 Checks Both Directions.
 Avondale; Entrance road to ordinance plant—Stop and protect before crossing.

MPH	Maximum Speed:
55	(Except as below)
40	City Limits Ends
40	City Limits Divs.
40	NA Jct. Three Turnouts
50	NA Jct.—Pueblo Jct.
60	(Except as below)
40	Boone (until crossing occupied)
50	AT&SF MP 615-9 — MP 616.0
50	AT&SF MP 617-2 — MP 617.6
25	Pueblo Jct.: AT&SF MP 617-6
15	MP 617-8



LEGEND
 ——— DOUBLE TRACK
 OR CENTRALIZED
 TRAFFIC CONTROL

GULF OF
 MEXICO
 AND CONNECTIONS