

SOUTHWARD

COLLIER SUBDIVISION
(Richmond Terminal)

SECOND CLASS							FIRST CLASS				Station Numbers	Distance from Richmond — East Route or West Route	TIME TABLE NO. 2	
109	227	107	105	115	111	289	1	83	81	175			IN EFFECT	
Through Freight	Through Freight	Through Freight	Through Freight	Through Freight	Through Freight	Through Freight	Auto Train	Meteor- Champion	Silver Star	Piggypack Special			September 10, 1972	
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Mon.			STATIONS	
P. M.	A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	A. M.				
135	1050	1020	820	730	1250	1201	955	935	455	830	A0		L T	RICHMOND ®
200	1113	1108	845	753	155	101	1016	953	514	856	A11	15.7-W 16.9-E		CENTRALIA
215	1130	1125	905	810	215	118	1029	F1005	F 525	911	A22	27.0-W 28.2-E	T	PETERSBURG
220	1140	1135	915	820	230	128	1033	1012	532	920	A26	31.7-W 32.9-E		COLLIER ®
224	1203	1158	1030	843	330	151	1035	1014	535	923	A29	33.9-W 35.1-E	A	SOUTH COLLIER
P. M.	P. M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	A. M.				
Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Daily	Ex. Mon.				

WEST ROUTE

Station Numbers	Distance from Richmond	STATIONS ON WEST ROUTE	Scales, Wyes, Car Capacity
A0		RICHMOND ®	YARD O
	1.6	1.6 A Y	
	6.0	4.4 MEADOW	SPUR 21
A6	10.6	4.6 F A	58
A8	13.7	3.1 BELL BLUFF	YARD
A11	15.7	2.0 CENTRALIA	3

EAST ROUTE

Station Numbers	Distance from Richmond	STATIONS ON EAST ROUTE	Scales, Wyes, Car Capacity
A0		RICHMOND ®	YARD O
S4	2.5	2.5 HERMITAGE	YARD
S01	5.4	2.9 BROWN STREET	YARD O
S2	7.7	2.3 SOUTH YARD	X SOU 210P YARD
S9	14.6	6.9 BELLWOOD	YARD Y
A11	16.9	2.3 CENTRALIA	

COLLIER SUBDIVISION
(Richmond Terminal)

NORTHWARD

3

TIME TABLE NO. 2 IN EFFECT September 10, 1972 STATIONS		Scales, Wye, Car Capacity	FIRST CLASS					SECOND CLASS				
			176	84	276	2	82	112	110	188	190	120
			Piggyback Special	Meteor- Champion	Piggyback Special	Auto Train	Silver Star	Through Freight	Through Freight	Through Freight	Through Freight	Through Freight
			Ex. Tue.	Daily	Ex. Mon.	Daily	Daily	Ex. Tue.	Daily	Daily	Daily	Daily
			A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.
T	RICHMOND ® A	YARD O	300	s 340	930	935	s 955	445	355	730	800	1100
	CENTRALIA	3	208	255	837	900	910	345	301	648	718	1005
T	PETERSBURG	66	151	F 237	820	846	F 855	325	248	630	650	945
	COLLIER ®	YARD O	141	227	813	841	844	310	235	615	635	930
	SOUTH COLLIER	L YARD	138	225	810	838	840	305	230	610	630	900
			A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.
			Ex. Tue.	Daily	Ex. Mon.	Daily	Daily	Ex. Tue.	Daily	Daily	Daily	Daily

HOPEWELL SUBDIVISION
(Richmond Terminal)

SOUTHWARD		TIME TABLE NO. 2 IN EFFECT September 10, 1972 STATIONS	Northward	
Station Numbers	Distance from Bellwood		Scales, Wye, Car Capacity	
S9			L BELLWOOD A	YARD Y
SAC17	8.3		8.3 THOMAS SIDING	47
SAC23	15.0	6.7 (3) XN&W (2) XANG HOPEWELL A	L YARD Y	

SOUTHWARD

NORTH END SUBDIVISION

SECOND CLASS					FIRST CLASS		Station Numbers	Distance From South Collier	TIME TABLE NO. 2	
109	107	105	111	155	1	83			IN EFFECT	
Through Freight	Through Freight	Through Freight	Through Freight	Through Freight	Auto Train	Meteor-Champion			September 10, 1972	
Daily	Daily	Daily	Daily	Daily	Daily	Daily			STATIONS	
P. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.				
224	1158	1030	330		1035	1014	A29		L SOUTH COLLIER	
							A43	14.4	-14.4 STONY CREEK	
									-10.1	
249	1229	1100	413		1058	1033	A53	24.5	JARRATT ® X-N&W	
							A63	33.9	-9.4 T EMPORIA X-NF&D	
							A68	39.1	-5.2	
							A80	51.2	-12.1 TREGO	
							A83	53.6	-2.4 GARYSBURG	
									-0.8 WELDON	
323	103	1135	501	L 430	1126	1056	A84	54.4	-5.8 WELDON YARD ®	
							A90	61.2	-10.9 HALIFAX	
							A101	72.1	-6.0 T ENFIELD	
							A107	78.1	-4.5 WHITAKERS	
354	133	1205	535	505	1151	1119	A111	82.6	-8.1 BATTLEBORO	
410	145	1218	550	520	1159	S1135	A120	90.7	-1.6 ROCKY MOUNT	
420	155	1225	600	530	1205	1141	A121	92.3	-1.6 T A SO. ROCKY MT. ®	
P. M.	P. M.	P. M.	A. M.	A. M.	A. M.	P. M.				
Daily	Daily	Daily	Daily	Daily	Daily	Daily				

RED SPRINGS SUBDIVISION

Southward			TIME TABLE NO. 2		Northward	
Second Class	Station Numbers	Distance From Parkton	IN EFFECT		Third Class	
439			September 10, 1972		440	
Local Freight			STATIONS		Local Freight	
Ex. Sun.					Ex. Sun.	
A. M.					A. M.	
400	A223		L	PARKTON	A 16	625
				-12.3		
450	AG236	12.3	A	RED SPRINGS	L 27	530
A. M.					A. M.	
Ex. Sun.					Ex. Sun.	

NORTH END SUBDIVISION

NORTHWARD

TIME TABLE NO. 2 IN EFFECT September 10, 1972 STATIONS		Scales, Wyes, Car Capacity	FIRST CLASS			SECOND CLASS			
			84	2	176	112	110	156	120
			Meteor-Champion	Auto Train	Piggyback Special	Through Freight	Through Freight	Through Freight	Through Freight
			Daily	Daily	Ex. Tue.	Ex. Tue.	Daily	Daily	Daily
			A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.
2 Tracks	SOUTH COLLIER A	YARD	225	838	138	305	230		900
	14.4								
	STONY CREEK	25							
	10.1								
	JARRATT @ X-N&W	154PN 177PS 89	208	815	1251	230	201		820
	9.4								
	T EMPORIA X-NF&D	32							
5.2									
TREGO	80PS O 62 Y								
12.1									
GARYSBURG	4								
2.4									
WELDON									
0.8									
2 Tracks	WELDON YARD @	90CP YARD O	143	747	1215	140	110	A 215	700
	6.8								
	HALIFAX	20							
	10.9								
	T ENFIELD	99							
	6.0								
	WHITAKERS	80PS 31							
4.5									
BATTLEBORO	44	120	722	1139	1259	1235	130	630	
5.1									
ROCKY MOUNT	YARD	110	714	1130	1250	1225	120	620	
1.6									
T SO. ROCKY MT. L	YARD O Y	1252	710	1125	1245	1215	115	600	
			A. M.	A. M.	P. M.	A. M.	P. M.	P. M.	P. M.
			Daily	Daily	Ex. Mon.	Ex. Tue.	Daily	Daily	Daily

FAIRMONT SUBDIVISION

Southward		TIME TABLE NO. 2				Northward	
Second Class	Station Numbers	Distance From Elrod	IN EFFECT		Scales, Wyes, Car Capacity	Third Class	
403			September 10, 1972			404	
Local Freight	STATIONS				Local Freight		
Ex. Sun.					Ex. Sun.		
A. M.					A. M.		
530	A247		L	ELROD	A 86 60 Y	745	
				4.0			
545	AH251	4.0		RAYNHAM	1	730	
				7.0			
615	AH258	11.0	T A	FAIRMONT	38P 120 L	700	
A. M.					A. M.		
Ex. Sun.					Ex. Sun.		

FIRST CLASS		Station Numbers	Distance From South Rocky Mount	TIME TABLE NO. 2	
1	83			IN EFFECT	
Auto Train	Meteor- Champion			September 10, 1972	
Daily	Daily			STATIONS	
P. M.	P. M.				
1159	1135	A120		L 2 Tracks	ROCKY MOUNT 1.6
1205	1141	A121			T SO. ROCKY MOUNT ® 8.2
		A129	8.2		ELM CITY 8.3
1221	1158	A136	14.5		T WILSON X-NS 8.2
		A139	17.7		CONTENTNEA 2.1
		A141	19.8		SO. CONTENTNEA 3.0
		A144	22.8		LUCAMA 7.2
		A151	30.0		KENLY 10.0
1242	1220	A161	40.0		SELMA ® X-SOU 3.6
		A165	43.6		SMITHFIELD 6.9
		A172	50.5		FOUR OAKS 8.2
		A180	58.7		BENSON 6.1
102	1240	A186	64.8		T DUNN 8.0
		A193	73.4		SO. GODWIN 9.5
		A204	82.9		SOUTH BEARD 5.6
122	s 105	A210	88.5		2 Tracks
		A219	97.6	SO. HOPE MILLS 4.0	
		A223	101.6	PARKTON 4.9	
		A228	106.5	SO. REX 13.6	
152	135	A241	120.1	PEMBROKE ® X-SCL 5.0	
		A247	125.1	ELROD 6.5	
		A253	131.6	ROWLAND 4.4	
		A257	136.0	HAMILL 5.0	
210	155	A262	141.0	DILLON X-SCL 6.5	
		A268	147.5	LATTA ® 11.4	
		A280	158.9	PEE DEE 2.7	
		A283	161.6	W N 9.9	
255	s 245	A293	171.5	2 Tracks	T A FLORENCE ®
A. M.	A. M.				
Daily	Daily				

TIME TABLE NO. 2 IN EFFECT September 10, 1972 STATIONS		Stations, Wyes, Car Capacity	SECOND CLASS										
			117	147	197	403	113	137	155	105	453	109	127
			Through Freight	Through Freight	Through Freight	Local Freight	Through Freight	Through Freight	Through Freight	Through Freight	Sou. Rwy. Freight	Through Freight	Through Freight
			Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Daily
			A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.	
2 Tracks	ROCKY MOUNT L	YARD						520	1218		410		
	T SO. ROCKY MOUNT ®	YARD O Y	L1201			L 230		530 615	1225 1230	L 100	420 425		
	ELM CITY	45											
	T WILSON X-NS	YARD	1223			255		640	1250	122	447		
	CONTENTNEA	103	A1230										
	SO. CONTENTNEA												
	LUCAMA	34											
	KENLY	Sig. S. 31											
	SELMA ® X-SOU	Sig. S. 103				325		710	115	A 215	515		
	SMITHFIELD	84											
FOUR OAKS	Sig. S. 48												
BENSON	78												
T DUNN	Sig. S. 148				400		740	140		542			
SO. GODWIN	Sig. S.												
2 Tracks	SOUTH BEARD												
	FAYETTEVILLE ® X-SCL X-A&R	88P YARD O Y			L 300	450		845	207		610		
	SO. HOPE MILLS	56											
	PARKTON	119			330								
	SO. REX	Sig. S.											
	PEMBROKE ® X-SCL	30			430	530		A1001	240		645		
	ELROD	Sig. S. 86P 80 Y			A 500								
	ROWLAND	83											
	HAMILL	Sig. S. 16											
	DILLION X-SCL	131P 72		L1220	L 120	610			305		710	L 750	
2 Tracks	LATTA ®	Sig. S. 93											
	PEE DEE						L 850						
	W N			1246	146	645	900		330		733	816	
	T FLORENCE ® A	YARD O Y		120	225	800	945		400		815	850	
			A. M.	A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.	
			Daily	Daily	Daily	Ex. Sun.	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	

FIRST CLASS			Station Numbers	Distance From South Rocky Mount	TIME TABLE NO. 2 IN EFFECT September 10, 1972	
84	176	2			STATIONS	
Meteor- Champion	Piggyback Special	Auto Train			A	T
Daily	Ex. Mon.	Daily				
A. M.	P. M.	A. M.				
s 110	1130	714	A120		ROCKY MOUNT	
1252	1125	710	A121		1.0 T SO. ROCKY MOUNT ®	
			A129	8.2	3.2 ELM CITY	
s1237	1058	645	A136	14.5	6.3 T WILSON X-NS	
			A139	17.7	3.2 CONTENTNEA	
			A141	19.8	2.1 SO. CONTENTNEA	
			A144	22.8	3.0 LUCAMA	
			A151	30.0	7.2 KENLY	
1216	1030	624	A161	40.0	10.0 SELMA ® X-SOL	
			A165	43.6	3.6 SMITHFIELD	
			A172	50.5	6.9 FOUR OAKS	
			A180	58.7	8.2 BENSON	
1155	1004	602	A186	64.8	5.1 T DUNN	
			A193	73.4	8.6 SO. GODWIN	
			A204	82.9	9.5 SOUTH BEARD	
s1130	937	539	A210	88.5	5.6 FAYETTEVILLE ® X-SCL X-A&R	
			A219	97.6	9.1 SO. HOPE MILLS	
			A223	101.6	4.0 PARKTON	
			A228	106.5	4.9 SO. REX	
1056	905	507	A241	120.1	13.6 PEMBROKE ® X-SCL	
			A247	125.1	5.0 ELROD	
			A253	131.6	6.5 ROWLAND	
			A257	136.0	4.4 HAMILL	
1040	844	449	A262	141.0	5.0 DILLON X-SCL	
			A268	147.5	5.5 LATTA ®	
			A280	158.9	11.4 PEE DEE	
1020	822	430	A283	161.6	2.7 W N	
1010	810	420	A293	171.5	8.9 T L FLORENCE ®	
P. M.	P. M.	A. M.				
Daily	Ex. Mon.	Daily				

TIME TABLE NO. 2 IN EFFECT September 10, 1972		Scales, Wees, Car Capacity	SECOND CLASS								
			404	116	110	156	120	454	148	112	136
			Local Freight	Through Freight	Through Freight	Through Freight	Through Freight	Sou. Rwy. Freight	Through Freight	Through Freight	Through Freight
			Ex. Sun.	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Ex. Tue.	Daily
STATIONS			A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.	A. M.	P. M.
2 Tracks	ROCKY MOUNT	A YARD									
	T SO. ROCKY MOUNT	1.6 8.2 YARD O Y		A 730	A1130	A1250	A 400	A 500		A1245	
	ELM CITY	6.3 45									
	T WILSON	3.2 X-NS YARD		655	1046	1230	320	440		1228	
	CONTENTNEA	2.1 103		L 645							
	SO. CONTENTNEA	3.0									
	LUCAMA	7.2 34									
	KENLY	10.0 Sig. S. 31									
	SELMA	3.6 8.0 X-SOU Sig. S. 103			1015	1155	250	L 400		1201	
	SMITHFIELD	8.9 84									
FOUR OAKS	8.2 Sig. S. 48										
BENSON	8.1 78										
T DUNN	8.6 Sig. S. 148			945	1123	220			1134		
SO. GODWIN	9.5 Sig. S.										
SOUTH BEARD	5.6										
FAYETTEVILLE	9.1 5.6 X-SCL X-A&R 88P YARD O Y	A 905		915	1045	150			1107		
SO. HOPE MILLS	4.0 56										
PARKTON	4.0 119	840									
SO. REX	13.6 Sig. S.										
PEMBROKE	5.0 30 X-SCL	815		838	L 930	110			1033		
ELROD	8.5 88P 80 Y	L 800									
ROWLAND	4.4 63										
HAMILL	5.0 Sig. S. 15										
DILLON	6.5 X-SCL 131P 72			812		1240		A 140	1008		
LATTA	11.4 Sig. S. 83										
PEE DEE	2.7 1020									A1055	
WN	9.0			745		1201		1258	945	1020	
T FLORENCE	8.0 L YARD O Y			730		1130		1240	930	1000	
			A. M.	A. M.	A. M.	A. M.	A. M.	P. M.	P. M.	P. M.	P. M.
			Ex. Sun.	Daily	Daily	Daily	Daily	Ex. Sun.	Daily	Ex. Mon.	Daily

FOURTH CLASS				Second Class	Station Numbers	Distance From Portsmouth (Shops)	TIME TABLE NO. 2 IN EFFECT September 10, 1972				Scales, Wyes, Car Capacity	Third Class	FOURTH CLASS			
417	415	419	453	Sou. Rwy. Freight			L	PORTSMOUTH (Shops)	A	YARD O Y		454	418	416	414	
Local Freight	Local Freight	Local Freight	Local Freight										Sou. Rwy. Freight	Local Freight	Local Freight	Local Freight
Daily	Ex. Sun.	Ex. Sun.	Ex. Sun.										Ex. Sun.	Ex. Sun.	Daily	Ex. Sun.
P. M.	P. M.	P. M.	A. M.						P. M.	A. M.	A. M.	P. M.				
					SA2	L T	PORTSMOUTH (Shops)	A	YARD O Y							
							VIA NPBL									
							1.3 PORTSMOUTH X-NPBL (Pinners Point)		YARD Y	A 905						
			L 900		AB235		4.1 BRUCE		38P	850						
			912		AB230		2.5 BOONE X-NF&D			842						
			920		AB228		4.1 DRIVERS		31P 5	830						
			932		AB224		8.0 SUFFOLK X-NF&D X-N&W X-N&W		70P 134 O	809			A 230			
	L 300		954		SA18	T	10.8 WHALEY		69P 8	744			204			
	326		1019		AB205		8.3 GATES		13	729			149			
	341		1034		AB197		3.2 RODUKO		15	723			143			
	347		1040		AB194		3.6 EURE		60P 5	717			137			
	353		1046		AB190		6.1 COFIELD		12	706			125			
	404		1057		AB184	T	8.4 AHOOKIE		79P 106 Y	653			L 115			
	A 415		1110		AB178	T	8.3 AULANDER		67P 45	638						
			1125		AB169		7.1 KELFORD X-SCL		7	625						
			1138		AB162		10.0 PALMYRA		15	605						
			1155		AB152		4.5 HOBGOOD X-SCL		24P 37 Y	557						
			1203		AB148		12.2 TARBORO		67P YARD Y	535	A 800	A1159				
L 710		L 205	1225		AB136	T	7.1 KINGSBORO		67P 2	522	745	1145				
725		220	1238		AB128		5.8 J F			512	735	1135				
735		230	1248		AB123		2.2 SO. RKY. MT. ® L		YARD O Y	500	700	1105				
755		250	100		A121	A										
P. M.	P. M.	P. M.	P. M.							P. M.	A. M.	A. M.	P. M.			
Daily	Ex. Sun.	Ex. Sun.	Ex. Sun.							Ex. Sun.	Ex. Sun.	Daily	Ex. Sun.			

Third Class	Second Class	Station Numbers	Distance From Contonina	TIME TABLE NO. 2 IN EFFECT September 10, 1972		THIRD CLASS	
				116	448	Through Freight	Local Freight
Local Freight	Through Freight			116	448	Through Freight	Local Freight
Ex. Sun.	Daily			Daily	Ex. Sun.	Daily	Ex. Sun.
A. M.	A. M.			A. M.	A. M.		
	1230	A139		L	CONTENTNEA	A	645
	1240	AC142	3.0		BLACK CREEK		635
	1258	AC149	9.7		FREMONT		620
	108	AC152	12.9		PIKEVILLE		611
	122	AC158	18.6		NORTH JCT.		605
	130	AC160	20.6		GOLDSBORO	X-SOU	601
	201	AC161	22.2	T	ROYALL YARD		549
	215	AC169	29.6		DUDLEY		530
	227	AC174	35.0		MOUNT OLIVE		515
	235	AC177	38.7		CALYPSO		505
	241	AC181	41.6		FAISON		455
1115	259	AC189	50.1	T	WARSAW		430
1130	315	AC197	57.5		MAGNOLIA		410
1145	327	AC202	62.7	T	ROSE HILL		355
1215	341 ¹¹⁶	AC208	69.1	T	WALLACE		341 ¹¹⁷
1240	348	AC211	72.2		WILLARD		332
1255	356	AC215	75.5		WATHA		326
110	410	AC221	82.5	T	BURGAU		315
127	428	AC230	90.7		ROCKY POINT		300
140	440	AC235	96.2		CASTLE HAYNE		250
155	455	AC241	102.1		GORDON		240
A 210	A 515	AC243	103.5	T	SMITH'S CREEK YD.		230
		AC243	104.1		NEW BERN JCT.		
		AC244	104.6	A	WILMINGTON	L	
P. M.	A. M.						A. M.
Ex. Sun.	Daily						Daily

Southward	Station Numbers	Distance From New Bern	TIME TABLE NO. 2 IN EFFECT September 10, 1972		Scales, Wyes, Car Capacity	Northward
			423	422		
Local Freight			423	422	Local Freight	
Ex. Sun.			Daily	Ex. Sun.	Ex. Sun.	
A. M.			A. M.	A. M.	P. M.	
830	ACB330		L	NEW BERN	A	105
945	ACB328	1.2		NEW BERN YARD	YARD	1250
1020	ACB317	13.5		POLLOCKSVILLE	10	1220
1040	ACB309	20.8		MAYSVILLE	YARD	1159
1050	ACB307	22.5		BELGRADE	YARD	1150
1120 ⁴²²	ACB295	35.0		MARINE JCT.	YARD	1120 ⁴²³
1130	ACB293	37.0	T	JACKSONVILLE	YARD	1105
101	ACB291	38.4		TENT CAMP	YARD	1035
115	ACB285	45.0		CALVIN	38	1020
125	ACB282	48.4		DIXON	5	1005
145	ACB274	56.6		HOLLYRIDGE	31	955
210	ACB261	69.4		HAMPSTEAD	8	930
240	ACB247	83.2		FERNSIDE	YARD	855
301	AC243	86.0	A	NEW BERN JCT.	X-SCL L	845
P. M.						A. M.
Ex. Sun.						Ex. Sun.

CAMP LeJEUNE SUBDIVISION

Southward	Station Numbers	Distance From Camp LeJeune	TIME TABLE NO. 2 IN EFFECT September 10, 1972		Scales, Wyes, Car Capacity	Northward
			425	424		
Local Freight			425	424	Local Freight	
Ex. Sun.			Daily	Ex. Sun.	Ex. Sun.	
A. M.			A. M.	A. M.	P. M.	
1030	ACD303		L	CAMP LeJEUNE	A	1020
1040	ACD301	2.5		CAMP LeJEUNE JCT.	Y	1010
1100	ACB295	8.3	A	MARINE JCT.	L	950
A. M.						A. M.
Ex. Sun.						Ex. Sun.

CLEARANCE CARDS

1—Rule 83-A will not apply at South Collier.

Trains or engines en route to North End Subdivision at Weldon Yard will retain their identity, proceeding on signal indication and clearance card will not be required.

Rule 83-A will not apply at Rocky Mount except when train order signal at South Rocky Mount is displayed for northward train, clearance card will be delivered to such train and engineman will deliver clearance card and orders to relieving engineman who must compare with conductor before leaving Rocky Mount.

South Rocky Mount, before leaving, northward trains en route Collier Subdivision will secure clearance card endorsed "Collier Subdivision East Route."

South Rocky Mount, before leaving, northward trains en route Portsmouth Subdivision at Weldon Yard will secure second clearance card endorsed "Raleigh Division."

WHERE TIME APPLIES

2—Time of trains at South Collier applies at Norlina Subdivision Junction switch.

REGISTER STATIONS

3—Rocky Mount and South Rocky Mount, for crews reporting at these points.

JUNCTION SWITCHES

4—Rocky Mount, M. P. 119.9, lined for movements on North End Subdivision.

South Rocky Mount, M. P. 120.4, lined for movements on North End Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	MILES PER HOUR		
	Pass. Trains	Piggy-back Trains	Freight Trains
53.5 and 53.8	70	—	—
81.9 and 83.5	40	40	40
89.5 and 91.7	70	—	—

Maximum speed on the following non-signaled sidings is 20 M.P.H.:

Jarratt, northward and southward sidings;

Trego, southward siding;

Weldon Yard, center siding; and

Whitakers, southward siding.

M. P. 89.6, through turnout north end house track Halifax, 10 M.P.H.

City Ordinance Speed Restrictions:

Emporia, whistle must not be sounded except in cases of emergency and to observe rules other than Rule 14 (L).

Trego, 10 M. P. H. over Highway 301. Movements on both legs of wye over Highway 301 must be flagged.

Weldon, movements over First Street, Highways 301 and 301 By-pass, 6 M. P. H., and must be flagged. Within city limits, whistle must not be sounded, except in case of emergency, but necessary warning signals must be given by use of engine bell.

Enfield, 65 M.P.H., between 7:30 A.M. and 7:30 P.M. and whistle must not be sounded except in cases of emergency and to observe rules other than Rule 14 (L).

Rocky Mount, 40 M.P.H. Whistle must not be used unnecessarily, Grand Avenue to Bassett Street.

RAILROAD CROSSINGS AT GRADE

6—Protected by attended interlocking:

Jarratt, M. P. 53.4, N&W.

7—Protected by electrically locked derails:

Emporia, M. P. 62.7, NF&D. Normally clear S. C. L.

8—Protected by non-electrically locked gates:

South Rocky Mount (Richmond Lead), S.C.L., may be left set against either East End Subdivision or Richmond lead.

BLOCK SIGNAL SYSTEMS

9—Automatic Block Signal System is in service between South Collier, M. P. 29.0 and Garysburg, M. P. 80.0; between Weldon, M. P. 83.3 and Rocky Mount, M. P. 119.4 (on southward track) and between Weldon, M. P. 83.3 and Rocky Mount, M. P. 120.1 (on northward track).

Traffic Control System is in service between Garysburg, M. P. 80.0 and Weldon, M. P. 83.3, and between South Rocky Mount, M. P. 120.9 and "YD," M. P. 123.3.

TWO TRACKS

10—Two tracks extend between South Collier, M. P. 29.0 and Roanoke River (North Weldon), M. P. 81.9 and between Weldon Yard, M. P. 83.3 and "YD," M. P. 123.3.

OPERATION BY SIGNAL INDICATION

11—The operation on two tracks between South Collier, M. P. 29.0 and Garysburg, M. P. 80.0; between Weldon, M. P. 83.1 and Rocky Mount, M. P. 119.4 (Southward Track Only); between Weldon, M. P. 83.1 and Rocky Mount, M. P. 120.0 (Northward Track Only), will be by signal indication in accordance with Rule D-251, when moving with the current of traffic and will take the place of train orders.

SPRING SWITCHES

12—Following spring switches are protected for facing-point movements by indicator signal, trains and engines will approach such signal prepared to be governed by its indication. Where such signal displays "Stop," or, in the absence of light where there is no day indication, the switch must be examined and points must fit properly before movement is made:

Jarratt, north end northward siding.

Jarratt, south end southward siding.

Trego, south end siding.

Whitakers, south end siding.

Rocky Mount, yard freight lead northward track (Bassett St.), 20 M.P.H.

13—Following spring switch is identified by "SS" on target, trains and engines approaching this switch must know that points are set in proper position before passing over same:

South Rocky Mount, north leg of wye (Richmond Lead), 10 M. P. H.

DEFECT DETECTORS

14—Locations	Protection Provided	Locations of Indicators and Personnel reading charts
M. P. 31.4	Northward track, with current of traffic. Dragging equipment.	"D" light on northward home signal, South Collier, (Collier Subdivision), M. P. 29.0, West Route.
Emporia M. P. 60.5	Two tracks, with current of traffic. Hot box.	Indicators both sides, M. P. 60.5. Dispatcher, Rocky Mount.
M. P. 77.8	Southward track, with current of traffic. Dragging equipment.	"D" lights on mast M. P. 78.9 and southward home signal, Garysburg, M. P. 79.9.
Weldon M. P. 82.6	Single track, both directions. Hot box.	Indicators west side, M. P. 82.6. Dispatcher, Rocky Mount.
M. P. 86.1	Northward track, with current of traffic. Dragging equipment.	"D" light on northward home signal, Weldon Yard, M. P. 84.3.
Ruggles M. P. 99.0	Northward track, both directions. Hot box.	Indicators east side, M. P. 99.0. Dispatcher, Rocky Mount.
Rocky Mount M. P. 115.3	Southward track, with current of traffic. Hot box.	Indicators west side, M. P. 115.3. Operator "CO," South Rocky Mount.

SPECIAL RULES

15—Within Richmond Terminal, Richmond Terminal instructions will govern and in addition, all operating rules not inconsistent therewith.

16—Trains and engines may operate on either track in either direction between Goldleaf Street, Rocky Mount, M. P. 119.0, and north end Traffic Control, South Rocky Mount, M. P. 120.9, on instructions of the yardmaster or stationmaster, which supercedes time table superiority. Trains and engines must operate at yard speed not exceeding 20 M.P.H.

17—At Rocky Mount, trains and engines using yard freight lead will approach spring switch to northward main track at Bassett Street prepared to stop. When northward main track is clear trains or engines will not exceed speed of 5 M.P.H. until gates are in stop position, then proceed not exceeding 20 M.P.H.

18—At Rocky Mount, Nash Street crossing, first street north of passenger station must be cleared by trains stopping at station.

19—At South Rocky Mount, M. P. 120.1 near Switch Tender's Shack switches for double crossovers between main tracks, switch from northward main track to No. 1 track and switch from southward main track to No. 49's track are air operated—dual control switches equipped with indicator lights which indicate position of switches. Speed through these turnouts and crossovers 15 M.P.H. When lunar white light on signal case is burning, switches may be operated by hand.

20—Switch equipped with electric lock without release mechanism located at the following point cannot be unlocked unless the main track is occupied: (Do not clear at this switch without authority of Control Station).

American Cyanamid Co., M. P. 102.2 (W).

South End Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Rocky Mount except when train order signal at South Rocky Mount is displayed for northward train, clearance card will be delivered to such train and engineman will deliver clearance card and orders to relieving engineman who must compare with conductor before leaving Rocky Mount.

Trains en route W & W Subdivision at Contentnea will get second clearance card, before leaving South Rocky Mount, endorsed "W & W Subdivision."

Rule 83-A will not apply at Contentnea, Elrod, Dillon and Pee Dee.

Fayetteville, northward trains originating at Milan Yard operating on South End Subdivision will display white classification signals, run extra and, unless otherwise provided, will

leave Milan Yard on authority of dispatcher without clearance card.

Trains or engines enroute to South End Subdivision at Pembroke, will retain identity, proceeding on signal indication and clearance card will not be required.

Trains en route Andrews subdivision at Dillon will get second clearance card at Florence endorsed, "Andrews Subdivision."

WHERE TIME APPLIES

2—Time of all trains applies at signaled sidings at passenger stations, where there are no stations, where traffic is received or discharged.

REGISTER STATIONS

3—Rocky Mount and South Rocky Mount for crews reporting at those points.

South Rocky Mount, Southern Railway trains will furnish register slip.

Milan, for trains originating and terminating.

Florence ("FC" office for all passenger trains and crew clerk's office for freight trains originating).

JUNCTION SWITCHES

4—Rocky Mount, M. P. 119.9, lined for movements on North End Subdivision.

South Rocky Mount, M. P. 120.4, lined for movements on North End Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	MILES PER HOUR		
	Passenger Trains	Piggy-back Trains	Freight Trains
139.0 and 139.5	60	60	—
152.7 and 153.0	70	—	—
164.5 and 164.9	60	60	—
166.5 and 166.7	70	—	—
167.4 and 167.6	70	—	—
169.0 and 169.3	70	—	—
207.5 and 207.6 (West Track Only)	25	25	25
207.6 and 207.8 (East Track Only)	60	60	60
208.6 and 209.0	45	45	45
210.7 and 210.8	40	40	40
211.9 and 212.0	70	—	—
212.9 and 213.2	70	—	—
216.1 and 219.1	60	60	—
279.0 and 280.0	60	60	—
280.3 and 282.8	40	40	40

Maximum speed on the following non-signalized sidings is 20 M.P.H.:

Fayetteville, siding; and

Elrod, siding.

15 M.P.H. through turnouts and on connection track between Wilmington Subdivision and South End Subdivision at Pembroke.

45 M.P.H. on connection track between Andrews Subdivision and South End Subdivision at Dillon.

City Ordinance Speed Restrictions:

Rocky Mount, 40 M.P.H. except when otherwise restricted. Whistle must not be used unnecessarily Grand Avenue to Bassett Street.

Wilson, 50 M.P.H. Yard engines will not move across Herring Avenue between hours of 12:01 P.M. and 1:00 P.M. Vance Street, second street north of passenger station, is fire truck lane and must not be blocked.

Selma, East Anderson and South Pollock Streets must not be blocked in excess of 5 minutes.

Benson, 65 M.P.H., 6:00 A.M. to 8:00 P.M.

Dunn, 45 M.P.H., 6:00 A.M. to 7:30 P.M., Edgerton, Broad and Cumberland Streets must not be blocked longer than 5 minutes, other streets, no longer than 10 minutes.

Fayetteville, 35 M.P.H. across Cumberland Street and Blount Street, and between these crossings; except across Hay Street, 25 M.P.H. Movements over Blount Street must be flagged when such movements are in old Fayetteville freight yard. Movements over Gillespie Street on Fayetteville Subdivision must be flagged. Movements over West Russell Street, including those on yard tracks and at Maxwell Street intersection, must be flagged.

RAILROAD CROSSINGS AT GRADE

6—Protected by remotely controlled interlockings:

Wilson, M. P. 136.5, NS.

Fayetteville, M. P. 209.5, S. C. L.

Fayetteville, M. P. 210.7, A.&R.

Dillon, M. P. 262.8, S. C. L.

7—Protected by Special Interlocking:

Pembroke, M. P. 241.3, S. C. L.

When authorized by Control Station to proceed by "Stop" indication, a member of crew will determine that there is no trains or engine on conflicting route and signals on conflicting route indicate "Stop" before movement fouls railroad crossing.

8—Protected by automatic interlocking:

Selma, M. P. 161.2, Sou.

9—Protected by "Stop" boards:

Fayetteville, (Holts Mill Lead), A.&R.

Fayetteville, (south leg of wye Russell Street), NS.

BLOCK SIGNAL SYSTEMS

10—Traffic Control System is in service between South Rocky Mount, M. P. 120.9 and Florence, M. P. 292.2.

SPRING SWITCHES

11—Following spring switches are protected for facing-point movements by indicator signal, trains and engines will approach such signal prepared to be governed by its indication. Where such signal displays "Stop," or, in the absence of light where there is no day indication, the switch must be examined and points must fit properly before movement is made:

Rocky Mount, yard freight lead northward track (Bassett St.), 20 M.P.H.

Florence, north end passenger yard, 15 M.P.H.

12—Following spring switch is identified by "SS" on target, trains and engines approaching this switch must know that points are set in proper position before passing over same:

Fayetteville, old freight lead Hay St., 15 M.P.H.

SIGNALLED SIDINGS

13—Maximum speed on these signaled sidings is 70 M.P.H. for passenger trains, 60 M.P.H. for piggyback and freight trains, except on the signaled sidings at Selma and Dunn the maximum speed for piggyback and freight trains is 45 M.P.H.

Kenly, between M. P. 146.8 and M. P. 151.0.

Selma, between M. P. 158.0 and M. P. 164.4

Four Oaks, between M. P. 172.0 and M. P. 176.3.

Dunn, between M. P. 185.2 and M. P. 190.4

South Godwin, between M. P. 194.6 and M. P. 197.1.

South Rex, between M. P. 227.7 and M. P. 233.8.

Elrod, between M. P. 243.2 and M. P. 248.9.

Hamill, between M. P. 257.2 and M. P. 260.5.

Latta, between M. P. 269.4 and M. P. 275.5.

TWO TRACKS

14—Two tracks extend between: Rocky Mount, M. P. 119.0 and South Contentnea, M. P. 141.0; between South Beard, M. P. 204.1 and South Hope Mills, M. P. 218.8; and between "WN", M. P. 282.8 and Florence, M. P. 292.3.

DEFECT DETECTORS

15—Locations	Protection Provided	Locations of Indicators and Personnel reading charts
Elm City M. P. 128.2	Two tracks, both directions. Hot box.	Indicators both sides, M. P. 128.2. Operator "CO," South Rocky Mount.
Micro M. P. 155.7	Single track, both directions. Hot box.	Indicators east side, M. P. 155.7. Dispatcher, Rocky Mount.
Wade M. P. 200.5	Single track, both directions. Hot box.	Indicators east side, M. P. 200.5. Dispatcher, Rocky Mount.
Parkton M. P. 221.2	Single track, both directions. Hot box.	Indicators east side, M. P. 221.2. Dispatcher, Rocky Mount.
Rowland M. P. 254.2	Single track, both directions. Hot box.	Indicators east side, M. P. 254.2. Dispatcher, Rocky Mount.
M. P. 275.5	Single track, both directions. Dragging equip- ment.	"D" lights on northward signals, 2734 and 2734W, southward signal 2775.
Pee Dee M. P. 281.8	Single track, both directions. Hot box.	Indicators east side, M. P. 281.8. Operator "FC," Florence.

SPECIAL RULES

16—Trains and engines may operate on either track in either direction between Goldleaf Street, Rocky Mount, M. P. 119.0, and north end Traffic Control, South Rocky Mount, M. P. 120.9, on instructions of the yardmaster or stationmaster, which supersedes time table superiority. Trains and engines must operate at yard speed not exceeding 20 M. P. H.

17—At Rocky Mount, trains and engines using yard freight lead will approach spring switch to northward main track at Bassett Street prepared to stop. When northward main track is clear trains or engines will not exceed speed of 5 M. P. H. until gates are in stop position, then proceed not exceeding 20 M. P. H.

18—At Rocky Mount Nash Street crossing, first street north of passenger station must be cleared by trains stopping at station.

19—At South Rocky Mount, M. P. 120.1 near Switch Tender's Shack switches for double crossovers between main tracks, switch from northward main track to No. 1 track and switch from southward main track to No. 49's track are air operated-dual control switches equipped with indicator lights which indicate position of switches. Speed through these turnouts and crossovers 15 M. P. H. When lunar white light on signal case is burning, switches may be operated by hand.

20—Trains and engines have equal authority and will operate at yard speed not to exceed 15 M. P. H. on Winona-Stone spur.

21—At Florence, trains and engines have equal authority and must operate at yard speed between end of Traffic Control M. P. 292.2 and "FC" interlocking. Trains and engines must not exceed speed of 15 M. P. H. through switches north end passenger station and must stop and adjust switches unless they are lined for movement and way is seen or known to be clear.

Main track crossover, M. P. 292.3 controlled by Operator "FC" equipped with indicator lights. When lunar white indicator light on nearby key box is burning, switches may be operated by use of switch key without contacting control station. If light is not burning, switches must not be operated without permission of control station.

22—Switches equipped with electric locks without release mechanism located at the following points cannot be unlocked unless the main track is occupied: (Do not clear at these switches without authority of Control Station)

- Bagley, M. P. 154.3.
- Smith Lumber Company, M. P. 166.0.
- Barefoot, M. P. 179.4.
- Wellons, M. P. 184.6.
- Purdie, M. P. 187.1.
- Godwin, M. P. 193.6.
- Wade, M. P. 198.5.
- Warehouse Track, M. P. 222.7 (E).
- Gin Track, M. P. 222.9 (E).

23—Trains or engines must not clear at the following non-electrically locked hand-operated switch locations:

- FCX Inc., M. P. 122.1 (W).
- Allied Mills, Inc., M. P. 159.8 (E).
- Dewbell, M. P. 162.1 (W).
- Griffin's Spur, M. P. 211.2 (E).
- Victory Siding, M. P. 211.8 (E).
- Urtie Siding, M. P. 212.5 (E).
- Carolina Model Homes, Inc., M. P. 214.5 (E).
- Parkton-Cates Spur, M. P. 223.8.

East End Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Portsmouth (Shops and Pinners Point), Suffolk and Tarboro.

WHERE TIME APPLIES

2—Time of trains at Tarboro applies at Plymouth Subdivision junction switch, M. P. 135.4.

REGISTER STATIONS

3—Portsmouth (Shops)—(yard office and diesel shop), Portsmouth (Pinners Point).

Tunis, Nos. 453 and 454 will leave register slip in box located near switch to Farmers Chemical spur track, M. P. 185.1.

Tarboro, Nos. 416, 418 and 454 will leave register slip in box at junction switch, M. P. 135.4.

South Rocky Mount.

YARD LIMITS

4—Portsmouth (Shops), Portsmouth (Pinners Point), Suffolk, Cofield, Ahoskie, Hobgood, Tarboro and Rocky Mount.

JUNCTION SWITCHES

5—Hobgood, M. P. 147.8, lined for movements on East End Subdivision.

Tarboro, M. P. 135.4, lined for movements on Plymouth Subdivision.

South Rocky Mount, M. P. 120.4 lined for movements on North End Subdivision.

OPERATION BETWEEN PORTSMOUTH (PINNERS POINT) AND SUFFOLK

6—An Absolute Block System is in effect on main track of East End Subdivision between Portsmouth, Va. (Pinners Point) M. P. 233.1, south yard limit board location and Suffolk, Va., 218.0, north yard limit board location. The limits of this block will be designated by roadway signs indicating the beginning and end of block.

Trains or engines will not enter the limits of this absolute block without authority from the dispatcher at Rocky Mount obtained by the conductor or engineman orally. Authority received must be repeated and clear understanding reached with each party giving his name to the other before proceeding. Conductor and engineman are both responsible for knowing authority is obtained before entering the block.

Authority of dispatcher to occupy this absolute block will supersede superiority of trains and will take the place of train

orders except Form "Y", slow, and bulletin orders. Clearance card, except when required with Form "Y", slow, and bulletin orders, will not be required to use the absolute block.

After train or engine clears the block conductor or engine-man will immediately report "Clear" to dispatcher. If main track is cleared at an intermediate point within the block "Clear" must not be reported until switch has been secured in normal position. Train or engine must not re-enter the block after reporting "Clear" until authority is again secured from dispatcher.

Train or engine enroute Pig Point Spur will report "Clear" to dispatcher after train is clear of main track and switch restored to normal position at Bruce, and must not again foul main track before securing permission to enter block from dispatcher.

In case of failure of all communications, train or engine may enter and move through the absolute block at restricted speed only when preceded by a flagman at full flagging distance and flag protection from the rear must be provided. Except when moving under flag protection as result of failure of all communications, protection will not be required within the absolute block.

All other operating rules and/or special instructions not inconsistent with the above remain in effect.

SPEED RESTRICTIONS

7—Between Mile Posts	All Trains M.P.H.
138.2 and 138.3	10
155.6 and 155.7	10
158.0 and 159.7	30
186.6 and 186.9	10
231.0 and 231.1	20

15 M.P.H. through turnouts and on connection track between East End Subdivision and Portsmouth Subdivision at Suffolk.

City Ordinance Speed Restrictions:

Portsmouth, 45 M.P.H. between Bains Creek and Douglas Avenue, 20 M.P.H. between Douglas Avenue and Chautauqua Avenue, and 10 M.P.H. between Chautauqua Avenue and Pinners Point.

Churchland, movements over old U. S. Highway 17 must be flagged.

Suffolk, 25 M.P.H. movements over East Washington Street and Madison Avenue must be flagged at least 50 feet ahead of engine or cars and flagman remain on crossing until train or engine reaches same.

Ahoskie, 15 M.P.H. between Church Street and Hayes Avenue.

Aulander, 25 M.P.H.

Kelford, 35 M.P.H.

Hobgood, 45 M.P.H. Movements over Commerce Street on back track must be flagged.

Tarboro, 20 M.P.H.

Rocky Mount, 10 M.P.H. over Branch Street and Washington Street and between these crossing, and switching movements over crossings within this territory must be flagged.

RAILROAD CROSSINGS AT GRADE

8—Protected by remotely controlled interlocking:

Suffolk, M. P. 216.5, N&W. Normally clear N&W. 10 M.P.H., for entire train between home signals.

9—Protected by standard Semaphore crossing signal:

Hobgood, M. P. 148.2, S. C. L. Normally clear East End Subdivision.

10—Protected by non-electrically locked gates:

Beamon, M. P. 222.4, NF&D. Normally clear S. C. L.

Boone, M. P. 228.3, NF&D. Normally clear S. C. L.

South Rocky Mount (Richmond Lead), S. C. L., may be left set against either East End Subdivision or Richmond lead.

11—Protected by non-electrically locked gates and derails.

Kelford, M. P. 162.6, S. C. L. Normally clear East End Subdivision.

12—Protected by "Stop" boards:

Portsmouth, M. P. 234.7, N&P Belt Line.

Churchland (on Pig Point Spur) M. P. 230.9, NF&D.

Suffolk, M. P. 216.0, N&W.

DRAWBRIDGES

13—Protected by interlockings:

Western Branch, M. P. 231.1. Attended 6:00 A.M. to 1:00 A.M., daily April 1 through October 31.

Chowan River, M. P. 186.7. Attended.

Trains and engines stopped by home signals will not proceed until proceed signal is given by bridge tender or until member of crew ascertains that draw span is in proper position.

SPRING SWITCHES

14—Following spring switches are protected for facing-point movements by indicator signal, trains and engines will approach such signal prepared to be governed by its indication. Where such signal displays "Stop," or, in the absence of light where there is no day indication, the switch must be examined and points must fit properly before movement is made:

Suffolk, connection track switch M. P. 216.8, 15 M.P.H.

Tarboro, junction switch M. P. 135.4, 15 M.P.H.

Rocky Mount, north end two tracks, M. P. 122.7, northward trains 20 M.P.H., southward train 10 M.P.H.

15—Following spring switch is identified by "SS" on target, trains and engines approaching this switch must know that points are set in proper position before passing over same:

South Rocky Mount, Portsmouth freight lead 10 M.P.H.

TWO TRACKS

16—Two tracks extend between South Rocky Mount, M. P. 120.6 and JF, M. P. 122.7.

JOINT TRACKS

17—S. C. L. crews at Portsmouth will be governed by instructions of NPBL yardmasters while on NPBL tracks and will operate between Portsmouth (Shops) and Portsmouth (Yard Tower), at yard speed not exceeding 25 M.P.H.; except between County Street and Deep Creek Boulevard between the hours of 7:30 A.M. and 9:00 A.M.; 3:00 P.M. and 4:00 P.M., will not exceed speed of 10 M.P.H. Authority must be obtained to enter these limits.

SPECIAL RULES

18—Trains and engines have equal authority and will operate at yard speed on Pig Point Spur and Farmers Chemical Spur at Tunis.

19—Trains and engines may operate on either track in either direction between JF, M. P. 122.7 and junction with South End Subdivision line, M. P. 120.4, on instructions of the yardmaster or stationmaster, which supersedes time table superiority Trains and engines will operate at yard speed, not exceeding 20 M.P.H.

20—Nos. 414 and 415 will not protect against following extra trains between Ahoskie and Suffolk.

Plymouth Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Tarboro and Parmele.

WHERE TIME APPLIES

2—Time of trains at Tarboro applies at Plymouth Subdivision junction switch, M. P. 135.4.

REGISTER STATIONS

3—Parmele and Haley Yard.

YARD LIMITS

4—Tarboro, Parmele, Williamston and Haley Yard-Plymouth.

JUNCTION SWITCHES

5—Tarboro, M. P. 135.4, lined for movements on Plymouth Subdivision.
 Parmele, M. P. 152.2, lined for movements on Plymouth Subdivision.

SPEED RESTRICTIONS

6—Between Mile Posts	All Trains M.P.H.
184.8 and 184.9	10

City Ordinance Speed Restrictions:

Williamston, movement over Washington and Horton Streets must be flagged.

Everett, 20 M. P. H.
 Robersonville, 15 M. P. H.
 Parmele, 35 M. P. H.
 Bethel, 12 M. P. H.

Tarboro, 20 M. P. H. Movement over Howard Avenue between 7:00 A.M. and 7:00 P.M. must be flagged.

RAILROAD CROSSINGS AT GRADE

7—Protected by "Stop" boards:
 Parmele, M. P. 152.2, S. C. L.
 Plymouth, M. P. 137.1, NS.

SPRING SWITCHES

8—Following spring switch is protected for facing-point movements by indicator signal, trains and engines will approach such signal prepared to be governed by its indication. Where such signal displays "Stop," or, in the absence of light where there is no day indication, the switch must be examined and points must fit properly before movement is made:
 Tarboro, junction switch M. P. 135.4, 15 M. P. H.

SPECIAL RULES

9—Nos. 416 and 417 will not protect against following extra trains between Tarboro and Plymouth.
 Nos. 418 and 419 will not protect against following extra trains between Tarboro and Parmele.

Washington Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Parmele.
 Rule 83-A will not apply at Washington for train 413 on Saturday.

REGISTER STATIONS

2—Parmele.

YARD LIMITS

3—Parmele and Washington.

JUNCTION SWITCHES

4—Parmele, M. P. 134.2, lined for movements on Kinston Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	All Trains M.P.H.
152.7 and 152.8	10
156.8 and 156.9	10

City Ordinance Speed Restrictions:

Washington, 6 M. P. H. Movements over Main, Second, Bridge and Pierce Streets and Hackney Avenue, must be flagged.

SPECIAL RULES

6—Nos. 412 and 413 will not protect against following extra trains between Parmele and Washington.

Kinston Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Parmele, Tillery, and DuPont.
 Rule 83-A will not apply at Kinston for Train 406.

REGISTER STATIONS

2—Parmele and Kinston.

YARD LIMITS

3—Hobgood, Parmele, Greenville, Ayden and Kinston.

JUNCTION SWITCHES

4—Hobgood, M. P. 116.8, lined for movements on Kinston Subdivision.

Parmele, M. P. 134.9, lined for movements on Kinston Subdivision.

SPEED RESTRICTIONS

5—Five (5) M.P.H. on siding at Staton. Siding equipped with hand-operated derails at clearance point.

City Ordinance Speed Restrictions:

Hobgood, movements over Commerce Street on back track must be flagged.

Greenville, movements over Dickerson Avenue, 3rd, 4th, 10th, 12th, 14th and Howells Streets and Airport Road (Munford) must be flagged.

Ayden, 25 M. P. H.

Kinston, the unnecessary use of whistle is prohibited. All street crossings from Park Avenue to King Street, inclusive, except Vernon Avenue, must be flagged.

RAILROAD CROSSINGS AT GRADE

6—Protected by standard semaphore crossing signal:

Hobgood, M. P. 116.7, S. C. L. Normally clear East End Subdivision.

7—Protected by "Stop" boards:

Parmele, M. P. 134.8, S. C. L.
 Greenville, M. P. 150.0, NS.
 Kinston, M. P. 177.8, A&EC.

SPECIAL RULES

8—Graingers, use single engine only, when moving over 24 degree curve track (DuPont Plant), and hold to cars when possible keeping engine off curve.

9—Nos. 445 and 446 will not protect against following extra trains between Tillery and Parmele.

Nos. 410 and 411 will not protect against following extra trains between Parmele and Kinston.

Nos. 406 and 407 will not protect against following extra trains between DuPont and Kinston.

CLEARANCE CARDS

1—Rule 83-A will not apply at Contentnea.

REGISTER STATIONS

2—Smith's Creek Yard (yard office and shops), Warsaw (for trains originating and terminating).

YARD LIMITS

3—Contentnea, North Junction-Goldsboro-Royall Yard, Warsaw and Smith's Creek Yard-Fernside-Wilmington.

JUNCTION SWITCHES

4—Goldsboro, M. P. 160.0, lined for movements on W&W Subdivision.

Warsaw, M. P. 188.7, lined for movements on W&W Subdivision.

New Bern Junction, M. P. 243.0, lined for movements on New Bern Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	All Trains M.P.H.
143.4 and 143.7*	10
234.6 and 234.8	20
242.8 and 242.9 (N. leg wye)	10

*No braking on entire length of bridges except in emergency, if necessary to brake on bridges, dispatcher must be advised from first point of communication to allow for bridge inspection.

City Ordinance Speed Restrictions:

Black Creek, 35 M. P. H., 6:00 A.M. to 10:00 P.M.

Fremont, 35 M. P. H.

Pikeville, 35 M. P. H., 6:00 A.M. to 10:00 P.M.

Goldsboro, speed consistent with conditions, but not exceeding 40 M. P. H. North George, Holly, Vine, Oak, Ash, Pine and Elm Street crossings must not be blocked over five minutes by standing train or engine.

Mount Olive, 25 M. P. H., 6:00 A.M. to 10:00 P.M.

Faison, 35 M. P. H., 6:00 A.M. to 10:00 P.M.

Warsaw, 35 M. P. H., 6:00 A.M. to 11:30 P.M. and 45 M. P. H., 11:30 P.M. to 6:00 A.M.

Magnolia, 30 M. P. H., 8:00 A.M. to 6:00 P.M.

Rose Hill, 35 M. P. H. between Ridge Street crossing and South Street crossing, 6:00 A.M. to 10:00 P.M.

Wallace, 35 M. P. H., 6:00 A.M. to 11:30 P.M.

Wilmington, trains and engines will not exceed 10 M. P. H. over Nutt, Water, Surry and Front Streets, between Cowan and Marstellar Streets, 15 M. P. H. over street crossings on Belt Line at South Front, South 5th, South 13th Streets and Colonial Drive; 25 M. P. H. over other street crossings. Movements over 9th Street crossing must be flagged.

RAILROAD CROSSINGS AT GRADE

6—Protected by standard semaphore crossing signal: Goldsboro, M. P. 160.9, Sou. Normally clear W&W Subdivision.

7—Protected by "Stop" boards: Goldsboro, M. P. 159.8, Sou.

8—Unprotected railroad crossing: Wilmington, M. P. 243.0, north leg of wye at New Bern Junction with industrial spur. Engines using spur must flag in both directions. Trains and engines on north leg of wye track must approach crossing prepared to stop.

DRAWBRIDGES

9—Protected by interlockings:

North East River, Castle Hayne, M. P. 234.6. Attended 7:30 A.M. to 4:30 P.M., Monday through Friday.

Trains and engines stopped by home signals will not proceed until proceed signal is given by bridge tender or until member of crew ascertains that draw span is in proper position.

SPRING SWITCHES

10—Following spring switch is protected for facing-point movements by indicator signal, trains and engines will approach such signal prepared to be governed by its indication. Where such signal displays "Stop," or, in the absence of light where there is no day indication, the switch must be examined and points must fit properly before movement is made:

Gordon, M. P. 241.0, north end siding, 20 M.P.H.

SPECIAL RULES

11—Trains and engines have equal authority between Smith's Creek yard and Wilmington, and will operate at yard speed between these points, including on all wye tracks. Yard speed applies between New Bern Junction and Fernside. Normal position of switch to south leg of wye track, Fernside is lined to the wye. Trains and engines operating beyond this switch on New Bern Subdivision must line switch for their movement and return switch to normal position after use. 15 M. P. H. passenger station to switch south leg of New Bern line wye.

6 M. P. H., 6th Street Bridge to butting block, passenger station Wilmington, expecting to find tracks blocked. Stop must be made one car length clear of butting block.

12—Castle Hayne, track leading to Ideal Cement Co., maximum speed 20 M. P. H. on straight track and 10 M. P. H. on curves. Movements of trains and engines must be made at yard speed.

13—Nos. 447 and 448 will not protect against following extra trains between Smith's Creek Yard and Warsaw.

Pee Dee Subdivision**CLEARANCE CARDS**

1—Florence, trains en route to Pee Dee Subdivision will get second clearance card endorsed "Pee Dee Subdivision" and Rule 83-A will not apply at Pee Dee.

REGISTER STATIONS

2—Florence (crew clerk's office) and Smith's Creek Yard (yard office and shops).

YARD LIMITS

3—Smith Creek Yard-Fernside-Wilmington-Navassa, Sunny Point Jct., Whiteville, Chadbourn, Mullins and Marion.

JUNCTION SWITCHES

4—Chadbourn, M. P. 297.5, lined for movements on Pee Dee Subdivision.

Navassa, M. P. 248.3, lined for movements on Pee Dee Subdivision.

Yadkin Junction, M. P. 246.6, lined for movements on Pee Dee Subdivision.

Hilton, M. P. 245.8, lined for movements on Pee Dee Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	All Trains M.P.H.
245.8 and 245.9	20
248.2 and 248.3	20

City Ordinance Speed Restrictions:
 Wilmington, movements over 9th Street crossing must be flagged. Trains and engines will not exceed speed of 15 M. P. H. between passenger station Wilmington and Hilton drawbridge. Nichols, 15 M. P. H.
 Mullins, 20 M. P. H. When switching, movements over Main, Park and Mullins Streets must be flagged.

RAILROAD CROSSINGS AT GRADE

6—Protected by automatic interlocking:
 Mullins, M. P. 324.8, S. C. L.

DRAWBRIDGES

7—Not protected by interlockings:
 North East River, Hilton, M. P. 245.9, attended.
 Cape Fear River, Navassa, M. P. 248.2, attended.
 Trains and engines must stop within 300 feet of drawspan. If the way is clear, they may then proceed upon receiving proceed signal from Bridge Tender.

SPECIAL RULES

8—Wilmington, 6 M.P.H., Sixth Street bridge to butting

block, passenger station, expecting tracks to be blocked, and stop one car length clear of butting block.

9—Nos. 563 and 564 will not protect against following extra trains between Whiteville and Chadbourn.

OPERATION BETWEEN HILTON AND NAVASSA

10—Between Hilton M. P. 245.7 and Navassa M. P. 248.2 trains and engines will move prepared to stop within one-half the range of vision not exceeding 20 M.P.H. and must stop short of another train, obstruction or switch improperly lined. Trains and engines will not enter these limits without authority from the yardmaster at Smith's Creek Yard, except in cases of failure of communications (radio and telephone) they may proceed observing the above restrictions.

Switches at Hilton and Navassa will be kept set and locked for the main track of Pee Dee Subdivision. Bridge tenders at Navassa and Hilton will change the switches at these points for Wilmington Subdivision trains to pass and must immediately reset them to proper position after train has passed. Trains and engines en route to or from Wilmington Subdivision or Hilton Yard must sound four (4) long blasts of the whistle, to indicate the switch is to be lined for movement of a Wilmington Subdivision train.

Myrtle Beach Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Conway and Myrtle Beach.

REGISTER STATIONS

2—Chadbourn and Myrtle Beach.

YARD LIMITS

3—Chadbourn, Loris, Conway and Myrtle Beach.

JUNCTION SWITCHES

4—Chadbourn, M. P. 297.5, lined for movements on Pee Dee Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	All Trains M.P.H.
336.3 and 336.4	10
347.6 and 347.7	20

City Ordinance Speed Restrictions:
 Conway, 25 M.P.H.

DRAWBRIDGES

6—Not protected by interlocking:
 Waccamaw River, Conway, M. P. 336.3. Attended 12:00 noon to 10:00 P.M., Monday through Friday.
 Trains and engines must stop within 300 feet of draw span

and must not proceed until proceed signal is received from bridge tender.

Outside of assigned hours of bridge tender, bridge will be left in open position.

7—Protected by interlocking:

Myrtle Beach, M. P. 347.6. Attended daily, except Sunday.

Trains and engines stopped by home signals will not proceed until proceed signal is given by bridge tender or until member of crew ascertains that draw span is in proper position.

Outside of assigned hours of bridge tender, bridge will be left in open position.

SPECIAL RULES

8—Trains and engines will operate at yard speed not exceeding 20 M.P.H. on Conway up town lead.

9—Myrtle Beach, M. P. 349.6, switch at north leg of wye is set normally for the wye.

10—Trains and engines will operate at yard speed not exceeding 10 M.P.H. on Myrtle Beach Farm Track, M. P. 350.0.

11—Simultaneous operation of opposing trains between Pine Island and Myrtle Beach is prohibited. Dispatchers will arrange to so protect.

12—Nos. 561 and 562 will not protect against following extra trains between Chadbourn and Conway.

Nos. 541 and 542 will not protect against following extra trains between Conway and Myrtle Beach.

Clinton Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Clinton and Warsaw.

REGISTER STATIONS

2—Warsaw.

YARD LIMITS

3—Warsaw.

JUNCTION SWITCHES

4—Warsaw, M. P. 188.7, lined for movements on W&W Subdivision.

SPEED RESTRICTIONS

5—City Ordinance Speed Restrictions:
 Clinton, M. P. 202.0, movements over Lisbon, Still and John Streets must be flagged.

SPECIAL RULES

6—Nos. 420 and 421 will not protect against following extra trains between Warsaw and Clinton.

REGISTER STATIONS

1—Smith's Creek Yard (yard office and shops) and Milan (trains originating and terminating).

YARD LIMITS

2—Smith's Creek Yard-Fernside-Wilmington-Navassa, Fayetteville-Milan-NS Junction and Fort Junction.

JUNCTION SWITCHES

3—Yadkin Junction, M. P. 290.5, lined for movements on Pee Dee Subdivision.

NS Junction, M. P. 209.1, lined for movements on Fayetteville Subdivision.

SPEED RESTRICTIONS

4—Between Mile Posts	All Trains M.P.H.
211.0 and 211.2	10
259.4 and 259.6	10
M. P. 209.7, turnouts Milan Yard and conn., 20 M.P.H.	

City ordinance Speed Restrictions:

Wilmington, movements over 9th Street crossing must be flagged. Trains and engines will not exceed speed of 15 M.P.H. between passenger station Wilmington and Hilton drawbridge.

Atkinson, 25 M.P.H. 6:00 A.M. to 11:00 P.M. and 35 M.P.H. 11:00 P.M. to 6:00 A.M.

Fayetteville, 35 M.P.H. across Cumberland Street and Blount Street, and between these crossings; except across Hay Street, 25 M.P.H. Movements over Blount Street must be flagged when such movements are in old Fayetteville freight yard. Movements over Gillespie and Broad Streets on Fayetteville Subdivision must be flagged. Movements over West Russell Street, including those on yard tracks and at Maxwell Street intersection, must be flagged.

RAILROAD CROSSINGS AT GRADE

5—Protected by remotely controlled interlocking: Fayetteville, M. P. 209.2, South End Subdivision.

6—Protected by "Stop" boards: Fayetteville, (south leg of wye at Russell Street), NS.

DRAWBRIDGES

7—Not protected by interlocking: North East River, Hilton, M. P. 245.9, attended. Trains and engines must stop within 300 feet of drawspan. If the way is clear, they then may proceed upon receiving proceed signal from Bridge Tender.

SPRING SWITCHES

8—Following spring switch is identified by "SS" on target, trains and engines approaching this switch must know that points are set in proper position before passing over same: Fayetteville, old freight lead, Hay Street, 15 M.P.H.

JOINT TRACKS

9—N.S. Railway trains and engines must protect against eastward S. C. L. movements before fouling S. C. L. main track at NS Junction. This will not relieve eastward S. C. L. trains and engines from approaching NS Junction at slow speed. All trains and engines will run between NS Junction and Franklin Street at yard speed.

SPECIAL RULES

10—Trains and engines will stop clear access road Fayetteville Subdivision, M. P. 289.2 serving CP&L Co.

OPERATION BETWEEN HILTON AND NAVASSA

11—Between Hilton, M. P. 245.7 (Pee Dee Subd.), and Navassa, M. P. 248.2 (Pee Dee Subd.), trains and engines will move prepared to stop within one-half the range of vision not exceeding 20 M.P.H. and must stop short of another train, obstruction or switch improperly lined. Trains and engines will not enter these limits without authority from the yardmaster at Smith's Creek Yard, except in cases of failure of communications (radio and telephone) they may proceed observing the above restrictions.

Switches at Hilton and Navassa will be kept set and locked for the main track of Pee Dee Subdivision. Bridge tenders at Navassa and Hilton will change the switches at these points for Wilmington Subdivision trains to pass and must immediately reset them to proper position after train has passed. Trains and engines en route to or from Wilmington Subdivision or Hilton Yard must sound four (4) long blasts of the whistle, to indicate that the switch is to be lined for movement of a Wilmington Subdivision train.

New Bern Subdivision**REGISTER STATIONS**

1—New Bern, Marine Junction, Smith's Creek Yard (yard office and shops).

YARD LIMITS

2—New Bern-New Bern Yard, Belgrade-Maysville, Marine Junction-Jacksonville-Tent Camp and Smith's Creek Yard-Fernside-Wilmington.

JUNCTION SWITCHES

3—New Bern Junction, M. P. 244.1, lined for movements on New Bern Subdivision.

Marine Junction, M. P. 295.0, lined for movements on New Bern Subdivision.

SPEED RESTRICTIONS

4—Between Mile Posts	All Trains M.P.H.
292.8 and 292.9	10
Trains and engines will not exceed speed of 15 M.P.H. between M. P. 246.8 and M. P. 246.9 on north leg of wye Fernside.	

City Ordinance Speed Restrictions:

New Bern, 5 M.P.H. over Queen Street. Movements over Craven Street and must be flagged.

Wilmington, trains and engines will not exceed 10 M.P.H. over Nutt, Water, Surry and Front Streets, between Cowan and Marstellar Streets; 15 M.P.H. over Street crossings on Belt Line at South Front, South Fifth, South 13th Streets and Colonial Drive; 25 M.P.H. over other street crossings. Movement over 9th Street crossing must be flagged. 15 M.P.H. between passenger station, Wilmington and switch to south leg of New Bern wye.

RAILROAD CROSSINGS AT GRADE

5—Unprotected railroad crossings:
Movements over A&EC crossing, New Bern, must be protected by flag.

Crossing on north leg of wye at New Bern Junction with industrial spur; engines using spur must flag in both directions.

Trains and engines on north leg of wye must approach crossing prepared to stop.

DRAWBRIDGES

6—Not protected with interlocking:
New River, Jacksonville, M. P. 292.8.
Trains and engines must stop within 300 feet of drawspan. If the way is clear, then they may proceed.

SPECIAL RULES

7—From 7:00 A.M. to 6:00 P.M. all movements using A&EC trackage at New Bern will operate at restricted speed under yard rules and will not exceed speed of 10 M.P.H. through turnouts. Switches must be restored to normal position immediately after use. Between 6:00 P.M. and 7:00 A.M. the A&EC trackage must not be used without authority from yardmaster on duty.

All movements over "B" street in A&EC yard must be preceded by flagman.

8—Nos. 422 and 423 will not protect against following extra trains between New Bern and New Bern Jct.

9—No. 423 is superior to No. 422 New Bern to Marine Junction.

Camp LeJeune Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Marine Junction and Camp LeJeune for Trains 424 and 425.

REGISTER STATIONS

2—Marine Junction.

YARD LIMITS

3—Marine Junction.

JUNCTION SWITCHES

4—Marine Junction, M. P. 295.0, lined for movements on New Bern Subdivision.

JOINT TRACKS

5—Trains and engines will use tracks at Camp LeJeune, including wye track and industrial area, jointly with trains and engines of Camp LeJeune Railway and of the Government. All movements will be made at yard speed and will approach wye track prepared to stop clear of switches set against S. C. L. movements.

SPECIAL RULES

6—Trains and engines will operate at yard speed on Camp LeJeune Subdivision not exceeding 20 M. P. H.

Nashville Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Bunn.

REGISTER STATIONS

2—South Rocky Mount.

YARD LIMITS

3—Rocky Mount.

JUNCTION SWITCHES

4—Rocky Mount, M. P. 119.9, lined for movements on North End Subdivision.

SPEED RESTRICTIONS

5—Between Mile Posts	All Trains M.P.H.
121.9 and 122.0	20

RAILROAD CROSSINGS AT GRADE

6—Protected by non-electrically locked gates:
South Rocky Mount (Richmond Lead), S.C.L., may be left set against either East End Subdivision or Richmond lead.

SPRING SWITCHES

7—Following spring switches are identified by "SS" on target, trains and engines approaching these switches must know that points are set in proper position before passing over same:

South Rocky Mount, north leg of wye (Richmond lead) 10 M. P. H.

Rocky Mount, yard freight lead northward track (Bassett Street), 20 M. P. H.

TWO TRACKS

8—Two tracks extend between Rocky Mount, M. P. 119.9 and South Rocky Mount, M. P. 120.9.

SPECIAL RULES

9—Trains and engines may operate on either track in either direction between Goldleaf Street, Rocky Mount, M. P. 119.0, and north end Traffic Control, South Rocky Mount, M. P. 120.9, on instructions of the yardmaster or stationmaster, which supercedes time table superiority. Trains and engines must operate at yard speed not exceeding 20 M.P.H.

10—At Rocky Mount, trains and engines using yard freight lead will approach spring switch to northward main track at Bassett Street prepared to stop. When northward main track is clear trains or engines will not exceed speed of 5 M.P.H. until gates are in stop position, then proceed not exceeding 20 M.P.H.

11—Rocky Mount, all movements over Grace Street must be flagged.

12—At South Rocky Mount, M. P. 120.1, near Switch Tender's Shack switches for double crossovers between main tracks, switch from northward main track to No. 1 track and switch from southward main track to No. 49's track are air operated dual control switches equipped with indicator lights which indicate position of switches. Speed through these turnouts and crossovers 15 M.P.H. When lunar white light on signal case is burning, switches may be operated by hand.

13—Nos. 401 and 402 will not protect against following extra trains between Rocky Mount and Bunn.

Red Springs Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Parkton and Red Springs.

SPECIAL RULES

2—Nos. 439 and 440 will not protect against following extra trains between Parkton and Red Springs.

Fairmont Subdivision

CLEARANCE CARDS

1—Rule 83-A will not apply at Fairmont and Elrod.

SPECIAL RULES

2—Nos. 403 and 404 will not protect against following extra trains between Elrod and Fairmont.

RULES RICHMOND TERMINAL COMPANY

1—Employees will comply with special rules or instructions when issued by proper officers.

2—Conductors, trainmen, enginemen and firemen must be qualified by a designated officer before being permitted to operate into and out of the Terminal Station.

3—All train movements will be governed by signal indications within interlocking limits.

4—(a) Trains and engines entering Broad Street Station, 20 M.P.H., South "Y" Junction to inbound home signal. (b) Between inbound home signal and outbound home signal, Broad Street Station 15 M.P.H.; 20 M.P.H. on No. 2 track, between outbound home signal and South "Y" Junction; (c) Passenger trains, 20 M.P.H. through turnouts and crossings at South "Y" Junction and "Y" Junction on James River Branch when operating via their regular route; if diverted, be governed by item "d"; (d) Trains and engines (except as provided in item "c" above) 15 M.P.H. when making turnout or crossover movement at AY Tower, South "Y" Junction on James River Branch.

Trains, engines and switch movements must not exceed a speed of twenty (20) M.P.H. between Seaboard Junction and Terminal Junction and must not exceed a speed of fifteen (15) M.P.H. between Terminal Junction and Broad Street Station.

5—Interlocking signals of color light type display the following indications:

Red—Stop

Yellow—Restricting (not exceeding fifteen (15) miles per hour prepared to stop short of train, obstruction or switch not properly lined and look out for broken rail)

Yellow over red—Approach (Proceed prepared to stop at next signal)

Green—Not exceeding fifteen (15) miles per hour through crossovers and turnouts; then proceed at authorized speed.

6—Interlocking signals are located to the right of the tracks they govern. Hand signals must not be recognized over interlocking signals. When interlocking signals indicate stop or are dark and conflicting movement is not observed, member of crew will contact the control center at Acca Yard by telephone.

If signal cannot be cleared, a thorough understanding must be had that proper route is lined for the movement; that there are no conflicting movements and that the route will not be changed until movement has been completed, after which control center may authorize movement to proceed at restricted speed to next signal.

7—All trains making back-up movements must be equipped

with a back-up air hose or its equivalent. Conductor must know the appliance is in working order and will personally handle all back-up movements. Air whistle on back-up air hose will be sounded at frequent intervals on all trains backing into station.

Conductors in charge of inbound back-up movements will stop train clear of the signal at north end of station except, if that signal displays a proceed indication, train will proceed to portable reflectorized stop sign on right side of track.

8—In case of derailment, or if damage to track or interlocking occurs, creating an unsafe condition, such action as necessary must be taken to protect other movements, and no movement will be permitted until all parts of the interlocking and tracks are known to be in a safe condition. Trains stopped within the interlocking due to causes not covered in these rules must contact the control center before resuming movement. A reverse movement within the limits of the interlocking or a forward movement after making a reverse movement, must not be made without the proper interlocking signal indication or permission from the control center.

9—Proper members of passenger train crews, uniformed, are required to be on hand thirty (30) minutes prior to departure time of their trains and protect the loading of passengers. Crews of inbound passenger trains will remain with train until they have assisted in the discharging of passengers.

10—All trains will be started by communicating signal or radio.

11—Trains must not depart until the Conductor and Engineman have received an O.K. from the car inspector that train is ready as far as the Mechanical Department is concerned and permission to leave has been received from the Stationmaster when on duty.

12—All members of train crews must register in book provided for that purpose in the Stationmaster's office.

13—Doors of toilets on all passenger trains must be kept locked while cars are located on station tracks; private or chartered cars must be kept locked until soil cans are supplied.

14—Trash and debris, or refuse of any nature, must not be dumped or thrown off within the terminal limits.

15—Headlights on all engines will be dimmed while on tracks of the Richmond Terminal Company.

16—The use of sand within interlocking limits must be avoided as far as possible and is prohibited through switches and crossovers except in emergency.

TONNAGE RATING

Engine Numbers Tonnage Shown Per Unit	700- 1002, 1119- 1201, 1250- 1259	675- 698	309, 317, 1003- 1065, 1202- 1239	600- 620, 1275- 1277, 1300- 1343, 1400- 1415, 1500- 1599, 1600- 1656, 1700- 1799, 1800- 1855, 3200- 3224*	203- 222, 1100- 1117	1900- 1923, 2100- 2110, 2114- 2120	2000- 2044	2111- 2113, 2200- 2210	2121- 2124, 2211- 2213
Richmond Terminal - West Route Richmond and Centralia.....	2500	2000	2750	3000	1650	3850	4550	4350	4750
Richmond Terminal - East Route Richmond to Centralia.....	1500	1200	1650	1800	1000	2300	2700	2600	2850
Centralia to Brown St.....	2300	1850	2500	2750	1500	3550	4200	4000	4350
Brown St. to Richmond.....	1300	1050	1450	1550	850	2000	2350	2300	2450
Hopewell and Bellwood.....	1700	1350	1850	2050	1100	2650	3100	3000	3200
Richmond Terminal Centralia and South Collier.....	2500	2000	2750	3000	1650	3850	4550	4350	4750
South Collier and S. Ry. Mt.....	2600	2050	2850	3100	1700	4000	4750	4550	4950
S. Ry. Mt. to Florence.....	2400	1900	2650	2800	1550	3700	4350	4200	4550
Florence to S. Ry. Mt.....	2600	2050	2850	3100	1700	4000	4750	4550	4950
Elrod to Fairmont.....	3500	2800	3850	4200	2300	5400	6350	6100	6650
Fairmont to Elrod.....	3100	2450	3400	3700	2000	4800	5650	5400	5900
S. Ry. Mt. to Yard Tower.....	3000	2400	3300	3600	1950	4650	5450	5250	5700
Yard Tower to Tarboro.....	2400	1900	2650	2850	1550	3700	4300	4200	4550
Tarboro to S. Ry. Mt.....	2700	2150	2950	3250	1750	4150	4900	4700	5100
S. Ry. Mt. to Plymouth.....	4200	3350	4600	5050	2750	6500	7650	7350	7950
Plymouth to S. Ry. Mt.....	2500	2000	2750	3000	1650	3850	4500	4350	4750
Pender to Parmele.....	2400	1900	2650	2850	1550	3700	4350	4200	4550
Parmele to Greenville.....	1800	1450	1950	2150	1200	2800	3300	3150	3400
Greenville and Kinston.....	2500	2000	2750	3000	1650	3800	4500	4350	4750
Greenville to Parmele.....	3400	2700	3750	4050	2200	5250	6200	5950	6450
Parmele to Pender.....	2300	1850	2500	2750	1500	3550	4200	4000	4350
Parmele to Washington.....	3800	3050	4150	4550	2500	5900	6900	6650	7200
Washington to Parmele.....	3500	2800	3850	4200	2300	5400	6350	6100	6650
Parkton and Red Springs.....	3000	2400	3300	3600	1950	4650	5450	5250	5700
Contentnea and Smith Creek's Yd.....	2600	2050	2850	3100	1700	4000	4750	4550	4950
Clinton and Warsaw.....	1600	1250	1750	1900	1050	2450	2900	2800	3050
Smith Creek's Yd. to Pee Dee.....	2800	2250	3050	3350	1850	4350	5100	4900	5300
Pee Dee to Smith Creek's Yd.....	3000	2400	3300	3600	1950	4650	5450	5250	5700
Chadbourn and Myrtle Beach.....	3000	2400	3300	3600	1950	4650	5450	5250	5700
Yadkin Jet. to Fayetteville.....	2650	2100	2900	3150	1750	4100	4850	4650	5000
Fayetteville to Manchester.....	1550	1250	1700	1850	1000	2400	2800	2700	2950
Manchester to Ft. Bragg.....	2000	1600	2200	2400	1300	3100	3650	3500	3800
Ft. Bragg to Fayetteville.....	3000	2400	3300	3600	1950	4650	5450	5250	5700
Fayetteville to Yadkin Jet.....	3100	2480	3400	3700	2000	4800	5650	5400	5900
Smith Creek's Yd. to Jacksonville.....	4000	3200	4400	4800	2600	6200	7300	7000	7600
Jacksonville and New Bern.....	3000	2400	3300	3600	1950	4650	5450	5250	5700
Jacksonville to Smith Creek's Yd.....	2800	2250	3000	3350	1850	4350	5100	4900	5300

*MATE Units Nos. 3200-3224 are without diesel engines and operate only coupled with engines Nos. 1803-1812 and 1835-1855. MATE units cut out and do not supply tractive effort for train movement at speed in excess of 29.2 M.P.H.

COLLIER SUBDIVISION - EAST ROUTE

NAME	Mile Post	Station Nos.	Car Capacity	Opening
General Shale No. 17 (E)	3.1	5 3	13	North
Allegheny Lead (E)	3.2	5 3	60	North
Allegheny Warehouse Co.	3.4	5 3	25	North
General Shale No. 16 (E)	4.3	5 4	9	North
Marlboro (E)	4.4	5 4	55	North
Peck Siding (E)	4.4	5 4	11	North
Amphill (E)	5.1	5 5	Yard	North
Texas Oil Company (W)	6.4	5 6	11	South
National Cylinder Gas Company (W)	6.5	5 7	12	South
Realty Properties, Inc.	6.8	5 7	13	South
Bell Bluff (W)	8.9	5 9	Yard	North

HOPEWELL SUBDIVISION - RICHMOND TERMINAL

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Reynolds Metal Company	10.5	SAC 10	Yard	North
Wheelwright	12.0	SAC 12	Yard	Both
**Development Co. America	12.0	SAC 12	14	South
Curtis Siding	14.0	SAC 14	10	North
*BERMUDA HUNDRED SPUR (3.8 miles)				
Bermuda Hundred	17.1	SAD 17	Spur	North
American Tobacco Company	20.0	SAD 20	Spur	North
Narox Corp.	20.0	SAD 20	6	North
Allied Chemical Corp.	20.9	SAD 21	14	North

*Breaks from Thomas Siding **Breaks from Wheelwright (W-1)

NORTH END SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Virginia Electric & Power Co. (W)	33.6	A 34	21	South
Carson (E)	36.8	A 37	7	North
Capico (W)	65.8	A 66	8	South
Skippers (W)	68.7	A 69	4	North
Hunter (W)	103.0	A 103	9	South
Georgia Pacific Corporation (E)	103.2	A 103	10	North
Mitchell Engineering Company (W)	113.0	A 113	24	Both
Run-around track (W)	113.2	A 113	48	Both
Schlage Lock Corp.		A 113	30	South
Armstrong (E)	115.4	A 115	1	North
Ricks (W)	116.2	A 116	5	South
Rea Construction Co. (E)	116.4	A 117	13	South

SOUTH END SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Sharpsburg (W)	125.0	A 125	10	South
Vick (E)	127.2	A 127	113	South
Kaiser Agricultural Chemicals (E)	138.1	A 138	Spur	South
Overton Container Corp.	153.2	A 153	Spur	South
Basley	154.3	A 154	9	South
Micro	156.3	A 156	8	North
Folck (E)	159.8	A 160	20	South
Dewbell (W)	162.1	A 162	6	North
Sylvania (E)	163.2	A 163	Yard	South
Bright Leaf & Burley Tobacco Company	166.4	A 166	Yard	South
Fieldcrest	167.0	A 167	14	South
Chicopee	181.2	A 181	7	South
Mingo	184.6	A 185	6	North
Purdie (E)	187.1	A 187	14	North
Godwin	193.6	A 193	14	South
Tart and Tart Lumber Co.	198.3	A 198	4	South
Wade	198.5	A 198	17	South
Victory (E)	211.8	A 212	23	North
Urtle (E)	212.5	A 213	12	North
Purolator, Inc. (E)	213.4	A 213	Spur	South
Carolina Model Homes	214.5	A 215	15	South
Hope Mills (E)	216.1	A 217	42	Both
Cates Pickle Company	223.8	A 224	8	South
Bute	236.5	A 237	8	North
Dixon (W)	258.4	A 258	20	South
Fairley	266.5	A 267	7	North
Sellers (W)	273.4	A 273	31	South
Blue Brick	277.9	A 278	Yard	North
Stone-DuPont (E)	282.9	AHH 286	Yard	South
Winona (E)	283.8	A 284	10	North
Mars Bluff (W)	286.6	A 287	15	North

EAST END SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Speed	143.0	AB 143	6	South
Earley	174.6	AB 174	5	South
Tunis	185.0	AB 185	15	Both
Farmers Chemical Spur	185.1	AB 185	Spur	South
Drum Hill	200.7	AB 201	3	South
Nurney	210.2	AB 210	8	South

PLYMOUTH SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Mildred	140.7	ABC 141	5	East
Robersonville Product Company	157.5	ABC 158	13	East
Poe Siding	164.7	ABC 165	65	Both
Butane	174.7	ABC 175	2	East

WASHINGTON SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Waccamaw Siding	151.6	AAB 152	7	East
Flanders Filgers Inc.	153.8	AAB 154	15	East
Pamlico Distributing Company	155.9	AAB 156	3	East
Seacrest Marine Corporation	157.0	AAB 157	51	West
Grimes	157.6	AAB 158	6	West

KINSTON SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Spring Hill	103.6	AA 104	12	Both
FCX	107.8	AA 108	2	South
Beasley Lumber Company	108.3	AA 108	13	South
Henderson Grain Company	111.3	AA 111	3	North
American Cyanamid Company	124.7	AA 125	8	North
Whitehurst	138.4	AA 138	2	North
Randolph	147.3	AA 147	2	North
Madison	151.8	AA 152	10	South
Wicks Corporation	152.1	AA 152	10	South
Union Carbide	151.9	AA 152	14	South
Coastal Chemical Co.	152.9	AA 153	14	South
Sunnyside Eggs, Inc.	153.7	AA 154	6	North
King Bros. Grain Elevator	160.4	AA 160	16	South
American Cyanamid Company	160.5	AA 161	7	South
Grifton Gas Company	164.1	AA 164	7	South
Ward Lumber Company	167.6	AA 168	5	North
Darg	167.8	AA 168	6	North
Dupont No. 2	170.4	AA 170	28	North
Crainings	171.9	AA 172	9	Both
Elmer	173.3	AA 173	34	North
Hergas	173.8	AA 174	3	South
Hapco	175.1	AA 175	16	South

W & W SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Loxco	154.0	AC 154	6	North
NuFarms	175.0	AC 175	4	North
Nocar	182.0	AC 182	14	South
Farmex	182.4	AC 182	3	North
Ripaco	182.7	AC 183	17	South
Southeastern Grain Company	190.9	AC 191	24	North
Coastal Plain Milling Company	192.3	AC 199	6	North
Nash Johnson Company	199.4	AC 199	4	North
APCO Paper Company	202.9	AC 203	5	South
Aycock Milling Co. Inc.	204.9	AC 205	13	South
Chemical Service Company	205.1	AC 205	9	South
Godwin Lumber Company	206.4	AC 206	11	North
Olveo Spur	206.5	AC 207	11	North
Wrightsbare	239.8	AC 240	3	North
Numill Spur	240.1	AC 240	22	North

PEE DEE SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Leland	251.6	AC 252	1	North
Malmo	255.1	AC 255	9	South
Maco	257.3	AC 258	15	South
Wanamish	278.8	AC 279	3	North
FCX	291.2	AC 291	17	South
Holiday House, Inc.	291.4	AC 291	2	South
Whiteville Builders	291.5	AC 292	8	North
Callier Gas	291.8	AC 292	6	South
Fargas Inc.	292.6	AC 293	6	South
Jones	294.9	AC 295	26	Both
Weyerhaeuser Co. Pulpwood Yard	299.1	AC 299	17	North
Cerro Gordo	303.2	AC 303	10	South
Farmers Oil Company	303.7	AC 304	3	South
Kerr McGee	307.3	AC 307	10	North
Pitt	316.3	AC 316	19	Both
Harco	328.6	AC 329	3	North
Marion Lumber Co.	334.2	AC 334	20	South
IMC	334.3	AC 334	8	South

MYRTLE BEACH SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Clarendon	305.4	ACH 305	2	North
Plot	314.8	ACH 315	7	South
Allsbrook	320.9	ACH 321	4	North
Cleckley	322.1	ACH 322	16	Both
Gurley	323.7	ACH 324	3	North

MYRTLE BEACH SUBDIVISION (Continued)

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Philco	333.6	ACH 334	20	Both
Carolina Butane	338.5	ACH 339	3	South
Company Spur	338.5	ACH 339	4	South
Pyrofax Gas	338.7	ACH 339	3	South
Waccamaw Lumber & Supply Company	338.7	ACH 339	8	South
Carolina Strand	338.9	ACH 339	17	South
Furniture Vanner	339.4	ACH 339	1	South
Massey Heights	339.5	ACH 340	2	South
Waccamaw Clay Products Company	347.3	ACH 347	10	North
Air Base Connection	348.1	ACH 348	Yard	South
Resort Lumber Company	348.1	ACH 348	3	South
McLean Concrete	348.9	ACH 349	7	North
Ocean Drive Gas Company	349.0	ACH 349	2	North

FAYETTEVILLE SUBDIVISION

Southern Distributing Company	214.3	AE 214	6	East
Becker County Sand & Gravel Company	216.6	AF 217	56	Both
Baren Clay Company	228.7	AF 229	14	West
Chaparral Brick Company	230.0	AF 230	4	East
Kerr	256.4	AF 256	1	East
Highway Equipment Co.	288.1	AF 288	9	West

NASHVILLE SUBDIVISION

NAME	Mile Post	Station Nos.	Car Capacity	Opening
Hutton & Bourbonnais	125.0	ABA 125	2	East
Nashville Furn. Spur	128.6	ABA 129	2	West
Evans Lumber Company	128.7	ABA 129	17	West
Coburn Industries	128.9	ABA 129	8	West
Peden Steel Company	132.2	ABA 132	18	West
Homever	135.0	ABA 135	10	East
Masonite Corp.	136.2	ABA 136	17	West
Tar Heel Engr. & Mfg. Company	137.4	ABA 137	6	East

RED SPRINGS SUBDIVISION

Lumber Bridge	227.4	AG 227	10	Both
Taylor Spur	233.7	AG 234	5	South

NEW BERN SUBDIVISION

Winasto	248.1	ACB 248	3	North
Coastal	249.3	ACB 249	5	North
Hawkside	295.7	ACB 296	9	North
Cowell Wholesale Company	296.6	ACB 297	6	North
Stamats Distributing Co.	296.7	ACB 297	7	North
Gentry Wholesale Proc. Co.	297.7	ACB 298	6	North
Kellum	298.8	ACB 299	4	North
New Kellum	299.3	ACB 299	10	North
Weyerhaeuser	299.4	ACB 299	17	North
Weyerhaeuser	299.5	ACB 300	15	Both
Debbe	304.1	ACB 304	3	North
Woody's Hardwood Dimensions	318.8	ACB 319	3	South
Abatfair	325.9	ACB 326	10	North

DIVISION OFFICERS

K. K. KITTS, Asst. Superintendent	Rocky Mount, N.C.	W. G. MERRITT, Division Engineer	Rocky Mount, N.C.
J. U. ROOKER, Asst. Superintendent	Wilmington, N.C.	W. L. WINSTEAD, Master Mechanic	Rocky Mount, N.C.
J. CHERRY, JR., Superintendent Terminals	Richmond, Va.	L. M. SMITH, Supv. Comm. and Signals	Rocky Mount, N.C.
T. C. WHEELER, Trainmaster	Richmond, Va.	F. W. PLATT, Captain of Police	Rocky Mount, N.C.
W. S. HOBBS, Trainmaster	Richmond, Va.	M. L. DOBBS, Roadmaster	Richmond, Va.
E. S. WILKES, Trainmaster	Rocky Mount, N.C.	E. E. BENNETT, Roadmaster	Petersburg, Va.
J. S. WILKES, Trainmaster	Rocky Mount, N.C.	J. P. EPTING, Roadmaster	Rocky Mount, N.C.
C. H. BLANTON, JR., Trainmaster	Wilmington, N.C.	EARL EDGE, Roadmaster	Rocky Mount, N.C.
D. B. DIXON, Terminal Trainmaster	Richmond, Va.	H. C. WADE, Roadmaster	Fayetteville, N.C.
M. T. ROBBINS, Terminal Trainmaster	Rocky Mount, N.C.	E. A. McCRAY, Roadmaster	Dillon, S.C.
R. E. SCOTT, Road Foreman of Engs.	Richmond, Va.	J. CALLOWAY, Roadmaster	Tarboro, N.C.
J. W. FOWLER, Road Foreman of Engs.	Rocky Mount, N.C.	H. J. WARD, Roadmaster	Chadbourne, N.C.
R. L. HERRING, Road Foreman of Engs.	Rocky Mount, N.C.	H. C. JONES, Roadmaster	Wilmington, N.C.
J. H. BARNES, Chief Dispatcher	Rocky Mount, N.C.		

SYSTEM OFFICERS

J. W. THOMPSON, Gen. Supt.-Rules	Jacksonville, Fla.	T. A. BROWN, Gen. Supv. Yds. & Terminals	Jacksonville, Fla.
O. P. DOWLING, Gen. Supt.-Safety	Jacksonville, Fla.	F. W. WHITAKER, JR., Supt.-Sta. and FCP	Jacksonville, Fla.

COMPANY PHYSICIANS

J. DAN ROYSTER, M.D.	Benson, N.C.	A. M. STANTON, M.D.	Plymouth, N.C.
C. G. GARRENTON, M.D.	Bethel, N.C.	G. L. MOORE, M.D.	Portsmouth, Va.
W. I. TAYLOR, M.D.	Burgaw, N.C.	WILLIAM B. POPE, JR., M.D.	Portsmouth, Va.
MURRAY CARROLL, M.D.	Chadbourne, N.C.	W. C. ROBERTSON, M.D., Ophthal.	Portsmouth, Va.
ROBERT J. BUCHANAN, M.D.	Chesapeake, Va.	R. D. McMILLAN, M.D.	Red Springs, N.C.
GLENN C. NEWMAN, M.D.	Clinton, N.C.	L. H. APPERSON, M.D.	Richmond, Va.
JOHN deS. GILLAND, JR., M.D.	Conway, S.C.	W. F. BRYCE, M.D., Ophthalmologist	Richmond, Va.
L. M. MEDLIN, M.D.	Conway, S.C.	CHARLES W. BYRD, M.D.	Richmond, Va.
RUFUS H. GAIN, M.D.	Dillon, S.C.	JOHN R. FREEMAN, M.D.	Richmond, Va.
C. L. CORBETT, M.D.	Dunn, N.C.	DuPONT GUERRY, III, M.D., Ophthalmologist	Richmond, Va.
R. H. PUTNEY, JR., M.D.	Elm City, N.C.	O. T. GRAHAM, JR., M.D.	Richmond, Va.
G. M. NAFF, M.D.	Emporia, Va.	EDWARD E. HADDOCK, M.D.	Richmond, Va.
JOHN S. PRINCE, M.D.	Emporia, Va.	EMMETT C. MATHEWS, M.D.	Richmond, Va.
PETER W. SQUIRE, M.D.	Emporia, Va.	JOHN A. RAWLES, M.D.	Richmond, Va.
WILLIAM K. CRAIG, M.D.	Enfield, N.C.	IRWIN RIFKIN, M.D.	Richmond, Va.
R. L. WEINSTEIN, M.D.	Fairmont, N.C.	DAVID D. VAUGHN, M.D.	Richmond, Va.
DAVID E. DRAKE, M.D.	Fayetteville, N.C.	ORVILLE E. BELL, M.D.	Rocky Mount, N.C.
JOHN M. HARRY, M.D.	Fayetteville, N.C.	LEON W. ROBERTSON, M.D.	Rocky Mount, N.C.
JAMES ALLEN, M.D.	Florence, S.C.	S. E. WAY, M.D.	Rocky Mount, N.C.
E. M. ALLEN, JR., M.D.	Florence, S.C.	J. STREET BREWER, M.D.	Roseboro, N.C.
T. H. HOUCK, M.D.	Florence, S.C.	C. H. NEVILLE, M.D.	Scotland Neck, N.C.
W. S. HOUCK, M.D.	Florence, S.C.	ALLEN H. LEE, M.D.	Selma, N.C.
C. H. KINGSBURY, M.D.	Florence, S.C.	WILL H. LASSITER, M.D.	Smithfield, N.C.
L. D. LIDE, M.D., Ophthalmologist	Florence, S.C.	WATSON WHARTON, M.D.	Smithfield, N.C.
M. R. MOBLEY, M.D.	Florence, S.C.	O. M. LOWRY, M.D.	Spring Hope, N.C.
J. H. STOKES, M.D., Ophthalmologist	Florence, S.C.	W. HOLMES CHAPMAN, JR., M.D.	Suffolk, Va.
HENRY J. GARDNER, M.D.	Franklin, Va.	DAVID B. CORCORAN, M.D.	Suffolk, Va.
C. H. RAND, M.D.	Fremont, N.C.	J. E. RAWLS, JR., M.D.	Suffolk, Va.
WINFIELD L. THOMPSON, M.D.	Goldsboro, N.C.	EDWIN P. EWERS, M.D.	Warsaw, N.C.
H. D. TYNDALL, M.D.	Goldsboro, N.C.	L. L. RAYFORD, JR., M.D.	Washington, D.C.
C. T. PACE, M.D.	Greenville, N.C.	JOSEPH R. YOUNG, M.D.	Washington, D.C.
JACK O. CARSON, M.D.	Grifton, N.C.	MERVINE H. ZIMMERMAN, M.D., Ophthal.	Washington D.C.
A. T. BRICKHOUSE, M.D.	Hopewell, Va.	R. B. BLOWE, M.D.	Weldon, N.C.
JAMES B. PIVER, M.D.	Jacksonville, N.C.	J. H. CUTCHIN, M.D.	Whitakers, N.C.
JAMES A. KIRKLAND, M.D.	Jarratt, Va.	W. H. HOSKINS, M.D.	Whiteville, N.C.
S. B. HUNTER, JR., M.D.	Kenly, N.C.	J. S. RHODES, M.D.	Williamston, N.C.
CLIFTON F. WEST, M.D.	Kinston, N.C.	E. C. ANDERSON, M.D., Ophthalmologist	Wilmington, N.C.
JAMES B. BERRY, M.D.	Marion, S.C.	ROBERT M. FALES, M.D.	Wilmington, N.C.
WM. L. CHEEZEM, M.D.	Marion, S.C.	D. W. CAUGHEY, JR., M.D.	Wilmington, N.C.
G. P. JOSEPH, M.D.	Myrtle Beach, S.C.	R. F. GROVE, M.D., Ophthalmologist	Wilmington, N.C.
T. B. POPE, M.D.	Petersburg, Va.	R. T. SINCLAIR, JR., M.D.	Wilmington, N.C.
FRANCIS N. TAYLOR, M.D.	Petersburg, Va.	BADIE T. CLARK, M.D.	Wilson, N.C.
STANLEY J. CRYAN, M.D.	Philadelphia, Pa.	M. A. PITTMAN, M.D.	Wilson, N.C.